2014 National Physician Fee Schedule Relative Value File

CPT codes and descriptions only are copyright 2013 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.

Dental codes (D codes) are copyright 2013/14 American Dental Association. All Rights Reserved.

RELEASED 12/19/2013

01072014 Revised:

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
10021		A	1.27	0.46	0.26	1.99	1.27	2.26	0.26	3.79	XXX	N	N	D	N	N	52.48	99.94
10022		A	1.27	0.4	0.16	1.83	1.27	2.11	0.16	3.54	XXX	N	N	D	N	N	48.26	93.35
10030		A	3	0.98	0.34	4.32	3	15.64	0.34	18.98	XXX	Y	N	D	N	N	113.92	500.50
10040		A	1.21	0.92	0.21	2.34	1.21	1.21	0.21	2.63	010	Y	N	N	N	N	61.71	69.35
10060		A	1.22	1.16	0.14	2.52	1.22	1.6	0.14	2.96	010	Y	N	N	N	N	66.45	78.06
10061		A	2.45	1.94	0.36	4.75	2.45	2.53	0.36	5.34	010	Y	N	N	N	N	125.26	140.82
10080		A	1.22	1.26	0.24	2.72	1.22	3	0.24	4.46	010	Y	N	N	N	N	71.73	117.61
10081		A	2.5	1.65	0.54	4.69	2.5	3.89	0.54	6.93	010	Y	N	N	N	N	123.68	182.74
10120		A	1.22	1.3	0.19	2.71	1.22	2.4	0.19	3.81	010	Y	N	N	N	N	71.46	100.47
10121		A	2.74	1.8	0.49	5.03	2.74	3.82	0.49	7.05	010	Y	N	N	N	N	132.64	185.91
10140		A	1.58	1.32	0.24	3.14	1.58	2.33	0.24	4.15	010	Y	N	N	N	N	82.80	109.44
10160		A	1.25	1.1	0.19	2.54	1.25	1.87	0.19	3.31	010	Y	N	N	N	N	66.98	87.28
10180		A	2.3	1.93	0.58	4.81	2.3	3.48	0.58	6.36	010	Y	N	N	N	N	126.84	167.71
11000		A	0.6	0.14	0.06	0.8	0.6	0.73	0.06	1.39	000	Y	N	N	N	N	21.10	36.65
11001		A	0.3	0.07	0.04	0.41	0.3	0.22	0.04	0.56	ZZZ	N	N	N	N	N	10.81	14.77
11004		A	10.8	3.32	2.27	16.39	10.8	3.32	2.27	16.39	000	Y	N	N	N	N	432.20	432.20
11005		A	14.24	4.39	3.57	22.2	14.24	4.39	3.57	22.2	000	N	N	D	N	N	585.41	585.41
11006		A	13.1	3.98	2.81	19.89	13.1	3.98	2.81	19.89	000	Y	N	N	N	N	524.50	524.50
11008		A	5	1.53	1.26	7.79	5	1.53	1.26	7.79	ZZZ	N	N	D	N	N	205.42	205.42
11010		A	4.19	2.5	0.92	7.61	4.19	7.32	0.92	12.43	010	Y	B	N	N	N	200.68	327.78
11011		A	4.94	2.27	1.18	8.39	4.94	7.73	1.18	13.85	000	Y	B	N	N	N	221.24	365.22
11012		A	6.87	3.36	1.57	11.8	6.87	9.93	1.57	18.37	000	Y	B	N	N	N	311.17	484.42
11042		A	1.01	0.52	0.15	1.68	1.01	1.78	0.15	2.94	000	Y	N	N	N	N	44.30	77.53
11043		A	2.7	1.14	0.54	4.38	2.7	2.8	0.54	6.04	000	Y	N	N	N	N	115.50	159.27
11044		A	4.1	1.6	0.87	6.57	4.1	3.5	0.87	8.47	000	Y	N	N	N	N	173.25	223.35
11045		A	0.5	0.15	0.14	0.79	0.5	0.49	0.14	1.13	ZZZ	N	N	D	N	N	20.83	29.80
11046		A	1.03	0.34	0.21	1.58	1.03	0.73	0.21	1.97	ZZZ	N	N	D	N	N	41.66	51.95
11047		A	1.8	0.63	0.4	2.83	1.8	1.19	0.4	3.39	ZZZ	N	N	D	N	N	74.63	89.39
11055		A	0.35	0.07	0.03	0.45	0.35	0.8	0.03	1.18	000	Y	N	N	N	N	11.87	31.12
11056		A	0.5	0.1	0.04	0.64	0.5	0.92	0.04	1.46	000	Y	N	N	N	N	16.88	38.50
11057		A	0.65	0.13	0.05	0.83	0.65	0.96	0.05	1.66	000	Y	N	N	N	N	21.89	43.77
11100		A	0.81	0.39	0.14	1.34	0.81	1.61	0.14	2.56	000	Y	N	N	N	N	35.34	67.51
11101		A	0.41	0.2	0.06	0.67	0.41	0.37	0.06	0.84	ZZZ	N	N	N	N	N	17.67	22.15
11200		A	0.82	0.95	0.14	1.91	0.82	1.27	0.14	2.23	010	Y	N	N	N	N	50.37	58.81
11201		A	0.29	0.12	0.05	0.46	0.29	0.17	0.05	0.51	ZZZ	N	N	N	N	N	12.13	13.45
11300		A	0.6	0.27	0.1	0.97	0.6	1.66	0.1	2.36	000	Y	N	D	N	N	25.58	62.23
11301		A	0.9	0.42	0.14	1.46	0.9	1.91	0.14	2.95	000	Y	N	D	N	N	38.50	77.79
11302		A	1.05	0.5	0.16	1.71	1.05	2.25	0.16	3.46	000	Y	N	D	N	N	45.09	91.24
11303		A	1.25	0.58	0.21	2.04	1.25	2.41	0.21	3.87	000	Y	N	D	N	N	53.79	102.05
11305		A	0.8	0.21	0.08	1.09	0.8	1.56	0.08	2.44	000	Y	N	D	N	N	28.74	64.34
11306		A	0.96	0.34	0.14	1.44	0.96	1.91	0.14	3.01	000	Y	N	D	N	N	37.97	79.37
11307		A	1.2	0.47	0.18	1.85	1.2	2.2	0.18	3.58	000	Y	N	D	N	N	48.78	94.40
11308		A	1.46	0.42	0.16	2.04	1.46	2.16	0.16	3.78	000	Y	N	D	N	N	53.79	99.68
11310		A	0.8	0.37	0.14	1.31	0.8	1.86	0.14	2.8	000	Y	N	D	N	N	34.54	73.84
11311		A	1.1	0.52	0.18	1.8	1.1	1.53	0.18	2.81	000	Y	N	D	N	N	47.47	74.10
11312		A	1.3	0.62	0.24	2.16	1.3	2.46	0.24	4	000	Y	N	D	N	N	56.96	105.48
11313		A	1.68	0.79	0.3	2.77	1.68	2.7	0.3	4.68	000	Y	N	D	N	N	73.04	123.41
11400		A	0.9	1.03	0.14	2.07	0.9	2.01	0.14	3.05	010	Y	N	N	N	N	54.59	80.43

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
11401		A	1.28	1.21	0.24	2.73	1.28	2.22	0.24	3.74	010	Y	N	N	N	N	71.99	98.62
11402		A	1.45	1.29	0.29	3.03	1.45	2.44	0.29	4.18	010	Y	N	N	N	N	79.90	110.23
11403		A	1.84	1.68	0.38	3.9	1.84	2.66	0.38	4.88	010	Y	N	N	N	N	102.84	128.69
11404		A	2.11	1.76	0.44	4.31	2.11	3	0.44	5.55	010	Y	N	N	N	N	113.65	146.35
11406		A	3.52	2.34	0.8	6.66	3.52	3.83	0.8	8.15	010	Y	N	N	N	N	175.62	214.92
11420		A	1.03	0.97	0.14	2.14	1.03	1.89	0.14	3.06	010	Y	N	N	N	N	56.43	80.69
11421		A	1.47	1.21	0.26	2.94	1.47	2.25	0.26	3.98	010	Y	N	N	N	N	77.53	104.95
11422		A	1.68	1.58	0.31	3.57	1.68	2.47	0.31	4.46	010	Y	N	N	N	N	94.14	117.61
11423		A	2.06	1.72	0.4	4.18	2.06	2.72	0.4	5.18	010	Y	N	N	N	N	110.23	136.60
11424		A	2.48	1.84	0.49	4.81	2.48	3.04	0.49	6.01	010	Y	N	N	N	N	126.84	158.48
11426		A	4.09	2.5	0.85	7.44	4.09	3.81	0.85	8.75	010	Y	N	N	N	N	196.19	230.74
11440		A	1.05	1.44	0.19	2.68	1.05	2.15	0.19	3.39	010	Y	N	N	N	N	70.67	89.39
11441		A	1.53	1.63	0.29	3.45	1.53	2.45	0.29	4.27	010	Y	N	N	N	N	90.98	112.60
11442		A	1.77	1.73	0.35	3.85	1.77	2.67	0.35	4.79	010	Y	N	N	N	N	101.52	126.31
11443		A	2.34	1.96	0.45	4.75	2.34	2.97	0.45	5.76	010	Y	N	N	N	N	125.26	151.89
11444		A	3.19	2.3	0.63	6.12	3.19	3.52	0.63	7.34	010	Y	N	N	N	N	161.38	193.56
11446		A	4.8	3.1	0.97	8.87	4.8	4.53	0.97	10.3	010	Y	N	N	N	N	233.90	271.61
11450		A	3.22	2.72	0.78	6.72	3.22	5.62	0.78	9.62	090	Y	Y	N	N	N	177.21	253.68
11451		A	4.43	3.24	1.08	8.75	4.43	6.88	1.08	12.39	090	Y	Y	D	N	N	230.74	326.72
11462		A	3	2.68	0.72	6.4	3	5.63	0.72	9.35	090	Y	Y	D	N	N	168.77	246.56
11463		A	4.43	3.34	1.06	8.83	4.43	7.16	1.06	12.65	090	Y	Y	D	N	N	232.85	333.58
11470		A	3.74	2.98	0.85	7.57	3.74	6.01	0.85	10.6	090	Y	N	N	N	N	199.62	279.52
11471		A	4.89	3.54	1.09	9.52	4.89	7.22	1.09	13.2	090	Y	N	D	N	N	251.04	348.08
11600		A	1.63	1.26	0.31	3.2	1.63	2.91	0.31	4.85	010	Y	N	N	N	N	84.38	127.89
11601		A	2.07	1.54	0.38	3.99	2.07	3.32	0.38	5.77	010	Y	N	N	N	N	105.22	152.15
11602		A	2.27	1.69	0.41	4.37	2.27	3.58	0.41	6.26	010	Y	N	N	N	N	115.24	165.08
11603		A	2.82	1.92	0.5	5.24	2.82	3.87	0.5	7.19	010	Y	N	N	N	N	138.18	189.60
11604		A	3.17	2.04	0.63	5.84	3.17	4.26	0.63	8.06	010	Y	N	N	N	N	154.00	212.54
11606		A	5.02	2.7	1.06	8.78	5.02	5.61	1.06	11.69	010	Y	N	N	N	N	231.53	308.27
11620		A	1.64	1.3	0.31	3.25	1.64	2.95	0.31	4.9	010	Y	N	N	N	N	85.70	129.21
11621		A	2.08	1.55	0.38	4.01	2.08	3.34	0.38	5.8	010	Y	N	N	N	N	105.74	152.95
11622		A	2.41	1.75	0.44	4.6	2.41	3.64	0.44	6.49	010	Y	N	N	N	N	121.30	171.14
11623		A	3.11	2.04	0.59	5.74	3.11	4.01	0.59	7.71	010	Y	N	N	N	N	151.36	203.31
11624		A	3.62	2.2	0.72	6.54	3.62	4.4	0.72	8.74	010	Y	N	N	N	N	172.46	230.47
11626		A	4.61	2.52	0.97	8.1	4.61	5.07	0.97	10.65	010	Y	N	N	N	N	213.60	280.84
11640		A	1.67	1.36	0.31	3.34	1.67	3.06	0.31	5.04	010	Y	N	N	N	N	88.08	132.90
11641		A	2.17	1.62	0.4	4.19	2.17	3.45	0.4	6.02	010	Y	N	N	N	N	110.49	158.75
11642		A	2.62	1.86	0.46	4.94	2.62	3.8	0.46	6.88	010	Y	N	N	N	N	130.27	181.43
11643		A	3.42	2.2	0.65	6.27	3.42	4.19	0.65	8.26	010	Y	N	N	N	N	165.34	217.82
11644		A	4.34	2.6	0.85	7.79	4.34	5.04	0.85	10.23	010	Y	N	N	N	N	205.42	269.77
11646		A	6.26	3.39	1.26	10.91	6.26	6.03	1.26	13.55	010	Y	N	N	N	N	287.70	357.31
11719		A	0.17	0.03	0.01	0.21	0.17	0.17	0.01	0.35	000	Y	N	N	N	N	5.54	9.23
11720		A	0.32	0.07	0.04	0.43	0.32	0.47	0.04	0.83	000	N	N	N	N	N	11.34	21.89
11721		A	0.54	0.11	0.05	0.7	0.54	0.57	0.05	1.16	000	N	N	N	N	N	18.46	30.59
11730		A	1.1	0.23	0.1	1.43	1.1	1.33	0.1	2.53	000	Y	N	N	N	N	37.71	66.72
11732		A	0.44	0.09	0.04	0.57	0.44	0.44	0.04	0.92	ZZZ	N	N	N	N	N	15.03	24.26
11740		A	0.37	0.44	0.04	0.85	0.37	0.82	0.04	1.23	000	Y	N	N	N	N	22.41	32.44
11750		A	2.5	1.86	0.26	4.62	2.5	2.99	0.26	5.75	010	Y	N	N	N	N	121.83	151.63
11752		A	3.63	2.83	0.46	6.92	3.63	4.21	0.46	8.3	010	Y	N	N	N	N	182.48	218.87
11755		A	1.31	0.68	0.14	2.13	1.31	1.95	0.14	3.4	000	Y	N	D	N	N	56.17	89.66
11760		A	1.63	1.6	0.31	3.54	1.63	3.87	0.31	5.81	010	Y	N	N	N	N	93.35	153.21
11762		A	2.94	1.71	0.38	5.03	2.94	3.92	0.38	7.24	010	Y	N	N	N	N	132.64	190.92
11765		A	1.22	1.12	0.1	2.44	1.22	2.8	0.1	4.12	010	Y	N	N	N	N	64.34	108.64
11770		A	2.66	1.72	0.63	5.01	2.66	3.85	0.63	7.14	010	Y	N	N	N	N	132.11	188.28

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
11771		A	6.09	4.16	1.49	11.74	6.09	7.3	1.49	14.88	090	Y	N	N	N	N	309.58	392.39
11772		A	7.35	6.25	1.77	15.37	7.35	8.93	1.77	18.05	090	Y	N	N	N	N	405.31	475.98
11900		A	0.52	0.25	0.09	0.86	0.52	0.79	0.09	1.4	000	Y	N	N	N	N	22.68	36.92
11901		A	0.8	0.4	0.14	1.34	0.8	0.87	0.14	1.81	000	Y	N	N	N	N	35.34	47.73
11920		NOT COVEI	1.61	1.16	0.38	3.15	1.61	2.42	0.38	4.41	000	Y	N	D	N	N	83.07	116.29
11921		NOT COVEI	1.93	1.33	0.44	3.7	1.93	2.76	0.44	5.13	000	Y	N	D	N	N	97.57	135.28
11922		NOT COVEI	0.49	0.24	0.1	0.83	0.49	0.97	0.1	1.56	ZZZ	N	N	D	N	N	21.89	41.14
11950		NOT COVEI	0.84	0.48	0.13	1.45	0.84	1	0.13	1.97	000	Y	N	D	N	N	38.24	51.95
11951		NOT COVEI	1.19	0.63	0.29	2.11	1.19	1.25	0.29	2.73	000	Y	N	D	N	N	55.64	71.99
11952		NOT COVEI	1.69	0.8	0.29	2.78	1.69	1.6	0.29	3.58	000	Y	N	D	N	N	73.31	94.40
11954		NOT COVEI	1.85	0.95	0.41	3.21	1.85	1.91	0.41	4.17	000	Y	N	D	N	N	84.65	109.96
11960		A	11.49	11.05	2.21	24.75	11.49	11.05	2.21	24.75	090	Y	N	N	N	N	652.66	652.66
11970		A	8.01	6.65	1.88	16.54	8.01	6.65	1.88	16.54	090	Y	Y	N	N	N	436.16	436.16
11971		A	3.41	4.24	0.77	8.42	3.41	7.7	0.77	11.88	090	Y	Y	D	N	N	222.04	313.28
11976		A	1.78	0.59	0.36	2.73	1.78	1.69	0.36	3.83	000	Y	N	D	N	N	71.99	101.00
11980		A	1.48	0.49	0.28	2.25	1.48	1.02	0.28	2.78	000	Y	N	N	N	N	59.33	73.31
11981		A	1.48	0.52	0.29	2.29	1.48	1.8	0.29	3.57	XXX	Y	N	D	N	N	60.39	94.14
11982		A	1.78	0.65	0.29	2.72	1.78	1.97	0.29	4.04	XXX	Y	N	D	N	N	71.73	106.53
11983		A	3.3	1.02	0.41	4.73	3.3	2.06	0.41	5.77	XXX	Y	N	D	N	N	124.73	152.15
12001		A	0.84	0.27	0.16	1.27	0.84	1.29	0.16	2.29	000	Y	N	N	N	N	33.49	60.39
12002		A	1.14	0.32	0.23	1.69	1.14	1.45	0.23	2.82	000	Y	N	N	N	N	44.57	74.36
12004		A	1.44	0.37	0.29	2.1	1.44	1.61	0.29	3.34	000	Y	N	N	N	N	55.38	88.08
12005		A	1.97	0.48	0.4	2.85	1.97	2.01	0.4	4.38	000	Y	N	N	N	N	75.15	115.50
12006		A	2.39	0.58	0.49	3.46	2.39	2.39	0.49	5.27	000	Y	N	N	N	N	91.24	138.97
12007		A	2.9	0.78	0.6	4.28	2.9	2.65	0.6	6.15	000	Y	N	N	D	N	112.86	162.18
12011		A	1.07	0.3	0.23	1.6	1.07	1.52	0.23	2.82	000	Y	N	N	N	N	42.19	74.36
12013		A	1.22	0.32	0.24	1.78	1.22	1.63	0.24	3.09	000	Y	N	N	N	N	46.94	81.48
12014		A	1.57	0.39	0.31	2.27	1.57	1.8	0.31	3.68	000	Y	N	N	N	N	59.86	97.04
12015		A	1.98	0.46	0.4	2.84	1.98	2.13	0.4	4.51	000	Y	N	N	N	N	74.89	118.93
12016		A	2.68	0.62	0.55	3.85	2.68	2.4	0.55	5.63	000	Y	N	N	N	N	101.52	148.46
12017		A	3.18	0.59	0.68	4.45	3.18	0.59	0.68	4.45	000	Y	N	D	N	N	117.35	117.35
12018		A	3.61	0.66	0.77	5.04	3.61	0.66	0.77	5.04	000	Y	N	Y	N	N	132.90	132.90
12020		A	2.67	1.96	0.5	5.13	2.67	4.14	0.5	7.31	010	Y	N	N	N	N	135.28	192.76
12021		A	1.89	1.52	0.38	3.79	1.89	2.1	0.38	4.37	010	Y	N	N	N	N	99.94	115.24
12031		A	2	1.69	0.39	4.08	2	3.57	0.39	5.96	010	Y	N	N	N	N	107.59	157.17
12032		A	2.52	2.19	0.45	5.16	2.52	4.6	0.45	7.57	010	Y	N	N	N	N	136.07	199.62
12034		A	2.97	2.02	0.6	5.59	2.97	4.37	0.6	7.94	010	Y	N	N	N	N	147.41	209.38
12035		A	3.5	2.32	0.78	6.6	3.5	5.56	0.78	9.84	010	Y	N	N	N	N	174.04	259.48
12036		A	4.23	2.51	0.97	7.71	4.23	5.75	0.97	10.95	010	Y	N	N	N	N	203.31	288.75
12037		A	5	2.88	1.16	9.04	5	6.23	1.16	12.39	010	Y	N	D	D	N	238.38	326.72
12041		A	2.1	1.69	0.39	4.18	2.1	3.59	0.39	6.08	010	Y	N	N	N	N	110.23	160.33
12042		A	2.79	2.07	0.49	5.35	2.79	4.04	0.49	7.32	010	Y	N	N	N	N	141.08	193.03
12044		A	3.19	2.04	0.63	5.86	3.19	5.28	0.63	9.1	010	Y	N	N	N	N	154.53	239.97
12045		A	3.75	2.78	0.77	7.3	3.75	5.73	0.77	10.25	010	Y	N	N	N	N	192.50	270.29
12046		A	4.3	3.03	1	8.33	4.3	6.9	1	12.2	010	Y	N	D	N	N	219.66	321.71
12047		A	4.95	3.22	1.16	9.33	4.95	7.36	1.16	13.47	010	Y	N	Y	D	N	246.03	355.20
12051		A	2.33	1.83	0.43	4.59	2.33	3.77	0.43	6.53	010	Y	N	N	N	N	121.04	172.20
12052		A	2.87	2.08	0.5	5.45	2.87	4.09	0.5	7.46	010	Y	N	N	N	N	143.72	196.72
12053		A	3.17	2.12	0.6	5.89	3.17	4.98	0.6	8.75	010	Y	N	N	N	N	155.32	230.74
12054		A	3.5	2.06	0.7	6.26	3.5	5.19	0.7	9.39	010	Y	N	N	N	N	165.08	247.61
12055		A	4.5	2.89	0.88	8.27	4.5	6.79	0.88	12.17	010	Y	N	N	N	N	218.08	320.92
12056		A	5.3	4.02	0.8	10.12	5.3	7.86	0.8	13.96	010	Y	N	D	N	N	266.86	368.13
12057		A	6	3.44	0.92	10.36	6	7.5	0.92	14.42	010	Y	N	Y	D	N	273.19	380.26
13100		A	3	2.01	0.57	5.58	3	4.88	0.57	8.45	010	Y	N	N	N	N	147.14	222.83

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
13101		A	3.5	2.65	0.65	6.8	3.5	5.82	0.65	9.97	010	Y	N	N	N	N	179.32	262.91
13102		A	1.24	0.57	0.28	2.09	1.24	1.63	0.28	3.15	ZZZ	N	N	N	N	N	55.11	83.07
13120		A	3.23	2.5	0.6	6.33	3.23	5.03	0.6	8.86	010	Y	N	N	N	N	166.92	233.64
13121		A	4	2.52	0.73	7.25	4	6.08	0.73	10.81	010	Y	N	N	N	N	191.18	285.06
13122		A	1.44	0.64	0.31	2.39	1.44	1.71	0.31	3.46	ZZZ	N	N	N	N	N	63.02	91.24
13131		A	3.73	2.38	0.69	6.8	3.73	5.38	0.69	9.8	010	Y	N	N	N	N	179.32	258.43
13132		A	4.78	2.91	0.85	8.54	4.78	6.5	0.85	12.13	010	Y	N	N	N	N	225.20	319.87
13133		A	2.19	1.03	0.41	3.63	2.19	2.07	0.41	4.67	ZZZ	N	N	N	N	N	95.72	123.15
13151		A	4.34	2.69	0.78	7.81	4.34	5.68	0.78	10.8	010	Y	N	N	N	N	205.95	284.80
13152		A	5.34	3.18	0.97	9.49	5.34	6.68	0.97	12.99	010	Y	N	N	N	N	250.25	342.55
13153		A	2.38	1.11	0.45	3.94	2.38	2.26	0.45	5.09	ZZZ	N	N	N	N	N	103.90	134.22
13160		A	12.04	7.45	2.68	22.17	12.04	7.45	2.68	22.17	090	Y	N	N	N	N	584.62	584.62
14000		A	6.37	5.7	1.36	13.43	6.37	8.34	1.36	16.07	090	Y	N	N	N	N	354.15	423.77
14001		A	8.78	6.94	1.85	17.57	8.78	10.13	1.85	20.76	090	Y	N	N	N	N	463.32	547.44
14020		A	7.22	6.51	1.46	15.19	7.22	9.33	1.46	18.01	090	Y	N	N	N	N	400.56	474.92
14021		A	9.72	7.7	1.86	19.28	9.72	11.02	1.86	22.6	090	Y	N	N	N	N	508.41	595.96
14040		A	8.6	6.81	1.58	16.99	8.6	9.63	1.58	19.81	090	Y	N	N	N	N	448.03	522.39
14041		A	10.83	8.1	1.95	20.88	10.83	11.71	1.95	24.49	090	Y	N	N	N	N	550.61	645.80
14060		A	9.23	7.18	1.71	18.12	9.23	9.41	1.71	20.35	090	Y	N	N	N	N	477.82	536.63
14061		A	11.48	8.77	2.06	22.31	11.48	12.74	2.06	26.28	090	Y	N	N	N	N	588.31	693.00
14301		A	12.65	8.75	2.57	23.97	12.65	13.03	2.57	28.25	090	Y	N	Y	N	N	632.09	744.95
14302		A	3.73	1.7	0.75	6.18	3.73	1.7	0.75	6.18	ZZZ	N	N	Y	N	N	162.97	162.97
14350		A	11.05	6.46	1.86	19.37	11.05	6.46	1.86	19.37	090	Y	N	D	N	N	510.79	510.79
15002		A	3.65	1.86	0.78	6.29	3.65	4.59	0.78	9.02	000	N	N	D	N	N	165.87	237.86
15003		A	0.8	0.3	0.19	1.29	0.8	0.99	0.19	1.98	ZZZ	N	N	D	N	N	34.02	52.21
15004		A	4.58	2.15	0.8	7.53	4.58	5.11	0.8	10.49	000	N	N	D	N	N	198.57	276.62
15005		A	1.6	0.61	0.38	2.59	1.6	1.37	0.38	3.35	ZZZ	N	N	D	N	N	68.30	88.34
15040		A	2	1.08	0.44	3.52	2	4.06	0.44	6.5	000	N	N	N	N	N	92.82	171.41
15050		A	5.57	5.23	1.08	11.88	5.57	7.94	1.08	14.59	090	Y	N	N	N	N	313.28	384.74
15100		A	9.9	7.27	2.34	19.51	9.9	10.44	2.34	22.68	090	Y	N	N	N	N	514.48	598.07
15101		A	1.72	0.94	0.41	3.07	1.72	2.65	0.41	4.78	ZZZ	N	N	N	N	N	80.96	126.05
15110		A	10.97	7.06	2.59	20.62	10.97	9.56	2.59	23.12	090	Y	N	N	N	N	543.75	609.67
15111		A	1.85	0.6	0.45	2.9	1.85	0.86	0.45	3.16	ZZZ	N	N	N	N	N	76.47	83.33
15115		A	11.28	7.16	2.22	20.66	11.28	9.64	2.22	23.14	090	Y	N	N	N	N	544.80	610.20
15116		A	2.5	0.76	0.59	3.85	2.5	1.11	0.59	4.2	ZZZ	N	N	N	D	N	101.52	110.75
15120		A	10.15	6.85	2.11	19.11	10.15	10.26	2.11	22.52	090	Y	N	N	N	N	503.93	593.85
15121		A	2	1.19	0.44	3.63	2	2.9	0.44	5.34	ZZZ	N	N	N	D	N	95.72	140.82
15130		A	7.53	6.08	1.78	15.39	7.53	8.54	1.78	17.85	090	Y	N	N	N	N	405.83	470.70
15131		A	1.5	0.73	0.38	2.61	1.5	0.92	0.38	2.8	ZZZ	N	N	N	D	N	68.83	73.84
15135		A	11.03	7.14	2.26	20.43	11.03	9.52	2.26	22.81	090	Y	N	N	N	N	538.74	601.50
15136		A	1.5	0.71	0.13	2.34	1.5	0.86	0.13	2.49	ZZZ	N	N	N	D	N	61.71	65.66
15150		A	9.39	5.49	2.39	17.27	9.39	6.86	2.39	18.64	090	Y	N	N	N	N	455.41	491.54
15151		A	2	0.61	0.5	3.11	2	0.82	0.5	3.32	ZZZ	N	N	N	N	N	82.01	87.55
15152		A	2.5	0.89	0.59	3.98	2.5	1.11	0.59	4.2	ZZZ	N	N	N	N	N	104.95	110.75
15155		A	10.14	6.28	0.92	17.34	10.14	7.52	0.92	18.58	090	Y	N	N	N	N	457.26	489.95
15156		A	2.75	0.83	0.7	4.28	2.75	1.05	0.7	4.5	ZZZ	N	N	N	D	N	112.86	118.67
15157		A	3	0.96	0.26	4.22	3	1.21	0.26	4.47	ZZZ	N	N	N	D	N	111.28	117.87
15200		A	9.15	7.07	1.98	18.2	9.15	10.58	1.98	21.71	090	Y	N	N	N	N	479.93	572.49
15201		A	1.32	0.61	0.31	2.24	1.32	2.18	0.31	3.81	ZZZ	N	N	N	N	N	59.07	100.47
15220		A	8.09	6.77	1.67	16.53	8.09	10.22	1.67	19.98	090	Y	N	N	N	N	435.90	526.87
15221		A	1.19	0.55	0.28	2.02	1.19	2.04	0.28	3.51	ZZZ	N	N	N	N	N	53.27	92.56
15240		A	10.41	8.99	2.05	21.45	10.41	11.86	2.05	24.32	090	Y	N	N	N	N	565.64	641.32
15241		A	1.86	0.87	0.4	3.13	1.86	2.54	0.4	4.8	ZZZ	N	N	N	N	N	82.54	126.58
15260		A	11.64	9.31	2.12	23.07	11.64	12.63	2.12	26.39	090	Y	N	N	N	N	608.36	695.90

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
15261		A	2.23	1.21	0.44	3.88	2.23	2.92	0.44	5.59	ZZZ	N	N	N	N	N	102.32	147.41
15271		A	1.5	0.61	0.3	2.41	1.5	1.88	0.3	3.68	000	Y	N	N	N	N	63.55	97.04
15272		A	0.33	0.1	0.05	0.48	0.33	0.32	0.05	0.7	ZZZ	N	N	N	N	N	12.66	18.46
15273		A	3.5	1.41	0.74	5.65	3.5	3.54	0.74	7.78	000	Y	N	N	N	N	148.99	205.16
15274		A	0.8	0.3	0.13	1.23	0.8	0.87	0.13	1.8	ZZZ	N	N	N	N	N	32.44	47.47
15275		A	1.83	0.62	0.38	2.83	1.83	1.82	0.38	4.03	000	Y	N	N	N	N	74.63	106.27
15276		A	0.5	0.13	0.08	0.71	0.5	0.34	0.08	0.92	ZZZ	N	N	N	N	N	18.72	24.26
15277		A	4	1.46	0.7	6.16	4	3.64	0.7	8.34	000	Y	N	N	D	N	162.44	219.93
15278		A	1	0.37	0.15	1.52	1	1.01	0.15	2.16	ZZZ	N	N	N	D	N	40.08	56.96
15570		A	10.21	7.46	2.49	20.16	10.21	11.41	2.49	24.11	090	Y	N	N	N	N	531.62	635.78
15572		A	10.12	7.86	2.19	20.17	10.12	10.98	2.19	23.29	090	Y	N	N	N	N	531.88	614.16
15574		A	10.7	7.95	2.19	20.84	10.7	11.2	2.19	24.09	090	Y	N	N	N	N	549.55	635.25
15576		A	9.37	7.06	1.85	18.28	9.37	10.05	1.85	21.27	090	Y	N	N	N	N	482.04	560.89
15600		A	2.01	2.91	0.45	5.37	2.01	5.52	0.45	7.98	090	Y	N	D	N	N	141.61	210.43
15610		A	2.52	3.24	0.54	6.3	2.52	5.82	0.54	8.88	090	Y	N	D	N	N	166.13	234.17
15620		A	3.75	4.14	0.73	8.62	3.75	6.7	0.73	11.18	090	Y	N	N	N	N	227.31	294.82
15630		A	4.08	4.3	0.78	9.16	4.08	6.83	0.78	11.69	090	Y	N	N	N	N	241.55	308.27
15650		A	4.77	4.53	0.94	10.24	4.77	7.29	0.94	13	090	Y	N	D	N	N	270.03	342.81
15731		A	14.38	10.28	2.89	27.55	14.38	12.9	2.89	30.17	090	Y	N	D	N	N	726.49	795.58
15732		A	16.38	11.23	3.49	31.1	16.38	14.86	3.49	34.73	090	Y	N	N	D	N	820.11	915.83
15734		A	19.86	11.83	4.8	36.49	19.86	15.79	4.8	40.45	090	Y	N	Y	D	N	962.24	1,066.67
15736		A	17.04	10.51	4.03	31.58	17.04	14.41	4.03	35.48	090	Y	N	N	D	N	832.76	935.61
15738		A	19.04	10.82	4.57	34.43	19.04	14.5	4.57	38.11	090	Y	N	Y	D	N	907.92	1,004.96
15740		A	11.8	9	2.12	22.92	11.8	12.62	2.12	26.54	090	Y	N	N	N	N	604.40	699.86
15750		A	12.96	9.16	2.75	24.87	12.96	9.16	2.75	24.87	090	Y	N	Y	N	N	655.82	655.82
15756		A	36.94	20.13	7.64	64.71	36.94	20.13	7.64	64.71	090	Y	N	Y	Y	N	1,706.40	1,706.40
15757		A	37.15	19.57	7.11	63.83	37.15	19.57	7.11	63.83	090	Y	N	Y	Y	N	1,683.20	1,683.20
15758		A	36.9	19.81	7.11	63.82	36.9	19.81	7.11	63.82	090	Y	N	Y	Y	N	1,682.93	1,682.93
15760		A	9.86	7.46	1.9	19.22	9.86	10.67	1.9	22.43	090	Y	N	N	N	N	506.83	591.48
15770		A	8.96	7.4	1.96	18.32	8.96	7.4	1.96	18.32	090	Y	N	Y	D	N	483.10	483.10
15775		NOT COVEI	3.95	1.6	0.35	5.9	3.95	3.36	0.35	7.66	000	Y	N	D	N	N	155.58	201.99
15776		NOT COVEI	5.53	3.15	0.45	9.13	5.53	6.35	0.45	12.33	000	Y	N	D	N	N	240.76	325.14
15777		A	3.65	1.44	0.93	6.02	3.65	1.44	0.93	6.02	ZZZ	N	Y	N	N	N	158.75	158.75
15780		NOT COVEI	8.73	6.7	1.44	16.87	8.73	11.38	1.44	21.55	090	Y	N	D	N	N	444.86	568.27
15781		NOT COVEI	5.02	5.44	0.92	11.38	5.02	8.15	0.92	14.09	090	Y	N	N	N	N	300.09	371.55
15782		NOT COVEI	4.44	6.31	0.75	11.5	4.44	10.63	0.75	15.82	090	Y	N	D	N	N	303.26	417.17
15783		NOT COVEI	4.41	4.6	0.75	9.76	4.41	7.06	0.75	12.22	090	Y	N	D	N	N	257.37	322.24
15786		NOT COVEI	2.08	1.3	0.4	3.78	2.08	3.81	0.4	6.29	010	Y	N	N	N	N	99.68	165.87
15787		NOT COVEI	0.33	0.12	0.05	0.5	0.33	0.85	0.05	1.23	ZZZ	N	N	N	N	N	13.19	32.44
15788		NOT COVEI	2.09	3.9	0.41	6.4	2.09	8.74	0.41	11.24	090	Y	N	N	N	N	168.77	296.40
15789		NOT COVEI	4.91	4.99	0.82	10.72	4.91	7.93	0.82	13.66	090	Y	N	N	N	N	282.69	360.21
15792		NOT COVEI	1.86	4.33	0.36	6.55	1.86	8.27	0.36	10.49	090	Y	N	D	N	N	172.72	276.62
15793		NOT COVEI	3.96	4.83	0.68	9.47	3.96	7.64	0.68	12.28	090	Y	N	D	N	N	249.72	323.82
15819		A	10.65	6.98	2.52	20.15	10.65	6.98	2.52	20.15	090	Y	N	D	N	N	531.36	531.36
15820		NOT COVEI	6.27	6.41	1.49	14.17	6.27	7.67	1.49	15.43	090	Y	Y	D	N	N	373.66	406.89
15821		NOT COVEI	6.84	6.63	1.6	15.07	6.84	8.05	1.6	16.49	090	Y	Y	D	N	N	397.40	434.84
15822		NOT COVEI	4.62	4.98	0.98	10.58	4.62	6.22	0.98	11.82	090	Y	Y	N	N	N	278.99	311.69
15823		A	6.81	6.71	1.52	15.04	6.81	8.15	1.52	16.48	090	Y	Y	N	N	N	396.60	434.58
15824		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	Y	D	N	N	0.00	0.00
15825		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	Y	D	N	N	0.00	0.00
15826		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	Y	D	N	N	0.00	0.00
15828		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	Y	D	N	N	0.00	0.00
15829		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	Y	D	N	N	0.00	0.00
15830		A	17.11	11.03	4.07	32.21	17.11	11.03	4.07	32.21	090	Y	N	Y	D	N	849.38	849.38

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
15832		NOT COVEI	12.85	9.17	3.09	25.11	12.85	9.17	3.09	25.11	090	Y	Y	Y	D	N	662.15	662.15
15833		NOT COVEI	11.9	9.14	2.8	23.84	11.9	9.14	2.8	23.84	090	Y	Y	D	N	N	628.66	628.66
15834		NOT COVEI	12.17	9.27	2.89	24.33	12.17	9.27	2.89	24.33	090	Y	Y	D	N	N	641.58	641.58
15835		NOT COVEI	12.99	9.65	3.08	25.72	12.99	9.65	3.08	25.72	090	Y	N	D	N	N	678.24	678.24
15836		NOT COVEI	10.61	7.7	2.5	20.81	10.61	7.7	2.5	20.81	090	Y	Y	D	N	N	548.76	548.76
15837		NOT COVEI	9.55	5.98	2.41	17.94	9.55	9.17	2.41	21.13	090	Y	N	D	N	N	473.08	557.20
15838		NOT COVEI	8.25	5.9	1.27	15.42	8.25	5.9	1.27	15.42	090	Y	N	D	N	N	406.63	406.63
15839		NOT COVEI	10.5	7.3	2.32	20.12	10.5	10.61	2.32	23.43	090	Y	N	D	N	N	530.56	617.85
15840		A	14.99	10	2.89	27.88	14.99	10	2.89	27.88	090	Y	N	N	N	N	735.20	735.20
15841		A	25.99	13.99	4.03	44.01	25.99	13.99	4.03	44.01	090	Y	N	Y	D	N	1,160.54	1,160.54
15842		A	41.01	24.9	6.34	72.25	41.01	24.9	6.34	72.25	090	Y	N	Y	D	N	1,905.23	1,905.23
15845		A	14.32	10.96	2.21	27.49	14.32	10.96	2.21	27.49	090	Y	N	Y	N	N	724.91	724.91
15847		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	Y	D	N	0.00	0.00
15850		B	0.78	0.25	0.06	1.09	0.78	1.34	0.06	2.18	XXX	N	N	N	N	N	28.74	57.49
15851		A	0.86	0.3	0.14	1.3	0.86	1.51	0.14	2.51	000	Y	N	N	N	N	34.28	66.19
15852		A	0.86	0.29	0.16	1.31	0.86	0.29	0.16	1.31	000	Y	N	N	N	N	34.54	34.54
15860		A	1.95	0.74	0.45	3.14	1.95	0.74	0.45	3.14	000	Y	N	D	N	N	82.80	82.80
15876		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
15877		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
15878		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	Y	D	N	N	0.00	0.00
15879		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	Y	D	N	N	0.00	0.00
15920		A	8.29	6.13	2.06	16.48	8.29	6.13	2.06	16.48	090	Y	N	D	N	N	434.58	434.58
15922		A	10.38	8.44	2.44	21.26	10.38	8.44	2.44	21.26	090	Y	N	Y	D	N	560.63	560.63
15931		A	10.07	6.19	2.49	18.75	10.07	6.19	2.49	18.75	090	Y	N	N	N	N	494.44	494.44
15933		A	11.77	8.53	2.89	23.19	11.77	8.53	2.89	23.19	090	Y	N	D	N	N	611.52	611.52
15934		A	13.68	8.33	3.34	25.35	13.68	8.33	3.34	25.35	090	Y	N	N	N	N	668.48	668.48
15935		A	15.78	10.31	3.82	29.91	15.78	10.31	3.82	29.91	090	Y	N	Y	D	N	788.73	788.73
15936		A	13.16	8.22	3.2	24.58	13.16	8.22	3.2	24.58	090	Y	N	N	D	N	648.17	648.17
15937		A	15.14	9.78	3.68	28.6	15.14	9.78	3.68	28.6	090	Y	N	N	D	N	754.18	754.18
15940		A	10.2	6.5	2.49	19.19	10.2	6.5	2.49	19.19	090	Y	N	N	N	N	506.04	506.04
15941		A	12.41	9.22	2.98	24.61	12.41	9.22	2.98	24.61	090	Y	N	D	N	N	648.97	648.97
15944		A	12.44	8.85	3	24.29	12.44	8.85	3	24.29	090	Y	N	D	N	N	640.53	640.53
15945		A	13.75	9.72	3.29	26.76	13.75	9.72	3.29	26.76	090	Y	N	D	N	N	705.66	705.66
15946		A	24.12	15.28	5.79	45.19	24.12	15.28	5.79	45.19	090	Y	N	N	D	N	1,191.66	1,191.66
15950		A	8.03	6.08	1.91	16.02	8.03	6.08	1.91	16.02	090	Y	N	N	N	N	422.45	422.45
15951		A	11.58	9.59	2.73	23.9	11.58	9.59	2.73	23.9	090	Y	N	D	D	N	630.24	630.24
15952		A	12.31	9.49	3.17	24.97	12.31	9.49	3.17	24.97	090	Y	N	Y	D	N	658.46	658.46
15953		A	13.57	10.42	3.2	27.19	13.57	10.42	3.2	27.19	090	Y	N	N	D	N	717.00	717.00
15956		A	16.79	11.02	4.11	31.92	16.79	11.02	4.11	31.92	090	Y	N	N	D	N	841.73	841.73
15958		A	16.75	11.43	4.07	32.25	16.75	11.43	4.07	32.25	090	Y	N	N	D	N	850.43	850.43
15999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
16000		A	0.89	0.27	0.14	1.3	0.89	0.79	0.14	1.82	000	Y	N	N	N	N	34.28	47.99
16020		A	0.71	0.62	0.13	1.46	0.71	1.24	0.13	2.08	000	Y	N	N	N	N	38.50	54.85
16025		A	1.74	0.99	0.35	3.08	1.74	1.79	0.35	3.88	000	Y	N	N	N	N	81.22	102.32
16030		A	2.08	1.21	0.44	3.73	2.08	2.37	0.44	4.89	000	Y	N	N	N	N	98.36	128.95
16035		A	3.74	1.13	0.75	5.62	3.74	1.13	0.75	5.62	000	Y	N	N	N	N	148.20	148.20
16036		A	1.5	0.49	0.33	2.32	1.5	0.49	0.33	2.32	ZZZ	N	N	N	N	N	61.18	61.18
17000		A	0.61	0.67	0.1	1.38	0.61	1.17	0.1	1.88	010	Y	N	N	N	N	36.39	49.58
17003		A	0.04	0.02	0.01	0.07	0.04	0.19	0.01	0.24	ZZZ	N	N	N	N	N	1.85	6.33
17004		A	1.37	1.05	0.24	2.66	1.37	2.17	0.24	3.78	010	N	N	N	N	N	70.14	99.68
17106		A	3.69	2.94	0.64	7.27	3.69	4.38	0.64	8.71	090	Y	N	N	N	N	191.71	229.68
17107		A	4.79	3.69	0.88	9.36	4.79	5.62	0.88	11.29	090	Y	N	N	N	N	246.82	297.72
17108		A	7.49	5.09	1.57	14.15	7.49	7.55	1.57	16.61	090	Y	N	D	N	N	373.14	438.01
17110		A	0.7	0.97	0.1	1.77	0.7	1.89	0.1	2.69	010	Y	N	N	N	N	46.67	70.94

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
17111		A	0.97	1.1	0.14	2.21	0.97	2.11	0.14	3.22	010	Y	N	N	N	N	58.28	84.91
17250		A	0.5	0.41	0.09	1	0.5	1.37	0.09	1.96	000	Y	N	N	N	N	26.37	51.69
17260		A	0.96	0.74	0.14	1.84	0.96	1.28	0.14	2.38	010	Y	N	N	N	N	48.52	62.76
17261		A	1.22	1	0.21	2.43	1.22	2.15	0.21	3.58	010	Y	N	N	N	N	64.08	94.40
17262		A	1.63	1.2	0.28	3.11	1.63	2.5	0.28	4.41	010	Y	N	N	N	N	82.01	116.29
17263		A	1.84	1.3	0.31	3.45	1.84	2.67	0.31	4.82	010	Y	N	N	N	N	90.98	127.10
17264		A	1.99	1.36	0.35	3.7	1.99	2.85	0.35	5.19	010	Y	N	N	N	N	97.57	136.86
17266		A	2.39	1.55	0.41	4.35	2.39	3.12	0.41	5.92	010	Y	N	N	N	N	114.71	156.11
17270		A	1.37	1.06	0.24	2.67	1.37	2.17	0.24	3.78	010	Y	N	N	N	N	70.41	99.68
17271		A	1.54	1.16	0.28	2.98	1.54	2.31	0.28	4.13	010	Y	N	N	N	N	78.58	108.91
17272		A	1.82	1.29	0.31	3.42	1.82	2.58	0.31	4.71	010	Y	N	N	N	N	90.19	124.20
17273		A	2.1	1.43	0.36	3.89	2.1	2.82	0.36	5.28	010	Y	N	N	N	N	102.58	139.23
17274		A	2.64	1.66	0.44	4.74	2.64	3.19	0.44	6.27	010	Y	N	N	N	N	124.99	165.34
17276		A	3.25	1.93	0.58	5.76	3.25	3.52	0.58	7.35	010	Y	N	N	N	N	151.89	193.82
17280		A	1.22	0.98	0.21	2.41	1.22	2.1	0.21	3.53	010	Y	N	N	N	N	63.55	93.09
17281		A	1.77	1.26	0.31	3.34	1.77	2.43	0.31	4.51	010	Y	N	N	N	N	88.08	118.93
17282		A	2.09	1.42	0.36	3.87	2.09	2.75	0.36	5.2	010	Y	N	N	N	N	102.05	137.12
17283		A	2.69	1.7	0.45	4.84	2.69	3.13	0.45	6.27	010	Y	N	N	N	N	127.63	165.34
17284		A	3.2	1.94	0.53	5.67	3.2	3.47	0.53	7.2	010	Y	N	N	N	N	149.52	189.86
17286		A	4.48	2.42	0.8	7.7	4.48	4.1	0.8	9.38	010	Y	N	N	N	N	203.05	247.35
17311		A	6.2	3.07	1.04	10.31	6.2	9.39	1.04	16.63	000	Y	N	N	N	N	271.87	438.53
17312		A	3.3	1.63	0.54	5.47	3.3	5.83	0.54	9.67	ZZZ	N	N	N	N	N	144.24	255.00
17313		A	5.56	2.75	0.94	9.25	5.56	9	0.94	15.5	000	Y	N	N	N	N	243.92	408.74
17314		A	3.06	1.51	0.5	5.07	3.06	5.69	0.5	9.25	ZZZ	N	N	N	N	N	133.70	243.92
17315		A	0.87	0.42	0.14	1.43	0.87	1.02	0.14	2.03	ZZZ	N	N	N	N	N	37.71	53.53
17340		NOT COVEI	0.77	0.44	0.13	1.34	0.77	0.5	0.13	1.4	010	Y	N	N	N	N	35.34	36.92
17360		NOT COVEI	1.46	0.95	0.26	2.67	1.46	1.61	0.26	3.33	010	Y	N	N	N	N	70.41	87.81
17380		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
17999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
19000		A	0.84	0.26	0.14	1.24	0.84	1.84	0.14	2.82	000	Y	N	N	N	N	32.70	74.36
19001		A	0.42	0.12	0.06	0.6	0.42	0.24	0.06	0.72	ZZZ	N	N	N	N	N	15.82	18.99
19020		A	3.83	3.36	0.94	8.13	3.83	7.17	0.94	11.94	090	Y	Y	N	N	N	214.39	314.86
19030		A	1.53	0.47	0.16	2.16	1.53	2.45	0.16	4.14	000	Y	Y	N	N	N	56.96	109.17
19081		A	3.29	1.01	0.92	5.22	3.29	12.5	0.92	16.71	000	Y	Y	D	N	N	137.65	440.64
19082		A	1.65	0.5	0.3	2.45	1.65	11.22	0.3	13.17	ZZZ	N	N	D	N	N	64.61	347.29
19083		A	3.1	0.95	0.83	4.88	3.1	12.6	0.83	16.53	000	Y	Y	D	N	N	128.69	435.90
19084		A	1.55	0.47	0.28	2.3	1.55	11.15	0.28	12.98	ZZZ	N	N	D	N	N	60.65	342.28
19085		A	3.64	1.11	0.94	5.69	3.64	20.16	0.94	24.74	000	Y	Y	D	N	N	150.05	652.39
19086		A	1.82	0.56	0.08	2.46	1.82	17.41	0.08	19.31	ZZZ	N	N	D	N	N	64.87	509.20
19100		A	1.27	0.38	0.31	1.96	1.27	2.25	0.31	3.83	000	Y	Y	N	N	N	51.69	101.00
19101		A	3.23	1.98	0.8	6.01	3.23	4.71	0.8	8.74	010	Y	Y	N	N	N	158.48	230.47
19105		A	3.69	1.16	0.46	5.31	3.69	41.52	0.46	45.67	000	Y	Y	N	N	N	140.02	1,204.32
19110		A	4.44	3.59	1.12	9.15	4.44	6.87	1.12	12.43	090	Y	Y	N	N	N	241.29	327.78
19112		A	3.81	3.52	0.97	8.3	3.81	6.91	0.97	11.69	090	Y	Y	D	N	N	218.87	308.27
19120		A	5.92	3.79	1.51	11.22	5.92	5.62	1.51	13.05	090	Y	Y	N	N	N	295.87	344.13
19125		A	6.69	4.09	1.71	12.49	6.69	6.1	1.71	14.5	090	Y	Y	N	D	N	329.36	382.37
19126		A	2.93	0.89	0.75	4.57	2.93	0.89	0.75	4.57	ZZZ	N	N	N	D	N	120.51	120.51
19260		A	17.78	10.65	4.76	33.19	17.78	10.65	4.76	33.19	090	Y	N	Y	D	N	875.22	875.22
19271		A	22.19	15.97	6.07	44.23	22.19	15.97	6.07	44.23	090	Y	N	Y	D	N	1,166.35	1,166.35
19272		A	25.17	17.27	7.16	49.6	25.17	17.27	7.16	49.6	090	Y	N	Y	D	N	1,307.95	1,307.95
19281		A	2	0.62	0.24	2.86	2	3.89	0.24	6.13	000	Y	Y	D	N	N	75.42	161.65
19282		A	1	0.31	0.04	1.35	1	3.1	0.04	4.14	ZZZ	N	N	D	N	N	35.60	109.17
19283		A	2	0.64	0.24	2.88	2	4.66	0.24	6.9	000	Y	Y	D	N	N	75.95	181.95
19284		A	1	0.32	0.04	1.36	1	3.89	0.04	4.93	ZZZ	N	N	D	N	N	35.86	130.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
19285		A	1.7	0.54	0.2	2.44	1.7	9.42	0.2	11.32	000	Y	Y	D	N	N	64.34	298.51
19286		A	0.85	0.27	0.04	1.16	0.85	8.46	0.04	9.35	ZZZ	N	N	D	N	N	30.59	246.56
19287		A	2.55	0.82	0.69	4.06	2.55	17.74	0.69	20.98	000	Y	Y	D	N	N	107.06	553.24
19288		A	1.28	0.41	0.05	1.74	1.28	15.08	0.05	16.41	ZZZ	N	N	D	N	N	45.88	432.73
19296		A	3.63	1.36	0.88	5.87	3.63	88.77	0.88	93.28	000	Y	Y	D	N	N	154.79	2,459.79
19297		A	1.72	0.52	0.41	2.65	1.72	0.52	0.41	2.65	ZZZ	N	N	D	N	N	69.88	69.88
19298		A	6	2.1	0.92	9.02	6	18.84	0.92	25.76	000	Y	Y	D	N	N	237.86	679.29
19300		A	5.31	4.37	1.36	11.04	5.31	6.9	1.36	13.57	090	Y	Y	N	N	N	291.12	357.84
19301		A	10.13	5.22	2.59	17.94	10.13	5.22	2.59	17.94	090	Y	Y	D	N	N	473.08	473.08
19302		A	13.99	7.14	3.58	24.71	13.99	7.14	3.58	24.71	090	Y	Y	Y	D	N	651.60	651.60
19303		A	15.85	7.91	4.06	27.82	15.85	7.91	4.06	27.82	090	Y	Y	Y	D	N	733.61	733.61
19304		A	7.95	5.49	2.01	15.45	7.95	5.49	2.01	15.45	090	Y	Y	Y	D	N	407.42	407.42
19305		A	17.46	9.14	4.48	31.08	17.46	9.14	4.48	31.08	090	Y	Y	Y	D	N	819.58	819.58
19306		A	18.13	10.06	4.65	32.84	18.13	10.06	4.65	32.84	090	Y	Y	Y	D	N	865.99	865.99
19307		A	18.23	9.91	4.65	32.79	18.23	9.91	4.65	32.79	090	Y	Y	Y	D	N	864.67	864.67
19316		A	11.09	7.44	2.63	21.16	11.09	7.44	2.63	21.16	090	Y	Y	Y	D	N	557.99	557.99
19318		A	16.03	10.67	3.79	30.49	16.03	10.67	3.79	30.49	090	Y	Y	Y	D	N	804.02	804.02
19324		A	6.8	4.7	1.76	13.26	6.8	4.7	1.76	13.26	090	Y	Y	D	N	N	349.67	349.67
19325		A	8.64	6.9	2.03	17.57	8.64	6.9	2.03	17.57	090	Y	Y	D	N	N	463.32	463.32
19328		A	6.48	5.43	1.53	13.44	6.48	5.43	1.53	13.44	090	Y	Y	N	N	N	354.41	354.41
19330		A	8.54	6.71	2	17.25	8.54	6.71	2	17.25	090	Y	Y	N	N	N	454.88	454.88
19340		A	13.99	10.26	3.3	27.55	13.99	10.26	3.3	27.55	090	Y	Y	N	D	N	726.49	726.49
19342		A	12.63	9.68	2.93	25.24	12.63	9.68	2.93	25.24	090	Y	Y	D	D	N	665.58	665.58
19350		A	9.11	7.13	2.14	18.38	9.11	10.52	2.14	21.77	090	Y	Y	N	N	N	484.68	574.07
19355		A	8.52	4.88	2.19	15.59	8.52	7.88	2.19	18.59	090	Y	Y	D	N	N	411.11	490.22
19357		A	18.5	17.72	4.35	40.57	18.5	17.72	4.35	40.57	090	Y	Y	Y	D	N	1,069.83	1,069.83
19361		A	23.36	14.83	5.53	43.72	23.36	14.83	5.53	43.72	090	Y	Y	Y	D	N	1,152.90	1,152.90
19364		A	42.58	24.48	9.91	76.97	42.58	24.48	9.91	76.97	090	Y	Y	Y	D	N	2,029.70	2,029.70
19366		A	21.84	11.93	5.36	39.13	21.84	11.93	5.36	39.13	090	Y	Y	Y	D	N	1,031.86	1,031.86
19367		A	26.8	16.68	6.33	49.81	26.8	16.68	6.33	49.81	090	Y	Y	Y	D	N	1,313.49	1,313.49
19368		A	33.9	19.62	8.01	61.53	33.9	19.62	8.01	61.53	090	Y	Y	Y	D	N	1,622.55	1,622.55
19369		A	31.31	18.35	7.39	57.05	31.31	18.35	7.39	57.05	090	Y	Y	Y	D	N	1,504.41	1,504.41
19370		A	9.17	7.35	2.16	18.68	9.17	7.35	2.16	18.68	090	Y	Y	N	N	N	492.59	492.59
19371		A	10.62	8.31	2.49	21.42	10.62	8.31	2.49	21.42	090	Y	Y	N	N	N	564.85	564.85
19380		A	10.41	8.24	2.44	21.09	10.41	8.24	2.44	21.09	090	Y	Y	N	N	N	556.14	556.14
19396		NOT COVEI	2.17	1.38	0.54	4.09	2.17	4.72	0.54	7.43	000	Y	Y	D	N	N	107.85	195.93
19499		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
20005		A	3.58	2.11	0.7	6.39	3.58	3.83	0.7	8.11	010	Y	N	N	N	N	168.50	213.86
20100		A	10.38	4.21	2.35	16.94	10.38	4.21	2.35	16.94	010	Y	Y	Y	N	N	446.71	446.71
20101		A	3.23	1.68	0.83	5.74	3.23	7.3	0.83	11.36	010	Y	N	N	N	N	151.36	299.56
20102		A	3.98	2.1	0.97	7.05	3.98	7.55	0.97	12.5	010	Y	N	N	N	N	185.91	329.63
20103		A	5.34	3.07	1.19	9.6	5.34	8.44	1.19	14.97	010	Y	N	D	N	N	253.15	394.76
20150		A	14.75	7.11	3.52	25.38	14.75	7.11	3.52	25.38	090	Y	Y	Y	D	N	669.27	669.27
20200		A	1.46	0.78	0.4	2.64	1.46	3.36	0.4	5.22	000	Y	N	N	N	N	69.62	137.65
20205		A	2.35	1.27	0.68	4.3	2.35	4.33	0.68	7.36	000	Y	N	N	N	N	113.39	194.08
20206		A	0.99	0.52	0.13	1.64	0.99	4.59	0.13	5.71	000	Y	N	N	N	N	43.25	150.57
20220		A	1.27	0.59	0.14	2	1.27	2.8	0.14	4.21	000	Y	N	N	N	N	52.74	111.02
20225		A	1.87	0.91	0.28	3.06	1.87	10.59	0.28	12.74	000	Y	N	N	N	N	80.69	335.95
20240		A	3.28	2.08	0.63	5.99	3.28	2.08	0.63	5.99	010	Y	N	N	N	N	157.96	157.96
20245		A	8.95	6.01	1.98	16.94	8.95	6.01	1.98	16.94	010	Y	N	N	N	N	446.71	446.71
20250		A	5.19	3.91	1.47	10.57	5.19	3.91	1.47	10.57	010	Y	N	N	N	N	278.73	278.73
20251		A	5.72	4.21	1.58	11.51	5.72	4.21	1.58	11.51	010	Y	N	Y	N	N	303.52	303.52
20500		A	1.28	0.85	0.14	2.27	1.28	1.31	0.14	2.73	010	Y	N	N	N	N	59.86	71.99
20501		A	0.76	0.22	0.09	1.07	0.76	2.06	0.09	2.91	000	Y	N	N	N	N	28.22	76.74

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
20520		A	1.9	1.66	0.36	3.92	1.9	2.96	0.36	5.22	010	Y	N	N	N	N	103.37	137.65
20525		A	3.54	2.45	0.77	6.76	3.54	7.79	0.77	12.1	010	Y	N	N	N	N	178.26	319.08
20526		A	0.94	0.46	0.16	1.56	0.94	0.9	0.16	2	000	Y	Y	N	N	N	41.14	52.74
20527		NOT COVEI	1	0.6	0.18	1.78	1	1	0.18	2.18	000	Y	Y	N	N	N	46.94	57.49
20550		A	0.75	0.3	0.1	1.15	0.75	0.68	0.1	1.53	000	Y	Y	N	N	N	30.33	40.35
20551		A	0.75	0.32	0.1	1.17	0.75	0.73	0.1	1.58	000	Y	N	N	N	N	30.85	41.66
20552		A	0.66	0.3	0.09	1.05	0.66	0.69	0.09	1.44	000	Y	N	N	N	N	27.69	37.97
20553		A	0.75	0.34	0.09	1.18	0.75	0.82	0.09	1.66	000	Y	N	N	N	N	31.12	43.77
20555		A	6	2.25	1.03	9.28	6	2.25	1.03	9.28	000	Y	N	D	N	N	244.71	244.71
20600		A	0.66	0.24	0.09	0.99	0.66	0.52	0.09	1.27	000	Y	Y	N	N	N	26.11	33.49
20605		A	0.68	0.26	0.1	1.04	0.68	0.54	0.1	1.32	000	Y	Y	N	N	N	27.42	34.81
20610		A	0.79	0.35	0.14	1.28	0.79	0.67	0.14	1.6	000	Y	Y	N	N	N	33.75	42.19
20612		A	0.7	0.34	0.1	1.14	0.7	0.77	0.1	1.57	000	Y	N	N	N	N	30.06	41.40
20615		A	2.33	1.7	0.35	4.38	2.33	3.55	0.35	6.23	010	Y	N	N	N	N	115.50	164.29
20650		A	2.28	1.54	0.35	4.17	2.28	2.68	0.35	5.31	010	Y	N	N	D	N	109.96	140.02
20660		A	4	1.56	1.32	6.88	4	1.56	1.32	6.88	000	Y	N	N	N	N	181.43	181.43
20661		A	5.26	6.23	1.98	13.47	5.26	6.23	1.98	13.47	090	Y	N	N	N	N	355.20	355.20
20662		A	6.38	4.6	0.73	11.71	6.38	4.6	0.73	11.71	090	Y	N	D	N	N	308.79	308.79
20663		A	5.74	4.99	1.37	12.1	5.74	4.99	1.37	12.1	090	Y	Y	D	N	N	319.08	319.08
20664		A	10.06	9.29	4.33	23.68	10.06	9.29	4.33	23.68	090	Y	N	N	N	N	624.44	624.44
20665		A	1.36	0.92	0.14	2.42	1.36	1.25	0.14	2.75	010	Y	N	D	N	N	63.82	72.52
20670		A	1.79	1.76	0.36	3.91	1.79	7.15	0.36	9.3	010	Y	N	N	N	N	103.11	245.24
20680		A	5.96	4.31	1.27	11.54	5.96	8.8	1.27	16.03	090	Y	N	D	N	N	304.31	422.71
20690		A	8.78	5.48	1.95	16.21	8.78	5.48	1.95	16.21	090	Y	N	N	N	N	427.46	427.46
20692		A	16.27	10.82	3.37	30.46	16.27	10.82	3.37	30.46	090	Y	N	Y	D	N	803.23	803.23
20693		A	6.06	4.78	1.29	12.13	6.06	4.78	1.29	12.13	090	Y	N	N	N	N	319.87	319.87
20694		A	4.28	3.84	0.92	9.04	4.28	5.83	0.92	11.03	090	Y	N	N	N	N	238.38	290.86
20696		NOT COVEI	17.56	11.25	1.51	30.32	17.56	11.25	1.51	30.32	090	Y	N	Y	D	N	799.54	799.54
20697		NOT COVEI	0	43.2	0.01	43.21	0	43.2	0.01	43.21	000	N	N	Y	D	N	1,139.45	1,139.45
20802		A	42.62	17.31	3.67	63.6	42.62	17.31	3.67	63.6	090	Y	Y	Y	D	N	1,677.13	1,677.13
20805		A	51.46	21.97	12.18	85.61	51.46	21.97	12.18	85.61	090	Y	Y	Y	D	N	2,257.54	2,257.54
20808		A	63.09	32.14	14.93	110.16	63.09	32.14	14.93	110.16	090	Y	Y	Y	D	N	2,904.92	2,904.92
20816		A	31.95	17.56	4.8	54.31	31.95	17.56	4.8	54.31	090	Y	N	Y	D	N	1,432.15	1,432.15
20822		A	26.66	17.06	6.33	50.05	26.66	17.06	6.33	50.05	090	Y	N	Y	D	N	1,319.82	1,319.82
20824		A	31.95	19.31	7.56	58.82	31.95	19.31	7.56	58.82	090	Y	Y	Y	D	N	1,551.08	1,551.08
20827		A	27.48	16.17	6.51	50.16	27.48	16.17	6.51	50.16	090	Y	Y	Y	D	N	1,322.72	1,322.72
20838		A	42.88	23.94	3.68	70.5	42.88	23.94	3.68	70.5	090	Y	Y	Y	D	N	1,859.09	1,859.09
20900		A	3	1.62	0.68	5.3	3	6.94	0.68	10.62	000	Y	N	Y	D	N	139.76	280.05
20902		A	4.58	2.34	1.04	7.96	4.58	2.34	1.04	7.96	000	Y	N	Y	D	N	209.91	209.91
20910		A	5.53	4.6	0.85	10.98	5.53	4.6	0.85	10.98	090	Y	N	D	N	N	289.54	289.54
20912		A	6.54	5.26	1.19	12.99	6.54	5.26	1.19	12.99	090	Y	N	D	N	N	342.55	342.55
20920		A	5.51	4.28	0.83	10.62	5.51	4.28	0.83	10.62	090	Y	N	N	D	N	280.05	280.05
20922		A	6.93	5.1	1.53	13.56	6.93	7.72	1.53	16.18	090	Y	N	Y	D	N	357.58	426.67
20924		A	6.68	5.46	1.44	13.58	6.68	5.46	1.44	13.58	090	Y	N	Y	D	N	358.10	358.10
20926		A	5.79	4.68	1.41	11.88	5.79	4.68	1.41	11.88	090	Y	N	N	N	N	313.28	313.28
20930		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
20931		A	1.81	0.73	0.68	3.22	1.81	0.73	0.68	3.22	ZZZ	N	N	N	D	N	84.91	84.91
20936		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
20937		A	2.79	1.15	0.82	4.76	2.79	1.15	0.82	4.76	ZZZ	N	N	Y	D	N	125.52	125.52
20938		A	3.02	1.22	0.99	5.23	3.02	1.22	0.99	5.23	ZZZ	N	N	Y	D	N	137.92	137.92
20950		A	1.26	0.93	0.28	2.47	1.26	4.64	0.28	6.18	000	Y	N	D	N	N	65.13	162.97
20955		A	40.26	21.32	8.01	69.59	40.26	21.32	8.01	69.59	090	Y	N	Y	D	N	1,835.09	1,835.09
20956		A	41.18	22.36	9.76	73.3	41.18	22.36	9.76	73.3	090	Y	N	Y	D	N	1,932.92	1,932.92
20957		A	42.61	12.46	10.1	65.17	42.61	12.46	10.1	65.17	090	Y	N	Y	D	N	1,718.53	1,718.53

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
20962		A	39.21	13.56	9.28	62.05	39.21	13.56	9.28	62.05	090	Y	N	Y	D	N	1,636.26	1,636.26
20969		A	45.43	23.54	8.01	76.98	45.43	23.54	8.01	76.98	090	Y	N	Y	D	N	2,029.96	2,029.96
20970		A	44.58	24.15	10.59	79.32	44.58	24.15	10.59	79.32	090	Y	N	Y	D	N	2,091.67	2,091.67
20972		A	44.51	12.75	4.12	61.38	44.51	12.75	4.12	61.38	090	Y	N	Y	N	N	1,618.59	1,618.59
20973		A	47.27	25.18	4.06	76.51	47.27	25.18	4.06	76.51	090	Y	Y	Y	D	N	2,017.57	2,017.57
20974		A	0.62	0.57	0.14	1.33	0.62	1.16	0.14	1.92	000	N	N	N	N	N	35.07	50.63
20975		A	2.6	1.57	0.7	4.87	2.6	1.57	0.7	4.87	000	N	N	Y	D	N	128.42	128.42
20979		A	0.62	0.2	0.1	0.92	0.62	0.67	0.1	1.39	000	N	N	N	N	N	24.26	36.65
20982		A	7.27	2.4	0.97	10.64	7.27	79.7	0.97	87.94	000	Y	Y	N	N	N	280.58	2,318.98
20985		NOT COVEI	2.5	1.05	0.59	4.14	2.5	1.05	0.59	4.14	ZZZ	N	N	D	N	N	109.17	109.17
20999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
21010		A	11.04	7.5	1.71	20.25	11.04	7.5	1.71	20.25	090	Y	Y	D	N	N	533.99	533.99
21011		A	2.99	3.22	0.54	6.75	2.99	5.26	0.54	8.79	090	Y	N	Y	N	N	178.00	231.79
21012		A	4.45	3.65	0.87	8.97	4.45	3.65	0.87	8.97	090	Y	N	Y	N	N	236.54	236.54
21013		A	5.42	4.26	0.98	10.66	5.42	6.95	0.98	13.35	090	Y	N	Y	N	N	281.10	352.04
21014		A	7.13	5.41	1.39	13.93	7.13	5.41	1.39	13.93	090	Y	N	Y	N	N	367.33	367.33
21015		A	9.89	7.22	2.24	19.35	9.89	7.22	2.24	19.35	090	Y	N	N	N	N	510.26	510.26
21016		A	15.26	9.68	3.49	28.43	15.26	9.68	3.49	28.43	090	Y	N	Y	N	N	749.70	749.70
21025		A	10.03	8.47	1.73	20.23	10.03	11.74	1.73	23.5	090	Y	N	N	N	N	533.47	619.70
21026		A	5.7	6.51	0.99	13.2	5.7	9.29	0.99	15.98	090	Y	N	N	N	N	348.08	421.39
21029		A	8.39	7.23	1.98	17.6	8.39	10.25	1.98	20.62	090	Y	N	D	N	N	464.11	543.75
21030		A	4.91	5.33	0.92	11.16	4.91	7.7	0.92	13.53	090	Y	Y	N	N	N	294.29	356.79
21031		A	3.3	3.94	0.49	7.73	3.3	6.26	0.49	10.05	090	Y	Y	N	N	N	203.84	265.02
21032		A	3.34	3.83	0.5	7.67	3.34	6.39	0.5	10.23	090	Y	N	N	N	N	202.26	269.77
21034		A	17.38	11.35	2.93	31.66	17.38	15.02	2.93	35.33	090	Y	N	Y	D	N	834.87	931.65
21040		A	4.91	5.36	0.9	11.17	4.91	7.8	0.9	13.61	090	Y	N	N	N	N	294.55	358.90
21044		A	12.8	9.01	2.14	23.95	12.8	9.01	2.14	23.95	090	Y	N	Y	D	N	631.56	631.56
21045		A	18.37	12.01	3.03	33.41	18.37	12.01	3.03	33.41	090	Y	N	Y	D	N	881.02	881.02
21046		A	14.21	13.27	2.19	29.67	14.21	13.27	2.19	29.67	090	Y	N	D	D	N	782.40	782.40
21047		A	20.07	12.45	3.11	35.63	20.07	12.45	3.11	35.63	090	Y	N	Y	D	N	939.56	939.56
21048		A	14.71	13.52	2.27	30.5	14.71	13.52	2.27	30.5	090	Y	N	D	D	N	804.29	804.29
21049		A	19.32	11.07	2.95	33.34	19.32	11.07	2.95	33.34	090	Y	N	Y	D	N	879.18	879.18
21050		A	11.76	9.03	2.76	23.55	11.76	9.03	2.76	23.55	090	Y	Y	D	N	N	621.01	621.01
21060		A	11.07	8.73	2.81	22.61	11.07	8.73	2.81	22.61	090	Y	Y	Y	D	N	596.23	596.23
21070		A	8.62	6.61	1.32	16.55	8.62	6.61	1.32	16.55	090	Y	Y	D	N	N	436.42	436.42
21073		NOT COVEI	3.45	2.75	0.82	7.02	3.45	5.89	0.82	10.16	090	Y	Y	D	N	N	185.12	267.92
21076		A	13.4	7.44	2.05	22.89	13.4	11.27	2.05	26.72	010	Y	N	D	N	N	603.61	704.61
21077		A	33.7	18.96	5.2	57.86	33.7	28.23	5.2	67.13	090	Y	Y	D	N	N	1,525.77	1,770.22
21079		A	22.31	12.44	3.44	38.19	22.31	19.24	3.44	44.99	090	Y	N	N	N	N	1,007.07	1,186.39
21080		A	25.06	13.73	3.88	42.67	25.06	21.64	3.88	50.58	090	Y	N	N	N	N	1,125.21	1,333.79
21081		A	22.85	12.8	3.54	39.19	22.85	20.28	3.54	46.67	090	Y	N	D	N	N	1,033.44	1,230.69
21082		A	20.84	12.72	3.2	36.76	20.84	20.04	3.2	44.08	090	Y	N	D	N	N	969.36	1,162.39
21083		A	19.27	11.89	1.65	32.81	19.27	19.65	1.65	40.57	090	Y	N	D	N	N	865.20	1,069.83
21084		A	22.48	13.51	3.48	39.47	22.48	21.9	3.48	47.86	090	Y	N	D	N	N	1,040.82	1,262.07
21085		A	8.99	5.18	4.02	18.19	8.99	9.71	4.02	22.72	010	Y	N	D	N	N	479.67	599.13
21086		A	24.88	13.96	3.84	42.68	24.88	21.23	3.84	49.95	090	Y	Y	D	N	N	1,125.47	1,317.18
21087		A	24.88	13.96	3.84	42.68	24.88	21.23	3.84	49.95	090	Y	N	D	N	N	1,125.47	1,317.18
21088		C	0	0	0	0	0	0	0	0	090	N	N	D	N	N	0.00	0.00
21089		C	0	0	0	0	0	0	0	0	YYY	N	N	N	D	D	0.00	0.00
21100		A	4.73	4.61	0.77	10.11	4.73	12.36	0.77	17.86	090	Y	N	D	N	N	266.60	470.97
21110		A	5.99	10.44	0.92	17.35	5.99	13.51	0.92	20.42	090	Y	N	N	N	N	457.52	538.48
21116		A	0.81	0.31	0.06	1.18	0.81	2.65	0.06	3.52	000	Y	Y	N	N	N	31.12	92.82
21120		A	5.1	7.57	1.22	13.89	5.1	10.75	1.22	17.07	090	Y	N	N	D	N	366.28	450.14
21121		A	7.81	8.16	0.65	16.62	7.81	11.21	0.65	19.67	090	Y	N	Y	N	N	438.27	518.70

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
21122		A	8.71	8.76	0.73	18.2	8.71	8.76	0.73	18.2	090	Y	N	Y	N	N	479.93	479.93
21123		A	11.34	10.78	0.97	23.09	11.34	10.78	0.97	23.09	090	Y	N	Y	D	N	608.88	608.88
21125		A	10.8	8.59	2.57	21.96	10.8	61.84	2.57	75.21	090	Y	N	Y	N	N	579.09	1,983.29
21127		A	12.44	9.03	1.91	23.38	12.44	88.96	1.91	103.31	090	Y	N	Y	D	N	616.53	2,724.28
21137		A	10.24	7.96	2.4	20.6	10.24	7.96	2.4	20.6	090	Y	N	Y	N	N	543.22	543.22
21138		A	12.87	9.63	2.19	24.69	12.87	9.63	2.19	24.69	090	Y	N	Y	D	N	651.08	651.08
21139		A	15.02	12.24	1.27	28.53	15.02	12.24	1.27	28.53	090	Y	N	Y	D	N	752.34	752.34
21141		A	19.57	13.4	4.62	37.59	19.57	13.4	4.62	37.59	090	Y	N	Y	D	N	991.25	991.25
21142		A	20.28	13.63	4.81	38.72	20.28	13.63	4.81	38.72	090	Y	N	Y	D	N	1,021.05	1,021.05
21143		A	21.05	13.06	5.39	39.5	21.05	13.06	5.39	39.5	090	Y	N	Y	D	N	1,041.62	1,041.62
21145		A	23.94	14.83	2.03	40.8	23.94	14.83	2.03	40.8	090	Y	N	Y	N	N	1,075.90	1,075.90
21146		A	24.87	17.06	5.89	47.82	24.87	17.06	5.89	47.82	090	Y	N	Y	D	N	1,261.01	1,261.01
21147		A	26.47	12.65	2.26	41.38	26.47	12.65	2.26	41.38	090	Y	N	Y	N	N	1,091.19	1,091.19
21150		A	25.96	19.97	2.21	48.14	25.96	19.97	2.21	48.14	090	Y	N	Y	N	N	1,269.45	1,269.45
21151		A	29.02	21.57	4.5	55.09	29.02	21.57	4.5	55.09	090	Y	N	Y	N	N	1,452.72	1,452.72
21154		A	31.29	23.8	4.81	59.9	31.29	23.8	4.81	59.9	090	Y	N	Y	D	N	1,579.56	1,579.56
21155		A	35.22	22.31	3	60.53	35.22	22.31	3	60.53	090	Y	N	Y	N	N	1,596.18	1,596.18
21159		A	43.14	19.35	6.64	69.13	43.14	19.35	6.64	69.13	090	Y	N	Y	D	N	1,822.96	1,822.96
21160		A	47.19	20.65	4.03	71.87	47.19	20.65	4.03	71.87	090	Y	N	Y	N	N	1,895.21	1,895.21
21172		A	28.2	18.4	4.35	50.95	28.2	18.4	4.35	50.95	090	Y	N	Y	D	N	1,343.55	1,343.55
21175		A	33.56	13.64	14.44	61.64	33.56	13.64	14.44	61.64	090	Y	N	Y	N	N	1,625.45	1,625.45
21179		A	22.65	14.83	5.36	42.84	22.65	14.83	5.36	42.84	090	Y	N	Y	N	N	1,129.69	1,129.69
21180		A	25.58	12.77	3.96	42.31	25.58	12.77	3.96	42.31	090	Y	N	Y	D	N	1,115.71	1,115.71
21181		A	10.28	7.65	1.57	19.5	10.28	7.65	1.57	19.5	090	Y	N	D	N	N	514.22	514.22
21182		A	32.58	15.45	5.02	53.05	32.58	15.45	5.02	53.05	090	Y	N	Y	D	N	1,398.93	1,398.93
21183		A	35.7	21.73	8.43	65.86	35.7	21.73	8.43	65.86	090	Y	N	Y	D	N	1,736.73	1,736.73
21184		A	38.62	14.8	9.16	62.58	38.62	14.8	9.16	62.58	090	Y	N	Y	N	N	1,650.23	1,650.23
21188		A	23.15	15.91	3.58	42.64	23.15	15.91	3.58	42.64	090	Y	N	Y	N	N	1,124.42	1,124.42
21193		A	18.9	12.09	4.85	35.84	18.9	12.09	4.85	35.84	090	Y	B	Y	D	N	945.10	945.10
21194		A	21.82	12.27	3.37	37.46	21.82	12.27	3.37	37.46	090	Y	B	Y	N	N	987.82	987.82
21195		A	19.16	13.99	2.94	36.09	19.16	13.99	2.94	36.09	090	Y	B	Y	N	N	951.69	951.69
21196		A	20.83	15.9	3.2	39.93	20.83	15.9	3.2	39.93	090	Y	B	Y	D	N	1,052.95	1,052.95
21198		A	15.71	12.99	2.61	31.31	15.71	12.99	2.61	31.31	090	Y	N	Y	D	N	825.64	825.64
21199		A	16.73	9.49	2.59	28.81	16.73	9.49	2.59	28.81	090	Y	N	Y	D	N	759.72	759.72
21206		A	15.59	13.34	3.72	32.65	15.59	13.34	3.72	32.65	090	Y	N	Y	D	N	860.98	860.98
21208		A	11.42	9.27	2.7	23.39	11.42	34.01	2.7	48.13	090	Y	N	D	N	N	616.79	1,269.19
21209		A	7.82	7.48	1.85	17.15	7.82	12.08	1.85	21.75	090	Y	N	Y	N	N	452.25	573.55
21210		A	11.69	9.63	1.81	23.13	11.69	43.61	1.81	57.11	090	Y	N	N	N	N	609.94	1,505.99
21215		A	12.23	9.95	2.89	25.07	12.23	86.05	2.89	101.17	090	Y	N	N	D	N	661.10	2,667.85
21230		A	11.17	6.58	2.63	20.38	11.17	6.58	2.63	20.38	090	Y	N	D	N	N	537.42	537.42
21235		A	7.5	6.43	1.32	15.25	7.5	10.12	1.32	18.94	090	Y	N	N	N	N	402.14	499.45
21240		A	16.07	11.37	2.45	29.89	16.07	11.37	2.45	29.89	090	Y	Y	Y	D	N	788.20	788.20
21242		A	14.59	10.54	2.26	27.39	14.59	10.54	2.26	27.39	090	Y	Y	Y	D	N	722.27	722.27
21243		A	24.53	17.13	3.79	45.45	24.53	17.13	3.79	45.45	090	Y	Y	Y	D	N	1,198.52	1,198.52
21244		A	13.62	12.7	2.32	28.64	13.62	12.7	2.32	28.64	090	Y	N	Y	D	N	755.24	755.24
21245		A	13.12	8.97	2.01	24.1	13.12	14.26	2.01	29.39	090	Y	N	Y	N	N	635.52	775.01
21246		A	12.92	7.58	1.98	22.48	12.92	7.58	1.98	22.48	090	Y	N	Y	N	N	592.80	592.80
21247		A	24.37	13.8	5.79	43.96	24.37	13.8	5.79	43.96	090	Y	Y	Y	D	N	1,159.23	1,159.23
21248		A	12.74	9.65	1.96	24.35	12.74	14.49	1.96	29.19	090	Y	N	N	N	N	642.11	769.74
21249		A	18.77	13.21	2.89	34.87	18.77	18.68	2.89	40.34	090	Y	N	D	N	N	919.52	1,063.77
21255		A	18.46	15.87	2.83	37.16	18.46	15.87	2.83	37.16	090	Y	Y	Y	D	N	979.91	979.91
21256		A	17.66	12.89	2.71	33.26	17.66	12.89	2.71	33.26	090	Y	Y	Y	D	N	877.07	877.07
21260		A	17.9	16.07	1.52	35.49	17.9	16.07	1.52	35.49	090	Y	N	Y	D	N	935.87	935.87
21261		A	34.07	18.27	8.08	60.42	34.07	18.27	8.08	60.42	090	Y	N	Y	D	N	1,593.28	1,593.28

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
21263		A	31.01	17.29	2.64	50.94	31.01	17.29	2.64	50.94	090	Y	N	Y	D	N	1,343.29	1,343.29
21267		A	20.69	19.19	4.9	44.78	20.69	19.19	4.9	44.78	090	Y	Y	Y	D	N	1,180.85	1,180.85
21268		A	27.07	16.02	6.42	49.51	27.07	16.02	6.42	49.51	090	Y	Y	Y	D	N	1,305.58	1,305.58
21270		A	10.63	7.45	1.81	19.89	10.63	12.85	1.81	25.29	090	Y	Y	Y	D	N	524.50	666.90
21275		A	11.76	8.53	2.76	23.05	11.76	8.53	2.76	23.05	090	Y	N	Y	D	N	607.83	607.83
21280		A	7.13	6.99	1.68	15.8	7.13	6.99	1.68	15.8	090	Y	Y	D	N	N	416.65	416.65
21282		A	4.27	5.05	0.94	10.26	4.27	5.05	0.94	10.26	090	Y	Y	N	N	N	270.56	270.56
21295		A	1.9	3	0.44	5.34	1.9	3	0.44	5.34	090	Y	Y	D	N	N	140.82	140.82
21296		A	4.78	6.56	0.73	12.07	4.78	6.56	0.73	12.07	090	Y	Y	D	N	N	318.29	318.29
21299		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
21310		A	0.58	0.1	0.13	0.81	0.58	2.52	0.13	3.23	000	Y	N	N	N	N	21.36	85.18
21315		A	1.83	1.88	0.35	4.06	1.83	4.83	0.35	7.01	010	Y	N	N	N	N	107.06	184.85
21320		A	1.88	1.45	0.33	3.66	1.88	4.32	0.33	6.53	010	Y	N	N	N	N	96.51	172.20
21325		A	4.18	7.18	0.8	12.16	4.18	7.18	0.8	12.16	090	Y	N	D	N	N	320.66	320.66
21330		A	5.79	7.97	0.88	14.64	5.79	7.97	0.88	14.64	090	Y	N	D	N	N	386.06	386.06
21335		A	9.02	8.91	1.47	19.4	9.02	8.91	1.47	19.4	090	Y	N	N	N	N	511.58	511.58
21336		A	6.77	9.01	1.09	16.87	6.77	9.01	1.09	16.87	090	Y	N	D	N	N	444.86	444.86
21337		A	3.39	3.82	0.63	7.84	3.39	6.38	0.63	10.4	090	Y	N	D	N	N	206.74	274.25
21338		A	6.87	10.3	1.63	18.8	6.87	10.3	1.63	18.8	090	Y	N	D	N	N	495.76	495.76
21339		A	8.5	10.06	2	20.56	8.5	10.06	2	20.56	090	Y	N	Y	D	N	542.17	542.17
21340		A	11.49	7.18	1.78	20.45	11.49	7.18	1.78	20.45	090	Y	N	D	N	N	539.27	539.27
21343		A	14.32	14.91	3.4	32.63	14.32	14.91	3.4	32.63	090	Y	N	Y	D	N	860.45	860.45
21344		A	21.57	13.07	9.29	43.93	21.57	13.07	9.29	43.93	090	Y	N	Y	Y	N	1,158.43	1,158.43
21345		A	9.06	6.41	1.41	16.88	9.06	9.96	1.41	20.43	090	Y	N	D	N	N	445.13	538.74
21346		A	11.45	10.98	1.78	24.21	11.45	10.98	1.78	24.21	090	Y	N	N	D	N	638.42	638.42
21347		A	13.53	13.72	2.06	29.31	13.53	13.72	2.06	29.31	090	Y	N	Y	D	N	772.90	772.90
21348		A	17.52	11.82	2.7	32.04	17.52	11.82	2.7	32.04	090	Y	N	Y	Y	N	844.89	844.89
21355		A	4.45	3.53	0.68	8.66	4.45	6.09	0.68	11.22	010	Y	Y	D	N	N	228.36	295.87
21356		A	4.83	4.42	0.85	10.1	4.83	7.28	0.85	12.96	010	Y	Y	D	N	N	266.34	341.76
21360		A	7.19	6.06	1.09	14.34	7.19	6.06	1.09	14.34	090	Y	Y	Y	N	N	378.15	378.15
21365		A	16.77	10.57	3.37	30.71	16.77	10.57	3.37	30.71	090	Y	Y	Y	D	N	809.82	809.82
21366		A	18.6	10.06	4.41	33.07	18.6	10.06	4.41	33.07	090	Y	Y	Y	Y	N	872.06	872.06
21385		A	9.57	7.39	1.47	18.43	9.57	7.39	1.47	18.43	090	Y	Y	Y	D	N	486.00	486.00
21386		A	9.57	7.29	2.26	19.12	9.57	7.29	2.26	19.12	090	Y	Y	Y	N	N	504.19	504.19
21387		A	10.11	7.59	2.36	20.06	10.11	7.59	2.36	20.06	090	Y	Y	Y	N	N	528.98	528.98
21390		A	11.23	8.46	2.27	21.96	11.23	8.46	2.27	21.96	090	Y	Y	Y	D	N	579.09	579.09
21395		A	14.7	9.78	2.26	26.74	14.7	9.78	2.26	26.74	090	Y	Y	Y	D	N	705.13	705.13
21400		A	1.5	2.25	0.33	4.08	1.5	3.1	0.33	4.93	090	Y	Y	D	N	N	107.59	130.00
21401		A	3.68	3.75	0.87	8.3	3.68	8.07	0.87	12.62	090	Y	Y	Y	N	N	218.87	332.79
21406		A	7.42	5.33	1.14	13.89	7.42	5.33	1.14	13.89	090	Y	Y	Y	D	N	366.28	366.28
21407		A	9.02	6.91	1.91	17.84	9.02	6.91	1.91	17.84	090	Y	Y	Y	D	N	470.44	470.44
21408		A	12.78	9.05	3.03	24.86	12.78	9.05	3.03	24.86	090	Y	Y	Y	Y	N	655.56	655.56
21421		A	6.02	9.52	1.42	16.96	6.02	12.3	1.42	19.74	090	Y	N	D	N	N	447.24	520.54
21422		A	8.73	7.77	1.36	17.86	8.73	7.77	1.36	17.86	090	Y	N	Y	D	N	470.97	470.97
21423		A	10.85	9.09	2.57	22.51	10.85	9.09	2.57	22.51	090	Y	N	Y	Y	N	593.59	593.59
21431		A	7.9	9.45	1.86	19.21	7.9	9.45	1.86	19.21	090	Y	N	Y	N	N	506.57	506.57
21432		A	8.82	7.02	2.06	17.9	8.82	7.02	2.06	17.9	090	Y	N	Y	N	N	472.02	472.02
21433		A	26.29	16.05	6.23	48.57	26.29	16.05	6.23	48.57	090	Y	N	Y	D	N	1,280.79	1,280.79
21435		A	20.26	11.31	3.13	34.7	20.26	11.31	3.13	34.7	090	Y	N	Y	N	N	915.04	915.04
21436		A	30.3	19.36	7.17	56.83	30.3	19.36	7.17	56.83	090	Y	N	Y	Y	N	1,498.61	1,498.61
21440		A	3.44	7.93	0.8	12.17	3.44	10.51	0.8	14.75	090	Y	N	D	N	N	320.92	388.96
21445		A	6.26	9.12	0.97	16.35	6.26	12.52	0.97	19.75	090	Y	N	Y	N	N	431.15	520.81
21450		A	3.71	8.11	0.78	12.6	3.71	10.96	0.78	15.45	090	Y	N	D	N	N	332.26	407.42
21451		A	5.65	10.03	0.87	16.55	5.65	12.93	0.87	19.45	090	Y	N	D	N	N	436.42	512.90

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
21452		A	2.4	6.42	0.58	9.4	2.4	12.52	0.58	15.5	090	Y	N	D	N	N	247.88	408.74
21453		A	6.64	12.37	1.26	20.27	6.64	15.47	1.26	23.37	090	Y	N	D	N	N	534.52	616.27
21454		A	7.36	7.16	1.12	15.64	7.36	7.16	1.12	15.64	090	Y	N	D	D	N	412.43	412.43
21461		A	9.31	13.73	1.68	24.72	9.31	42.42	1.68	53.41	090	Y	N	N	D	N	651.87	1,408.42
21462		A	11.01	14.63	1.71	27.35	11.01	43.7	1.71	56.42	090	Y	N	Y	D	N	721.22	1,487.80
21465		A	13.12	10.54	3.11	26.77	13.12	10.54	3.11	26.77	090	Y	Y	Y	D	N	705.92	705.92
21470		A	17.54	12.24	3.48	33.26	17.54	12.24	3.48	33.26	090	Y	N	Y	D	N	877.07	877.07
21480		A	0.61	0.17	0.13	0.91	0.61	1.78	0.13	2.52	000	Y	Y	N	N	N	24.00	66.45
21485		A	4.77	9.57	0.73	15.07	4.77	12.3	0.73	17.8	090	Y	Y	D	N	N	397.40	469.39
21490		A	12.95	9.56	3.08	25.59	12.95	9.56	3.08	25.59	090	Y	Y	Y	D	N	674.81	674.81
21495		A	6.79	10.59	1.03	18.41	6.79	10.59	1.03	18.41	090	Y	N	Y	N	N	485.47	485.47
21497		A	4.64	10.08	1.08	15.8	4.64	13.02	1.08	18.74	090	Y	N	D	N	N	416.65	494.17
21499		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
21501		A	3.98	3.74	0.9	8.62	3.98	6.82	0.9	11.7	090	Y	N	N	N	N	227.31	308.53
21502		A	7.55	5.07	1.93	14.55	7.55	5.07	1.93	14.55	090	Y	N	Y	N	N	383.68	383.68
21510		A	6.2	4.26	1.76	12.22	6.2	4.26	1.76	12.22	090	Y	N	D	N	N	322.24	322.24
21550		A	2.11	1.76	0.36	4.23	2.11	4.19	0.36	6.66	010	Y	N	N	N	N	111.55	175.62
21552		A	6.49	4.1	1.53	12.12	6.49	4.1	1.53	12.12	090	Y	N	Y	N	N	319.60	319.60
21554		A	11.13	6.36	2.5	19.99	11.13	6.36	2.5	19.99	090	Y	N	Y	N	N	527.14	527.14
21555		A	3.96	3.34	0.94	8.24	3.96	5.86	0.94	10.76	090	Y	N	N	N	N	217.29	283.74
21556		A	7.66	5.14	1.73	14.53	7.66	5.14	1.73	14.53	090	Y	N	N	N	N	383.16	383.16
21557		A	14.75	8.38	3.35	26.48	14.75	8.38	3.35	26.48	090	Y	N	Y	D	N	698.28	698.28
21558		A	21.58	10.84	4.9	37.32	21.58	10.84	4.9	37.32	090	Y	N	Y	D	N	984.13	984.13
21600		A	7.26	6.07	1.88	15.21	7.26	6.07	1.88	15.21	090	Y	N	Y	D	N	401.09	401.09
21610		A	15.91	10.63	6.87	33.41	15.91	10.63	6.87	33.41	090	Y	N	Y	N	N	881.02	881.02
21615		A	10.45	4.46	2.95	17.86	10.45	4.46	2.95	17.86	090	Y	Y	Y	D	N	470.97	470.97
21616		A	12.69	7.34	3.65	23.68	12.69	7.34	3.65	23.68	090	Y	Y	Y	N	N	624.44	624.44
21620		A	7.28	4.78	1.95	14.01	7.28	4.78	1.95	14.01	090	Y	N	Y	D	N	369.44	369.44
21627		A	7.3	5.54	1.98	14.82	7.3	5.54	1.98	14.82	090	Y	N	Y	N	N	390.80	390.80
21630		A	19.18	9.88	4.85	33.91	19.18	9.88	4.85	33.91	090	Y	N	Y	D	N	894.21	894.21
21632		A	19.68	8.75	5.93	34.36	19.68	8.75	5.93	34.36	090	Y	N	Y	D	N	906.07	906.07
21685		A	15.26	9.71	2.35	27.32	15.26	9.71	2.35	27.32	090	Y	N	Y	D	N	720.43	720.43
21700		A	6.31	2.44	1.8	10.55	6.31	2.44	1.8	10.55	090	Y	Y	Y	N	N	278.20	278.20
21705		A	9.92	3.15	2.81	15.88	9.92	3.15	2.81	15.88	090	Y	Y	Y	N	N	418.76	418.76
21720		A	5.8	5.04	2.49	13.33	5.8	5.04	2.49	13.33	090	Y	N	Y	N	N	351.51	351.51
21725		A	7.19	4.08	1.71	12.98	7.19	4.08	1.71	12.98	090	Y	N	Y	D	N	342.28	342.28
21740		A	17.57	6.96	4.17	28.7	17.57	6.96	4.17	28.7	090	Y	N	Y	D	N	756.82	756.82
21742		C	0	0	0	0	0	0	0	0	090	Y	N	Y	D	N	0.00	0.00
21743		C	0	0	0	0	0	0	0	0	090	Y	N	Y	D	N	0.00	0.00
21750		A	11.4	4.84	3.25	19.49	11.4	4.84	3.25	19.49	090	Y	N	Y	D	N	513.95	513.95
21800		A	1.01	1.76	0.21	2.98	1.01	1.67	0.21	2.89	090	Y	N	N	N	N	78.58	76.21
21805		A	2.88	3.57	0.8	7.25	2.88	3.57	0.8	7.25	090	Y	N	D	N	N	191.18	191.18
21810		A	7.03	5.03	1.96	14.02	7.03	5.03	1.96	14.02	090	Y	N	Y	N	N	369.71	369.71
21820		A	1.36	2.11	0.31	3.78	1.36	2.03	0.31	3.7	090	Y	N	N	N	N	99.68	97.57
21825		A	7.76	5.16	2.19	15.11	7.76	5.16	2.19	15.11	090	Y	N	Y	D	N	398.45	398.45
21899		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
21920		A	2.11	1.81	0.41	4.33	2.11	4.05	0.41	6.57	010	Y	N	N	N	N	114.18	173.25
21925		A	4.63	3.77	1.12	9.52	4.63	5.87	1.12	11.62	090	Y	N	N	N	N	251.04	306.42
21930		A	4.94	3.7	1.23	9.87	4.94	6.17	1.23	12.34	090	Y	N	N	N	N	260.27	325.41
21931		A	6.88	4.24	1.71	12.83	6.88	4.24	1.71	12.83	090	Y	N	Y	N	N	338.33	338.33
21932		A	9.82	5.79	2.5	18.11	9.82	5.79	2.5	18.11	090	Y	N	Y	N	N	477.56	477.56
21933		A	11.13	6.26	2.83	20.22	11.13	6.26	2.83	20.22	090	Y	N	Y	N	N	533.20	533.20
21935		A	15.72	8.74	3.86	28.32	15.72	8.74	3.86	28.32	090	Y	N	N	D	N	746.80	746.80
21936		A	22.55	11.07	5.53	39.15	22.55	11.07	5.53	39.15	090	Y	N	Y	D	N	1,032.39	1,032.39

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Facility	Statewide $ 37.56 OB/GYN Non- Facility
22010		A	12.75	9.32	3.96	26.03	12.75	9.32	3.96	26.03	090	Y	N	D	N	N	686.41	686.41
22015		A	12.64	8.37	3.71	24.72	12.64	8.37	3.71	24.72	090	Y	N	N	N	N	651.87	651.87
22100		A	11	8.48	4.76	24.24	11	8.48	4.76	24.24	090	Y	N	Y	D	N	639.21	639.21
22101		A	11.08	8.75	4.77	24.6	11.08	8.75	4.77	24.6	090	Y	N	Y	D	N	648.70	648.70
22102		A	11.08	8.08	3.2	22.36	11.08	8.08	3.2	22.36	090	Y	N	Y	D	N	589.63	589.63
22103		A	2.34	0.95	0.77	4.06	2.34	0.95	0.77	4.06	ZZZ	N	N	Y	D	N	107.06	107.06
22110		A	14	10.11	6.05	30.16	14	10.11	6.05	30.16	090	Y	N	Y	D	N	795.32	795.32
22112		A	14.07	9.72	6.07	29.86	14.07	9.72	6.07	29.86	090	Y	N	Y	D	N	787.41	787.41
22114		A	14.07	9.72	3.34	27.13	14.07	9.72	3.34	27.13	090	Y	N	Y	D	N	715.42	715.42
22116		A	2.32	0.94	0.72	3.98	2.32	0.94	0.72	3.98	ZZZ	N	N	Y	D	N	104.95	104.95
22206		A	37.18	19.45	8.79	65.42	37.18	19.45	8.79	65.42	090	Y	N	Y	D	N	1,725.13	1,725.13
22207		A	36.68	19.19	11.05	66.92	36.68	19.19	11.05	66.92	090	Y	N	Y	D	N	1,764.68	1,764.68
22208		A	9.66	3.96	3.11	16.73	9.66	3.96	3.11	16.73	ZZZ	N	N	Y	D	N	441.17	441.17
22210		A	25.38	15.63	8.11	49.12	25.38	15.63	8.11	49.12	090	Y	N	Y	D	N	1,295.29	1,295.29
22212		A	20.99	13.6	5.97	40.56	20.99	13.6	5.97	40.56	090	Y	N	Y	D	N	1,069.57	1,069.57
22214		A	21.02	13.71	6.15	40.88	21.02	13.71	6.15	40.88	090	Y	N	Y	D	N	1,078.01	1,078.01
22216		A	6.03	2.48	1.81	10.32	6.03	2.48	1.81	10.32	ZZZ	N	N	Y	D	N	272.14	272.14
22220		A	22.94	14.27	7.71	44.92	22.94	14.27	7.71	44.92	090	Y	N	Y	D	N	1,184.54	1,184.54
22222		A	23.09	14.36	5.46	42.91	23.09	14.36	5.46	42.91	090	Y	N	Y	D	N	1,131.54	1,131.54
22224		A	23.09	14.3	6.47	43.86	23.09	14.3	6.47	43.86	090	Y	N	Y	D	N	1,156.59	1,156.59
22226		A	6.03	2.45	1.9	10.38	6.03	2.45	1.9	10.38	ZZZ	N	N	Y	D	N	273.72	273.72
22305		A	2.13	2	0.49	4.62	2.13	2.41	0.49	5.03	090	Y	N	N	N	N	121.83	132.64
22310		A	3.89	2.84	0.94	7.67	3.89	3.4	0.94	8.23	090	Y	N	N	N	N	202.26	217.03
22315		A	10.11	7.91	3.06	21.08	10.11	10.46	3.06	23.63	090	Y	N	N	N	N	555.88	623.12
22318		A	22.72	13.79	9.22	45.73	22.72	13.79	9.22	45.73	090	Y	N	Y	Y	N	1,205.90	1,205.90
22319		A	25.33	14.99	10.94	51.26	25.33	14.99	10.94	51.26	090	Y	N	Y	Y	N	1,351.73	1,351.73
22325		A	19.87	13.2	6.83	39.9	19.87	13.2	6.83	39.9	090	Y	N	Y	D	N	1,052.16	1,052.16
22326		A	20.84	13.01	7.56	41.41	20.84	13.01	7.56	41.41	090	Y	N	Y	D	N	1,091.98	1,091.98
22327		A	20.77	13.6	6.74	41.11	20.77	13.6	6.74	41.11	090	Y	N	Y	D	N	1,084.07	1,084.07
22328		A	4.6	1.85	1.63	8.08	4.6	1.85	1.63	8.08	ZZZ	N	N	Y	D	N	213.07	213.07
22505		A	1.87	1.12	0.35	3.34	1.87	1.12	0.35	3.34	010	Y	N	N	N	N	88.08	88.08
22520		A	9.22	3.64	1.27	14.13	9.22	44.21	1.27	54.7	010	Y	N	N	N	N	372.61	1,442.44
22521		A	8.65	3.58	1.22	13.45	8.65	44.79	1.22	54.66	010	Y	N	N	N	N	354.68	1,441.38
22522		A	4.3	1.38	0.65	6.33	4.3	1.38	0.65	6.33	ZZZ	N	N	N	N	N	166.92	166.92
22523		A	9.04	4.47	2.14	15.65	9.04	164.96	2.14	176.14	010	Y	N	N	N	N	412.69	4,644.81
22524		A	8.54	4.28	2.02	14.84	8.54	163.9	2.02	174.46	010	Y	N	N	N	N	391.33	4,600.51
22525		A	4.47	1.64	1.14	7.25	4.47	100.91	1.14	106.52	ZZZ	N	N	N	N	N	191.18	2,808.93
22526		NOT COVEI	6.1	2.64	0.65	9.39	6.1	49.86	0.65	56.61	010	N	N	N	N	N	247.61	1,492.81
22527		NOT COVEI	3.03	0.97	0.29	4.29	3.03	43.27	0.29	46.59	ZZZ	N	N	N	N	N	113.13	1,228.58
22532		A	25.99	14.98	9.09	50.06	25.99	14.98	9.09	50.06	090	Y	N	Y	Y	N	1,320.08	1,320.08
22533		A	24.79	14.23	7.66	46.68	24.79	14.23	7.66	46.68	090	Y	N	Y	Y	N	1,230.95	1,230.95
22534		A	5.99	2.42	1.91	10.32	5.99	2.42	1.91	10.32	ZZZ	N	N	Y	Y	N	272.14	272.14
22548		A	27.06	16.28	11.68	55.02	27.06	16.28	11.68	55.02	090	Y	N	Y	Y	N	1,450.88	1,450.88
22551		A	25	14.02	9.09	48.11	25	14.02	9.09	48.11	090	Y	N	Y	Y	N	1,268.66	1,268.66
22552		A	6.5	2.6	2.14	11.24	6.5	2.6	2.14	11.24	ZZZ	N	N	Y	Y	N	296.40	296.40
22554		A	17.69	11.17	6.57	35.43	17.69	11.17	6.57	35.43	090	Y	N	Y	Y	N	934.29	934.29
22556		A	24.7	13.91	7.96	46.57	24.7	13.91	7.96	46.57	090	Y	N	Y	Y	N	1,228.05	1,228.05
22558		A	23.53	12.64	6.79	42.96	23.53	12.64	6.79	42.96	090	Y	N	Y	Y	N	1,132.86	1,132.86
22585		A	5.52	2.15	1.91	9.58	5.52	2.15	1.91	9.58	ZZZ	N	N	Y	Y	N	252.62	252.62
22586		A	28.12	15.96	8.11	52.19	28.12	15.96	8.11	52.19	090	Y	N	Y	Y	N	1,376.25	1,376.25
22590		A	21.76	13.84	8.47	44.07	21.76	13.84	8.47	44.07	090	Y	N	Y	Y	N	1,162.13	1,162.13
22595		A	20.64	13.35	7.89	41.88	20.64	13.35	7.89	41.88	090	Y	N	Y	Y	N	1,104.38	1,104.38
22600		A	17.4	11.94	6.39	35.73	17.4	11.94	6.39	35.73	090	Y	N	Y	Y	N	942.20	942.20
22610		A	17.28	11.76	5.84	34.88	17.28	11.76	5.84	34.88	090	Y	N	Y	Y	N	919.79	919.79

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
22612		A	23.53	13.47	7.49	44.49	23.53	13.47	7.49	44.49	090	Y	N	Y	Y	N	1,173.20	1,173.20
22614		A	6.43	2.6	2.12	11.15	6.43	2.6	2.12	11.15	ZZZ	N	N	Y	Y	N	294.03	294.03
22630		A	22.09	13.54	7.54	43.17	22.09	13.54	7.54	43.17	090	Y	N	Y	Y	N	1,138.39	1,138.39
22632		A	5.22	2.1	1.8	9.12	5.22	2.1	1.8	9.12	ZZZ	N	N	Y	Y	N	240.49	240.49
22633		A	27.75	15.04	8.83	51.62	27.75	15.04	8.83	51.62	090	Y	N	Y	Y	N	1,361.22	1,361.22
22634		A	8.16	3.29	2.7	14.15	8.16	3.29	2.7	14.15	ZZZ	N	N	Y	Y	N	373.14	373.14
22800		A	19.5	12.23	5.89	37.62	19.5	12.23	5.89	37.62	090	Y	N	Y	D	N	992.04	992.04
22802		A	32.11	17.34	9.02	58.47	32.11	17.34	9.02	58.47	090	Y	N	Y	D	N	1,541.85	1,541.85
22804		A	37.5	19.59	10.25	67.34	37.5	19.59	10.25	67.34	090	Y	N	Y	D	N	1,775.76	1,775.76
22808		A	27.51	14.83	8.73	51.07	27.51	14.83	8.73	51.07	090	Y	N	Y	D	N	1,346.72	1,346.72
22810		A	31.5	16.21	9.52	57.23	31.5	16.21	9.52	57.23	090	Y	N	Y	D	N	1,509.16	1,509.16
22812		A	34.25	19.66	8.11	62.02	34.25	19.66	8.11	62.02	090	Y	N	Y	D	N	1,635.47	1,635.47
22818		A	34.33	17.9	8.11	60.34	34.33	17.9	8.11	60.34	090	Y	N	Y	Y	Y	1,591.17	1,591.17
22819		A	39.38	21.13	16.99	77.5	39.38	21.13	16.99	77.5	090	Y	N	Y	Y	Y	2,043.68	2,043.68
22830		A	11.22	7.69	3.48	22.39	11.22	7.69	3.48	22.39	090	Y	N	Y	D	N	590.42	590.42
22840		A	12.52	5.07	4.18	21.77	12.52	5.07	4.18	21.77	ZZZ	N	N	Y	D	N	574.07	574.07
22841		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
22842		A	12.56	5.08	4.13	21.77	12.56	5.08	4.13	21.77	ZZZ	N	N	Y	Y	N	574.07	574.07
22843		A	13.44	5.47	4.21	23.12	13.44	5.47	4.21	23.12	ZZZ	N	N	Y	Y	N	609.67	609.67
22844		A	16.42	6.8	4.43	27.65	16.42	6.8	4.43	27.65	ZZZ	N	N	Y	Y	N	729.13	729.13
22845		A	11.94	4.78	4.4	21.12	11.94	4.78	4.4	21.12	ZZZ	N	N	Y	Y	N	556.93	556.93
22846		A	12.4	4.97	4.53	21.9	12.4	4.97	4.53	21.9	ZZZ	N	N	Y	Y	N	577.50	577.50
22847		A	13.78	5.62	5.94	25.34	13.78	5.62	5.94	25.34	ZZZ	N	N	Y	Y	N	668.22	668.22
22848		A	5.99	2.47	1.67	10.13	5.99	2.47	1.67	10.13	ZZZ	N	N	Y	Y	N	267.13	267.13
22849		A	19.17	10.99	6.18	36.34	19.17	10.99	6.18	36.34	090	Y	N	Y	D	N	958.29	958.29
22850		A	9.82	6.96	3.14	19.92	9.82	6.96	3.14	19.92	090	Y	N	Y	D	N	525.29	525.29
22851		A	6.7	2.7	2.27	11.67	6.7	2.7	2.27	11.67	ZZZ	N	N	Y	Y	N	307.74	307.74
22852		A	9.37	6.75	2.89	19.01	9.37	6.75	2.89	19.01	090	Y	N	Y	D	N	501.29	501.29
22855		A	15.86	9.67	5.7	31.23	15.86	9.67	5.7	31.23	090	Y	N	Y	D	N	823.54	823.54
22856		NOT COVEI	24.05	13.71	8.74	46.5	24.05	13.71	8.74	46.5	090	Y	N	Y	Y	N	1,226.21	1,226.21
22857		NOT COVEI	27.13	16.37	6.95	50.45	27.13	16.37	6.95	50.45	090	Y	N	Y	Y	N	1,330.37	1,330.37
22861		NOT COVEI	33.36	17.53	10.95	61.84	33.36	17.53	10.95	61.84	090	Y	N	Y	Y	N	1,630.72	1,630.72
22862		NOT COVEI	32.63	18.55	7.71	58.89	32.63	18.55	7.71	58.89	090	Y	N	Y	Y	Y	1,552.93	1,552.93
22864		NOT COVEI	29.4	16.4	9.66	55.46	29.4	16.4	9.66	55.46	090	Y	N	Y	Y	N	1,462.48	1,462.48
22865		NOT COVEI	31.75	17.49	7.51	56.75	31.75	17.49	7.51	56.75	090	Y	N	Y	Y	Y	1,496.50	1,496.50
22899		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
22900		A	8.32	5.02	2.06	15.4	8.32	5.02	2.06	15.4	090	Y	N	Y	D	N	406.10	406.10
22901		A	10.11	5.56	2.52	18.19	10.11	5.56	2.52	18.19	090	Y	N	Y	D	N	479.67	479.67
22902		A	4.42	3.4	0.85	8.67	4.42	5.88	0.85	11.15	090	Y	N	Y	D	N	228.63	294.03
22903		A	6.39	3.94	1.46	11.79	6.39	3.94	1.46	11.79	090	Y	N	Y	D	N	310.90	310.90
22904		A	16.69	8.13	4.26	29.08	16.69	8.13	4.26	29.08	090	Y	N	Y	D	D	766.84	766.84
22905		A	21.58	10.03	5.53	37.14	21.58	10.03	5.53	37.14	090	Y	N	Y	D	D	979.38	979.38
22999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
23000		A	4.48	4.35	1.03	9.86	4.48	9.26	1.03	14.77	090	Y	Y	Y	D	N	260.01	389.48
23020		A	9.36	7.12	2.16	18.64	9.36	7.12	2.16	18.64	090	Y	Y	Y	N	N	491.54	491.54
23030		A	3.47	2.62	0.82	6.91	3.47	6.91	0.82	11.2	010	Y	N	N	N	N	182.22	295.34
23031		A	2.79	2.45	0.64	5.88	2.79	7.21	0.64	10.64	010	Y	Y	N	N	N	155.06	280.58
23035		A	9.16	7.16	2.16	18.48	9.16	7.16	2.16	18.48	090	Y	Y	Y	N	N	487.32	487.32
23040		A	9.75	7.4	2.3	19.45	9.75	7.4	2.3	19.45	090	Y	Y	Y	D	N	512.90	512.90
23044		A	7.59	5.93	1.8	15.32	7.59	5.93	1.8	15.32	090	Y	Y	N	D	N	403.99	403.99
23065		A	2.3	1.76	0.45	4.51	2.3	2.87	0.45	5.62	010	Y	Y	N	N	N	118.93	148.20
23066		A	4.3	4.16	1	9.46	4.3	8.77	1	14.07	090	Y	Y	N	N	N	249.46	371.03
23071		A	5.91	4.01	1.46	11.38	5.91	4.01	1.46	11.38	090	Y	Y	Y	N	N	300.09	300.09
23073		A	10.13	6.31	2.45	18.89	10.13	6.31	2.45	18.89	090	Y	Y	Y	N	N	498.13	498.13

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
23075		A	4.21	3.52	1.03	8.76	4.21	6.79	1.03	12.03	090	Y	Y	N	N	N	231.00	317.23
23076		A	7.41	5.38	1.81	14.6	7.41	5.38	1.81	14.6	090	Y	Y	N	N	N	385.00	385.00
23077		A	17.66	9.61	4.31	31.58	17.66	9.61	4.31	31.58	090	Y	Y	Y	D	N	832.76	832.76
23078		A	22.55	11.69	5.79	40.03	22.55	11.69	5.79	40.03	090	Y	Y	Y	D	N	1,055.59	1,055.59
23100		A	6.2	5.69	1.47	13.36	6.2	5.69	1.47	13.36	090	Y	Y	Y	D	N	352.30	352.30
23101		A	5.72	5.12	1.36	12.2	5.72	5.12	1.36	12.2	090	Y	Y	N	D	N	321.71	321.71
23105		A	8.48	6.74	2	17.22	8.48	6.74	2	17.22	090	Y	Y	Y	D	N	454.09	454.09
23106		A	6.13	5.66	1.46	13.25	6.13	5.66	1.46	13.25	090	Y	Y	N	D	N	349.40	349.40
23107		A	8.87	6.93	2.06	17.86	8.87	6.93	2.06	17.86	090	Y	Y	Y	D	N	470.97	470.97
23120		A	7.39	6.55	1.76	15.7	7.39	6.55	1.76	15.7	090	Y	Y	Y	D	N	414.01	414.01
23125		A	9.64	7.25	2.27	19.16	9.64	7.25	2.27	19.16	090	Y	Y	Y	D	N	505.25	505.25
23130		A	7.77	6.73	1.82	16.32	7.77	6.73	1.82	16.32	090	Y	Y	N	D	N	430.36	430.36
23140		A	7.12	5.47	1.71	14.3	7.12	5.47	1.71	14.3	090	Y	Y	N	N	N	377.09	377.09
23145		A	9.4	7.16	2.22	18.78	9.4	7.16	2.22	18.78	090	Y	Y	Y	D	N	495.23	495.23
23146		A	8.08	6.69	1.91	16.68	8.08	6.69	1.91	16.68	090	Y	Y	D	N	N	439.85	439.85
23150		A	8.91	6.85	2.06	17.82	8.91	6.85	2.06	17.82	090	Y	Y	Y	D	N	469.91	469.91
23155		A	10.86	8.04	2.57	21.47	10.86	8.04	2.57	21.47	090	Y	Y	Y	D	N	566.16	566.16
23156		A	9.11	7.03	2.16	18.3	9.11	7.03	2.16	18.3	090	Y	Y	Y	N	N	482.57	482.57
23170		A	7.21	6.12	1.71	15.04	7.21	6.12	1.71	15.04	090	Y	Y	N	N	N	396.60	396.60
23172		A	7.31	6.16	1.76	15.23	7.31	6.16	1.76	15.23	090	Y	Y	Y	N	N	401.62	401.62
23174		A	10.05	8	2.36	20.41	10.05	8	2.36	20.41	090	Y	Y	Y	D	N	538.21	538.21
23180		A	8.99	6.86	2.17	18.02	8.99	6.86	2.17	18.02	090	Y	Y	N	D	N	475.19	475.19
23182		A	8.61	7.14	2.03	17.78	8.61	7.14	2.03	17.78	090	Y	Y	Y	N	N	468.86	468.86
23184		A	9.9	7.64	2.3	19.84	9.9	7.64	2.3	19.84	090	Y	Y	Y	D	N	523.18	523.18
23190		A	7.47	6.1	1.78	15.35	7.47	6.1	1.78	15.35	090	Y	Y	Y	D	N	404.78	404.78
23195		A	10.36	7.65	2.44	20.45	10.36	7.65	2.44	20.45	090	Y	Y	Y	D	N	539.27	539.27
23200		A	22.71	13.59	5.38	41.68	22.71	13.59	5.38	41.68	090	Y	Y	Y	D	N	1,099.10	1,099.10
23210		A	27.21	15.49	6.44	49.14	27.21	15.49	6.44	49.14	090	Y	Y	Y	D	N	1,295.82	1,295.82
23220		A	30.21	16.63	7.16	54	30.21	16.63	7.16	54	090	Y	Y	Y	D	N	1,423.98	1,423.98
23330		A	1.9	1.72	0.41	4.03	1.9	3.8	0.41	6.11	010	Y	Y	D	N	N	106.27	161.12
23333		A	6	4.9	1.41	12.31	6	4.9	1.41	12.31	090	Y	Y	D	N	N	324.61	324.61
23334		A	15.5	10.24	3.64	29.38	15.5	10.24	3.64	29.38	090	Y	Y	N	D	N	774.75	774.75
23335		A	19	11.71	4.46	35.17	19	11.71	4.46	35.17	090	Y	Y	N	D	N	927.43	927.43
23350		A	1	0.32	0.13	1.45	1	2.13	0.13	3.26	000	Y	Y	N	N	N	38.24	85.97
23395		A	18.54	12.29	4.31	35.14	18.54	12.29	4.31	35.14	090	Y	N	Y	D	N	926.64	926.64
23397		A	16.76	10.52	3.98	31.26	16.76	10.52	3.98	31.26	090	Y	N	Y	D	N	824.33	824.33
23400		A	13.87	9.31	3.29	26.47	13.87	9.31	3.29	26.47	090	Y	Y	Y	D	N	698.01	698.01
23405		A	8.54	6.49	2	17.03	8.54	6.49	2	17.03	090	Y	N	Y	D	N	449.08	449.08
23406		A	11.01	7.43	2.6	21.04	11.01	7.43	2.6	21.04	090	Y	N	Y	N	N	554.82	554.82
23410		A	11.39	8.25	2.66	22.3	11.39	8.25	2.66	22.3	090	Y	Y	Y	D	N	588.05	588.05
23412		A	11.93	8.48	2.78	23.19	11.93	8.48	2.78	23.19	090	Y	Y	Y	D	N	611.52	611.52
23415		A	9.23	7.37	2.17	18.77	9.23	7.37	2.17	18.77	090	Y	Y	N	D	N	494.96	494.96
23420		A	13.54	9.63	3.18	26.35	13.54	9.63	3.18	26.35	090	Y	Y	Y	D	N	694.85	694.85
23430		A	10.17	7.72	2.36	20.25	10.17	7.72	2.36	20.25	090	Y	Y	Y	D	N	533.99	533.99
23440		A	10.64	7.45	2.49	20.58	10.64	7.45	2.49	20.58	090	Y	Y	Y	D	N	542.69	542.69
23450		A	13.7	8.94	3.25	25.89	13.7	8.94	3.25	25.89	090	Y	Y	Y	D	N	682.72	682.72
23455		A	14.67	9.34	3.44	27.45	14.67	9.34	3.44	27.45	090	Y	Y	Y	D	N	723.86	723.86
23460		A	15.82	10.22	3.76	29.8	15.82	10.22	3.76	29.8	090	Y	Y	Y	D	N	785.83	785.83
23462		A	15.72	9.91	3.74	29.37	15.72	9.91	3.74	29.37	090	Y	Y	Y	D	N	774.49	774.49
23465		A	16.3	10.42	3.86	30.58	16.3	10.42	3.86	30.58	090	Y	Y	Y	D	N	806.39	806.39
23466		A	15.8	11.02	3.74	30.56	15.8	11.02	3.74	30.56	090	Y	Y	Y	D	N	805.87	805.87
23470		A	17.89	11.02	4.22	33.13	17.89	11.02	4.22	33.13	090	Y	Y	Y	D	N	873.64	873.64
23472		A	22.13	12.97	5.19	40.29	22.13	12.97	5.19	40.29	090	Y	Y	Y	D	N	1,062.45	1,062.45
23473		A	25	14.14	5.87	45.01	25	14.14	5.87	45.01	090	Y	Y	Y	D	N	1,186.91	1,186.91

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
23474		A	27.21	15.07	6.44	48.72	27.21	15.07	6.44	48.72	090	Y	Y	Y	D	N	1,284.75	1,284.75
23480		A	11.54	8.05	2.71	22.3	11.54	8.05	2.71	22.3	090	Y	Y	N	D	N	588.05	588.05
23485		A	13.91	8.95	3.27	26.13	13.91	8.95	3.27	26.13	090	Y	Y	Y	D	N	689.05	689.05
23490		A	12.16	8.41	2.89	23.46	12.16	8.41	2.89	23.46	090	Y	Y	Y	N	N	618.64	618.64
23491		A	14.54	9.68	3.44	27.66	14.54	9.68	3.44	27.66	090	Y	Y	Y	D	N	729.39	729.39
23500		A	2.21	3.07	0.49	5.77	2.21	2.99	0.49	5.69	090	Y	Y	N	N	N	152.15	150.05
23505		A	3.83	4.09	0.87	8.79	3.83	4.54	0.87	9.24	090	Y	Y	N	N	N	231.79	243.66
23515		A	9.69	7.54	2.27	19.5	9.69	7.54	2.27	19.5	090	Y	Y	Y	D	N	514.22	514.22
23520		A	2.29	3.24	0.53	6.06	2.29	3.16	0.53	5.98	090	Y	Y	D	N	N	159.80	157.69
23525		A	3.79	4.61	0.88	9.28	3.79	5.27	0.88	9.94	090	Y	Y	D	N	N	244.71	262.12
23530		A	7.48	6.13	1.78	15.39	7.48	6.13	1.78	15.39	090	Y	Y	Y	N	N	405.83	405.83
23532		A	8.2	6.65	1.93	16.78	8.2	6.65	1.93	16.78	090	Y	Y	Y	N	N	442.49	442.49
23540		A	2.36	3.06	0.5	5.92	2.36	2.98	0.5	5.84	090	Y	Y	N	N	N	156.11	154.00
23545		A	3.43	3.97	0.72	8.12	3.43	4.68	0.72	8.83	090	Y	Y	D	N	N	214.12	232.85
23550		A	7.59	6.07	1.77	15.43	7.59	6.07	1.77	15.43	090	Y	Y	Y	D	N	406.89	406.89
23552		A	8.82	6.83	2.05	17.7	8.82	6.83	2.05	17.7	090	Y	Y	Y	D	N	466.75	466.75
23570		A	2.36	3.29	0.53	6.18	2.36	3.13	0.53	6.02	090	Y	Y	N	N	N	162.97	158.75
23575		A	4.23	4.65	0.99	9.87	4.23	5.22	0.99	10.44	090	Y	Y	D	N	N	260.27	275.30
23585		A	14.23	9.27	3.32	26.82	14.23	9.27	3.32	26.82	090	Y	Y	Y	D	N	707.24	707.24
23600		A	3	4.29	0.69	7.98	3	4.72	0.69	8.41	090	Y	Y	N	N	N	210.43	221.77
23605		A	5.06	5.05	1.18	11.29	5.06	5.95	1.18	12.19	090	Y	Y	N	N	N	297.72	321.45
23615		A	12.3	8.87	2.89	24.06	12.3	8.87	2.89	24.06	090	Y	Y	Y	D	N	634.46	634.46
23616		A	18.37	11.42	4.3	34.09	18.37	11.42	4.3	34.09	090	Y	Y	Y	Y	N	898.95	898.95
23620		A	2.55	3.52	0.59	6.66	2.55	3.82	0.59	6.96	090	Y	Y	N	N	N	175.62	183.54
23625		A	4.1	4.31	0.94	9.35	4.1	4.91	0.94	9.95	090	Y	Y	N	N	N	246.56	262.38
23630		A	10.57	8.13	2.49	21.19	10.57	8.13	2.49	21.19	090	Y	Y	Y	D	N	558.78	558.78
23650		A	3.53	3.37	0.73	7.63	3.53	3.96	0.73	8.22	090	Y	Y	N	N	N	201.20	216.76
23655		A	4.76	4.76	1.06	10.58	4.76	4.76	1.06	10.58	090	Y	Y	N	N	N	278.99	278.99
23660		A	7.66	6.26	1.8	15.72	7.66	6.26	1.8	15.72	090	Y	Y	Y	D	N	414.54	414.54
23665		A	4.66	4.78	1.06	10.5	4.66	5.45	1.06	11.17	090	Y	Y	N	N	N	276.89	294.55
23670		A	12.28	8.71	2.89	23.88	12.28	8.71	2.89	23.88	090	Y	Y	Y	D	N	629.72	629.72
23675		A	6.27	5.64	1.44	13.35	6.27	6.77	1.44	14.48	090	Y	Y	N	N	N	352.04	381.84
23680		A	13.15	9.07	3.09	25.31	13.15	9.07	3.09	25.31	090	Y	Y	Y	D	N	667.42	667.42
23700		A	2.57	2.1	0.59	5.26	2.57	2.1	0.59	5.26	010	Y	Y	N	N	N	138.71	138.71
23800		A	14.73	9.77	3.52	28.02	14.73	9.77	3.52	28.02	090	Y	Y	Y	D	N	738.89	738.89
23802		A	18.42	12.26	4.35	35.03	18.42	12.26	4.35	35.03	090	Y	Y	Y	D	N	923.74	923.74
23900		A	20.72	12.5	4.92	38.14	20.72	12.5	4.92	38.14	090	Y	N	Y	N	N	1,005.75	1,005.75
23920		A	16.23	10.7	3.84	30.77	16.23	10.7	3.84	30.77	090	Y	Y	Y	D	N	811.40	811.40
23921		A	5.72	5.39	1.63	12.74	5.72	5.39	1.63	12.74	090	Y	Y	N	N	N	335.95	335.95
23929		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
23930		A	2.99	2.12	0.73	5.84	2.99	5.29	0.73	9.01	010	Y	Y	N	N	N	154.00	237.59
23931		A	1.84	1.99	0.41	4.24	1.84	4.96	0.41	7.21	010	Y	Y	N	N	N	111.81	190.13
23935		A	6.38	5.74	1.49	13.61	6.38	5.74	1.49	13.61	090	Y	Y	D	N	N	358.90	358.90
24000		A	6.08	5.29	1.41	12.78	6.08	5.29	1.41	12.78	090	Y	Y	D	D	N	337.01	337.01
24006		A	9.74	7.3	2.19	19.23	9.74	7.3	2.19	19.23	090	Y	Y	Y	Y	N	507.10	507.10
24065		A	2.13	1.92	0.41	4.46	2.13	3.95	0.41	6.49	010	Y	Y	N	N	N	117.61	171.14
24066		A	5.35	4.43	1.29	11.07	5.35	9.16	1.29	15.8	090	Y	Y	N	N	N	291.92	416.65
24071		A	5.7	3.93	1.39	11.02	5.7	3.93	1.39	11.02	090	Y	Y	Y	N	N	290.60	290.60
24073		A	10.13	6.32	2.41	18.86	10.13	6.32	2.41	18.86	090	Y	Y	Y	N	N	497.34	497.34
24075		A	4.24	3.59	1	8.83	4.24	7.28	1	12.52	090	Y	Y	N	N	N	232.85	330.15
24076		A	7.41	5.5	1.78	14.69	7.41	5.5	1.78	14.69	090	Y	Y	N	N	N	387.38	387.38
24077		A	15.72	8.99	3.82	28.53	15.72	8.99	3.82	28.53	090	Y	Y	N	D	N	752.34	752.34
24079		A	20.61	10.87	5.26	36.74	20.61	10.87	5.26	36.74	090	Y	Y	Y	D	N	968.83	968.83
24100		A	5.07	4.84	1.22	11.13	5.07	4.84	1.22	11.13	090	Y	Y	Y	D	N	293.50	293.50

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
24101		A	6.3	5.6	1.46	13.36	6.3	5.6	1.46	13.36	090	Y	Y	Y	N	N	352.30	352.30
24102		A	8.26	6.47	1.86	16.59	8.26	6.47	1.86	16.59	090	Y	Y	Y	D	N	437.48	437.48
24105		A	3.78	4.52	0.87	9.17	3.78	4.52	0.87	9.17	090	Y	Y	N	N	N	241.81	241.81
24110		A	7.58	6.4	1.8	15.78	7.58	6.4	1.8	15.78	090	Y	Y	N	D	N	416.12	416.12
24115		A	10.12	7.45	2.39	19.96	10.12	7.45	2.39	19.96	090	Y	Y	Y	D	N	526.35	526.35
24116		A	12.23	8.34	2.89	23.46	12.23	8.34	2.89	23.46	090	Y	Y	Y	N	N	618.64	618.64
24120		A	6.82	5.8	1.54	14.16	6.82	5.8	1.54	14.16	090	Y	Y	D	N	N	373.40	373.40
24125		A	8.14	6.62	1.91	16.67	8.14	6.62	1.91	16.67	090	Y	Y	Y	D	N	439.59	439.59
24126		A	8.62	6.83	2.03	17.48	8.62	6.83	2.03	17.48	090	Y	Y	Y	N	N	460.95	460.95
24130		A	6.42	5.69	1.44	13.55	6.42	5.69	1.44	13.55	090	Y	Y	N	D	N	357.31	357.31
24134		A	10.22	7.59	2.4	20.21	10.22	7.59	2.4	20.21	090	Y	Y	Y	N	N	532.94	532.94
24136		A	8.4	6.76	1.98	17.14	8.4	6.76	1.98	17.14	090	Y	Y	N	N	N	451.98	451.98
24138		A	8.5	7.54	2	18.04	8.5	7.54	2	18.04	090	Y	Y	Y	N	N	475.71	475.71
24140		A	9.55	7.19	2.14	18.88	9.55	7.19	2.14	18.88	090	Y	Y	Y	N	N	497.87	497.87
24145		A	7.81	6.27	1.85	15.93	7.81	6.27	1.85	15.93	090	Y	Y	N	D	N	420.07	420.07
24147		A	7.84	6.98	1.81	16.63	7.84	6.98	1.81	16.63	090	Y	Y	N	D	N	438.53	438.53
24149		A	16.22	11.95	3.58	31.75	16.22	11.95	3.58	31.75	090	Y	Y	Y	D	N	837.25	837.25
24150		A	23.46	13.82	5.56	42.84	23.46	13.82	5.56	42.84	090	Y	Y	Y	D	N	1,129.69	1,129.69
24152		A	19.99	12.95	4.72	37.66	19.99	12.95	4.72	37.66	090	Y	Y	Y	D	N	993.09	993.09
24155		A	12.09	8.28	2.86	23.23	12.09	8.28	2.86	23.23	090	Y	Y	Y	D	N	612.58	612.58
24160		A	18.63	11.69	4.16	34.48	18.63	11.69	4.16	34.48	090	Y	Y	N	D	N	909.24	909.24
24164		A	10	7.4	2.34	19.74	10	7.4	2.34	19.74	090	Y	Y	N	D	N	520.54	520.54
24200		A	1.81	1.54	0.38	3.73	1.81	3.07	0.38	5.26	010	Y	Y	D	N	N	98.36	138.71
24201		A	4.7	4.07	1.12	9.89	4.7	8.5	1.12	14.32	090	Y	Y	N	N	N	260.80	377.62
24220		A	1.31	0.46	0.14	1.91	1.31	2.56	0.14	4.01	000	Y	Y	D	N	N	50.37	105.74
24300		A	4.04	5.77	0.87	10.68	4.04	5.77	0.87	10.68	090	Y	Y	N	N	N	281.63	281.63
24301		A	10.38	7.59	2.44	20.41	10.38	7.59	2.44	20.41	090	Y	N	Y	D	N	538.21	538.21
24305		A	7.62	6.21	1.63	15.46	7.62	6.21	1.63	15.46	090	Y	N	D	N	N	407.68	407.68
24310		A	6.12	5.22	1.42	12.76	6.12	5.22	1.42	12.76	090	Y	N	D	N	N	336.48	336.48
24320		A	10.86	7.75	2.57	21.18	10.86	7.75	2.57	21.18	090	Y	N	Y	D	N	558.52	558.52
24330		A	9.79	7.3	2.31	19.4	9.79	7.3	2.31	19.4	090	Y	Y	Y	N	N	511.58	511.58
24331		A	10.95	7.8	2.6	21.35	10.95	7.8	2.6	21.35	090	Y	Y	Y	N	N	563.00	563.00
24332		A	7.91	6.66	1.86	16.43	7.91	6.66	1.86	16.43	090	Y	Y	N	N	N	433.26	433.26
24340		A	8.08	6.58	1.9	16.56	8.08	6.58	1.9	16.56	090	Y	Y	Y	D	N	436.69	436.69
24341		A	9.49	8.33	2.22	20.04	9.49	8.33	2.22	20.04	090	Y	Y	Y	D	N	528.45	528.45
24342		A	10.86	7.74	2.49	21.09	10.86	7.74	2.49	21.09	090	Y	Y	Y	D	N	556.14	556.14
24343		A	9.16	7.74	2.01	18.91	9.16	7.74	2.01	18.91	090	Y	Y	Y	D	N	498.66	498.66
24344		A	15.21	10.99	3.62	29.82	15.21	10.99	3.62	29.82	090	Y	Y	Y	D	N	786.35	786.35
24345		A	9.16	7.65	2.01	18.82	9.16	7.65	2.01	18.82	090	Y	Y	Y	D	N	496.28	496.28
24346		A	15.21	10.99	3.62	29.82	15.21	10.99	3.62	29.82	090	Y	Y	Y	D	N	786.35	786.35
24357		A	5.44	5.06	1.24	11.74	5.44	5.06	1.24	11.74	090	Y	Y	D	N	N	309.58	309.58
24358		A	6.66	5.82	1.51	13.99	6.66	5.82	1.51	13.99	090	Y	Y	D	N	N	368.92	368.92
24359		A	8.98	6.82	2.01	17.81	8.98	6.82	2.01	17.81	090	Y	Y	D	N	N	469.65	469.65
24360		A	12.67	8.79	2.98	24.44	12.67	8.79	2.98	24.44	090	Y	Y	Y	D	N	644.48	644.48
24361		A	14.41	9.62	3.42	27.45	14.41	9.62	3.42	27.45	090	Y	Y	Y	D	N	723.86	723.86
24362		A	15.32	10	3.65	28.97	15.32	10	3.65	28.97	090	Y	Y	Y	N	N	763.94	763.94
24363		A	22	13.13	4.91	40.04	22	13.13	4.91	40.04	090	Y	Y	Y	N	N	1,055.85	1,055.85
24365		A	8.62	6.6	2.03	17.25	8.62	6.6	2.03	17.25	090	Y	Y	Y	D	N	454.88	454.88
24366		A	9.36	6.94	2.12	18.42	9.36	6.94	2.12	18.42	090	Y	Y	Y	D	N	485.74	485.74
24370		A	23.55	13.64	5.26	42.45	23.55	13.64	5.26	42.45	090	Y	Y	Y	N	N	1,119.41	1,119.41
24371		A	27.5	15.46	6.14	49.1	27.5	15.46	6.14	49.1	090	Y	Y	Y	N	N	1,294.77	1,294.77
24400		A	11.33	8.23	2.63	22.19	11.33	8.23	2.63	22.19	090	Y	Y	Y	D	N	585.15	585.15
24410		A	15.11	10.13	3.59	28.83	15.11	10.13	3.59	28.83	090	Y	Y	Y	D	N	760.25	760.25
24420		A	13.73	9.97	3.25	26.95	13.73	9.97	3.25	26.95	090	Y	Y	Y	D	N	710.67	710.67

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
24430		A	15.25	10.11	3.54	28.9	15.25	10.11	3.54	28.9	090	Y	Y	Y	D	N	762.09	762.09
24435		A	14.99	10.8	3.52	29.31	14.99	10.8	3.52	29.31	090	Y	Y	Y	D	N	772.90	772.90
24470		A	8.93	5.05	2.12	16.1	8.93	5.05	2.12	16.1	090	Y	Y	Y	N	N	424.56	424.56
24495		A	8.41	6.95	2.16	17.52	8.41	6.95	2.16	17.52	090	Y	Y	D	N	N	462.00	462.00
24498		A	12.28	8.45	2.89	23.62	12.28	8.45	2.89	23.62	090	Y	Y	Y	D	N	622.86	622.86
24500		A	3.41	4.31	0.77	8.49	3.41	5.05	0.77	9.23	090	Y	Y	N	N	N	223.88	243.40
24505		A	5.39	5.33	1.26	11.98	5.39	6.43	1.26	13.08	090	Y	Y	N	N	N	315.91	344.92
24515		A	12.12	8.84	2.81	23.77	12.12	8.84	2.81	23.77	090	Y	Y	Y	D	N	626.81	626.81
24516		A	12.19	8.39	2.86	23.44	12.19	8.39	2.86	23.44	090	Y	Y	Y	Y	N	618.11	618.11
24530		A	3.69	4.47	0.83	8.99	3.69	5.3	0.83	9.82	090	Y	Y	N	N	N	237.07	258.95
24535		A	7.11	6.42	1.65	15.18	7.11	7.5	1.65	16.26	090	Y	Y	N	N	N	400.30	428.78
24538		A	9.77	7.91	2.31	19.99	9.77	7.91	2.31	19.99	090	Y	Y	N	N	N	527.14	527.14
24545		A	13.15	9.1	3.08	25.33	13.15	9.1	3.08	25.33	090	Y	Y	Y	D	N	667.95	667.95
24546		A	14.91	10.01	3.48	28.4	14.91	10.01	3.48	28.4	090	Y	Y	Y	Y	N	748.91	748.91
24560		A	2.98	3.86	0.68	7.52	2.98	4.63	0.68	8.29	090	Y	Y	N	N	N	198.30	218.61
24565		A	5.78	5.8	1.37	12.95	5.78	6.81	1.37	13.96	090	Y	Y	N	N	N	341.49	368.13
24566		A	9.06	7.99	2.16	19.21	9.06	7.99	2.16	19.21	090	Y	Y	N	N	N	506.57	506.57
24575		A	9.71	7.82	2.26	19.79	9.71	7.82	2.26	19.79	090	Y	Y	Y	D	N	521.86	521.86
24576		A	3.06	4.17	0.7	7.93	3.06	4.95	0.7	8.71	090	Y	Y	N	N	N	209.11	229.68
24577		A	6.01	5.9	1.42	13.33	6.01	6.96	1.42	14.39	090	Y	Y	N	N	N	351.51	379.46
24579		A	11.44	8.54	2.64	22.62	11.44	8.54	2.64	22.62	090	Y	Y	Y	D	N	596.49	596.49
24582		A	10.14	9.09	2.39	21.62	10.14	9.09	2.39	21.62	090	Y	Y	N	N	N	570.12	570.12
24586		A	15.78	10.22	3.67	29.67	15.78	10.22	3.67	29.67	090	Y	Y	Y	D	N	782.40	782.40
24587		A	15.79	10.24	3.52	29.55	15.79	10.24	3.52	29.55	090	Y	Y	Y	D	N	779.23	779.23
24600		A	4.37	3.66	0.92	8.95	4.37	4.36	0.92	9.65	090	Y	Y	N	N	N	236.01	254.47
24605		A	5.64	5.52	1.31	12.47	5.64	5.52	1.31	12.47	090	Y	Y	N	N	N	328.83	328.83
24615		A	9.83	7.21	2.21	19.25	9.83	7.21	2.21	19.25	090	Y	Y	Y	D	N	507.62	507.62
24620		A	7.22	6	1.63	14.85	7.22	6	1.63	14.85	090	Y	Y	D	N	N	391.59	391.59
24635		A	8.8	7.29	2.01	18.1	8.8	7.29	2.01	18.1	090	Y	Y	Y	D	N	477.30	477.30
24640		A	1.25	1.02	0.28	2.55	1.25	2.06	0.28	3.59	010	Y	Y	D	N	N	67.24	94.67
24650		A	2.31	3.39	0.5	6.2	2.31	3.89	0.5	6.7	090	Y	Y	N	N	N	163.49	176.68
24655		A	4.62	4.89	1.03	10.54	4.62	5.79	1.03	11.44	090	Y	Y	N	N	N	277.94	301.67
24665		A	8.36	7.2	1.91	17.47	8.36	7.2	1.91	17.47	090	Y	Y	Y	D	N	460.68	460.68
24666		A	9.86	7.67	2.24	19.77	9.86	7.67	2.24	19.77	090	Y	Y	Y	D	N	521.33	521.33
24670		A	2.69	3.54	0.6	6.83	2.69	4.19	0.6	7.48	090	Y	Y	N	N	N	180.11	197.25
24675		A	4.91	4.95	1.12	10.98	4.91	5.87	1.12	11.9	090	Y	Y	N	N	N	289.54	313.80
24685		A	8.37	7.24	1.95	17.56	8.37	7.24	1.95	17.56	090	Y	Y	Y	D	N	463.06	463.06
24800		A	11.41	8.36	2.7	22.47	11.41	8.36	2.7	22.47	090	Y	Y	Y	D	N	592.53	592.53
24802		A	14.32	9.58	3.4	27.3	14.32	9.58	3.4	27.3	090	Y	Y	Y	N	N	719.90	719.90
24900		A	10.18	7.35	2.41	19.94	10.18	7.35	2.41	19.94	090	Y	Y	Y	D	N	525.82	525.82
24920		A	10.13	7.33	2.39	19.85	10.13	7.33	2.39	19.85	090	Y	Y	Y	D	N	523.44	523.44
24925		A	7.3	6.15	1.73	15.18	7.3	6.15	1.73	15.18	090	Y	Y	Y	N	N	400.30	400.30
24930		A	10.83	7.62	2.57	21.02	10.83	7.62	2.57	21.02	090	Y	Y	Y	N	N	554.30	554.30
24931		A	13.44	6.43	1.14	21.01	13.44	6.43	1.14	21.01	090	Y	Y	Y	N	N	554.03	554.03
24935		A	16.45	8.54	3.89	28.88	16.45	8.54	3.89	28.88	090	Y	Y	D	N	N	761.57	761.57
24940		C	0	0	0	0	0	0	0	0	090	Y	Y	Y	N	N	0.00	0.00
24999		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
25000		A	3.55	4.43	0.77	8.75	3.55	4.43	0.77	8.75	090	Y	Y	N	N	N	230.74	230.74
25001		A	3.79	4.38	0.8	8.97	3.79	4.38	0.8	8.97	090	Y	Y	N	N	N	236.54	236.54
25020		A	6.06	7.6	1.27	14.93	6.06	7.6	1.27	14.93	090	Y	Y	N	N	N	393.70	393.70
25023		A	13.83	12.4	3.29	29.52	13.83	12.4	3.29	29.52	090	Y	Y	D	N	N	778.44	778.44
25024		A	10.79	7.72	2.55	21.06	10.79	7.72	2.55	21.06	090	Y	Y	N	N	N	555.35	555.35
25025		A	17.94	11.06	4.26	33.26	17.94	11.06	4.26	33.26	090	Y	Y	D	N	N	877.07	877.07
25028		A	5.39	6.98	1.24	13.61	5.39	6.98	1.24	13.61	090	Y	Y	N	N	N	358.90	358.90

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
25031		A	4.26	4.38	0.99	9.63	4.26	4.38	0.99	9.63	090	Y	Y	D	N	N	253.94	253.94
25035		A	7.65	6.17	1.78	15.6	7.65	6.17	1.78	15.6	090	Y	Y	D	N	N	411.37	411.37
25040		A	7.5	5.95	1.63	15.08	7.5	5.95	1.63	15.08	090	Y	Y	D	N	N	397.66	397.66
25065		A	2.04	1.91	0.4	4.35	2.04	3.96	0.4	6.4	010	Y	Y	N	N	N	114.71	168.77
25066		A	4.27	4.22	0.97	9.46	4.27	4.22	0.97	9.46	090	Y	Y	N	N	N	249.46	249.46
25071		A	5.91	4.19	1.41	11.51	5.91	4.19	1.41	11.51	090	Y	Y	Y	N	N	303.52	303.52
25073		A	7.13	5.52	1.63	14.28	7.13	5.52	1.63	14.28	090	Y	Y	Y	N	N	376.56	376.56
25075		A	3.96	3.57	0.92	8.45	3.96	7.3	0.92	12.18	090	Y	Y	N	N	N	222.83	321.19
25076		A	6.74	5.59	1.53	13.86	6.74	5.59	1.53	13.86	090	Y	Y	N	N	N	365.49	365.49
25077		A	12.93	8.13	3.14	24.2	12.93	8.13	3.14	24.2	090	Y	Y	N	N	N	638.15	638.15
25078		A	17.69	10.04	4.53	32.26	17.69	10.04	4.53	32.26	090	Y	Y	Y	N	N	850.70	850.70
25085		A	5.64	5.06	1.32	12.02	5.64	5.06	1.32	12.02	090	Y	Y	Y	N	N	316.97	316.97
25100		A	4.02	4.18	0.94	9.14	4.02	4.18	0.94	9.14	090	Y	Y	D	N	N	241.02	241.02
25101		A	4.83	4.78	1.08	10.69	4.83	4.78	1.08	10.69	090	Y	Y	D	N	N	281.90	281.90
25105		A	6.02	5.51	1.32	12.85	6.02	5.51	1.32	12.85	090	Y	Y	D	D	N	338.85	338.85
25107		A	7.7	7.04	1.63	16.37	7.7	7.04	1.63	16.37	090	Y	Y	Y	D	N	431.68	431.68
25109		A	6.94	5.94	1.49	14.37	6.94	5.94	1.49	14.37	090	Y	Y	N	N	N	378.94	378.94
25110		A	4.04	4.05	0.9	8.99	4.04	4.05	0.9	8.99	090	Y	Y	N	N	N	237.07	237.07
25111		A	3.53	4.06	0.8	8.39	3.53	4.06	0.8	8.39	090	Y	Y	N	N	N	221.24	221.24
25112		A	4.67	4.53	1.04	10.24	4.67	4.53	1.04	10.24	090	Y	Y	N	N	N	270.03	270.03
25115		A	10.09	8.09	2.16	20.34	10.09	8.09	2.16	20.34	090	Y	Y	N	N	N	536.37	536.37
25116		A	7.56	6.8	1.6	15.96	7.56	6.8	1.6	15.96	090	Y	Y	D	D	N	420.87	420.87
25118		A	4.51	4.57	0.97	10.05	4.51	4.57	0.97	10.05	090	Y	Y	N	N	N	265.02	265.02
25119		A	6.21	5.6	1.47	13.28	6.21	5.6	1.47	13.28	090	Y	Y	Y	D	N	350.19	350.19
25120		A	6.27	5.59	1.41	13.27	6.27	5.59	1.41	13.27	090	Y	Y	D	D	N	349.93	349.93
25125		A	7.67	6.42	1.81	15.9	7.67	6.42	1.81	15.9	090	Y	Y	D	N	N	419.28	419.28
25126		A	7.74	6.46	1.82	16.02	7.74	6.46	1.82	16.02	090	Y	Y	Y	N	N	422.45	422.45
25130		A	5.43	5.24	1.19	11.86	5.43	5.24	1.19	11.86	090	Y	Y	D	N	N	312.75	312.75
25135		A	7.08	6.17	1.67	14.92	7.08	6.17	1.67	14.92	090	Y	Y	Y	D	N	393.44	393.44
25136		A	6.14	5.57	1.46	13.17	6.14	5.57	1.46	13.17	090	Y	Y	Y	D	N	347.29	347.29
25145		A	6.54	5.74	1.53	13.81	6.54	5.74	1.53	13.81	090	Y	Y	Y	N	N	364.17	364.17
25150		A	7.38	6.11	1.63	15.12	7.38	6.11	1.63	15.12	090	Y	Y	N	D	N	398.71	398.71
25151		A	7.68	6.22	1.81	15.71	7.68	6.22	1.81	15.71	090	Y	Y	Y	D	N	414.27	414.27
25170		A	22.21	13.2	5.25	40.66	22.21	13.2	5.25	40.66	090	Y	Y	Y	D	N	1,072.20	1,072.20
25210		A	6.12	5.55	1.29	12.96	6.12	5.55	1.29	12.96	090	Y	N	D	D	N	341.76	341.76
25215		A	8.14	6.65	1.68	16.47	8.14	6.65	1.68	16.47	090	Y	Y	Y	D	N	434.31	434.31
25230		A	5.37	4.93	1.08	11.38	5.37	4.93	1.08	11.38	090	Y	Y	N	D	N	300.09	300.09
25240		A	5.31	4.93	1.09	11.33	5.31	4.93	1.09	11.33	090	Y	Y	D	D	N	298.77	298.77
25246		A	1.45	0.47	0.16	2.08	1.45	2.49	0.16	4.1	000	Y	Y	N	N	N	54.85	108.12
25248		A	5.31	4.53	1.26	11.1	5.31	4.53	1.26	11.1	090	Y	Y	N	N	N	292.71	292.71
25250		A	6.77	5.91	1.58	14.26	6.77	5.91	1.58	14.26	090	Y	Y	Y	N	N	376.04	376.04
25251		A	9.82	7.31	2.32	19.45	9.82	7.31	2.32	19.45	090	Y	Y	Y	N	N	512.90	512.90
25259		A	4.04	5.83	0.87	10.74	4.04	5.83	0.87	10.74	090	Y	Y	N	N	N	283.21	283.21
25260		A	8.04	7.03	1.78	16.85	8.04	7.03	1.78	16.85	090	Y	N	N	N	N	444.33	444.33
25263		A	8.04	6.82	1.9	16.76	8.04	6.82	1.9	16.76	090	Y	N	Y	N	N	441.96	441.96
25265		A	10.1	7.72	2.36	20.18	10.1	7.72	2.36	20.18	090	Y	N	Y	N	N	532.15	532.15
25270		A	6.17	5.55	1.39	13.11	6.17	5.55	1.39	13.11	090	Y	N	D	N	N	345.71	345.71
25272		A	7.21	6.02	1.58	14.81	7.21	6.02	1.58	14.81	090	Y	N	D	N	N	390.54	390.54
25274		A	8.94	7.01	2.12	18.07	8.94	7.01	2.12	18.07	090	Y	N	D	D	N	476.51	476.51
25275		A	8.96	7.04	2.12	18.12	8.96	7.04	2.12	18.12	090	Y	Y	D	D	N	477.82	477.82
25280		A	7.39	6.11	1.53	15.03	7.39	6.11	1.53	15.03	090	Y	N	D	D	N	396.34	396.34
25290		A	5.43	4.98	1.18	11.59	5.43	4.98	1.18	11.59	090	Y	N	N	N	N	305.63	305.63
25295		A	6.72	5.79	1.42	13.93	6.72	5.79	1.42	13.93	090	Y	N	N	N	N	367.33	367.33
25300		A	9.02	7.3	2.14	18.46	9.02	7.3	2.14	18.46	090	Y	Y	Y	N	N	486.79	486.79

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
25301		A	8.59	6.78	1.88	17.25	8.59	6.78	1.88	17.25	090	Y	Y	Y	N	N	454.88	454.88
25310		A	8.08	6.76	1.67	16.51	8.08	6.76	1.67	16.51	090	Y	N	Y	D	N	435.37	435.37
25312		A	9.82	7.35	2.14	19.31	9.82	7.35	2.14	19.31	090	Y	N	Y	D	N	509.20	509.20
25315		A	10.68	7.68	2.52	20.88	10.68	7.68	2.52	20.88	090	Y	Y	Y	N	N	550.61	550.61
25316		A	12.9	8.89	1.93	23.72	12.9	8.89	1.93	23.72	090	Y	Y	Y	N	N	625.50	625.50
25320		A	12.75	10.86	2.71	26.32	12.75	10.86	2.71	26.32	090	Y	Y	Y	N	N	694.06	694.06
25332		A	11.74	8.47	2.61	22.82	11.74	8.47	2.61	22.82	090	Y	Y	Y	N	N	601.76	601.76
25335		A	13.39	9.1	1.14	23.63	13.39	9.1	1.14	23.63	090	Y	Y	Y	N	N	623.12	623.12
25337		A	11.73	9.56	2.41	23.7	11.73	9.56	2.41	23.7	090	Y	Y	N	N	N	624.97	624.97
25350		A	9.09	7.07	1.93	18.09	9.09	7.07	1.93	18.09	090	Y	Y	Y	N	N	477.03	477.03
25355		A	10.53	7.72	2.49	20.74	10.53	7.72	2.49	20.74	090	Y	Y	Y	N	N	546.91	546.91
25360		A	8.74	6.91	1.98	17.63	8.74	6.91	1.98	17.63	090	Y	Y	Y	D	N	464.90	464.90
25365		A	12.91	8.9	3.06	24.87	12.91	8.9	3.06	24.87	090	Y	Y	Y	N	N	655.82	655.82
25370		A	14.1	9.9	3.34	27.34	14.1	9.9	3.34	27.34	090	Y	Y	Y	N	N	720.96	720.96
25375		A	13.55	9.18	1.14	23.87	13.55	9.18	1.14	23.87	090	Y	Y	Y	D	N	629.45	629.45
25390		A	10.7	7.75	2.26	20.71	10.7	7.75	2.26	20.71	090	Y	Y	Y	D	N	546.12	546.12
25391		A	14.28	9.48	3.4	27.16	14.28	9.48	3.4	27.16	090	Y	Y	Y	D	N	716.21	716.21
25392		A	14.58	9.61	3.48	27.67	14.58	9.61	3.48	27.67	090	Y	Y	Y	N	N	729.66	729.66
25393		A	16.56	10.43	3.94	30.93	16.56	10.43	3.94	30.93	090	Y	Y	Y	N	N	815.62	815.62
25394		A	10.85	7.83	2.57	21.25	10.85	7.83	2.57	21.25	090	Y	Y	Y	D	N	560.36	560.36
25400		A	11.28	7.95	2.49	21.72	11.28	7.95	2.49	21.72	090	Y	Y	Y	D	N	572.76	572.76
25405		A	15.01	9.88	3.29	28.18	15.01	9.88	3.29	28.18	090	Y	Y	Y	D	N	743.11	743.11
25415		A	13.8	9.28	3.27	26.35	13.8	9.28	3.27	26.35	090	Y	Y	Y	D	N	694.85	694.85
25420		A	17.04	10.85	4.06	31.95	17.04	10.85	4.06	31.95	090	Y	Y	Y	D	N	842.52	842.52
25425		A	13.72	9.24	3.25	26.21	13.72	9.24	3.25	26.21	090	Y	Y	Y	D	N	691.16	691.16
25426		A	16.45	10.39	3.89	30.73	16.45	10.39	3.89	30.73	090	Y	Y	Y	D	N	810.35	810.35
25430		A	9.71	7.69	1.46	18.86	9.71	7.69	1.46	18.86	090	Y	Y	N	N	N	497.34	497.34
25431		A	10.89	7.9	2.59	21.38	10.89	7.9	2.59	21.38	090	Y	Y	Y	D	N	563.79	563.79
25440		A	10.68	7.76	2.27	20.71	10.68	7.76	2.27	20.71	090	Y	Y	Y	D	N	546.12	546.12
25441		A	13.29	9.38	1.98	24.65	13.29	9.38	1.98	24.65	090	Y	Y	Y	D	N	650.02	650.02
25442		A	11.12	8.25	1.67	21.04	11.12	8.25	1.67	21.04	090	Y	Y	Y	D	N	554.82	554.82
25443		A	10.66	7.94	2.52	21.12	10.66	7.94	2.52	21.12	090	Y	Y	Y	D	N	556.93	556.93
25444		A	11.42	8.26	0.97	20.65	11.42	8.26	0.97	20.65	090	Y	Y	Y	N	N	544.54	544.54
25445		A	9.88	7.36	2.16	19.4	9.88	7.36	2.16	19.4	090	Y	Y	N	D	N	511.58	511.58
25446		A	17.3	10.98	3.54	31.82	17.3	10.98	3.54	31.82	090	Y	Y	Y	D	N	839.09	839.09
25447		A	11.14	8.71	2.35	22.2	11.14	8.71	2.35	22.2	090	Y	Y	Y	D	N	585.41	585.41
25449		A	14.94	9.87	3.54	28.35	14.94	9.87	3.54	28.35	090	Y	Y	Y	D	N	747.59	747.59
25450		A	8.06	6.58	1.9	16.54	8.06	6.58	1.9	16.54	090	Y	Y	N	N	N	436.16	436.16
25455		A	9.71	7.55	0.82	18.08	9.71	7.55	0.82	18.08	090	Y	Y	N	N	N	476.77	476.77
25490		A	9.73	7.38	1.51	18.62	9.73	7.38	1.51	18.62	090	Y	Y	Y	N	N	491.01	491.01
25491		A	10.15	7.46	2.39	20	10.15	7.46	2.39	20	090	Y	Y	Y	N	N	527.40	527.40
25492		A	12.66	8.89	2.98	24.53	12.66	8.89	2.98	24.53	090	Y	Y	Y	N	N	646.86	646.86
25500		A	2.6	3.36	0.54	6.5	2.6	3.87	0.54	7.01	090	Y	Y	N	N	N	171.41	184.85
25505		A	5.45	5.48	1.24	12.17	5.45	6.46	1.24	13.15	090	Y	Y	N	N	N	320.92	346.77
25515		A	8.8	7.18	2.01	17.99	8.8	7.18	2.01	17.99	090	Y	Y	Y	D	N	474.40	474.40
25520		A	6.5	6.25	1.53	14.28	6.5	6.92	1.53	14.95	090	Y	Y	N	N	N	376.56	394.23
25525		A	10.55	8.22	2.41	21.18	10.55	8.22	2.41	21.18	090	Y	Y	Y	Y	N	558.52	558.52
25526		A	13.15	9.6	3.13	25.88	13.15	9.6	3.13	25.88	090	Y	Y	Y	Y	N	682.46	682.46
25530		A	2.24	3.38	0.49	6.11	2.24	3.95	0.49	6.68	090	Y	Y	N	N	N	161.12	176.15
25535		A	5.36	5.39	1.23	11.98	5.36	6.22	1.23	12.81	090	Y	Y	N	N	N	315.91	337.80
25545		A	7.94	6.92	1.81	16.67	7.94	6.92	1.81	16.67	090	Y	Y	Y	D	N	439.59	439.59
25560		A	2.59	3.39	0.58	6.56	2.59	4.01	0.58	7.18	090	Y	Y	N	N	N	172.99	189.34
25565		A	5.85	5.36	1.32	12.53	5.85	6.49	1.32	13.66	090	Y	Y	N	N	N	330.42	360.21
25574		A	8.8	7.25	2.05	18.1	8.8	7.25	2.05	18.1	090	Y	Y	Y	Y	N	477.30	477.30

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
25575		A	12.29	9.24	2.81	24.34	12.29	9.24	2.81	24.34	090	Y	Y	Y	D	N	641.85	641.85
25600		A	2.78	4.56	0.63	7.97	2.78	4.97	0.63	8.38	090	Y	Y	N	N	N	210.17	220.98
25605		A	6.25	6.02	1.44	13.71	6.25	6.76	1.44	14.45	090	Y	Y	N	N	N	361.53	381.05
25606		A	8.31	7.45	1.93	17.69	8.31	7.45	1.93	17.69	090	Y	Y	N	N	N	466.49	466.49
25607		A	9.56	7.98	2.19	19.73	9.56	7.98	2.19	19.73	090	Y	Y	Y	N	N	520.28	520.28
25608		A	11.07	8.64	2.49	22.2	11.07	8.64	2.49	22.2	090	Y	Y	Y	N	N	585.41	585.41
25609		A	14.38	10.69	3.23	28.3	14.38	10.69	3.23	28.3	090	Y	Y	Y	N	N	746.27	746.27
25622		A	2.79	3.79	0.63	7.21	2.79	4.4	0.63	7.82	090	Y	Y	N	N	N	190.13	206.21
25624		A	4.77	5.52	1.06	11.35	4.77	6.51	1.06	12.34	090	Y	Y	D	N	N	299.30	325.41
25628		A	9.67	7.6	2.08	19.35	9.67	7.6	2.08	19.35	090	Y	Y	Y	N	N	510.26	510.26
25630		A	3.03	3.63	0.68	7.34	3.03	4.2	0.68	7.91	090	Y	Y	N	N	N	193.56	208.59
25635		A	4.61	4.76	1.08	10.45	4.61	5.9	1.08	11.59	090	Y	Y	D	N	N	275.57	305.63
25645		A	7.42	6.1	1.77	15.29	7.42	6.1	1.77	15.29	090	Y	Y	Y	N	N	403.20	403.20
25650		A	3.23	3.94	0.72	7.89	3.23	4.38	0.72	8.33	090	Y	Y	N	N	N	208.06	219.66
25651		A	5.82	5.72	1.32	12.86	5.82	5.72	1.32	12.86	090	Y	Y	D	N	N	339.12	339.12
25652		A	8.06	6.82	1.77	16.65	8.06	6.82	1.77	16.65	090	Y	Y	N	D	N	439.06	439.06
25660		A	4.98	4.68	1.08	10.74	4.98	4.68	1.08	10.74	090	Y	Y	D	N	N	283.21	283.21
25670		A	8.09	6.4	1.8	16.29	8.09	6.4	1.8	16.29	090	Y	Y	Y	D	N	429.57	429.57
25671		A	6.46	6.12	1.52	14.1	6.46	6.12	1.52	14.1	090	Y	Y	N	N	N	371.82	371.82
25675		A	4.89	4.64	1.04	10.57	4.89	5.52	1.04	11.45	090	Y	Y	D	N	N	278.73	301.94
25676		A	8.29	6.73	1.85	16.87	8.29	6.73	1.85	16.87	090	Y	Y	Y	N	N	444.86	444.86
25680		A	6.23	5.12	1.29	12.64	6.23	5.12	1.29	12.64	090	Y	Y	D	N	N	333.32	333.32
25685		A	10.09	7.43	2.36	19.88	10.09	7.43	2.36	19.88	090	Y	Y	Y	N	N	524.24	524.24
25690		A	5.72	5.67	1.37	12.76	5.72	5.67	1.37	12.76	090	Y	Y	D	N	N	336.48	336.48
25695		A	8.51	6.56	2	17.07	8.51	6.56	2	17.07	090	Y	Y	Y	D	N	450.14	450.14
25800		A	10.07	7.48	2.17	19.72	10.07	7.48	2.17	19.72	090	Y	Y	Y	D	N	520.02	520.02
25805		A	11.73	8.4	2.76	22.89	11.73	8.4	2.76	22.89	090	Y	Y	Y	D	N	603.61	603.61
25810		A	11.95	8.89	2.55	23.39	11.95	8.89	2.55	23.39	090	Y	Y	Y	D	N	616.79	616.79
25820		A	7.64	7.05	1.65	16.34	7.64	7.05	1.65	16.34	090	Y	Y	Y	D	N	430.89	430.89
25825		A	9.69	8.46	2.03	20.18	9.69	8.46	2.03	20.18	090	Y	Y	Y	D	N	532.15	532.15
25830		A	10.88	11.66	2.59	25.13	10.88	11.66	2.59	25.13	090	Y	Y	Y	D	N	662.68	662.68
25900		A	9.61	7.3	2.19	19.1	9.61	7.3	2.19	19.1	090	Y	Y	D	N	N	503.67	503.67
25905		A	9.59	5.56	2.27	17.42	9.59	5.56	2.27	17.42	090	Y	Y	Y	N	N	459.37	459.37
25907		A	8.09	6.48	1.91	16.48	8.09	6.48	1.91	16.48	090	Y	Y	Y	N	N	434.58	434.58
25909		A	9.31	7	2.21	18.52	9.31	7	2.21	18.52	090	Y	Y	Y	N	N	488.37	488.37
25915		A	17.52	7.69	3.72	28.93	17.52	7.69	3.72	28.93	090	Y	Y	Y	N	N	762.88	762.88
25920		A	9.03	7.53	2.14	18.7	9.03	7.53	2.14	18.7	090	Y	Y	D	N	N	493.12	493.12
25922		A	7.65	4.88	0.64	13.17	7.65	4.88	0.64	13.17	090	Y	Y	Y	N	N	347.29	347.29
25924		A	8.81	5.82	2.06	16.69	8.81	5.82	2.06	16.69	090	Y	Y	Y	N	N	440.12	440.12
25927		A	9.09	10.13	2.16	21.38	9.09	10.13	2.16	21.38	090	Y	Y	D	N	N	563.79	563.79
25929		A	7.82	6.36	1.85	16.03	7.82	6.36	1.85	16.03	090	Y	Y	Y	N	N	422.71	422.71
25931		A	8.04	7.81	2.05	17.9	8.04	7.81	2.05	17.9	090	Y	Y	N	N	N	472.02	472.02
25999		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
26010		A	1.59	1.72	0.33	3.64	1.59	4.63	0.33	6.55	010	Y	N	N	N	N	95.99	172.72
26011		A	2.24	2.19	0.46	4.89	2.24	6.91	0.46	9.61	010	Y	N	N	N	N	128.95	253.42
26020		A	5.08	5.23	1.12	11.43	5.08	5.23	1.12	11.43	090	Y	N	N	N	N	301.41	301.41
26025		A	5.08	4.96	1.09	11.13	5.08	4.96	1.09	11.13	090	Y	Y	D	N	N	293.50	293.50
26030		A	6.25	5.51	1.39	13.15	6.25	5.51	1.39	13.15	090	Y	Y	D	N	N	346.77	346.77
26034		A	6.63	6.13	1.47	14.23	6.63	6.13	1.47	14.23	090	Y	N	N	N	N	375.25	375.25
26035		A	11.37	9.25	2.68	23.3	11.37	9.25	2.68	23.3	090	Y	N	D	N	N	614.42	614.42
26037		A	7.57	5.97	1.73	15.27	7.57	5.97	1.73	15.27	090	Y	Y	D	N	N	402.67	402.67
26040		A	3.46	3.96	0.68	8.1	3.46	3.96	0.68	8.1	090	Y	Y	N	N	N	213.60	213.60
26045		A	5.73	5.41	1.31	12.45	5.73	5.41	1.31	12.45	090	Y	Y	N	N	N	328.31	328.31
26055		A	3.11	4.24	0.68	8.03	3.11	9.97	0.68	13.76	090	Y	N	N	N	N	211.75	362.85

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
26060		A	2.91	3.38	0.65	6.94	2.91	3.38	0.65	6.94	090	Y	N	D	N	N	183.01	183.01
26070		A	3.81	3.71	0.78	8.3	3.81	3.71	0.78	8.3	090	Y	Y	N	N	N	218.87	218.87
26075		A	3.91	3.97	0.8	8.68	3.91	3.97	0.8	8.68	090	Y	Y	N	N	N	228.89	228.89
26080		A	4.47	4.83	0.94	10.24	4.47	4.83	0.94	10.24	090	Y	N	N	N	N	270.03	270.03
26100		A	3.79	4.14	0.88	8.81	3.79	4.14	0.88	8.81	090	Y	Y	D	N	N	232.32	232.32
26105		A	3.83	4.08	0.9	8.81	3.83	4.08	0.9	8.81	090	Y	Y	D	N	N	232.32	232.32
26110		A	3.65	4	0.77	8.42	3.65	4	0.77	8.42	090	Y	N	N	N	N	222.04	222.04
26111		A	5.42	4.53	1.19	11.14	5.42	4.53	1.19	11.14	090	Y	N	Y	N	N	293.76	293.76
26113		A	7.13	6.01	1.51	14.65	7.13	6.01	1.51	14.65	090	Y	N	Y	N	N	386.32	386.32
26115		A	3.96	3.97	0.85	8.78	3.96	7.9	0.85	12.71	090	Y	N	N	N	N	231.53	335.16
26116		A	6.74	5.85	1.44	14.03	6.74	5.85	1.44	14.03	090	Y	N	N	N	N	369.97	369.97
26117		A	10.13	7.75	2.22	20.1	10.13	7.75	2.22	20.1	090	Y	N	N	N	N	530.04	530.04
26118		A	14.81	10.33	3.53	28.67	14.81	10.33	3.53	28.67	090	Y	N	Y	N	N	756.03	756.03
26121		A	7.73	6.53	1.68	15.94	7.73	6.53	1.68	15.94	090	Y	Y	N	N	N	420.34	420.34
26123		A	10.88	9.07	2.31	22.26	10.88	9.07	2.31	22.26	090	Y	Y	N	N	N	587.00	587.00
26125		A	4.6	2.05	0.98	7.63	4.6	2.05	0.98	7.63	ZZZ	N	N	N	N	N	201.20	201.20
26130		A	5.59	5.37	1.27	12.23	5.59	5.37	1.27	12.23	090	Y	Y	N	N	N	322.51	322.51
26135		A	7.13	6.04	1.52	14.69	7.13	6.04	1.52	14.69	090	Y	N	D	N	N	387.38	387.38
26140		A	6.34	5.69	1.37	13.4	6.34	5.69	1.37	13.4	090	Y	N	N	N	N	353.36	353.36
26145		A	6.49	5.71	1.42	13.62	6.49	5.71	1.42	13.62	090	Y	N	N	N	N	359.16	359.16
26160		A	3.57	4.34	0.78	8.69	3.57	9.88	0.78	14.23	090	Y	N	N	N	N	229.16	375.25
26170		A	4.91	4.79	1.03	10.73	4.91	4.79	1.03	10.73	090	Y	N	D	N	N	282.95	282.95
26180		A	5.35	5.25	1.08	11.68	5.35	5.25	1.08	11.68	090	Y	N	D	N	N	308.00	308.00
26185		A	6.52	6.56	1.53	14.61	6.52	6.56	1.53	14.61	090	Y	Y	Y	D	N	385.27	385.27
26200		A	5.65	5.08	1.24	11.97	5.65	5.08	1.24	11.97	090	Y	N	D	N	N	315.65	315.65
26205		A	7.93	6.38	1.88	16.19	7.93	6.38	1.88	16.19	090	Y	N	N	N	N	426.93	426.93
26210		A	5.32	5.21	1.14	11.67	5.32	5.21	1.14	11.67	090	Y	N	N	N	N	307.74	307.74
26215		A	7.27	6.11	1.73	15.11	7.27	6.11	1.73	15.11	090	Y	N	N	N	N	398.45	398.45
26230		A	6.47	5.48	1.36	13.31	6.47	5.48	1.36	13.31	090	Y	N	D	N	N	350.98	350.98
26235		A	6.33	5.47	1.32	13.12	6.33	5.47	1.32	13.12	090	Y	N	D	N	N	345.97	345.97
26236		A	5.46	5.06	1.18	11.7	5.46	5.06	1.18	11.7	090	Y	N	N	N	N	308.53	308.53
26250		A	15.21	10.87	3.62	29.7	15.21	10.87	3.62	29.7	090	Y	N	D	N	N	783.19	783.19
26260		A	11.16	8.33	2.63	22.12	11.16	8.33	2.63	22.12	090	Y	N	Y	N	N	583.30	583.30
26262		A	8.29	6.92	1.95	17.16	8.29	6.92	1.95	17.16	090	Y	N	Y	N	N	452.51	452.51
26320		A	4.1	4.16	0.85	9.11	4.1	4.16	0.85	9.11	090	Y	N	N	N	N	240.23	240.23
26340		A	2.8	5.08	0.63	8.51	2.8	5.08	0.63	8.51	090	Y	Y	N	N	N	224.41	224.41
26341		NOT COVEI	0.91	0.87	0.16	1.94	0.91	1.42	0.16	2.49	010	Y	Y	N	N	N	51.16	65.66
26350		A	6.21	10.39	1.36	17.96	6.21	10.39	1.36	17.96	090	Y	N	N	N	N	473.61	473.61
26352		A	7.87	11.21	1.86	20.94	7.87	11.21	1.86	20.94	090	Y	N	Y	D	N	552.19	552.19
26356		A	10.62	15.06	2.31	27.99	10.62	15.06	2.31	27.99	090	Y	N	N	N	N	738.10	738.10
26357		A	8.77	11.59	2.06	22.42	8.77	11.59	2.06	22.42	090	Y	N	Y	N	N	591.22	591.22
26358		A	9.36	12.11	2.22	23.69	9.36	12.11	2.22	23.69	090	Y	N	Y	N	N	624.71	624.71
26370		A	7.28	10.46	1.63	19.37	7.28	10.46	1.63	19.37	090	Y	N	D	N	N	510.79	510.79
26372		A	9.01	11.69	2.14	22.84	9.01	11.69	2.14	22.84	090	Y	N	Y	N	N	602.29	602.29
26373		A	8.41	11.44	1.98	21.83	8.41	11.44	1.98	21.83	090	Y	N	Y	N	N	575.66	575.66
26390		A	9.43	10.18	2.24	21.85	9.43	10.18	2.24	21.85	090	Y	N	Y	D	N	576.18	576.18
26392		A	10.5	12.31	2.49	25.3	10.5	12.31	2.49	25.3	090	Y	N	Y	D	N	667.16	667.16
26410		A	4.77	8.4	1.04	14.21	4.77	8.4	1.04	14.21	090	Y	N	N	N	N	374.72	374.72
26412		A	6.48	9.44	1.39	17.31	6.48	9.44	1.39	17.31	090	Y	N	D	N	N	456.46	456.46
26415		A	8.51	10.52	1.41	20.44	8.51	10.52	1.41	20.44	090	Y	N	D	N	N	539.00	539.00
26416		A	9.56	8.27	2.26	20.09	9.56	8.27	2.26	20.09	090	Y	N	N	N	N	529.77	529.77
26418		A	4.47	8.99	0.98	14.44	4.47	8.99	0.98	14.44	090	Y	N	N	N	N	380.78	380.78
26420		A	6.94	9.63	1.65	18.22	6.94	9.63	1.65	18.22	090	Y	N	Y	N	N	480.46	480.46
26426		A	6.32	5.64	1.37	13.33	6.32	5.64	1.37	13.33	090	Y	N	N	N	N	351.51	351.51

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
26428		A	7.4	10.28	1.77	19.45	7.4	10.28	1.77	19.45	090	Y	N	D	N	N	512.90	512.90
26432		A	4.16	7.47	0.88	12.51	4.16	7.47	0.88	12.51	090	Y	N	N	N	N	329.89	329.89
26433		A	4.7	7.69	1.03	13.42	4.7	7.69	1.03	13.42	090	Y	N	N	N	N	353.89	353.89
26434		A	6.26	8.84	1.49	16.59	6.26	8.84	1.49	16.59	090	Y	N	Y	N	N	437.48	437.48
26437		A	5.99	8.58	1.24	15.81	5.99	8.58	1.24	15.81	090	Y	N	N	N	N	416.91	416.91
26440		A	5.16	9.27	1.08	15.51	5.16	9.27	1.08	15.51	090	Y	N	N	N	N	409.00	409.00
26442		A	9.75	12.9	2.08	24.73	9.75	12.9	2.08	24.73	090	Y	N	N	N	N	652.13	652.13
26445		A	4.45	8.97	0.94	14.36	4.45	8.97	0.94	14.36	090	Y	N	N	N	N	378.67	378.67
26449		A	8.59	7.99	1.81	18.39	8.59	7.99	1.81	18.39	090	Y	N	D	N	N	484.94	484.94
26450		A	3.79	5.73	0.82	10.34	3.79	5.73	0.82	10.34	090	Y	N	D	N	N	272.67	272.67
26455		A	3.76	5.67	0.83	10.26	3.76	5.67	0.83	10.26	090	Y	N	D	N	N	270.56	270.56
26460		A	3.58	5.65	0.75	9.98	3.58	5.65	0.75	9.98	090	Y	N	N	N	N	263.17	263.17
26471		A	5.9	8.51	1.24	15.65	5.9	8.51	1.24	15.65	090	Y	N	D	N	N	412.69	412.69
26474		A	5.49	8.52	1.29	15.3	5.49	8.52	1.29	15.3	090	Y	N	Y	N	N	403.46	403.46
26476		A	5.35	8.25	1.27	14.87	5.35	8.25	1.27	14.87	090	Y	N	N	N	N	392.12	392.12
26477		A	5.32	8.25	1.23	14.8	5.32	8.25	1.23	14.8	090	Y	N	N	D	N	390.28	390.28
26478		A	5.97	8.57	1.31	15.85	5.97	8.57	1.31	15.85	090	Y	N	D	N	N	417.96	417.96
26479		A	5.91	8.5	1.41	15.82	5.91	8.5	1.41	15.82	090	Y	N	Y	N	N	417.17	417.17
26480		A	6.9	10.72	1.46	19.08	6.9	10.72	1.46	19.08	090	Y	N	D	N	N	503.14	503.14
26483		A	8.48	11.27	1.88	21.63	8.48	11.27	1.88	21.63	090	Y	N	Y	D	N	570.38	570.38
26485		A	7.89	10.98	1.68	20.55	7.89	10.98	1.68	20.55	090	Y	N	Y	D	N	541.90	541.90
26489		A	9.86	11.91	2.32	24.09	9.86	11.91	2.32	24.09	090	Y	N	D	N	N	635.25	635.25
26490		A	8.6	9.94	2.03	20.57	8.6	9.94	2.03	20.57	090	Y	N	D	N	N	542.43	542.43
26492		A	9.84	10.78	2.32	22.94	9.84	10.78	2.32	22.94	090	Y	N	Y	D	N	604.93	604.93
26494		A	8.66	10.06	2.03	20.75	8.66	10.06	2.03	20.75	090	Y	N	Y	D	N	547.18	547.18
26496		A	9.78	10.08	1.98	21.84	9.78	10.08	1.98	21.84	090	Y	N	D	N	N	575.92	575.92
26497		A	9.76	10.52	2.31	22.59	9.76	10.52	2.31	22.59	090	Y	N	Y	N	N	595.70	595.70
26498		A	14.21	12.68	3.37	30.26	14.21	12.68	3.37	30.26	090	Y	N	Y	D	N	797.96	797.96
26499		A	9.17	10.28	2.17	21.62	9.17	10.28	2.17	21.62	090	Y	N	Y	D	N	570.12	570.12
26500		A	6.13	8.44	1.37	15.94	6.13	8.44	1.37	15.94	090	Y	N	D	N	N	420.34	420.34
26502		A	7.31	9.16	1.76	18.23	7.31	9.16	1.76	18.23	090	Y	N	Y	N	N	480.73	480.73
26508		A	6.18	8.81	1.32	16.31	6.18	8.81	1.32	16.31	090	Y	Y	D	N	N	430.09	430.09
26510		A	5.6	8.4	1.18	15.18	5.6	8.4	1.18	15.18	090	Y	N	D	N	N	400.30	400.30
26516		A	7.32	9.12	1.54	17.98	7.32	9.12	1.54	17.98	090	Y	Y	D	N	N	474.13	474.13
26517		A	9.08	10.24	2.16	21.48	9.08	10.24	2.16	21.48	090	Y	Y	Y	N	N	566.43	566.43
26518		A	9.27	10.26	2.19	21.72	9.27	10.26	2.19	21.72	090	Y	Y	Y	D	N	572.76	572.76
26520		A	5.47	9.69	1.19	16.35	5.47	9.69	1.19	16.35	090	Y	N	N	N	N	431.15	431.15
26525		A	5.5	9.68	1.14	16.32	5.5	9.68	1.14	16.32	090	Y	N	N	D	N	430.36	430.36
26530		A	6.88	5.95	1.47	14.3	6.88	5.95	1.47	14.3	090	Y	N	Y	N	N	377.09	377.09
26531		A	8.13	6.81	1.67	16.61	8.13	6.81	1.67	16.61	090	Y	N	Y	D	N	438.01	438.01
26535		A	5.41	4.7	0.99	11.1	5.41	4.7	0.99	11.1	090	Y	N	N	N	N	292.71	292.71
26536		A	6.56	10.14	1.36	18.06	6.56	10.14	1.36	18.06	090	Y	N	D	N	N	476.24	476.24
26540		A	6.6	8.82	1.42	16.84	6.6	8.82	1.42	16.84	090	Y	N	D	D	N	444.07	444.07
26541		A	8.81	10.03	1.82	20.66	8.81	10.03	1.82	20.66	090	Y	N	Y	D	N	544.80	544.80
26542		A	6.95	9.02	1.51	17.48	6.95	9.02	1.51	17.48	090	Y	N	D	N	N	460.95	460.95
26545		A	7.11	9.14	1.52	17.77	7.11	9.14	1.52	17.77	090	Y	N	D	N	N	468.59	468.59
26546		A	10.83	12.56	2.22	25.61	10.83	12.56	2.22	25.61	090	Y	Y	Y	N	N	675.34	675.34
26548		A	8.22	9.69	1.8	19.71	8.22	9.69	1.8	19.71	090	Y	N	D	N	N	519.75	519.75
26550		A	21.68	17.16	5.11	43.95	21.68	17.16	5.11	43.95	090	Y	Y	Y	N	N	1,158.96	1,158.96
26551		A	48.48	21.92	11.47	81.87	48.48	21.92	11.47	81.87	090	Y	Y	Y	N	N	2,158.91	2,158.91
26553		A	48.17	29.79	4.12	82.08	48.17	29.79	4.12	82.08	090	Y	Y	Y	D	N	2,164.45	2,164.45
26554		A	57.01	24.92	4.87	86.8	57.01	24.92	4.87	86.8	090	Y	Y	Y	D	N	2,288.92	2,288.92
26555		A	17.08	15.31	4.06	36.45	17.08	15.31	4.06	36.45	090	Y	N	Y	N	N	961.19	961.19
26556		A	49.75	20.28	4.76	74.79	49.75	20.28	4.76	74.79	090	Y	N	Y	D	N	1,972.21	1,972.21

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
26560		A	5.52	7.81	1.31	14.64	5.52	7.81	1.31	14.64	090	Y	N	Y	N	N	386.06	386.06
26561		A	11.1	10.97	2.83	24.9	11.1	10.97	2.83	24.9	090	Y	N	Y	D	N	656.61	656.61
26562		A	16.68	15.11	1.42	33.21	16.68	15.11	1.42	33.21	090	Y	N	Y	N	N	875.75	875.75
26565		A	6.91	8.99	1.63	17.53	6.91	8.99	1.63	17.53	090	Y	N	Y	N	N	462.27	462.27
26567		A	6.99	8.99	1.49	17.47	6.99	8.99	1.49	17.47	090	Y	N	D	N	N	460.68	460.68
26568		A	9.27	11.8	2.19	23.26	9.27	11.8	2.19	23.26	090	Y	N	Y	N	N	613.37	613.37
26580		A	19.75	16.27	4.67	40.69	19.75	16.27	4.67	40.69	090	Y	Y	Y	N	N	1,073.00	1,073.00
26587		A	14.5	7.75	3.72	25.97	14.5	7.75	3.72	25.97	090	Y	N	Y	N	N	684.83	684.83
26590		A	18.67	14.57	4.45	37.69	18.67	14.57	4.45	37.69	090	Y	N	Y	N	N	993.89	993.89
26591		A	3.38	6.78	0.73	10.89	3.38	6.78	0.73	10.89	090	Y	N	D	N	N	287.17	287.17
26593		A	5.5	8.5	1.12	15.12	5.5	8.5	1.12	15.12	090	Y	N	N	N	N	398.71	398.71
26596		A	9.14	8.84	2.17	20.15	9.14	8.84	2.17	20.15	090	Y	N	Y	N	N	531.36	531.36
26600		A	2.6	3.97	0.58	7.15	2.6	4.36	0.58	7.54	090	Y	N	N	N	N	188.55	198.83
26605		A	3.03	3.92	0.68	7.63	3.03	4.58	0.68	8.29	090	Y	N	N	N	N	201.20	218.61
26607		A	5.48	5.34	1.27	12.09	5.48	5.34	1.27	12.09	090	Y	N	D	N	N	318.81	318.81
26608		A	5.55	5.79	1.24	12.58	5.55	5.79	1.24	12.58	090	Y	N	D	N	N	331.73	331.73
26615		A	7.07	6.66	1.54	15.27	7.07	6.66	1.54	15.27	090	Y	N	N	N	N	402.67	402.67
26641		A	4.13	4	0.87	9	4.13	4.72	0.87	9.72	090	Y	Y	D	N	N	237.33	256.32
26645		A	4.58	4.7	1.06	10.34	4.58	5.51	1.06	11.15	090	Y	Y	D	N	N	272.67	294.03
26650		A	5.35	5.97	1.23	12.55	5.35	5.97	1.23	12.55	090	Y	Y	N	N	N	330.94	330.94
26665		A	7.94	7.06	1.77	16.77	7.94	7.06	1.77	16.77	090	Y	Y	N	D	N	442.22	442.22
26670		A	3.83	3.54	0.8	8.17	3.83	4.25	0.8	8.88	090	Y	N	D	N	N	215.44	234.17
26675		A	4.83	5.05	1.14	11.02	4.83	5.89	1.14	11.86	090	Y	N	D	N	N	290.60	312.75
26676		A	5.74	6.17	1.27	13.18	5.74	6.17	1.27	13.18	090	Y	N	N	N	N	347.56	347.56
26685		A	7.07	6.7	1.67	15.44	7.07	6.7	1.67	15.44	090	Y	N	N	D	N	407.15	407.15
26686		A	8.17	6.66	1.93	16.76	8.17	6.66	1.93	16.76	090	Y	N	Y	N	N	441.96	441.96
26700		A	3.83	3.5	0.78	8.11	3.83	3.97	0.78	8.58	090	Y	N	N	N	N	213.86	226.25
26705		A	4.38	4.63	0.98	9.99	4.38	5.42	0.98	10.78	090	Y	N	D	N	N	263.44	284.27
26706		A	5.31	5.18	1.14	11.63	5.31	5.18	1.14	11.63	090	Y	N	N	N	N	306.68	306.68
26715		A	7.03	6.64	1.57	15.24	7.03	6.64	1.57	15.24	090	Y	N	D	N	N	401.88	401.88
26720		A	1.76	2.61	0.4	4.77	1.76	2.94	0.4	5.1	090	Y	N	N	N	N	125.78	134.49
26725		A	3.48	3.76	0.77	8.01	3.48	4.51	0.77	8.76	090	Y	N	N	N	N	211.22	231.00
26727		A	5.42	5.73	1.19	12.34	5.42	5.73	1.19	12.34	090	Y	N	N	N	N	325.41	325.41
26735		A	7.42	6.81	1.65	15.88	7.42	6.81	1.65	15.88	090	Y	N	N	N	N	418.76	418.76
26740		A	2.07	3.05	0.41	5.53	2.07	3.37	0.41	5.85	090	Y	N	N	N	N	145.83	154.26
26742		A	3.99	3.99	0.87	8.85	3.99	4.76	0.87	9.62	090	Y	N	N	N	N	233.37	253.68
26746		A	9.8	7.93	2.14	19.87	9.8	7.93	2.14	19.87	090	Y	N	N	N	N	523.97	523.97
26750		A	1.8	2.59	0.4	4.79	1.8	2.58	0.4	4.78	090	Y	N	N	N	N	126.31	126.05
26755		A	3.23	3.3	0.7	7.23	3.23	4.24	0.7	8.17	090	Y	N	N	N	N	190.66	215.44
26756		A	4.58	5.34	0.99	10.91	4.58	5.34	0.99	10.91	090	Y	N	D	N	N	287.70	287.70
26765		A	5.86	6.08	1.31	13.25	5.86	6.08	1.31	13.25	090	Y	N	N	N	N	349.40	349.40
26770		A	3.15	2.99	0.65	6.79	3.15	3.45	0.65	7.25	090	Y	N	N	N	N	179.05	191.18
26775		A	3.9	4.33	0.83	9.06	3.9	5.16	0.83	9.89	090	Y	N	N	N	N	238.91	260.80
26776		A	4.99	5.52	1.09	11.6	4.99	5.52	1.09	11.6	090	Y	N	N	N	N	305.89	305.89
26785		A	6.6	6.43	1.46	14.49	6.6	6.43	1.46	14.49	090	Y	N	N	N	N	382.10	382.10
26820		A	8.45	9.98	2	20.43	8.45	9.98	2	20.43	090	Y	Y	Y	D	N	538.74	538.74
26841		A	7.35	9.69	1.67	18.71	7.35	9.69	1.67	18.71	090	Y	Y	D	D	N	493.38	493.38
26842		A	8.49	9.94	2	20.43	8.49	9.94	2	20.43	090	Y	Y	Y	D	N	538.74	538.74
26843		A	7.78	9.48	1.85	19.11	7.78	9.48	1.85	19.11	090	Y	N	Y	D	N	503.93	503.93
26844		A	8.98	10.13	2.14	21.25	8.98	10.13	2.14	21.25	090	Y	N	Y	D	N	560.36	560.36
26850		A	7.14	9.11	1.49	17.74	7.14	9.11	1.49	17.74	090	Y	N	D	N	N	467.80	467.80
26852		A	8.71	10.01	1.77	20.49	8.71	10.01	1.77	20.49	090	Y	N	Y	D	N	540.32	540.32
26860		A	4.88	8.28	1	14.16	4.88	8.28	1	14.16	090	Y	N	N	N	N	373.40	373.40
26861		A	1.74	0.77	0.38	2.89	1.74	0.77	0.38	2.89	ZZZ	N	N	N	N	N	76.21	76.21

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
26862		A	7.56	9.45	1.57	18.58	7.56	9.45	1.57	18.58	090	Y	N	Y	D	N	489.95	489.95
26863		A	3.89	1.63	0.9	6.42	3.89	1.63	0.9	6.42	ZZZ	N	N	Y	N	N	169.30	169.30
26910		A	7.79	9.02	1.8	18.61	7.79	9.02	1.8	18.61	090	Y	N	N	N	N	490.75	490.75
26951		A	6.04	9.23	1.37	16.64	6.04	9.23	1.37	16.64	090	Y	N	N	N	N	438.80	438.80
26952		A	6.48	8.64	1.46	16.58	6.48	8.64	1.46	16.58	090	Y	N	N	N	N	437.21	437.21
26989		C	0	0	0	0	0	0	0	0	YYY	Y	N	N	D	D	0.00	0.00
26990		A	7.95	6.86	1.9	16.71	7.95	6.86	1.9	16.71	090	Y	N	N	N	N	440.64	440.64
26991		A	7.06	5.41	1.67	14.14	7.06	9.59	1.67	18.32	090	Y	N	D	N	N	372.87	483.10
26992		A	13.48	9.51	3.2	26.19	13.48	9.51	3.2	26.19	090	Y	N	D	N	N	690.63	690.63
27000		A	5.74	4.33	1.29	11.36	5.74	4.33	1.29	11.36	090	Y	Y	N	D	N	299.56	299.56
27001		A	7.14	5.77	1.68	14.59	7.14	5.77	1.68	14.59	090	Y	Y	Y	D	N	384.74	384.74
27003		A	7.81	6.36	1.85	16.02	7.81	6.36	1.85	16.02	090	Y	Y	Y	D	N	422.45	422.45
27005		A	10.07	7.29	2.36	19.72	10.07	7.29	2.36	19.72	090	Y	Y	Y	D	N	520.02	520.02
27006		A	10.11	7.47	2.35	19.93	10.11	7.47	2.35	19.93	090	Y	Y	Y	D	N	525.55	525.55
27025		A	12.89	8.99	3.09	24.97	12.89	8.99	3.09	24.97	090	Y	Y	D	D	N	658.46	658.46
27027		A	13.04	8.54	1.09	22.67	13.04	8.54	1.09	22.67	090	Y	Y	D	N	N	597.81	597.81
27030		A	13.65	8.3	3.2	25.15	13.65	8.3	3.2	25.15	090	Y	Y	Y	D	N	663.21	663.21
27033		A	14.11	9.19	3.34	26.64	14.11	9.19	3.34	26.64	090	Y	Y	Y	D	N	702.50	702.50
27035		A	17.37	10.77	4.12	32.26	17.37	10.77	4.12	32.26	090	Y	Y	Y	D	N	850.70	850.70
27036		A	14.38	9.83	3.35	27.56	14.38	9.83	3.35	27.56	090	Y	Y	Y	D	N	726.76	726.76
27040		A	2.92	1.96	0.58	5.46	2.92	5.3	0.58	8.8	010	Y	Y	N	N	N	143.98	232.06
27041		A	10.18	6.42	2.17	18.77	10.18	6.42	2.17	18.77	090	Y	Y	N	N	N	494.96	494.96
27043		A	6.88	4.21	1.71	12.8	6.88	4.21	1.71	12.8	090	Y	Y	N	N	N	337.54	337.54
27045		A	11.13	6.68	2.71	20.52	11.13	6.68	2.71	20.52	090	Y	Y	Y	D	N	541.11	541.11
27047		A	4.94	3.66	1.23	9.83	4.94	6.07	1.23	12.24	090	Y	Y	N	N	N	259.22	322.77
27048		A	8.85	5.63	2.17	16.65	8.85	5.63	2.17	16.65	090	Y	Y	Y	D	N	439.06	439.06
27049		A	21.55	11.07	5.2	37.82	21.55	11.07	5.2	37.82	090	Y	Y	Y	D	N	997.31	997.31
27050		A	4.74	4.79	1.12	10.65	4.74	4.79	1.12	10.65	090	Y	Y	D	D	N	280.84	280.84
27052		A	7.42	6.32	1.77	15.51	7.42	6.32	1.77	15.51	090	Y	Y	Y	D	N	409.00	409.00
27054		A	9.21	7.15	2.17	18.53	9.21	7.15	2.17	18.53	090	Y	Y	Y	D	N	488.64	488.64
27057		A	14.91	9.34	1.27	25.52	14.91	9.34	1.27	25.52	090	Y	Y	D	N	N	672.96	672.96
27059		A	29.35	13.93	6.95	50.23	29.35	13.93	6.95	50.23	090	Y	Y	Y	D	N	1,324.57	1,324.57
27060		A	5.87	5.18	1.41	12.46	5.87	5.18	1.41	12.46	090	Y	Y	N	N	N	328.57	328.57
27062		A	5.75	5.09	1.36	12.2	5.75	5.09	1.36	12.2	090	Y	Y	N	D	N	321.71	321.71
27065		A	6.55	5.67	1.53	13.75	6.55	5.67	1.53	13.75	090	Y	Y	Y	D	N	362.59	362.59
27066		A	11.2	8.21	2.64	22.05	11.2	8.21	2.64	22.05	090	Y	Y	Y	D	N	581.46	581.46
27067		A	14.72	9.98	3.49	28.19	14.72	9.98	3.49	28.19	090	Y	Y	Y	N	N	743.37	743.37
27070		A	11.56	8.76	2.73	23.05	11.56	8.76	2.73	23.05	090	Y	Y	Y	D	N	607.83	607.83
27071		A	12.39	9.51	2.93	24.83	12.39	9.51	2.93	24.83	090	Y	Y	Y	D	N	654.77	654.77
27075		A	32.71	17.7	7.74	58.15	32.71	17.7	7.74	58.15	090	Y	N	Y	D	N	1,533.42	1,533.42
27076		A	40.21	20.42	9.52	70.15	40.21	20.42	9.52	70.15	090	Y	N	Y	D	N	1,849.86	1,849.86
27077		A	45.21	22.95	10.7	78.86	45.21	22.95	10.7	78.86	090	Y	N	Y	D	N	2,079.54	2,079.54
27078		A	32.21	17.5	7.61	57.32	32.21	17.5	7.61	57.32	090	Y	Y	Y	D	N	1,511.53	1,511.53
27080		A	6.89	5.25	1.71	13.85	6.89	5.25	1.71	13.85	090	Y	N	Y	D	N	365.22	365.22
27086		A	1.92	2.06	0.38	4.36	1.92	5	0.38	7.3	010	Y	Y	D	N	N	114.97	192.50
27087		A	8.83	6.18	2.05	17.06	8.83	6.18	2.05	17.06	090	Y	Y	Y	D	N	449.87	449.87
27090		A	11.69	8.11	2.75	22.55	11.69	8.11	2.75	22.55	090	Y	Y	Y	D	N	594.64	594.64
27091		A	24.35	14.05	5.77	44.17	24.35	14.05	5.77	44.17	090	Y	Y	Y	D	N	1,164.76	1,164.76
27093		A	1.3	0.49	0.16	1.95	1.3	3.19	0.16	4.65	000	Y	Y	N	N	N	51.42	122.62
27095		A	1.5	0.57	0.21	2.28	1.5	4.2	0.21	5.91	000	Y	Y	N	N	N	60.12	155.85
27096		A	1.48	0.69	0.15	2.32	1.48	2.5	0.15	4.13	000	Y	Y	N	N	N	61.18	108.91
27097		A	9.27	6.98	2.19	18.44	9.27	6.98	2.19	18.44	090	Y	Y	Y	N	N	486.26	486.26
27098		A	9.32	7.21	2.21	18.74	9.32	7.21	2.21	18.74	090	Y	Y	Y	N	N	494.17	494.17
27100		A	11.35	8.19	2.68	22.22	11.35	8.19	2.68	22.22	090	Y	Y	Y	D	N	585.94	585.94

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
27105		A	12.04	8.63	2.83	23.5	12.04	8.63	2.83	23.5	090	Y	Y	Y	N	N	619.70	619.70
27110		A	13.77	9.35	3.27	26.39	13.77	9.35	3.27	26.39	090	Y	Y	Y	D	N	695.90	695.90
27111		A	12.6	8.86	2.95	24.41	12.6	8.86	2.95	24.41	090	Y	Y	Y	D	N	643.69	643.69
27120		A	19.25	11.86	4.56	35.67	19.25	11.86	4.56	35.67	090	Y	Y	Y	D	N	940.62	940.62
27122		A	16.09	10.24	3.79	30.12	16.09	10.24	3.79	30.12	090	Y	Y	Y	D	N	794.26	794.26
27125		A	16.64	10.52	3.94	31.1	16.64	10.52	3.94	31.1	090	Y	Y	Y	D	N	820.11	820.11
27130		A	20.72	11.91	4.9	37.53	20.72	11.91	4.9	37.53	090	Y	Y	Y	D	N	989.67	989.67
27132		A	25.69	14.63	6.08	46.4	25.69	14.63	6.08	46.4	090	Y	Y	Y	D	N	1,223.57	1,223.57
27134		A	30.28	15.89	7.16	53.33	30.28	15.89	7.16	53.33	090	Y	Y	Y	D	N	1,406.31	1,406.31
27137		A	22.7	12.74	5.36	40.8	22.7	12.74	5.36	40.8	090	Y	Y	Y	D	N	1,075.90	1,075.90
27138		A	23.7	13.14	5.61	42.45	23.7	13.14	5.61	42.45	090	Y	Y	Y	D	N	1,119.41	1,119.41
27140		A	12.78	8.58	3.03	24.39	12.78	8.58	3.03	24.39	090	Y	Y	Y	D	N	643.16	643.16
27146		A	18.92	11.83	4.5	35.25	18.92	11.83	4.5	35.25	090	Y	Y	Y	D	N	929.54	929.54
27147		A	22.07	13.15	5.21	40.43	22.07	13.15	5.21	40.43	090	Y	Y	Y	D	N	1,066.14	1,066.14
27151		A	24.12	14.01	5.71	43.84	24.12	14.01	5.71	43.84	090	Y	Y	Y	D	N	1,156.06	1,156.06
27156		A	26.23	14.9	6.19	47.32	26.23	14.9	6.19	47.32	090	Y	Y	Y	D	N	1,247.83	1,247.83
27158		A	21.04	12.53	4.99	38.56	21.04	12.53	4.99	38.56	090	Y	B	Y	N	N	1,016.83	1,016.83
27161		A	17.89	11.27	4.22	33.38	17.89	11.27	4.22	33.38	090	Y	Y	Y	D	N	880.23	880.23
27165		A	20.29	12.75	4.8	37.84	20.29	12.75	4.8	37.84	090	Y	Y	Y	D	N	997.84	997.84
27170		A	17.61	10.6	4.17	32.38	17.61	10.6	4.17	32.38	090	Y	Y	Y	D	N	853.86	853.86
27175		A	9.38	4.73	2.22	16.33	9.38	4.73	2.22	16.33	090	Y	Y	D	N	N	430.62	430.62
27176		A	12.92	8.99	3.08	24.99	12.92	8.99	3.08	24.99	090	Y	Y	Y	D	N	658.99	658.99
27177		A	16.09	10.53	3.81	30.43	16.09	10.53	3.81	30.43	090	Y	Y	Y	D	N	802.44	802.44
27178		A	12.92	8.99	3.08	24.99	12.92	8.99	3.08	24.99	090	Y	Y	Y	D	N	658.99	658.99
27179		A	13.97	9.34	3.3	26.61	13.97	9.34	3.3	26.61	090	Y	Y	Y	N	N	701.71	701.71
27181		A	16.18	8.23	3.84	28.25	16.18	8.23	3.84	28.25	090	Y	Y	Y	N	N	744.95	744.95
27185		A	9.79	5.27	0.83	15.89	9.79	5.27	0.83	15.89	090	Y	Y	N	D	N	419.02	419.02
27187		A	14.23	9.52	3.37	27.12	14.23	9.52	3.37	27.12	090	Y	Y	Y	D	N	715.15	715.15
27193		A	6.09	5.27	1.44	12.8	6.09	5.13	1.44	12.66	090	Y	N	N	N	N	337.54	333.84
27194		A	10.2	6.81	2	19.01	10.2	6.81	2	19.01	090	Y	N	D	Y	N	501.29	501.29
27200		A	1.92	2.55	0.41	4.88	1.92	2.37	0.41	4.7	090	Y	N	N	N	N	128.69	123.94
27202		A	7.31	5.38	1.76	14.45	7.31	5.38	1.76	14.45	090	Y	N	Y	N	N	381.05	381.05
27215		A	10.45	5.03	0.88	16.36	10.45	5.03	0.88	16.36	090	N	N	N	N	N	431.41	431.41
27216		A	15.73	7.24	1.36	24.33	15.73	7.24	1.36	24.33	090	N	N	N	N	N	641.58	641.58
27217		A	14.65	6.9	1.26	22.81	14.65	6.9	1.26	22.81	090	N	N	N	N	N	601.50	601.50
27218		A	20.93	8.9	1.8	31.63	20.93	8.9	1.8	31.63	090	N	N	N	N	N	834.08	834.08
27220		A	6.83	5.71	1.6	14.14	6.83	5.82	1.6	14.25	090	Y	Y	N	N	N	372.87	375.77
27222		A	14.11	9.22	3.32	26.65	14.11	9.22	3.32	26.65	090	Y	Y	N	N	N	702.76	702.76
27226		A	15.57	9.79	3.71	29.07	15.57	9.79	3.71	29.07	090	Y	Y	Y	Y	N	766.58	766.58
27227		A	25.41	14.48	6.02	45.91	25.41	14.48	6.02	45.91	090	Y	Y	Y	Y	N	1,210.65	1,210.65
27228		A	29.33	16.12	6.95	52.4	29.33	16.12	6.95	52.4	090	Y	Y	Y	Y	N	1,381.79	1,381.79
27230		A	5.81	5.41	1.37	12.59	5.81	5.48	1.37	12.66	090	Y	Y	N	N	N	332.00	333.84
27232		A	11.72	6.55	2.7	20.97	11.72	6.55	2.7	20.97	090	Y	Y	N	N	N	552.98	552.98
27235		A	13	8.74	3.08	24.82	13	8.74	3.08	24.82	090	Y	Y	N	D	N	654.50	654.50
27236		A	17.61	11.09	4.17	32.87	17.61	11.09	4.17	32.87	090	Y	Y	Y	D	N	866.78	866.78
27238		A	5.75	5.19	1.36	12.3	5.75	5.19	1.36	12.3	090	Y	Y	N	N	N	324.35	324.35
27240		A	13.81	9.09	3.23	26.13	13.81	9.09	3.23	26.13	090	Y	Y	N	N	N	689.05	689.05
27244		A	18.18	11.34	4.28	33.8	18.18	11.34	4.28	33.8	090	Y	Y	Y	D	N	891.31	891.31
27245		A	18.18	11.35	4.28	33.81	18.18	11.35	4.28	33.81	090	Y	Y	Y	Y	N	891.57	891.57
27246		A	4.83	4.38	1.12	10.33	4.83	4.33	1.12	10.28	090	Y	Y	N	N	N	272.40	271.08
27248		A	10.78	7.02	2.55	20.35	10.78	7.02	2.55	20.35	090	Y	Y	Y	D	N	536.63	536.63
27250		A	3.82	0.67	0.8	5.29	3.82	0.67	0.8	5.29	000	Y	Y	N	N	N	139.50	139.50
27252		A	11.03	7.15	2.57	20.75	11.03	7.15	2.57	20.75	090	Y	Y	N	N	N	547.18	547.18
27253		A	13.58	8.98	3.2	25.76	13.58	8.98	3.2	25.76	090	Y	Y	Y	D	N	679.29	679.29

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
27254		A	18.94	11.42	4.48	34.84	18.94	11.42	4.48	34.84	090	Y	Y	Y	D	N	918.73	918.73
27256		A	4.28	1.45	0.9	6.63	4.28	2.95	0.9	8.13	010	Y	Y	D	N	N	174.83	214.39
27257		A	5.38	3.31	1.18	9.87	5.38	3.31	1.18	9.87	010	Y	Y	D	N	N	260.27	260.27
27258		A	16.18	10.36	3.84	30.38	16.18	10.36	3.84	30.38	090	Y	Y	Y	D	N	801.12	801.12
27259		A	23.26	13.93	5.49	42.68	23.26	13.93	5.49	42.68	090	Y	Y	Y	N	N	1,125.47	1,125.47
27265		A	5.24	4.37	1.12	10.73	5.24	4.37	1.12	10.73	090	Y	Y	N	N	N	282.95	282.95
27266		A	7.78	6.08	1.82	15.68	7.78	6.08	1.82	15.68	090	Y	Y	N	N	N	413.48	413.48
27267		A	5.5	4.91	1.31	11.72	5.5	4.91	1.31	11.72	090	Y	Y	Y	D	N	309.06	309.06
27268		A	7.12	5.69	1.68	14.49	7.12	5.69	1.68	14.49	090	Y	Y	Y	D	N	382.10	382.10
27269		A	18.89	10.97	4.45	34.31	18.89	10.97	4.45	34.31	090	Y	Y	Y	D	N	904.75	904.75
27275		A	2.32	2.06	0.46	4.84	2.32	2.06	0.46	4.84	010	Y	N	N	N	N	127.63	127.63
27280		A	14.64	10.14	3.65	28.43	14.64	10.14	3.65	28.43	090	Y	Y	Y	D	N	749.70	749.70
27282		A	11.85	8.54	2.78	23.17	11.85	8.54	2.78	23.17	090	Y	N	Y	D	N	610.99	610.99
27284		A	25.06	13.77	5.94	44.77	25.06	13.77	5.94	44.77	090	Y	Y	Y	D	N	1,180.58	1,180.58
27286		A	25.17	14.45	5.97	45.59	25.17	14.45	5.97	45.59	090	Y	Y	Y	D	N	1,202.21	1,202.21
27290		A	24.55	14.37	5.83	44.75	24.55	14.37	5.83	44.75	090	Y	N	Y	D	N	1,180.06	1,180.06
27295		A	19.66	10.58	4.81	35.05	19.66	10.58	4.81	35.05	090	Y	Y	Y	D	N	924.27	924.27
27299		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
27301		A	6.78	4.99	1.65	13.42	6.78	8.77	1.65	17.2	090	Y	Y	N	N	N	353.89	453.56
27303		A	8.63	6.61	2.03	17.27	8.63	6.61	2.03	17.27	090	Y	Y	Y	D	N	455.41	455.41
27305		A	6.18	5.34	1.47	12.99	6.18	5.34	1.47	12.99	090	Y	Y	Y	D	N	342.55	342.55
27306		A	4.74	4.07	1.12	9.93	4.74	4.07	1.12	9.93	090	Y	Y	Y	N	N	261.85	261.85
27307		A	6.06	5.34	1.44	12.84	6.06	5.34	1.44	12.84	090	Y	Y	D	D	N	338.59	338.59
27310		A	10	7.46	2.35	19.81	10	7.46	2.35	19.81	090	Y	Y	Y	D	N	522.39	522.39
27323		A	2.33	1.96	0.49	4.78	2.33	4.1	0.49	6.92	010	Y	Y	N	N	N	126.05	182.48
27324		A	5.04	4.32	1.26	10.62	5.04	4.32	1.26	10.62	090	Y	Y	N	N	N	280.05	280.05
27325		A	7.2	6.05	1.71	14.96	7.2	6.05	1.71	14.96	090	Y	Y	Y	N	N	394.50	394.50
27326		A	6.47	5.74	1.52	13.73	6.47	5.74	1.52	13.73	090	Y	Y	Y	D	N	362.06	362.06
27327		A	3.96	3.48	0.97	8.41	3.96	6.85	0.97	11.78	090	Y	Y	N	N	N	221.77	310.64
27328		A	8.85	5.86	2.17	16.88	8.85	5.86	2.17	16.88	090	Y	Y	N	N	N	445.13	445.13
27329		A	15.72	9.06	3.82	28.6	15.72	9.06	3.82	28.6	090	Y	Y	Y	D	N	754.18	754.18
27330		A	5.11	4.86	1.14	11.11	5.11	4.86	1.14	11.11	090	Y	Y	N	D	N	292.97	292.97
27331		A	6.02	5.31	1.42	12.75	6.02	5.31	1.42	12.75	090	Y	Y	Y	D	N	336.22	336.22
27332		A	8.46	6.81	1.98	17.25	8.46	6.81	1.98	17.25	090	Y	Y	Y	D	N	454.88	454.88
27333		A	7.55	6.37	1.8	15.72	7.55	6.37	1.8	15.72	090	Y	Y	Y	D	N	414.54	414.54
27334		A	9.19	7.13	2.17	18.49	9.19	7.13	2.17	18.49	090	Y	Y	Y	D	N	487.58	487.58
27335		A	10.55	7.7	2.49	20.74	10.55	7.7	2.49	20.74	090	Y	Y	Y	D	N	546.91	546.91
27337		A	5.91	3.99	1.46	11.36	5.91	3.99	1.46	11.36	090	Y	Y	Y	N	N	299.56	299.56
27339		A	11.13	6.71	2.71	20.55	11.13	6.71	2.71	20.55	090	Y	Y	Y	N	N	541.90	541.90
27340		A	4.32	4.51	1	9.83	4.32	4.51	1	9.83	090	Y	Y	N	N	N	259.22	259.22
27345		A	6.09	5.35	1.44	12.88	6.09	5.35	1.44	12.88	090	Y	Y	Y	D	N	339.65	339.65
27347		A	6.73	5.87	1.58	14.18	6.73	5.87	1.58	14.18	090	Y	Y	Y	D	N	373.93	373.93
27350		A	8.66	6.93	2.03	17.62	8.66	6.93	2.03	17.62	090	Y	Y	Y	D	N	464.64	464.64
27355		A	8	6.37	1.9	16.27	8	6.37	1.9	16.27	090	Y	Y	Y	D	N	429.04	429.04
27356		A	10.09	7.53	2.36	19.98	10.09	7.53	2.36	19.98	090	Y	Y	Y	D	N	526.87	526.87
27357		A	11.16	8.26	2.64	22.06	11.16	8.26	2.64	22.06	090	Y	Y	Y	D	N	581.72	581.72
27358		A	4.73	1.99	1.09	7.81	4.73	1.99	1.09	7.81	ZZZ	N	N	Y	N	N	205.95	205.95
27360		A	11.46	8.88	2.71	23.05	11.46	8.88	2.71	23.05	090	Y	Y	Y	D	N	607.83	607.83
27364		A	24.49	12.86	5.97	43.32	24.49	12.86	5.97	43.32	090	Y	Y	Y	D	N	1,142.35	1,142.35
27365		A	32.21	17.49	7.64	57.34	32.21	17.49	7.64	57.34	090	Y	Y	Y	D	N	1,512.06	1,512.06
27370		A	0.96	0.35	0.14	1.45	0.96	2.88	0.14	3.98	000	Y	Y	N	N	N	38.24	104.95
27372		A	5.21	4.43	1.24	10.88	5.21	9.15	1.24	15.6	090	Y	Y	D	N	N	286.91	411.37
27380		A	7.45	6.71	1.77	15.93	7.45	6.71	1.77	15.93	090	Y	Y	Y	D	N	420.07	420.07
27381		A	10.76	8.32	2.55	21.63	10.76	8.32	2.55	21.63	090	Y	Y	Y	D	N	570.38	570.38

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
27385		A	6.93	6.76	1.63	15.32	6.93	6.76	1.63	15.32	090	Y	Y	Y	D	N	403.99	403.99
27386		A	11.13	8.69	2.63	22.45	11.13	8.69	2.63	22.45	090	Y	Y	Y	D	N	592.01	592.01
27390		A	5.53	5.12	1.31	11.96	5.53	5.12	1.31	11.96	090	Y	Y	Y	N	N	315.39	315.39
27391		A	7.49	6.22	1.78	15.49	7.49	6.22	1.78	15.49	090	Y	N	D	D	N	408.47	408.47
27392		A	9.63	7.33	2.27	19.23	9.63	7.33	2.27	19.23	090	Y	B	Y	D	N	507.10	507.10
27393		A	6.59	5.54	1.54	13.67	6.59	5.54	1.54	13.67	090	Y	Y	Y	D	N	360.48	360.48
27394		A	8.79	6.77	2.05	17.61	8.79	6.77	2.05	17.61	090	Y	N	Y	N	N	464.38	464.38
27395		A	12.24	8.71	2.89	23.84	12.24	8.71	2.89	23.84	090	Y	B	Y	D	N	628.66	628.66
27396		A	8.15	6.51	1.93	16.59	8.15	6.51	1.93	16.59	090	Y	Y	Y	D	N	437.48	437.48
27397		A	12.66	9.2	2.98	24.84	12.66	9.2	2.98	24.84	090	Y	Y	Y	N	N	655.03	655.03
27400		A	9.33	7.21	2.21	18.75	9.33	7.21	2.21	18.75	090	Y	Y	Y	D	N	494.44	494.44
27403		A	8.62	6.67	2.01	17.3	8.62	6.67	2.01	17.3	090	Y	Y	Y	D	N	456.20	456.20
27405		A	9.08	7.06	2.16	18.3	9.08	7.06	2.16	18.3	090	Y	Y	Y	D	N	482.57	482.57
27407		A	10.85	8.03	2.57	21.45	10.85	8.03	2.57	21.45	090	Y	Y	Y	D	N	565.64	565.64
27409		A	13.71	9.33	3.25	26.29	13.71	9.33	3.25	26.29	090	Y	Y	Y	D	N	693.27	693.27
27412		NOT COVEI	24.74	14.88	5.88	45.5	24.74	14.88	5.88	45.5	090	Y	Y	Y	D	N	1,199.84	1,199.84
27415		NOT COVEI	20	12.9	4.72	37.62	20	12.9	4.72	37.62	090	Y	Y	Y	D	N	992.04	992.04
27416		A	14.16	9.27	3.35	26.78	14.16	9.27	3.35	26.78	090	Y	Y	D	N	N	706.19	706.19
27418		A	11.6	8.27	2.71	22.58	11.6	8.27	2.71	22.58	090	Y	Y	Y	D	N	595.43	595.43
27420		A	10.26	7.3	2.4	19.96	10.26	7.3	2.4	19.96	090	Y	Y	Y	D	N	526.35	526.35
27422		A	10.21	7.56	2.39	20.16	10.21	7.56	2.39	20.16	090	Y	Y	Y	D	N	531.62	531.62
27424		A	10.24	7.59	2.4	20.23	10.24	7.59	2.4	20.23	090	Y	Y	Y	D	N	533.47	533.47
27425		A	5.39	5.24	1.27	11.9	5.39	5.24	1.27	11.9	090	Y	Y	N	D	N	313.80	313.80
27427		A	9.79	7.28	2.31	19.38	9.79	7.28	2.31	19.38	090	Y	Y	Y	D	N	511.05	511.05
27428		A	15.58	11.01	3.72	30.31	15.58	11.01	3.72	30.31	090	Y	Y	Y	D	N	799.27	799.27
27429		A	17.54	12.37	4.17	34.08	17.54	12.37	4.17	34.08	090	Y	Y	Y	D	N	898.69	898.69
27430		A	10.16	7.54	2.39	20.09	10.16	7.54	2.39	20.09	090	Y	Y	Y	D	N	529.77	529.77
27435		A	10.88	8.44	2.59	21.91	10.88	8.44	2.59	21.91	090	Y	Y	Y	D	N	577.77	577.77
27437		A	8.93	6.8	2.12	17.85	8.93	6.8	2.12	17.85	090	Y	Y	N	D	N	470.70	470.70
27438		A	11.89	8.26	2.8	22.95	11.89	8.26	2.8	22.95	090	Y	Y	Y	D	N	605.19	605.19
27440		A	11.09	7.94	2.61	21.64	11.09	7.94	2.61	21.64	090	Y	Y	Y	D	N	570.65	570.65
27441		A	11.54	8.13	2.71	22.38	11.54	8.13	2.71	22.38	090	Y	Y	Y	D	N	590.16	590.16
27442		A	12.37	8.46	2.9	23.73	12.37	8.46	2.9	23.73	090	Y	Y	Y	D	N	625.76	625.76
27443		A	11.41	8.07	2.7	22.18	11.41	8.07	2.7	22.18	090	Y	Y	Y	D	N	584.89	584.89
27445		A	18.66	11.37	4.45	34.48	18.66	11.37	4.45	34.48	090	Y	Y	Y	D	N	909.24	909.24
27446		A	17.48	10.4	4.14	32.02	17.48	10.4	4.14	32.02	090	Y	Y	Y	D	N	844.37	844.37
27447		A	20.72	11.91	4.89	37.52	20.72	11.91	4.89	37.52	090	Y	Y	Y	D	N	989.40	989.40
27448		A	11.6	7.7	2.75	22.05	11.6	7.7	2.75	22.05	090	Y	Y	Y	D	N	581.46	581.46
27450		A	14.61	9.62	3.48	27.71	14.61	9.62	3.48	27.71	090	Y	Y	Y	D	N	730.71	730.71
27454		A	19.17	11.93	4.53	35.63	19.17	11.93	4.53	35.63	090	Y	Y	Y	D	N	939.56	939.56
27455		A	13.36	9.14	3.17	25.67	13.36	9.14	3.17	25.67	090	Y	Y	Y	D	N	676.92	676.92
27457		A	14.03	8.87	3.32	26.22	14.03	8.87	3.32	26.22	090	Y	Y	Y	D	N	691.42	691.42
27465		A	18.6	11.39	4.43	34.42	18.6	11.39	4.43	34.42	090	Y	Y	Y	D	N	907.66	907.66
27466		A	17.28	10.92	4.11	32.31	17.28	10.92	4.11	32.31	090	Y	Y	Y	D	N	852.01	852.01
27468		A	19.97	8.9	4.72	33.59	19.97	8.9	4.72	33.59	090	Y	Y	Y	D	N	885.77	885.77
27470		A	17.14	11.05	4.07	32.26	17.14	11.05	4.07	32.26	090	Y	Y	Y	D	N	850.70	850.70
27472		A	18.72	11.58	4.45	34.75	18.72	11.58	4.45	34.75	090	Y	Y	Y	D	N	916.36	916.36
27475		A	8.93	6.83	2.12	17.88	8.93	6.83	2.12	17.88	090	Y	Y	N	D	N	471.50	471.50
27477		A	10.14	7.33	2.39	19.86	10.14	7.33	2.39	19.86	090	Y	Y	N	D	N	523.71	523.71
27479		A	13.16	8.82	1.12	23.1	13.16	8.82	1.12	23.1	090	Y	Y	Y	N	N	609.15	609.15
27485		A	9.13	6.85	2.17	18.15	9.13	6.85	2.17	18.15	090	Y	Y	N	N	N	478.62	478.62
27486		A	21.12	12.71	4.99	38.82	21.12	12.71	4.99	38.82	090	Y	Y	Y	D	N	1,023.68	1,023.68
27487		A	27.11	15.23	6.42	48.76	27.11	15.23	6.42	48.76	090	Y	Y	Y	D	N	1,285.80	1,285.80
27488		A	17.6	11.22	4.17	32.99	17.6	11.22	4.17	32.99	090	Y	Y	Y	D	N	869.95	869.95

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
27495		A	16.54	10.49	3.91	30.94	16.54	10.49	3.91	30.94	090	Y	Y	Y	D	N	815.89	815.89
27496		A	6.78	6.14	1.6	14.52	6.78	6.14	1.6	14.52	090	Y	Y	N	N	N	382.89	382.89
27497		A	7.79	6.07	1.85	15.71	7.79	6.07	1.85	15.71	090	Y	Y	D	Y	N	414.27	414.27
27498		A	8.66	6.93	2.03	17.62	8.66	6.93	2.03	17.62	090	Y	Y	Y	Y	N	464.64	464.64
27499		A	9.43	7.25	2.24	18.92	9.43	7.25	2.24	18.92	090	Y	Y	Y	Y	N	498.92	498.92
27500		A	6.3	5.12	1.47	12.89	6.3	6.01	1.47	13.78	090	Y	Y	N	N	N	339.91	363.38
27501		A	6.45	5.42	1.52	13.39	6.45	5.52	1.52	13.49	090	Y	Y	D	N	N	353.09	355.73
27502		A	11.36	7.12	2.63	21.11	11.36	7.12	2.63	21.11	090	Y	Y	N	N	N	556.67	556.67
27503		A	11.27	7.92	2.64	21.83	11.27	7.92	2.64	21.83	090	Y	Y	D	N	N	575.66	575.66
27506		A	19.65	12.44	4.65	36.74	19.65	12.44	4.65	36.74	090	Y	Y	Y	D	N	968.83	968.83
27507		A	14.48	8.85	3.44	26.77	14.48	8.85	3.44	26.77	090	Y	Y	Y	Y	N	705.92	705.92
27508		A	6.2	5.6	1.44	13.24	6.2	6.31	1.44	13.95	090	Y	Y	N	N	N	349.14	367.86
27509		A	8.14	7.21	1.91	17.26	8.14	7.21	1.91	17.26	090	Y	Y	D	N	N	455.15	455.15
27510		A	9.8	6.61	2.26	18.67	9.8	6.61	2.26	18.67	090	Y	Y	N	N	N	492.33	492.33
27511		A	15.11	8.83	3.58	27.52	15.11	8.83	3.58	27.52	090	Y	Y	Y	Y	N	725.70	725.70
27513		A	19.25	10.56	4.56	34.37	19.25	10.56	4.56	34.37	090	Y	Y	Y	Y	N	906.34	906.34
27514		A	14.6	8.6	3.44	26.64	14.6	8.6	3.44	26.64	090	Y	Y	Y	D	N	702.50	702.50
27516		A	5.59	5.72	1.32	12.63	5.59	6.44	1.32	13.35	090	Y	Y	N	N	N	333.05	352.04
27517		A	9.12	7.2	2.16	18.48	9.12	7.2	2.16	18.48	090	Y	Y	D	N	N	487.32	487.32
27519		A	13.25	8.07	3.14	24.46	13.25	8.07	3.14	24.46	090	Y	Y	Y	D	N	645.01	645.01
27520		A	3.04	3.96	0.7	7.7	3.04	4.61	0.7	8.35	090	Y	Y	N	N	N	203.05	220.19
27524		A	10.37	7.61	2.44	20.42	10.37	7.61	2.44	20.42	090	Y	Y	Y	D	N	538.48	538.48
27530		A	2.65	3.99	0.62	7.26	2.65	4.48	0.62	7.75	090	Y	Y	N	N	N	191.45	204.37
27532		A	7.55	6.2	1.78	15.53	7.55	7.07	1.78	16.4	090	Y	Y	N	N	N	409.53	432.47
27535		A	13.41	8.11	3.17	24.69	13.41	8.11	3.17	24.69	090	Y	Y	Y	Y	N	651.08	651.08
27536		A	17.39	11.16	4.12	32.67	17.39	11.16	4.12	32.67	090	Y	Y	Y	D	N	861.51	861.51
27538		A	5.09	5.44	1.19	11.72	5.09	6.14	1.19	12.42	090	Y	Y	D	N	N	309.06	327.52
27540		A	11.3	8.14	2.66	22.1	11.3	8.14	2.66	22.1	090	Y	Y	Y	D	N	582.78	582.78
27550		A	5.98	5.27	1.32	12.57	5.98	6.11	1.32	13.41	090	Y	Y	D	N	N	331.47	353.62
27552		A	8.18	6.73	1.93	16.84	8.18	6.73	1.93	16.84	090	Y	Y	D	N	N	444.07	444.07
27556		A	13	7.9	3.09	23.99	13	7.9	3.09	23.99	090	Y	Y	Y	D	N	632.62	632.62
27557		A	15.9	9.19	3.77	28.86	15.9	9.19	3.77	28.86	090	Y	Y	Y	D	N	761.04	761.04
27558		A	18.39	10.23	4.35	32.97	18.39	10.23	4.35	32.97	090	Y	Y	Y	Y	N	869.42	869.42
27560		A	3.99	3.96	0.92	8.87	3.99	4.58	0.92	9.49	090	Y	Y	N	N	N	233.90	250.25
27562		A	5.98	5.5	1.42	12.9	5.98	5.5	1.42	12.9	090	Y	Y	D	N	N	340.17	340.17
27566		A	12.71	8.61	3	24.32	12.71	8.61	3	24.32	090	Y	Y	Y	D	N	641.32	641.32
27570		A	1.79	1.8	0.41	4	1.79	1.8	0.41	4	010	Y	Y	N	N	N	105.48	105.48
27580		A	21.1	13.33	4.99	39.42	21.1	13.33	4.99	39.42	090	Y	Y	Y	D	N	1,039.51	1,039.51
27590		A	13.47	5.85	3.54	22.86	13.47	5.85	3.54	22.86	090	Y	Y	Y	D	N	602.82	602.82
27591		A	13.94	9.15	3.49	26.58	13.94	9.15	3.49	26.58	090	Y	Y	Y	D	N	700.91	700.91
27592		A	10.98	5.41	2.81	19.2	10.98	5.41	2.81	19.2	090	Y	Y	Y	D	N	506.30	506.30
27594		A	7.29	4.91	1.86	14.06	7.29	4.91	1.86	14.06	090	Y	Y	N	N	N	370.76	370.76
27596		A	11.29	6.12	2.89	20.3	11.29	6.12	2.89	20.3	090	Y	Y	N	D	N	535.31	535.31
27598		A	11.22	6.28	2.8	20.3	11.22	6.28	2.8	20.3	090	Y	Y	Y	D	N	535.31	535.31
27599		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
27600		A	6.03	3.86	1.52	11.41	6.03	3.86	1.52	11.41	090	Y	Y	N	D	N	300.88	300.88
27601		A	6.05	4.48	1.52	12.05	6.05	4.48	1.52	12.05	090	Y	Y	N	N	N	317.76	317.76
27602		A	7.82	4.07	2.08	13.97	7.82	4.07	2.08	13.97	090	Y	Y	Y	D	N	368.39	368.39
27603		A	5.23	4.07	1.22	10.52	5.23	7.3	1.22	13.75	090	Y	Y	N	N	N	277.41	362.59
27604		A	4.59	3.44	0.94	8.97	4.59	6.51	0.94	12.04	090	Y	Y	D	N	N	236.54	317.49
27605		A	2.92	1.71	0.41	5.04	2.92	5.35	0.41	8.68	010	Y	Y	D	N	N	132.90	228.89
27606		A	4.18	2.75	0.87	7.8	4.18	2.75	0.87	7.8	010	Y	Y	N	D	N	205.69	205.69
27607		A	8.62	6.09	1.9	16.61	8.62	6.09	1.9	16.61	090	Y	Y	N	N	N	438.01	438.01
27610		A	9.13	6.66	1.96	17.75	9.13	6.66	1.96	17.75	090	Y	Y	N	N	N	468.07	468.07

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
27612		A	8.15	5.72	1.39	15.26	8.15	5.72	1.39	15.26	090	Y	Y	Y	D	N	402.41	402.41
27613		A	2.22	1.77	0.38	4.37	2.22	3.84	0.38	6.44	010	Y	Y	N	N	N	115.24	169.82
27614		A	5.8	4.03	1.24	11.07	5.8	8.04	1.24	15.08	090	Y	Y	N	N	N	291.92	397.66
27615		A	15.72	8.77	3.77	28.26	15.72	8.77	3.77	28.26	090	Y	Y	D	D	N	745.22	745.22
27616		A	19.63	10.67	4.7	35	19.63	10.67	4.7	35	090	Y	Y	D	D	N	922.95	922.95
27618		A	3.96	3.36	0.88	8.2	3.96	6.64	0.88	11.48	090	Y	Y	N	N	N	216.23	302.73
27619		A	6.91	4.49	1.47	12.87	6.91	4.49	1.47	12.87	090	Y	Y	N	N	N	339.38	339.38
27620		A	6.15	4.86	1.26	12.27	6.15	4.86	1.26	12.27	090	Y	Y	Y	D	N	323.56	323.56
27625		A	8.49	5.72	1.52	15.73	8.49	5.72	1.52	15.73	090	Y	Y	Y	D	N	414.80	414.80
27626		A	9.1	6.12	1.82	17.04	9.1	6.12	1.82	17.04	090	Y	Y	Y	N	N	449.34	449.34
27630		A	4.94	4.01	0.94	9.89	4.94	8.57	0.94	14.45	090	Y	Y	N	N	N	260.80	381.05
27632		A	5.91	3.98	1.36	11.25	5.91	3.98	1.36	11.25	090	Y	Y	Y	N	N	296.66	296.66
27634		A	10.13	6.34	2.16	18.63	10.13	6.34	2.16	18.63	090	Y	Y	Y	N	N	491.27	491.27
27635		A	8.03	6.14	1.8	15.97	8.03	6.14	1.8	15.97	090	Y	Y	N	D	N	421.13	421.13
27637		A	10.31	7.7	2.41	20.42	10.31	7.7	2.41	20.42	090	Y	Y	Y	D	N	538.48	538.48
27638		A	10.99	7.45	2.6	21.04	10.99	7.45	2.6	21.04	090	Y	Y	Y	D	N	554.82	554.82
27640		A	12.24	7.9	2.64	22.78	12.24	7.9	2.64	22.78	090	Y	Y	N	D	N	600.71	600.71
27641		A	9.84	6.41	2.01	18.26	9.84	6.41	2.01	18.26	090	Y	Y	N	D	N	481.52	481.52
27645		A	27.21	15.49	6.44	49.14	27.21	15.49	6.44	49.14	090	Y	Y	Y	D	N	1,295.82	1,295.82
27646		A	23.21	13.8	5.49	42.5	23.21	13.8	5.49	42.5	090	Y	Y	Y	D	N	1,120.73	1,120.73
27647		A	20.26	6.45	2.44	29.15	20.26	6.45	2.44	29.15	090	Y	Y	Y	N	N	768.69	768.69
27648		A	0.96	0.36	0.14	1.46	0.96	2.94	0.14	4.04	000	Y	Y	D	N	N	38.50	106.53
27650		A	9.21	6.92	1.81	17.94	9.21	6.92	1.81	17.94	090	Y	Y	Y	D	N	473.08	473.08
27652		A	10.78	6.25	1.81	18.84	10.78	6.25	1.81	18.84	090	Y	Y	N	D	N	496.81	496.81
27654		A	10.53	6.91	1.81	19.25	10.53	6.91	1.81	19.25	090	Y	Y	Y	D	N	507.62	507.62
27656		A	4.71	4.7	1.09	10.5	4.71	10.27	1.09	16.07	090	Y	Y	Y	N	N	276.89	423.77
27658		A	5.12	4.01	0.94	10.07	5.12	4.01	0.94	10.07	090	Y	N	Y	D	N	265.55	265.55
27659		A	7.1	4.89	1.19	13.18	7.1	4.89	1.19	13.18	090	Y	N	Y	D	N	347.56	347.56
27664		A	4.73	4.05	0.9	9.68	4.73	4.05	0.9	9.68	090	Y	N	D	N	N	255.26	255.26
27665		A	5.57	4.52	1.06	11.15	5.57	4.52	1.06	11.15	090	Y	N	Y	D	N	294.03	294.03
27675		A	7.35	4.63	1.23	13.21	7.35	4.63	1.23	13.21	090	Y	Y	Y	D	N	348.35	348.35
27676		A	8.73	6.01	2.05	16.79	8.73	6.01	2.05	16.79	090	Y	Y	Y	N	N	442.75	442.75
27680		A	5.88	4.52	1.18	11.58	5.88	4.52	1.18	11.58	090	Y	N	N	D	N	305.36	305.36
27681		A	7.05	5.95	1.67	14.67	7.05	5.95	1.67	14.67	090	Y	Y	N	D	N	386.85	386.85
27685		A	6.69	4.8	1.09	12.58	6.69	9.5	1.09	17.28	090	Y	Y	Y	D	N	331.73	455.67
27686		A	7.75	5.67	1.54	14.96	7.75	5.67	1.54	14.96	090	Y	Y	N	D	N	394.50	394.50
27687		A	6.41	4.7	1.19	12.3	6.41	4.7	1.19	12.3	090	Y	Y	Y	D	N	324.35	324.35
27690		A	9.17	6.36	1.58	17.11	9.17	6.36	1.58	17.11	090	Y	Y	Y	D	N	451.19	451.19
27691		A	10.49	7.75	2.19	20.43	10.49	7.75	2.19	20.43	090	Y	Y	Y	D	N	538.74	538.74
27692		A	1.87	0.71	0.41	2.99	1.87	0.71	0.41	2.99	ZZZ	N	N	Y	D	N	78.85	78.85
27695		A	6.7	4.98	1.29	12.97	6.7	4.98	1.29	12.97	090	Y	Y	N	D	N	342.02	342.02
27696		A	8.58	5.3	1.39	15.27	8.58	5.3	1.39	15.27	090	Y	Y	N	D	N	402.67	402.67
27698		A	9.61	6.09	1.81	17.51	9.61	6.09	1.81	17.51	090	Y	Y	Y	D	N	461.74	461.74
27700		A	9.66	5.13	1.44	16.23	9.66	5.13	1.44	16.23	090	Y	Y	Y	D	N	427.99	427.99
27702		A	14.42	9.04	3.18	26.64	14.42	9.04	3.18	26.64	090	Y	Y	Y	D	N	702.50	702.50
27703		A	16.94	10.09	3.82	30.85	16.94	10.09	3.82	30.85	090	Y	Y	Y	N	N	813.51	813.51
27704		A	7.81	6.08	1.71	15.6	7.81	6.08	1.71	15.6	090	Y	Y	N	D	N	411.37	411.37
27705		A	10.86	7.41	2.41	20.68	10.86	7.41	2.41	20.68	090	Y	Y	Y	D	N	545.33	545.33
27707		A	4.78	4.88	1.08	10.74	4.78	4.88	1.08	10.74	090	Y	Y	N	D	N	283.21	283.21
27709		A	17.48	10.6	4.06	32.14	17.48	10.6	4.06	32.14	090	Y	Y	Y	D	N	847.53	847.53
27712		A	15.87	10.55	3.77	30.19	15.87	10.55	3.77	30.19	090	Y	Y	Y	D	N	796.11	796.11
27715		A	15.5	10.08	3.71	29.29	15.5	10.08	3.71	29.29	090	Y	Y	Y	D	N	772.38	772.38
27720		A	12.36	8.63	2.89	23.88	12.36	8.63	2.89	23.88	090	Y	Y	Y	D	N	629.72	629.72
27722		A	12.45	8.8	2.93	24.18	12.45	8.8	2.93	24.18	090	Y	Y	Y	D	N	637.63	637.63

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
27724		A	19.31	11.16	4.56	35.03	19.31	11.16	4.56	35.03	090	Y	Y	Y	D	N	923.74	923.74
27725		A	17.41	11.76	4.13	33.3	17.41	11.76	4.13	33.3	090	Y	Y	Y	D	N	878.12	878.12
27726		A	14.34	8.94	3.34	26.62	14.34	8.94	3.34	26.62	090	Y	Y	N	D	N	701.97	701.97
27727		A	14.84	7.21	3.53	25.58	14.84	7.21	3.53	25.58	090	Y	Y	Y	D	N	674.54	674.54
27730		A	7.7	6.25	1.82	15.77	7.7	6.25	1.82	15.77	090	Y	Y	N	D	N	415.85	415.85
27732		A	5.46	3.67	1.29	10.42	5.46	3.67	1.29	10.42	090	Y	Y	N	N	N	274.78	274.78
27734		A	8.83	6.8	0.75	16.38	8.83	6.8	0.75	16.38	090	Y	Y	N	N	N	431.94	431.94
27740		A	9.61	5.22	2.27	17.1	9.61	5.22	2.27	17.1	090	Y	Y	Y	N	N	450.93	450.93
27742		A	10.63	5.71	2.5	18.84	10.63	5.71	2.5	18.84	090	Y	Y	Y	D	N	496.81	496.81
27745		A	10.49	7.63	2.45	20.57	10.49	7.63	2.45	20.57	090	Y	Y	Y	D	N	542.43	542.43
27750		A	3.37	4.19	0.77	8.33	3.37	4.84	0.77	8.98	090	Y	Y	N	N	N	219.66	236.80
27752		A	6.27	5.55	1.46	13.28	6.27	6.51	1.46	14.24	090	Y	Y	N	N	N	350.19	375.51
27756		A	7.45	6.26	1.76	15.47	7.45	6.26	1.76	15.47	090	Y	Y	Y	D	N	407.94	407.94
27758		A	12.54	8.79	2.94	24.27	12.54	8.79	2.94	24.27	090	Y	Y	Y	D	N	640.00	640.00
27759		A	14.45	9.48	3.42	27.35	14.45	9.48	3.42	27.35	090	Y	Y	Y	Y	N	721.22	721.22
27760		A	3.21	4.08	0.7	7.99	3.21	4.74	0.7	8.65	090	Y	Y	N	N	N	210.70	228.10
27762		A	5.47	4.98	1.22	11.67	5.47	5.93	1.22	12.62	090	Y	Y	N	N	N	307.74	332.79
27766		A	7.89	6.7	1.81	16.4	7.89	6.7	1.81	16.4	090	Y	Y	N	D	N	432.47	432.47
27767		A	2.64	4.11	0.6	7.35	2.64	4.07	0.6	7.31	090	Y	Y	N	N	N	193.82	192.76
27768		A	5.14	5.3	1.23	11.67	5.14	5.3	1.23	11.67	090	Y	Y	N	N	N	307.74	307.74
27769		A	10.14	7.31	2.39	19.84	10.14	7.31	2.39	19.84	090	Y	Y	N	N	N	523.18	523.18
27780		A	2.83	3.8	0.64	7.27	2.83	4.43	0.64	7.9	090	Y	Y	N	N	N	191.71	208.32
27781		A	4.59	4.66	1.04	10.29	4.59	5.36	1.04	10.99	090	Y	Y	N	N	N	271.35	289.81
27784		A	9.67	7.5	2.26	19.43	9.67	7.5	2.26	19.43	090	Y	Y	N	D	N	512.37	512.37
27786		A	3.02	3.82	0.65	7.49	3.02	4.52	0.65	8.19	090	Y	Y	N	N	N	197.51	215.97
27788		A	4.64	4.57	1	10.21	4.64	5.41	1	11.05	090	Y	Y	N	N	N	269.24	291.39
27792		A	8.75	6.92	2	17.67	8.75	6.92	2	17.67	090	Y	Y	N	D	N	465.96	465.96
27808		A	3.03	4.14	0.68	7.85	3.03	4.92	0.68	8.63	090	Y	Y	N	N	N	207.00	227.57
27810		A	5.32	4.84	1.22	11.38	5.32	5.84	1.22	12.38	090	Y	Y	N	N	N	300.09	326.46
27814		A	10.62	7.91	2.45	20.98	10.62	7.91	2.45	20.98	090	Y	Y	Y	D	N	553.24	553.24
27816		A	3.07	3.77	0.65	7.49	3.07	4.53	0.65	8.25	090	Y	Y	N	N	N	197.51	217.55
27818		A	5.69	4.75	1.26	11.7	5.69	5.9	1.26	12.85	090	Y	Y	N	N	N	308.53	338.85
27822		A	11.21	8.97	2.6	22.78	11.21	8.97	2.6	22.78	090	Y	Y	Y	D	N	600.71	600.71
27823		A	13.16	9.75	3.06	25.97	13.16	9.75	3.06	25.97	090	Y	Y	Y	D	N	684.83	684.83
27824		A	3.31	3.97	0.73	8.01	3.31	4.17	0.73	8.21	090	Y	Y	N	N	N	211.22	216.50
27825		A	6.69	5.13	1.53	13.35	6.69	6.31	1.53	14.53	090	Y	Y	D	N	N	352.04	383.16
27826		A	11.1	8.99	2.57	22.66	11.1	8.99	2.57	22.66	090	Y	Y	Y	Y	N	597.54	597.54
27827		A	14.79	11.17	3.48	29.44	14.79	11.17	3.48	29.44	090	Y	Y	Y	Y	N	776.33	776.33
27828		A	18.43	12.67	4.31	35.41	18.43	12.67	4.31	35.41	090	Y	Y	Y	Y	N	933.76	933.76
27829		A	8.8	7.61	2.03	18.44	8.8	7.61	2.03	18.44	090	Y	Y	Y	Y	N	486.26	486.26
27830		A	3.96	4.44	0.92	9.32	3.96	5.04	0.92	9.92	090	Y	Y	D	N	N	245.77	261.59
27831		A	4.73	4.76	1.09	10.58	4.73	4.76	1.09	10.58	090	Y	Y	D	N	N	278.99	278.99
27832		A	10.17	7.86	2.39	20.42	10.17	7.86	2.39	20.42	090	Y	Y	Y	D	N	538.48	538.48
27840		A	4.77	4.15	0.99	9.91	4.77	4.15	0.99	9.91	090	Y	Y	N	N	N	261.33	261.33
27842		A	6.46	5.37	1.46	13.29	6.46	5.37	1.46	13.29	090	Y	Y	N	N	N	350.46	350.46
27846		A	10.28	7.3	2.34	19.92	10.28	7.3	2.34	19.92	090	Y	Y	Y	D	N	525.29	525.29
27848		A	11.68	7.91	2.7	22.29	11.68	7.91	2.7	22.29	090	Y	Y	Y	D	N	587.79	587.79
27860		A	2.39	1.92	0.46	4.77	2.39	1.92	0.46	4.77	010	Y	Y	D	N	N	125.78	125.78
27870		A	15.41	9.63	3.37	28.41	15.41	9.63	3.37	28.41	090	Y	Y	Y	D	N	749.17	749.17
27871		A	9.54	6.96	2.22	18.72	9.54	6.96	2.22	18.72	090	Y	Y	Y	D	N	493.65	493.65
27880		A	15.37	6.71	3.98	26.06	15.37	6.71	3.98	26.06	090	Y	Y	Y	D	N	687.20	687.20
27881		A	13.47	7.65	3.37	24.49	13.47	7.65	3.37	24.49	090	Y	Y	Y	D	N	645.80	645.80
27882		A	9.79	4.69	2.59	17.07	9.79	4.69	2.59	17.07	090	Y	Y	D	D	N	450.14	450.14
27884		A	8.76	5.07	2.24	16.07	8.76	5.07	2.24	16.07	090	Y	Y	N	N	N	423.77	423.77

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
27886		A	10.02	5.79	2.57	18.38	10.02	5.79	2.57	18.38	090	Y	Y	N	D	N	484.68	484.68
27888		A	10.37	5.96	2.32	18.65	10.37	5.96	2.32	18.65	090	Y	Y	Y	D	N	491.80	491.80
27889		A	10.86	4.98	2.89	18.73	10.86	4.98	2.89	18.73	090	Y	Y	N	D	N	493.91	493.91
27892		A	7.94	5.32	1.96	15.22	7.94	5.32	1.96	15.22	090	Y	Y	D	N	N	401.35	401.35
27893		A	7.9	6.61	2.01	16.52	7.9	6.61	2.01	16.52	090	Y	Y	D	N	N	435.63	435.63
27894		A	12.67	7.78	3.2	23.65	12.67	7.78	3.2	23.65	090	Y	Y	Y	N	N	623.65	623.65
27899		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
28001		A	2.78	1.54	0.28	4.6	2.78	4.07	0.28	7.13	010	Y	N	N	N	N	121.30	188.02
28002		A	5.34	2.77	0.72	8.83	5.34	5.71	0.72	11.77	010	Y	N	N	N	N	232.85	310.37
28003		A	9.06	5.27	1.27	15.6	9.06	8.61	1.27	18.94	090	Y	N	N	N	N	411.37	499.45
28005		A	9.44	5.21	1.23	15.88	9.44	5.21	1.23	15.88	090	Y	N	N	N	N	418.76	418.76
28008		A	4.59	2.85	0.49	7.93	4.59	6.14	0.49	11.22	090	Y	Y	N	N	N	209.11	295.87
28010		A	2.97	2.31	0.33	5.61	2.97	2.85	0.33	6.15	090	Y	N	N	N	N	147.94	162.18
28011		A	4.28	2.97	0.59	7.84	4.28	3.78	0.59	8.65	090	Y	N	N	N	N	206.74	228.10
28020		A	5.15	3.81	0.8	9.76	5.15	8.05	0.8	14	090	Y	N	N	D	N	257.37	369.18
28022		A	4.81	3.35	0.59	8.75	4.81	7.25	0.59	12.65	090	Y	N	N	N	N	230.74	333.58
28024		A	4.52	3.15	0.5	8.17	4.52	6.86	0.5	11.88	090	Y	N	N	N	N	215.44	313.28
28035		A	5.23	3.67	0.78	9.68	5.23	7.78	0.78	13.79	090	Y	Y	N	D	N	255.26	363.64
28039		A	5.42	3.42	0.65	9.49	5.42	7.26	0.65	13.33	090	Y	Y	Y	N	N	250.25	351.51
28041		A	7.13	4.46	0.88	12.47	7.13	4.46	0.88	12.47	090	Y	Y	D	N	N	328.83	328.83
28043		A	3.96	2.65	0.46	7.07	3.96	5.9	0.46	10.32	090	Y	Y	N	N	N	186.44	272.14
28045		A	5.45	3.34	0.68	9.47	5.45	6.86	0.68	12.99	090	Y	Y	D	N	N	249.72	342.55
28046		A	12.38	5.96	2	20.34	12.38	5.96	2	20.34	090	Y	Y	N	D	N	536.37	536.37
28047		A	17.45	8.95	1.6	28	17.45	8.95	1.6	28	090	Y	Y	Y	D	N	738.36	738.36
28050		A	4.39	2.76	0.46	7.61	4.39	6.2	0.46	11.05	090	Y	Y	N	D	N	200.68	291.39
28052		A	4.06	2.95	0.59	7.6	4.06	6.7	0.59	11.35	090	Y	Y	N	D	N	200.41	299.30
28054		A	3.57	2.43	0.33	6.33	3.57	5.75	0.33	9.65	090	Y	Y	D	N	N	166.92	254.47
28055		A	6.29	3.34	0.64	10.27	6.29	3.34	0.64	10.27	090	Y	Y	D	N	N	270.82	270.82
28060		A	5.4	3.56	0.65	9.61	5.4	7.4	0.65	13.45	090	Y	Y	N	N	N	253.42	354.68
28062		A	6.69	3.68	0.72	11.09	6.69	7.93	0.72	15.34	090	Y	Y	N	D	N	292.44	404.52
28070		A	5.24	3.64	0.68	9.56	5.24	7.86	0.68	13.78	090	Y	N	N	N	N	252.10	363.38
28072		A	4.72	3.53	0.77	9.02	4.72	7.69	0.77	13.18	090	Y	N	N	N	N	237.86	347.56
28080		A	4.86	4.28	0.58	9.72	4.86	8.02	0.58	13.46	090	Y	N	D	N	N	256.32	354.94
28086		A	4.92	3.93	0.87	9.72	4.92	8.34	0.87	14.13	090	Y	Y	Y	D	N	256.32	372.61
28088		A	3.98	3.25	0.65	7.88	3.98	7.36	0.65	11.99	090	Y	Y	D	N	N	207.80	316.18
28090		A	4.55	3.18	0.58	8.31	4.55	7.04	0.58	12.17	090	Y	Y	N	N	N	219.13	320.92
28092		A	3.78	2.95	0.46	7.19	3.78	6.61	0.46	10.85	090	Y	N	N	N	N	189.60	286.11
28100		A	5.83	4.33	0.92	11.08	5.83	8.96	0.92	15.71	090	Y	Y	Y	D	N	292.18	414.27
28102		A	7.92	6.52	0.73	15.17	7.92	6.52	0.73	15.17	090	Y	Y	Y	N	N	400.03	400.03
28103		A	6.67	3.4	0.6	10.67	6.67	3.4	0.6	10.67	090	Y	Y	Y	N	N	281.37	281.37
28104		A	5.26	3.54	0.65	9.45	5.26	7.67	0.65	13.58	090	Y	N	Y	D	N	249.20	358.10
28106		A	7.35	4.08	0.68	12.11	7.35	4.08	0.68	12.11	090	Y	N	Y	D	N	319.34	319.34
28107		A	5.73	3.63	0.5	9.86	5.73	7.97	0.5	14.2	090	Y	N	Y	N	N	260.01	374.45
28108		A	4.3	3	0.45	7.75	4.3	6.64	0.45	11.39	090	Y	N	N	N	N	204.37	300.35
28110		A	4.22	3.05	0.49	7.76	4.22	7.18	0.49	11.89	090	Y	Y	N	D	N	204.63	313.54
28111		A	5.15	3.08	0.72	8.95	5.15	7.09	0.72	12.96	090	Y	Y	N	D	N	236.01	341.76
28112		A	4.63	3.21	0.63	8.47	4.63	7.4	0.63	12.66	090	Y	Y	N	D	N	223.35	333.84
28113		A	6.11	4.58	0.75	11.44	6.11	8.54	0.75	15.4	090	Y	Y	D	N	N	301.67	406.10
28114		A	12	8.67	1.98	22.65	12	14.29	1.98	28.27	090	Y	Y	Y	D	N	597.28	745.48
28116		A	9.14	5.09	1.14	15.37	9.14	9.38	1.14	19.66	090	Y	Y	N	N	N	405.31	518.43
28118		A	6.13	4.08	0.9	11.11	6.13	8.33	0.9	15.36	090	Y	Y	Y	D	N	292.97	405.04
28119		A	5.56	3.56	0.64	9.76	5.56	7.48	0.64	13.68	090	Y	Y	N	D	N	257.37	360.74
28120		A	7.31	5.02	1.22	13.55	7.31	9.3	1.22	17.83	090	Y	Y	N	D	N	357.31	470.18
28122		A	6.76	4.31	0.87	11.94	6.76	8.08	0.87	15.71	090	Y	Y	Y	D	N	314.86	414.27

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
28124		A	5	3.37	0.5	8.87	5	6.86	0.5	12.36	090	Y	Y	N	N	N	233.90	325.93
28126		A	3.64	2.64	0.41	6.69	3.64	6.16	0.41	10.21	090	Y	N	N	N	N	176.42	269.24
28130		A	9.5	6.45	2.24	18.19	9.5	6.45	2.24	18.19	090	Y	Y	Y	D	N	479.67	479.67
28140		A	7.14	3.91	1.08	12.13	7.14	7.68	1.08	15.9	090	Y	N	N	D	N	319.87	419.28
28150		A	4.23	2.85	0.5	7.58	4.23	6.34	0.5	11.07	090	Y	N	N	N	N	199.88	291.92
28153		A	3.8	2.86	0.44	7.1	3.8	6.39	0.44	10.63	090	Y	N	N	N	N	187.23	280.31
28160		A	3.88	2.9	0.45	7.23	3.88	6.49	0.45	10.82	090	Y	N	N	N	N	190.66	285.32
28171		A	16.41	5.67	1.51	23.59	16.41	5.67	1.51	23.59	090	Y	N	Y	N	N	622.07	622.07
28173		A	14.16	5.44	1.88	21.48	14.16	5.44	1.88	21.48	090	Y	N	N	D	N	566.43	566.43
28175		A	8.29	4.13	0.97	13.39	8.29	4.13	0.97	13.39	090	Y	N	N	D	N	353.09	353.09
28190		A	2.01	1.36	0.24	3.61	2.01	4.27	0.24	6.52	010	Y	Y	N	N	N	95.20	171.93
28192		A	4.78	3.14	0.59	8.51	4.78	6.87	0.59	12.24	090	Y	Y	N	N	N	224.41	322.77
28193		A	5.9	3.49	0.68	10.07	5.9	7.35	0.68	13.93	090	Y	Y	N	N	N	265.55	367.33
28200		A	4.74	3.29	0.54	8.57	4.74	7.28	0.54	12.56	090	Y	N	N	D	N	225.99	331.21
28202		A	7.07	3.78	0.77	11.62	7.07	7.84	0.77	15.68	090	Y	N	Y	D	N	306.42	413.48
28208		A	4.51	3.28	0.59	8.38	4.51	7.14	0.59	12.24	090	Y	N	N	D	N	220.98	322.77
28210		A	6.52	3.69	0.77	10.98	6.52	7.53	0.77	14.82	090	Y	N	Y	N	N	289.54	390.80
28220		A	4.67	2.95	0.49	8.11	4.67	6.46	0.49	11.62	090	Y	Y	N	N	N	213.86	306.42
28222		A	5.76	3.17	0.6	9.53	5.76	6.94	0.6	13.3	090	Y	Y	N	N	N	251.31	350.72
28225		A	3.78	2.74	0.41	6.93	3.78	6.31	0.41	10.5	090	Y	Y	N	D	N	182.74	276.89
28226		A	4.67	4.68	0.41	9.76	4.67	9.85	0.41	14.93	090	Y	Y	N	N	N	257.37	393.70
28230		A	4.36	2.83	0.46	7.65	4.36	6.46	0.46	11.28	090	Y	Y	N	N	N	201.73	297.45
28232		A	3.51	2.62	0.41	6.54	3.51	6.07	0.41	9.99	090	Y	N	N	N	N	172.46	263.44
28234		A	3.54	3.05	0.41	7	3.54	6.5	0.41	10.45	090	Y	N	N	N	N	184.59	275.57
28238		A	7.96	4.36	1.03	13.35	7.96	8.78	1.03	17.77	090	Y	Y	Y	D	N	352.04	468.59
28240		A	4.48	2.83	0.53	7.84	4.48	6.41	0.53	11.42	090	Y	Y	N	N	N	206.74	301.15
28250		A	6.06	3.98	0.92	10.96	6.06	8.15	0.92	15.13	090	Y	Y	Y	D	N	289.02	398.98
28260		A	8.19	4.53	1.24	13.96	8.19	8.69	1.24	18.12	090	Y	Y	Y	D	N	368.13	477.82
28261		A	13.11	6.34	1.53	20.98	13.11	11.13	1.53	25.77	090	Y	Y	D	N	N	553.24	679.55
28262		A	17.21	11.15	3.62	31.98	17.21	17.98	3.62	38.81	090	Y	Y	Y	D	N	843.31	1,023.42
28264		A	10.65	7.7	0.98	19.33	10.65	13.4	0.98	25.03	090	Y	Y	Y	N	N	509.73	660.04
28270		A	4.93	3.46	0.6	8.99	4.93	7.21	0.6	12.74	090	Y	Y	N	N	N	237.07	335.95
28272		A	3.92	2.55	0.38	6.85	3.92	5.87	0.38	10.17	090	Y	Y	N	N	N	180.63	268.18
28280		A	5.33	3.49	0.72	9.54	5.33	7.52	0.72	13.57	090	Y	Y	D	N	N	251.57	357.84
28285		A	5.62	3.88	0.64	10.14	5.62	7.61	0.64	13.87	090	Y	Y	N	D	N	267.39	365.75
28286		A	4.7	2.95	0.46	8.11	4.7	6.6	0.46	11.76	090	Y	Y	N	N	N	213.86	310.11
28288		A	6.02	4.7	0.8	11.52	6.02	8.88	0.8	15.7	090	Y	N	N	N	N	303.78	414.01
28289		A	8.31	5.37	1.22	14.9	8.31	9.81	1.22	19.34	090	Y	Y	Y	D	N	392.91	510.00
28290		A	5.83	3.99	0.83	10.65	5.83	8.56	0.83	15.22	090	Y	Y	N	N	N	280.84	401.35
28292		A	9.05	6.13	1.04	16.22	9.05	10.61	1.04	20.7	090	Y	Y	Y	D	N	427.72	545.86
28293		A	11.48	6.65	1.14	19.27	11.48	14.61	1.14	27.23	090	Y	Y	Y	D	N	508.15	718.06
28294		A	8.75	4.74	1.12	14.61	8.75	9.87	1.12	19.74	090	Y	Y	Y	D	N	385.27	520.54
28296		A	8.35	4.87	0.92	14.14	8.35	9.44	0.92	18.71	090	Y	Y	Y	D	N	372.87	493.38
28297		A	9.43	5.18	1.42	16.03	9.43	10.65	1.42	21.5	090	Y	Y	Y	D	N	422.71	566.96
28298		A	8.13	4.61	1.04	13.78	8.13	9.76	1.04	18.93	090	Y	Y	Y	D	N	363.38	499.18
28299		A	11.57	5.57	1.37	18.51	11.57	10.76	1.37	23.7	090	Y	Y	Y	D	N	488.11	624.97
28300		A	9.73	6.26	1.93	17.92	9.73	6.26	1.93	17.92	090	Y	Y	Y	D	N	472.55	472.55
28302		A	9.74	7.31	2.31	19.36	9.74	7.31	2.31	19.36	090	Y	Y	Y	D	N	510.52	510.52
28304		A	9.41	5.45	1.46	16.32	9.41	10.57	1.46	21.44	090	Y	Y	Y	D	N	430.36	565.37
28305		A	10.77	5.61	0.98	17.36	10.77	5.61	0.98	17.36	090	Y	Y	Y	D	N	457.78	457.78
28306		A	6	4.02	0.99	11.01	6	9.02	0.99	16.01	090	Y	Y	Y	D	N	290.33	422.18
28307		A	6.5	4.67	1.53	12.7	6.5	10.23	1.53	18.26	090	Y	Y	D	N	N	334.90	481.52
28308		A	5.48	3.9	0.73	10.11	5.48	8.36	0.73	14.57	090	Y	Y	Y	D	N	266.60	384.21
28309		A	14.16	7.91	2.52	24.59	14.16	7.91	2.52	24.59	090	Y	Y	D	N	N	648.44	648.44

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
28310		A	5.57	3.4	0.65	9.62	5.57	7.85	0.65	14.07	090	Y	Y	N	D	N	253.68	371.03
28312		A	4.69	3.34	0.6	8.63	4.69	7.89	0.6	13.18	090	Y	N	N	D	N	227.57	347.56
28313		A	5.15	3.78	0.83	9.76	5.15	7.85	0.83	13.83	090	Y	N	N	N	N	257.37	364.70
28315		A	5	3.18	0.59	8.77	5	6.89	0.59	12.48	090	Y	Y	N	D	N	231.26	329.10
28320		A	9.37	5.87	1.67	16.91	9.37	5.87	1.67	16.91	090	Y	Y	Y	D	N	445.92	445.92
28322		A	8.53	5.72	1.57	15.82	8.53	10.77	1.57	20.87	090	Y	N	Y	D	N	417.17	550.34
28340		A	7.15	3.49	0.65	11.29	7.15	7.44	0.65	15.24	090	Y	N	N	N	N	297.72	401.88
28341		A	8.72	3.99	0.8	13.51	8.72	8.26	0.8	17.78	090	Y	N	N	N	N	356.26	468.86
28344		A	4.4	2.9	0.41	7.71	4.4	6.4	0.41	11.21	090	Y	Y	N	D	N	203.31	295.61
28345		A	6.09	3.28	0.54	9.91	6.09	7.04	0.54	13.67	090	Y	N	D	N	N	261.33	360.48
28360		A	14.92	6.26	3.82	25	14.92	6.26	3.82	25	090	Y	Y	Y	N	N	659.25	659.25
28400		A	2.31	3.19	0.44	5.94	2.31	3.69	0.44	6.44	090	Y	Y	N	N	N	156.64	169.82
28405		A	4.74	3.92	0.78	9.44	4.74	4.75	0.78	10.27	090	Y	Y	D	N	N	248.93	270.82
28406		A	6.56	6.17	1.41	14.14	6.56	6.17	1.41	14.14	090	Y	Y	D	N	N	372.87	372.87
28415		A	16.19	10.72	3.4	30.31	16.19	10.72	3.4	30.31	090	Y	Y	Y	D	N	799.27	799.27
28420		A	17.52	12.46	4.16	34.14	17.52	12.46	4.16	34.14	090	Y	Y	Y	D	N	900.27	900.27
28430		A	2.22	2.84	0.41	5.47	2.22	3.45	0.41	6.08	090	Y	Y	N	N	N	144.24	160.33
28435		A	3.54	3.43	0.83	7.8	3.54	4.23	0.83	8.6	090	Y	Y	D	N	N	205.69	226.78
28436		A	4.9	5.77	1.18	11.85	4.9	5.77	1.18	11.85	090	Y	Y	N	N	N	312.48	312.48
28445		A	15.76	9.96	3.34	29.06	15.76	9.96	3.34	29.06	090	Y	Y	Y	D	N	766.31	766.31
28446		A	17.71	11.58	4.21	33.5	17.71	11.58	4.21	33.5	090	Y	Y	Y	D	N	883.40	883.40
28450		A	2.03	2.64	0.36	5.03	2.03	3.19	0.36	5.58	090	Y	N	N	N	N	132.64	147.14
28455		A	3.24	3.32	0.53	7.09	3.24	4.04	0.53	7.81	090	Y	N	D	N	N	186.96	205.95
28456		A	2.86	4.69	0.68	8.23	2.86	4.69	0.68	8.23	090	Y	N	N	N	N	217.03	217.03
28465		A	8.8	6.57	1.52	16.89	8.8	6.57	1.52	16.89	090	Y	N	N	N	N	445.39	445.39
28470		A	2.03	2.93	0.4	5.36	2.03	3.27	0.4	5.7	090	Y	N	N	N	N	141.34	150.31
28475		A	3.01	2.59	0.45	6.05	3.01	3.26	0.45	6.72	090	Y	N	N	N	N	159.54	177.21
28476		A	3.6	4.87	0.64	9.11	3.6	4.87	0.64	9.11	090	Y	N	D	N	N	240.23	240.23
28485		A	7.44	5.55	1.14	14.13	7.44	5.55	1.14	14.13	090	Y	N	N	D	N	372.61	372.61
28490		A	1.17	1.86	0.19	3.22	1.17	2.34	0.19	3.7	090	Y	Y	N	N	N	84.91	97.57
28495		A	1.68	1.98	0.24	3.9	1.68	2.64	0.24	4.56	090	Y	Y	N	N	N	102.84	120.25
28496		A	2.48	3.19	0.41	6.08	2.48	8.02	0.41	10.91	090	Y	Y	N	N	N	160.33	287.70
28505		A	7.44	4.9	1.12	13.46	7.44	8.84	1.12	17.4	090	Y	Y	N	N	N	354.94	458.84
28510		A	1.17	1.76	0.16	3.09	1.17	1.84	0.16	3.17	090	Y	N	N	N	N	81.48	83.59
28515		A	1.56	1.92	0.21	3.69	1.56	2.36	0.21	4.13	090	Y	N	N	N	N	97.31	108.91
28525		A	5.62	4.32	0.85	10.79	5.62	8.34	0.85	14.81	090	Y	N	D	N	N	284.53	390.54
28530		A	1.11	1.4	0.14	2.65	1.11	1.7	0.14	2.95	090	Y	Y	D	N	N	69.88	77.79
28531		A	2.57	2.05	0.6	5.22	2.57	5.85	0.6	9.02	090	Y	Y	N	Y	N	137.65	237.86
28540		A	2.19	2.37	0.26	4.82	2.19	2.85	0.26	5.3	090	Y	Y	D	N	N	127.10	139.76
28545		A	2.6	3.62	0.6	6.82	2.6	4.4	0.6	7.6	090	Y	Y	D	N	N	179.84	200.41
28546		A	3.4	4.65	0.8	8.85	3.4	10.28	0.8	14.48	090	Y	Y	D	N	N	233.37	381.84
28555		A	9.65	6.43	1.93	18.01	9.65	11.34	1.93	22.92	090	Y	Y	Y	D	N	474.92	604.40
28570		A	1.76	2.76	0.14	4.66	1.76	3.56	0.14	5.46	090	Y	Y	D	N	N	122.88	143.98
28575		A	3.49	4.33	0.82	8.64	3.49	5.15	0.82	9.46	090	Y	Y	D	N	N	227.84	249.46
28576		A	4.6	4.81	1.08	10.49	4.6	4.81	1.08	10.49	090	Y	Y	D	N	N	276.62	276.62
28585		A	11.13	5.72	1.98	18.83	11.13	10.04	1.98	23.15	090	Y	Y	Y	D	N	496.55	610.47
28600		A	2.02	2.57	0.35	4.94	2.02	3.29	0.35	5.66	090	Y	N	D	N	N	130.27	149.25
28605		A	2.89	4.09	0.68	7.66	2.89	4.85	0.68	8.42	090	Y	N	D	N	N	201.99	222.04
28606		A	5.09	4.58	1	10.67	5.09	4.58	1	10.67	090	Y	N	N	N	N	281.37	281.37
28615		A	10.7	8.49	2.12	21.31	10.7	8.49	2.12	21.31	090	Y	N	Y	D	N	561.94	561.94
28630		A	1.75	0.97	0.28	3	1.75	2.09	0.28	4.12	010	Y	N	D	N	N	79.11	108.64
28635		A	1.96	1.35	0.26	3.57	1.96	2.35	0.26	4.57	010	Y	N	D	N	N	94.14	120.51
28636		A	2.77	1.52	0.46	4.75	2.77	3.55	0.46	6.78	010	Y	N	N	Y	N	125.26	178.79
28645		A	7.44	4.71	0.97	13.12	7.44	8.79	0.97	17.2	090	Y	N	N	D	N	345.97	453.56

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
28660		A	1.28	0.9	0.24	2.42	1.28	1.53	0.24	3.05	010	Y	N	N	N	N	63.82	80.43
28665		A	1.97	1.3	0.29	3.56	1.97	1.82	0.29	4.08	010	Y	N	D	N	N	93.88	107.59
28666		A	2.66	1.89	0.63	5.18	2.66	1.89	0.63	5.18	010	Y	N	N	Y	N	136.60	136.60
28675		A	5.62	4.3	0.9	10.82	5.62	8.23	0.9	14.75	090	Y	N	N	N	N	285.32	388.96
28705		A	20.33	10.65	4.16	35.14	20.33	10.65	4.16	35.14	090	Y	Y	Y	D	N	926.64	926.64
28715		A	13.42	9.34	2.74	25.5	13.42	9.34	2.74	25.5	090	Y	Y	Y	D	N	672.44	672.44
28725		A	11.22	7.72	2.07	21.01	11.22	7.72	2.07	21.01	090	Y	Y	Y	D	N	554.03	554.03
28730		A	10.7	7.32	1.98	20	10.7	7.32	1.98	20	090	Y	Y	Y	D	N	527.40	527.40
28735		A	12.23	7.09	2.14	21.46	12.23	7.09	2.14	21.46	090	Y	Y	Y	D	N	565.90	565.90
28737		A	11.03	6.28	1.53	18.84	11.03	6.28	1.53	18.84	090	Y	Y	Y	D	N	496.81	496.81
28740		A	9.29	6.17	1.63	17.09	9.29	11.51	1.63	22.43	090	Y	N	Y	D	N	450.66	591.48
28750		A	8.57	6.02	1.57	16.16	8.57	11.31	1.57	21.45	090	Y	Y	D	N	N	426.14	565.64
28755		A	4.88	3.41	0.63	8.92	4.88	7.66	0.63	13.17	090	Y	Y	N	D	N	235.22	347.29
28760		A	9.14	5.25	1.26	15.65	9.14	10.23	1.26	20.63	090	Y	Y	Y	D	N	412.69	544.01
28800		A	8.79	4.7	1.57	15.06	8.79	4.7	1.57	15.06	090	Y	Y	Y	D	N	397.13	397.13
28805		A	12.71	5.57	2.57	20.85	12.71	5.57	2.57	20.85	090	Y	Y	D	N	N	549.81	549.81
28810		A	6.64	3.98	1.42	12.04	6.64	3.98	1.42	12.04	090	Y	N	D	N	N	317.49	317.49
28820		A	5.82	4.03	1.02	10.87	5.82	8.07	1.02	14.91	090	Y	N	N	N	N	286.64	393.18
28825		A	5.37	3.87	0.9	10.14	5.37	7.89	0.9	14.16	090	Y	N	N	N	N	267.39	373.40
28890		NOT COVEI	3.45	2.24	0.41	6.1	3.45	4.58	0.41	8.44	090	Y	Y	N	D	N	160.86	222.56
28899		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
29000		A	2.25	1.96	0.21	4.42	2.25	5.06	0.21	7.52	000	Y	N	D	N	N	116.56	198.30
29010		A	2.06	1.56	0.46	4.08	2.06	3.75	0.46	6.27	000	Y	N	D	N	N	107.59	165.34
29015		A	2.41	1.83	0.49	4.73	2.41	4.24	0.49	7.14	000	Y	N	D	N	N	124.73	188.28
29020		A	2.11	1.2	0.1	3.41	2.11	2.77	0.1	4.98	000	Y	N	D	N	N	89.92	131.32
29025		A	2.4	1.93	0.58	4.91	2.4	4.52	0.58	7.5	000	Y	N	D	N	N	129.48	197.78
29035		A	1.77	1.48	0.41	3.66	1.77	3.74	0.41	5.92	000	Y	N	D	N	N	96.51	156.11
29040		A	2.22	2.25	0.5	4.97	2.22	6.06	0.5	8.78	000	Y	N	D	N	N	131.06	231.53
29044		A	2.12	1.71	0.49	4.32	2.12	4.16	0.49	6.77	000	Y	N	D	N	N	113.92	178.52
29046		A	2.41	1.76	0.58	4.75	2.41	4.14	0.58	7.13	000	Y	N	D	N	N	125.26	188.02
29049		A	0.89	0.78	0.21	1.88	0.89	1.45	0.21	2.55	000	Y	N	D	N	N	49.58	67.24
29055		A	1.78	1.52	0.41	3.71	1.78	3.48	0.41	5.67	000	Y	N	D	N	N	97.83	149.52
29058		A	1.31	0.96	0.28	2.55	1.31	1.62	0.28	3.21	000	Y	N	D	N	N	67.24	84.65
29065		A	0.87	0.77	0.19	1.83	0.87	1.42	0.19	2.48	000	Y	Y	N	N	N	48.26	65.40
29075		A	0.77	0.73	0.16	1.66	0.77	1.3	0.16	2.23	000	Y	Y	N	N	N	43.77	58.81
29085		A	0.87	0.77	0.16	1.8	0.87	1.41	0.16	2.44	000	Y	Y	N	N	N	47.47	64.34
29086		A	0.62	0.63	0.1	1.35	0.62	1.27	0.1	1.99	000	Y	Y	N	N	N	35.60	52.48
29105		A	0.87	0.58	0.16	1.61	0.87	1.24	0.16	2.27	000	Y	Y	N	N	N	42.46	59.86
29125		A	0.5	0.46	0.1	1.06	0.5	1.04	0.1	1.64	000	Y	Y	N	N	N	27.95	43.25
29126		A	0.68	0.51	0.13	1.32	0.68	1.16	0.13	1.97	000	Y	Y	N	N	N	34.81	51.95
29130		A	0.5	0.21	0.09	0.8	0.5	0.5	0.09	1.09	000	Y	Y	N	N	N	21.10	28.74
29131		A	0.55	0.27	0.1	0.92	0.55	0.69	0.1	1.34	000	Y	Y	N	N	N	24.26	35.34
29200		A	0.65	0.36	0.06	1.07	0.65	0.66	0.06	1.37	000	Y	N	N	N	N	28.22	36.13
29240		A	0.71	0.4	0.06	1.17	0.71	0.71	0.06	1.48	000	Y	Y	N	N	N	30.85	39.03
29260		A	0.55	0.37	0.06	0.98	0.55	0.7	0.06	1.31	000	Y	Y	N	N	N	25.84	34.54
29280		A	0.51	0.39	0.05	0.95	0.51	0.72	0.05	1.28	000	Y	Y	N	N	N	25.05	33.75
29305		A	2.03	1.77	0.46	4.26	2.03	3.82	0.46	6.31	000	Y	N	D	N	N	112.34	166.39
29325		A	2.32	1.95	0.54	4.81	2.32	4.15	0.54	7.01	000	Y	N	D	N	N	126.84	184.85
29345		A	1.4	1.03	0.33	2.76	1.4	1.85	0.33	3.58	000	Y	Y	N	N	N	72.78	94.40
29355		A	1.53	1.06	0.35	2.94	1.53	1.86	0.35	3.74	000	Y	Y	N	N	N	77.53	98.62
29358		A	1.43	1.06	0.35	2.84	1.43	2.37	0.35	4.15	000	Y	Y	N	N	N	74.89	109.44
29365		A	1.18	0.93	0.28	2.39	1.18	1.75	0.28	3.21	000	Y	Y	N	N	N	63.02	84.65
29405		A	0.8	0.67	0.14	1.61	0.8	1.17	0.14	2.11	000	Y	Y	N	N	N	42.46	55.64
29425		A	0.8	0.6	0.13	1.53	0.8	1.11	0.13	2.04	000	Y	Y	N	N	N	40.35	53.79

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
29435		A	1.18	0.81	0.28	2.27	1.18	1.56	0.28	3.02	000	Y	Y	N	N	N	59.86	79.64
29440		A	0.57	0.18	0.1	0.85	0.57	0.52	0.1	1.19	000	Y	Y	N	N	N	22.41	31.38
29445		A	1.78	0.84	0.29	2.91	1.78	1.55	0.29	3.62	000	Y	Y	N	N	N	76.74	95.46
29450		A	2.08	0.77	0.26	3.11	2.08	1.46	0.26	3.8	000	Y	Y	N	N	N	82.01	100.21
29505		A	0.69	0.52	0.14	1.35	0.69	1.3	0.14	2.13	000	Y	Y	N	N	N	35.60	56.17
29515		A	0.73	0.5	0.13	1.36	0.73	1.01	0.13	1.87	000	Y	Y	N	N	N	35.86	49.31
29520		A	0.54	0.34	0.05	0.93	0.54	0.64	0.05	1.23	000	Y	Y	D	N	N	24.52	32.44
29530		A	0.57	0.36	0.06	0.99	0.57	0.67	0.06	1.3	000	Y	Y	N	N	N	26.11	34.28
29540		A	0.39	0.27	0.04	0.7	0.39	0.52	0.04	0.95	000	Y	Y	N	N	N	18.46	25.05
29550		A	0.25	0.24	0.01	0.5	0.25	0.52	0.01	0.78	000	Y	Y	N	N	N	13.19	20.57
29580		A	0.55	0.33	0.09	0.97	0.55	0.72	0.09	1.36	000	Y	Y	N	N	N	25.58	35.86
29581		A	0.25	0.08	0.01	0.34	0.25	1.23	0.01	1.49	000	Y	Y	D	N	N	8.97	39.29
29582		A	0.35	0.07	0.01	0.43	0.35	1.35	0.01	1.71	000	Y	Y	D	N	N	11.34	45.09
29583		A	0.25	0.05	0.01	0.31	0.25	0.81	0.01	1.07	000	Y	Y	D	N	N	8.17	28.22
29584		A	0.35	0.07	0.01	0.43	0.35	1.35	0.01	1.71	000	Y	Y	D	N	N	11.34	45.09
29700		A	0.57	0.25	0.13	0.95	0.57	0.91	0.13	1.61	000	Y	N	N	N	N	25.05	42.46
29705		A	0.76	0.39	0.14	1.29	0.76	0.85	0.14	1.75	000	Y	Y	N	N	N	34.02	46.15
29710		A	1.34	0.61	0.33	2.28	1.34	1.41	0.33	3.08	000	Y	Y	D	N	N	60.12	81.22
29715		A	0.94	0.3	0.14	1.38	0.94	0.92	0.14	2	000	Y	N	D	N	N	36.39	52.74
29720		A	0.68	0.38	0.14	1.2	0.68	1.33	0.14	2.15	000	Y	N	N	N	N	31.64	56.70
29730		A	0.75	0.36	0.14	1.25	0.75	0.82	0.14	1.71	000	Y	N	N	N	N	32.96	45.09
29740		A	1.12	0.57	0.21	1.9	1.12	1.24	0.21	2.57	000	Y	N	N	N	N	50.10	67.77
29750		A	1.26	0.32	0.31	1.89	1.26	0.78	0.31	2.35	000	Y	Y	D	N	N	49.84	61.97
29799		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
29800		A	6.84	5.62	1.6	14.06	6.84	5.62	1.6	14.06	090	Y	Y	D	N	N	370.76	370.76
29804		A	8.87	6.82	2.08	17.77	8.87	6.82	2.08	17.77	090	Y	Y	Y	D	N	468.59	468.59
29805		A	6.03	5.22	1.42	12.67	6.03	5.22	1.42	12.67	090	Y	Y	N	D	N	334.11	334.11
29806		A	15.14	10.27	3.58	28.99	15.14	10.27	3.58	28.99	090	Y	Y	N	D	N	764.47	764.47
29807		A	14.67	10.1	3.44	28.21	14.67	10.1	3.44	28.21	090	Y	Y	N	D	N	743.90	743.90
29819		A	7.79	6.22	1.82	15.83	7.79	6.22	1.82	15.83	090	Y	Y	N	D	N	417.44	417.44
29820		A	7.21	5.72	1.68	14.61	7.21	5.72	1.68	14.61	090	Y	Y	Y	D	N	385.27	385.27
29821		A	7.89	6.23	1.86	15.98	7.89	6.23	1.86	15.98	090	Y	Y	Y	D	N	421.39	421.39
29822		A	7.6	6.13	1.8	15.53	7.6	6.13	1.8	15.53	090	Y	Y	Y	N	N	409.53	409.53
29823		A	8.36	6.64	1.96	16.96	8.36	6.64	1.96	16.96	090	Y	Y	Y	D	N	447.24	447.24
29824		A	8.98	7.21	2.12	18.31	8.98	7.21	2.12	18.31	090	Y	Y	Y	D	N	482.83	482.83
29825		A	7.79	6.22	1.82	15.83	7.79	6.22	1.82	15.83	090	Y	Y	Y	D	N	417.44	417.44
29826		A	3	1.26	0.7	4.96	3	1.26	0.7	4.96	ZZZ	N	Y	Y	D	N	130.80	130.80
29827		A	15.59	10.15	3.71	29.45	15.59	10.15	3.71	29.45	090	Y	Y	Y	D	N	776.60	776.60
29828		A	13.16	8.98	3.11	25.25	13.16	8.98	3.11	25.25	090	Y	Y	Y	D	N	665.84	665.84
29830		A	5.88	4.97	1.41	12.26	5.88	4.97	1.41	12.26	090	Y	Y	N	N	N	323.30	323.30
29834		A	6.42	5.32	1.47	13.21	6.42	5.32	1.47	13.21	090	Y	Y	Y	D	N	348.35	348.35
29835		A	6.62	5.48	1.54	13.64	6.62	5.48	1.54	13.64	090	Y	Y	Y	D	N	359.69	359.69
29836		A	7.72	6.07	1.82	15.61	7.72	6.07	1.82	15.61	090	Y	Y	Y	D	N	411.64	411.64
29837		A	7.01	5.63	1.63	14.27	7.01	5.63	1.63	14.27	090	Y	Y	Y	D	N	376.30	376.30
29838		A	7.88	6.22	1.8	15.9	7.88	6.22	1.8	15.9	090	Y	Y	D	N	N	419.28	419.28
29840		A	5.68	5.08	1.36	12.12	5.68	5.08	1.36	12.12	090	Y	Y	D	N	N	319.60	319.60
29843		A	6.15	5.37	1.46	12.98	6.15	5.37	1.46	12.98	090	Y	Y	Y	D	N	342.28	342.28
29844		A	6.51	5.44	1.42	13.37	6.51	5.44	1.42	13.37	090	Y	Y	Y	N	N	352.57	352.57
29845		A	7.69	6.22	1.65	15.56	7.69	6.22	1.65	15.56	090	Y	Y	Y	D	N	410.32	410.32
29846		A	6.89	5.62	1.47	13.98	6.89	5.62	1.47	13.98	090	Y	Y	D	N	N	368.65	368.65
29847		A	7.22	5.77	1.71	14.7	7.22	5.77	1.71	14.7	090	Y	Y	Y	N	N	387.64	387.64
29848		A	6.39	5.82	1.41	13.62	6.39	5.82	1.41	13.62	090	Y	Y	N	N	N	359.16	359.16
29850		A	8.27	6.61	1.95	16.83	8.27	6.61	1.95	16.83	090	Y	Y	D	Y	N	443.81	443.81
29851		A	13.26	9.03	3.14	25.43	13.26	9.03	3.14	25.43	090	Y	Y	Y	Y	N	670.59	670.59

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
29855		A	10.76	8.06	2.55	21.37	10.76	8.06	2.55	21.37	090	Y	Y	Y	Y	N	563.53	563.53
29856		A	14.28	9.55	3.4	27.23	14.28	9.55	3.4	27.23	090	Y	Y	Y	Y	N	718.06	718.06
29860		A	9	6.92	2.14	18.06	9	6.92	2.14	18.06	090	Y	Y	Y	D	N	476.24	476.24
29861		A	10.1	7.28	2.36	19.74	10.1	7.28	2.36	19.74	090	Y	Y	Y	D	N	520.54	520.54
29862		A	11.17	8.38	2.63	22.18	11.17	8.38	2.63	22.18	090	Y	Y	Y	D	N	584.89	584.89
29863		A	11.17	8.43	2.64	22.24	11.17	8.43	2.64	22.24	090	Y	Y	Y	D	N	586.47	586.47
29866		NOT COVEI	14.67	10.41	3.49	28.57	14.67	10.41	3.49	28.57	090	Y	Y	D	N	N	753.39	753.39
29867		NOT COVEI	18.39	12.21	4.35	34.95	18.39	12.21	4.35	34.95	090	Y	Y	D	N	N	921.63	921.63
29868		NOT COVEI	25.1	15.03	5.94	46.07	25.1	15.03	5.94	46.07	090	Y	Y	D	N	N	1,214.87	1,214.87
29870		A	5.19	4.65	1.23	11.07	5.19	8.64	1.23	15.06	090	Y	Y	N	D	N	291.92	397.13
29871		A	6.69	5.59	1.57	13.85	6.69	5.59	1.57	13.85	090	Y	Y	N	N	N	365.22	365.22
29873		A	6.24	6.26	1.47	13.97	6.24	6.26	1.47	13.97	090	Y	Y	N	D	N	368.39	368.39
29874		A	7.19	5.67	1.68	14.54	7.19	5.67	1.68	14.54	090	Y	Y	D	N	N	383.42	383.42
29875		A	6.45	5.38	1.52	13.35	6.45	5.38	1.52	13.35	090	Y	Y	D	N	N	352.04	352.04
29876		A	8.87	6.84	2.08	17.79	8.87	6.84	2.08	17.79	090	Y	Y	N	N	N	469.12	469.12
29877		A	8.3	6.61	1.95	16.86	8.3	6.61	1.95	16.86	090	Y	Y	D	N	N	444.60	444.60
29879		A	8.99	6.88	2.12	17.99	8.99	6.88	2.12	17.99	090	Y	Y	D	N	N	474.40	474.40
29880		A	7.39	6.08	1.75	15.22	7.39	6.08	1.75	15.22	090	Y	Y	D	D	N	401.35	401.35
29881		A	7.03	5.93	1.65	14.61	7.03	5.93	1.65	14.61	090	Y	Y	D	N	N	385.27	385.27
29882		A	9.6	7.15	2.27	19.02	9.6	7.15	2.27	19.02	090	Y	Y	N	N	N	501.56	501.56
29883		A	11.77	8.42	2.76	22.95	11.77	8.42	2.76	22.95	090	Y	Y	D	N	N	605.19	605.19
29884		A	8.28	6.56	1.95	16.79	8.28	6.56	1.95	16.79	090	Y	Y	Y	D	N	442.75	442.75
29885		A	10.21	7.77	2.4	20.38	10.21	7.77	2.4	20.38	090	Y	Y	Y	D	N	537.42	537.42
29886		A	8.49	6.71	2	17.2	8.49	6.71	2	17.2	090	Y	Y	N	N	N	453.56	453.56
29887		A	10.16	7.75	2.39	20.3	10.16	7.75	2.39	20.3	090	Y	Y	Y	D	N	535.31	535.31
29888		A	14.3	9.41	3.37	27.08	14.3	9.41	3.37	27.08	090	Y	Y	Y	D	N	714.10	714.10
29889		A	17.41	11.86	4.11	33.38	17.41	11.86	4.11	33.38	090	Y	Y	Y	D	N	880.23	880.23
29891		A	9.67	7	1.98	18.65	9.67	7	1.98	18.65	090	Y	Y	Y	N	N	491.80	491.80
29892		A	10.27	4.67	2.41	17.35	10.27	4.67	2.41	17.35	090	Y	Y	Y	N	N	457.52	457.52
29893		A	6.32	4.51	0.6	11.43	6.32	8.86	0.6	15.78	090	Y	Y	N	D	N	301.41	416.12
29894		A	7.35	5.03	1.47	13.85	7.35	5.03	1.47	13.85	090	Y	Y	Y	D	N	365.22	365.22
29895		A	7.13	4.48	1.36	12.97	7.13	4.48	1.36	12.97	090	Y	Y	Y	D	N	342.02	342.02
29897		A	7.32	5.11	1.49	13.92	7.32	5.11	1.49	13.92	090	Y	Y	Y	N	N	367.07	367.07
29898		A	8.49	5.39	1.54	15.42	8.49	5.39	1.54	15.42	090	Y	Y	Y	D	N	406.63	406.63
29899		A	15.41	9.58	3.44	28.43	15.41	9.58	3.44	28.43	090	Y	Y	Y	D	N	749.70	749.70
29900		A	5.88	5.91	0.49	12.28	5.88	5.91	0.49	12.28	090	Y	Y	D	N	N	323.82	323.82
29901		A	6.59	6.11	1.54	14.24	6.59	6.11	1.54	14.24	090	Y	Y	D	N	N	375.51	375.51
29902		A	7.16	6.42	3.09	16.67	7.16	6.42	3.09	16.67	090	Y	Y	D	N	N	439.59	439.59
29904		A	8.65	6.58	2.03	17.26	8.65	6.58	2.03	17.26	090	Y	Y	Y	N	N	455.15	455.15
29905		A	9.18	7.29	2.17	18.64	9.18	7.29	2.17	18.64	090	Y	Y	Y	N	N	491.54	491.54
29906		A	9.65	7.7	2.27	19.62	9.65	7.7	2.27	19.62	090	Y	Y	Y	N	N	517.38	517.38
29907		A	12.18	8.76	2.89	23.83	12.18	8.76	2.89	23.83	090	Y	Y	Y	N	N	628.40	628.40
29914		A	14.67	9.53	3.49	27.69	14.67	9.53	3.49	27.69	090	Y	Y	Y	D	N	730.19	730.19
29915		A	15	9.72	3.54	28.26	15	9.72	3.54	28.26	090	Y	Y	Y	D	N	745.22	745.22
29916		A	15	9.73	3.54	28.27	15	9.73	3.54	28.27	090	Y	Y	Y	D	N	745.48	745.48
29999		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
30000		A	1.48	1.44	0.26	3.18	1.48	4.11	0.26	5.85	010	Y	N	D	N	N	83.86	154.26
30020		A	1.48	1.45	0.24	3.17	1.48	4.16	0.24	5.88	010	Y	N	N	N	N	83.59	155.06
30100		A	0.94	0.77	0.14	1.85	0.94	2.47	0.14	3.55	000	Y	N	N	N	N	48.78	93.61
30110		A	1.68	1.53	0.28	3.49	1.68	3.9	0.28	5.86	010	Y	Y	N	N	N	92.03	154.53
30115		A	4.44	6.05	0.68	11.17	4.44	6.05	0.68	11.17	090	Y	Y	N	N	N	294.55	294.55
30117		A	3.26	4.96	0.49	8.71	3.26	17.69	0.49	21.44	090	Y	N	N	N	N	229.68	565.37
30118		A	9.92	8.95	1.57	20.44	9.92	8.95	1.57	20.44	090	Y	N	N	D	N	539.00	539.00
30120		A	5.39	5.2	1	11.59	5.39	7.08	1	13.47	090	Y	N	N	N	N	305.63	355.20

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
30124		A	3.2	3.8	0.49	7.49	3.2	3.8	0.49	7.49	090	Y	N	N	N	N	197.51	197.51
30125		A	7.3	7.63	1.12	16.05	7.3	7.63	1.12	16.05	090	Y	N	Y	N	N	423.24	423.24
30130		A	3.47	5.75	0.53	9.75	3.47	5.75	0.53	9.75	090	Y	Y	N	N	N	257.11	257.11
30140		A	3.57	7.11	0.54	11.22	3.57	7.11	0.54	11.22	090	Y	Y	N	N	N	295.87	295.87
30150		A	9.55	9.24	1.71	20.5	9.55	9.24	1.71	20.5	090	Y	N	N	D	N	540.59	540.59
30160		A	9.99	9.05	1.53	20.57	9.99	9.05	1.53	20.57	090	Y	N	Y	D	N	542.43	542.43
30200		A	0.78	0.7	0.13	1.61	0.78	1.98	0.13	2.89	000	Y	N	N	N	N	42.46	76.21
30210		A	1.13	1.32	0.16	2.61	1.13	2.51	0.16	3.8	010	Y	N	N	N	N	68.83	100.21
30220		A	1.59	1.49	0.26	3.34	1.59	5.72	0.26	7.57	010	Y	N	N	N	N	88.08	199.62
30300		A	1.09	1.99	0.16	3.24	1.09	4.47	0.16	5.72	010	Y	N	N	N	N	85.44	150.84
30310		A	2.01	3.05	0.31	5.37	2.01	3.05	0.31	5.37	010	Y	N	D	N	N	141.61	141.61
30320		A	4.64	6.37	0.72	11.73	4.64	6.37	0.72	11.73	090	Y	N	D	N	N	309.32	309.32
30400		A	10.86	13.78	1.67	26.31	10.86	13.78	1.67	26.31	090	Y	N	D	N	N	693.79	693.79
30410		A	14	15	2.16	31.16	14	15	2.16	31.16	090	Y	N	Y	N	N	821.69	821.69
30420		A	16.9	16.62	2.89	36.41	16.9	16.62	2.89	36.41	090	Y	N	N	N	N	960.13	960.13
30430		A	8.24	14.83	1.95	25.02	8.24	14.83	1.95	25.02	090	Y	N	Y	N	N	659.78	659.78
30435		A	12.73	14.51	1.96	29.2	12.73	14.51	1.96	29.2	090	Y	N	Y	N	N	770.00	770.00
30450		A	19.66	17.19	3.03	39.88	19.66	17.19	3.03	39.88	090	Y	N	Y	N	N	1,051.64	1,051.64
30460		A	10.32	7.69	2.41	20.42	10.32	7.69	2.41	20.42	090	Y	N	Y	Y	N	538.48	538.48
30462		A	20.28	17.25	4.81	42.34	20.28	17.25	4.81	42.34	090	Y	N	Y	Y	N	1,116.51	1,116.51
30465		A	12.36	11.71	2.08	26.15	12.36	11.71	2.08	26.15	090	Y	N	D	N	N	689.58	689.58
30520		A	7.01	8.28	1.08	16.37	7.01	8.28	1.08	16.37	090	Y	N	N	N	N	431.68	431.68
30540		A	7.92	8.91	1.23	18.06	7.92	8.91	1.23	18.06	090	Y	N	Y	N	N	476.24	476.24
30545		A	11.62	11.48	0.98	24.08	11.62	11.48	0.98	24.08	090	Y	N	Y	N	N	634.99	634.99
30560		A	1.31	2.05	0.21	3.57	1.31	5.18	0.21	6.7	010	Y	N	N	N	N	94.14	176.68
30580		A	6.88	5.63	1.04	13.55	6.88	8.94	1.04	16.86	090	Y	N	N	N	N	357.31	444.60
30600		A	6.16	4.74	0.94	11.84	6.16	8.14	0.94	15.24	090	Y	N	D	N	N	312.22	401.88
30620		A	6.16	9.01	1.06	16.23	6.16	9.01	1.06	16.23	090	Y	N	N	N	N	427.99	427.99
30630		A	7.29	8.03	1.19	16.51	7.29	8.03	1.19	16.51	090	Y	N	D	N	N	435.37	435.37
30801		A	1.14	2.2	0.16	3.5	1.14	4.34	0.16	5.64	010	Y	B	N	N	N	92.30	148.73
30802		A	2.08	2.58	0.33	4.99	2.08	4.92	0.33	7.33	010	Y	B	N	N	N	131.59	193.29
30901		A	1.1	0.32	0.19	1.61	1.1	1.22	0.19	2.51	000	Y	Y	N	N	N	42.46	66.19
30903		A	1.54	0.44	0.28	2.26	1.54	3.43	0.28	5.25	000	Y	Y	N	N	N	59.60	138.44
30905		A	1.97	0.54	0.36	2.87	1.97	4.2	0.36	6.53	000	Y	B	N	N	N	75.68	172.20
30906		A	2.45	0.84	0.4	3.69	2.45	4.38	0.4	7.23	000	Y	B	N	N	N	97.31	190.66
30915		A	7.44	6.75	1.19	15.38	7.44	6.75	1.19	15.38	090	Y	N	N	N	N	405.57	405.57
30920		A	11.14	9.44	1.76	22.34	11.14	9.44	1.76	22.34	090	Y	N	N	N	N	589.11	589.11
30930		A	1.31	1.71	0.21	3.23	1.31	1.71	0.21	3.23	010	Y	Y	N	N	N	85.18	85.18
30999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
31000		A	1.2	1.39	0.16	2.75	1.2	3.22	0.16	4.58	010	Y	Y	N	N	N	72.52	120.77
31002		A	1.96	2.94	0.31	5.21	1.96	2.94	0.31	5.21	010	Y	Y	D	N	N	137.39	137.39
31020		A	3.07	5.61	0.46	9.14	3.07	8.53	0.46	12.06	090	Y	Y	N	N	N	241.02	318.02
31030		A	6.01	6.88	0.9	13.79	6.01	10.68	0.9	17.59	090	Y	Y	N	N	N	363.64	463.85
31032		A	6.69	7.34	1.04	15.07	6.69	7.34	1.04	15.07	090	Y	Y	N	N	N	397.40	397.40
31040		A	9.77	8.92	1.67	20.36	9.77	8.92	1.67	20.36	090	Y	Y	N	D	N	536.89	536.89
31050		A	5.37	6.46	0.82	12.65	5.37	6.46	0.82	12.65	090	Y	Y	N	N	N	333.58	333.58
31051		A	7.25	8.52	1.09	16.86	7.25	8.52	1.09	16.86	090	Y	Y	N	N	N	444.60	444.60
31070		A	4.4	6.29	0.7	11.39	4.4	6.29	0.7	11.39	090	Y	Y	N	N	N	300.35	300.35
31075		A	9.51	9.64	1.47	20.62	9.51	9.64	1.47	20.62	090	Y	Y	Y	D	N	543.75	543.75
31080		A	12.74	12.53	1.96	27.23	12.74	12.53	1.96	27.23	090	Y	Y	Y	N	N	718.06	718.06
31081		A	14.19	19.27	6.12	39.58	14.19	19.27	6.12	39.58	090	Y	Y	Y	D	N	1,043.72	1,043.72
31084		A	14.95	13.39	2.31	30.65	14.95	13.39	2.31	30.65	090	Y	Y	Y	D	N	808.24	808.24
31085		A	15.64	19.84	6.74	42.22	15.64	19.84	6.74	42.22	090	Y	Y	Y	D	N	1,113.34	1,113.34
31086		A	14.36	13.15	2.22	29.73	14.36	13.15	2.22	29.73	090	Y	Y	Y	N	N	783.98	783.98

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
31087		A	14.57	12.04	2.24	28.85	14.57	12.04	2.24	28.85	090	Y	Y	Y	D	N	760.77	760.77
31090		A	11.17	13.91	1.77	26.85	11.17	13.91	1.77	26.85	090	Y	Y	N	N	N	708.03	708.03
31200		A	5.14	8.72	0.88	14.74	5.14	8.72	0.88	14.74	090	Y	Y	N	N	N	388.69	388.69
31201		A	8.6	9.54	1.37	19.51	8.6	9.54	1.37	19.51	090	Y	Y	N	N	N	514.48	514.48
31205		A	10.58	11.52	1.91	24.01	10.58	11.52	1.91	24.01	090	Y	Y	Y	D	N	633.14	633.14
31225		A	26.7	19.49	4.26	50.45	26.7	19.49	4.26	50.45	090	Y	Y	Y	D	N	1,330.37	1,330.37
31230		A	30.82	20.58	4.76	56.16	30.82	20.58	4.76	56.16	090	Y	Y	Y	D	N	1,480.94	1,480.94
31231		A	1.1	0.53	0.14	1.77	1.1	3.92	0.14	5.16	000	Y	B	N	N	N	46.67	136.07
31233		A	2.18	1.24	0.35	3.77	2.18	4.23	0.35	6.76	000	Y	Y	D	N	N	99.41	178.26
31235		A	2.64	1.41	0.4	4.45	2.64	4.65	0.4	7.69	000	Y	Y	D	N	N	117.35	202.79
31237		A	2.6	1.44	0.4	4.44	2.6	3.69	0.4	6.69	000	Y	Y	N	N	N	117.08	176.42
31238		A	2.74	1.49	0.41	4.64	2.74	3.54	0.41	6.69	000	Y	Y	D	N	N	122.36	176.42
31239		A	9.04	6.37	1.44	16.85	9.04	6.37	1.44	16.85	010	Y	Y	D	N	N	444.33	444.33
31240		A	2.61	1.41	0.41	4.43	2.61	1.41	0.41	4.43	000	Y	Y	D	N	N	116.82	116.82
31254		A	4.64	2.2	0.72	7.56	4.64	2.2	0.72	7.56	000	Y	Y	N	N	N	199.36	199.36
31255		A	6.95	3.09	1.06	11.1	6.95	3.09	1.06	11.1	000	Y	Y	N	N	N	292.71	292.71
31256		A	3.29	1.66	0.49	5.44	3.29	1.66	0.49	5.44	000	Y	Y	N	N	N	143.45	143.45
31267		A	5.45	2.5	0.83	8.78	5.45	2.5	0.83	8.78	000	Y	Y	N	N	N	231.53	231.53
31276		A	8.84	3.82	1.37	14.03	8.84	3.82	1.37	14.03	000	Y	Y	N	N	N	369.97	369.97
31287		A	3.91	1.91	0.6	6.42	3.91	1.91	0.6	6.42	000	Y	Y	D	N	N	169.30	169.30
31288		A	4.57	2.16	0.72	7.45	4.57	2.16	0.72	7.45	000	Y	Y	D	N	N	196.46	196.46
31290		A	18.61	10.07	3.17	31.85	18.61	10.07	3.17	31.85	010	Y	Y	D	N	N	839.88	839.88
31291		A	19.56	10.59	3.77	33.92	19.56	10.59	3.77	33.92	010	Y	Y	D	N	N	894.47	894.47
31292		A	15.9	9	2.45	27.35	15.9	9	2.45	27.35	010	Y	Y	D	N	N	721.22	721.22
31293		A	17.47	9.58	2.68	29.73	17.47	9.58	2.68	29.73	010	Y	Y	D	N	N	783.98	783.98
31294		A	20.31	10.67	3.14	34.12	20.31	10.67	3.14	34.12	010	Y	Y	D	N	N	899.74	899.74
31295		A	2.7	1.47	0.41	4.58	2.7	46.35	0.41	49.46	000	Y	Y	Y	N	N	120.77	1,304.26
31296		A	3.29	1.71	0.5	5.5	3.29	46.53	0.5	50.32	000	Y	Y	Y	N	N	145.04	1,326.94
31297		A	2.64	1.46	0.41	4.51	2.64	46.32	0.41	49.37	000	Y	Y	D	N	N	118.93	1,301.89
31299		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
31300		A	15.91	15.06	2.44	33.41	15.91	15.06	2.44	33.41	090	Y	N	Y	D	N	881.02	881.02
31320		A	5.73	10.2	0.87	16.8	5.73	10.2	0.87	16.8	090	Y	N	D	N	N	443.02	443.02
31360		A	29.91	21.55	4.71	56.17	29.91	21.55	4.71	56.17	090	Y	N	Y	D	N	1,481.20	1,481.20
31365		A	38.81	24.99	6.1	69.9	38.81	24.99	6.1	69.9	090	Y	N	Y	D	N	1,843.26	1,843.26
31367		A	30.57	23.82	4.77	59.16	30.57	23.82	4.77	59.16	090	Y	N	Y	D	N	1,560.05	1,560.05
31368		A	34.19	26.17	5.26	65.62	34.19	26.17	5.26	65.62	090	Y	N	Y	D	N	1,730.40	1,730.40
31370		A	27.57	23.46	4.26	55.29	27.57	23.46	4.26	55.29	090	Y	N	Y	D	N	1,458.00	1,458.00
31375		A	26.07	22.36	4.03	52.46	26.07	22.36	4.03	52.46	090	Y	N	Y	D	N	1,383.37	1,383.37
31380		A	25.57	22.16	3.96	51.69	25.57	22.16	3.96	51.69	090	Y	N	Y	D	N	1,363.07	1,363.07
31382		A	28.57	23.85	4.43	56.85	28.57	23.85	4.43	56.85	090	Y	N	Y	D	N	1,499.13	1,499.13
31390		A	42.51	28.25	7.01	77.77	42.51	28.25	7.01	77.77	090	Y	N	Y	D	N	2,050.79	2,050.79
31395		A	43.8	30.63	6.76	81.19	43.8	30.63	6.76	81.19	090	Y	N	Y	D	N	2,140.98	2,140.98
31400		A	11.6	12.79	1.8	26.19	11.6	12.79	1.8	26.19	090	Y	N	Y	N	N	690.63	690.63
31420		A	11.43	9.19	1.77	22.39	11.43	9.19	1.77	22.39	090	Y	N	Y	D	N	590.42	590.42
31500		A	2.33	0.46	0.38	3.17	2.33	0.46	0.38	3.17	000	N	N	N	N	N	83.59	83.59
31502		A	0.65	0.24	0.09	0.98	0.65	0.24	0.09	0.98	000	Y	N	N	N	N	25.84	25.84
31505		A	0.61	0.61	0.09	1.31	0.61	1.41	0.09	2.11	000	Y	N	N	N	N	34.54	55.64
31510		A	1.92	1.1	0.31	3.33	1.92	3.18	0.31	5.41	000	Y	N	D	N	N	87.81	142.66
31511		A	2.16	1.07	0.38	3.61	2.16	2.94	0.38	5.48	000	Y	N	N	N	N	95.20	144.51
31512		A	2.07	1.19	0.33	3.59	2.07	2.98	0.33	5.38	000	Y	N	D	N	N	94.67	141.87
31513		A	2.1	1.21	0.33	3.64	2.1	1.21	0.33	3.64	000	Y	N	D	N	N	95.99	95.99
31515		A	1.8	0.98	0.29	3.07	1.8	3.26	0.29	5.35	000	Y	N	N	N	N	80.96	141.08
31520		A	2.56	1.39	0.4	4.35	2.56	1.39	0.4	4.35	000	Y	N	D	N	N	114.71	114.71
31525		A	2.63	1.39	0.41	4.43	2.63	3.56	0.41	6.6	000	Y	N	N	N	N	116.82	174.04

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
31526		A	2.57	1.39	0.4	4.36	2.57	1.39	0.4	4.36	000	Y	N	N	N	N	114.97	114.97
31527		A	3.27	1.66	0.49	5.42	3.27	1.66	0.49	5.42	000	Y	N	D	N	N	142.93	142.93
31528		A	2.37	1.26	0.38	4.01	2.37	1.26	0.38	4.01	000	Y	N	D	N	N	105.74	105.74
31529		A	2.68	1.4	0.41	4.49	2.68	1.4	0.41	4.49	000	Y	N	D	N	N	118.40	118.40
31530		A	3.38	1.6	0.53	5.51	3.38	1.6	0.53	5.51	000	Y	N	N	N	N	145.30	145.30
31531		A	3.58	1.78	0.54	5.9	3.58	1.78	0.54	5.9	000	Y	N	D	N	N	155.58	155.58
31535		A	3.16	1.61	0.49	5.26	3.16	1.61	0.49	5.26	000	Y	N	N	N	N	138.71	138.71
31536		A	3.55	1.76	0.54	5.85	3.55	1.76	0.54	5.85	000	Y	N	N	N	N	154.26	154.26
31540		A	4.12	1.98	0.64	6.74	4.12	1.98	0.64	6.74	000	Y	N	N	N	N	177.73	177.73
31541		A	4.52	2.14	0.7	7.36	4.52	2.14	0.7	7.36	000	Y	N	N	N	N	194.08	194.08
31545		A	6.3	2.87	0.97	10.14	6.3	2.87	0.97	10.14	000	Y	Y	N	N	N	267.39	267.39
31546		A	9.73	4.2	1.51	15.44	9.73	4.2	1.51	15.44	000	Y	Y	N	N	N	407.15	407.15
31560		A	5.45	2.46	0.83	8.74	5.45	2.46	0.83	8.74	000	Y	N	D	N	N	230.47	230.47
31561		A	5.99	2.68	0.92	9.59	5.99	2.68	0.92	9.59	000	Y	N	D	N	N	252.89	252.89
31570		A	3.86	1.89	0.64	6.39	3.86	4.46	0.64	8.96	000	Y	N	N	N	N	168.50	236.28
31571		A	4.26	2.04	0.65	6.95	4.26	2.04	0.65	6.95	000	Y	N	N	N	N	183.27	183.27
31575		A	1.1	0.81	0.14	2.05	1.1	1.69	0.14	2.93	000	Y	N	N	N	N	54.06	77.26
31576		A	1.97	1.14	0.29	3.4	1.97	3.5	0.29	5.76	000	Y	N	N	N	N	89.66	151.89
31577		A	2.47	1.27	0.4	4.14	2.47	3.44	0.4	6.31	000	Y	N	D	N	N	109.17	166.39
31578		A	2.84	1.48	0.41	4.73	2.84	4.01	0.41	7.26	000	Y	N	D	N	N	124.73	191.45
31579		A	2.26	1.28	0.36	3.9	2.26	2.92	0.36	5.54	000	Y	N	N	N	N	102.84	146.09
31580		A	14.66	15.28	2.26	32.2	14.66	15.28	2.26	32.2	090	Y	N	Y	D	N	849.11	849.11
31582		A	23.22	23.23	3.59	50.04	23.22	23.23	3.59	50.04	090	Y	N	N	D	N	1,319.55	1,319.55
31584		A	20.47	16.73	3.17	40.37	20.47	16.73	3.17	40.37	090	Y	N	Y	D	N	1,064.56	1,064.56
31587		A	15.27	9.65	2.34	27.26	15.27	9.65	2.34	27.26	090	Y	N	Y	D	N	718.85	718.85
31588		A	14.99	13.15	2.32	30.46	14.99	13.15	2.32	30.46	090	Y	N	Y	N	N	803.23	803.23
31590		A	7.85	13.69	1.23	22.77	7.85	13.69	1.23	22.77	090	Y	N	Y	D	N	600.44	600.44
31595		A	8.84	9.85	1.37	20.06	8.84	9.85	1.37	20.06	090	Y	Y	Y	D	N	528.98	528.98
31599		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
31600		A	7.17	2.52	1.52	11.21	7.17	2.52	1.52	11.21	000	Y	N	N	N	N	295.61	295.61
31601		A	4.44	2.07	0.68	7.19	4.44	2.07	0.68	7.19	000	Y	N	Y	D	N	189.60	189.60
31603		A	4.14	1.4	0.83	6.37	4.14	1.4	0.83	6.37	000	Y	N	N	N	N	167.98	167.98
31605		A	3.57	0.95	0.75	5.27	3.57	0.95	0.75	5.27	000	Y	N	N	N	N	138.97	138.97
31610		A	9.38	8.18	1.58	19.14	9.38	8.18	1.58	19.14	090	Y	N	N	N	N	504.72	504.72
31611		A	6	7.26	0.92	14.18	6	7.26	0.92	14.18	090	Y	N	Y	D	N	373.93	373.93
31612		A	0.91	0.29	0.14	1.34	0.91	1.12	0.14	2.17	000	Y	N	D	N	N	35.34	57.22
31613		A	4.71	6.33	0.87	11.91	4.71	6.33	0.87	11.91	090	Y	N	N	N	N	314.07	314.07
31614		A	8.63	9.92	1.42	19.97	8.63	9.92	1.42	19.97	090	Y	N	N	N	N	526.61	526.61
31615		A	2.09	1.14	0.31	3.54	2.09	2.38	0.31	4.78	000	Y	N	N	N	N	93.35	126.05
31620		A	1.4	0.36	0.14	1.9	1.4	5.5	0.14	7.04	ZZZ	N	N	N	N	N	50.10	185.64
31622		A	2.78	0.93	0.41	4.12	2.78	4.76	0.41	7.95	000	Y	N	N	N	N	108.64	209.64
31623		A	2.88	0.92	0.31	4.11	2.88	5.17	0.31	8.36	000	Y	N	N	N	N	108.38	220.45
31624		A	2.88	0.94	0.31	4.13	2.88	4.71	0.31	7.9	000	Y	N	N	N	N	108.91	208.32
31625		A	3.36	1.05	0.38	4.79	3.36	4.82	0.38	8.56	000	Y	N	N	N	N	126.31	225.73
31626		NOT COVEI	4.16	1.24	0.38	5.78	4.16	6.74	0.38	11.28	000	Y	N	D	N	N	152.42	297.45
31627		NOT COVEI	2	0.5	0.16	2.66	2	28.65	0.16	30.81	ZZZ	N	N	D	N	N	70.14	812.46
31628		A	3.8	1.15	0.36	5.31	3.8	5.45	0.36	9.61	000	Y	N	N	N	N	140.02	253.42
31629		A	4.09	1.22	0.41	5.72	4.09	10.25	0.41	14.75	000	Y	N	N	N	N	150.84	388.96
31630		A	3.81	1.26	0.59	5.66	3.81	1.26	0.59	5.66	000	Y	N	N	N	N	149.25	149.25
31631		A	4.36	1.42	0.72	6.5	4.36	1.42	0.72	6.5	000	Y	N	N	N	N	171.41	171.41
31632		A	1.03	0.26	0.09	1.38	1.03	0.77	0.09	1.89	ZZZ	N	N	N	N	N	36.39	49.84
31633		A	1.32	0.33	0.13	1.78	1.32	0.9	0.13	2.35	ZZZ	N	N	N	N	N	46.94	61.97
31634		A	4	1.21	0.4	5.61	4	40.22	0.4	44.62	000	Y	N	Y	N	N	147.94	1,176.63
31635		A	3.67	1.16	0.46	5.29	3.67	4.82	0.46	8.95	000	Y	N	N	N	N	139.50	236.01

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
31636		A	4.3	1.31	0.68	6.29	4.3	1.31	0.68	6.29	000	Y	N	N	N	N	165.87	165.87
31637		A	1.58	0.37	0.14	2.09	1.58	0.37	0.14	2.09	ZZZ	N	N	N	N	N	55.11	55.11
31638		A	4.88	1.55	0.78	7.21	4.88	1.55	0.78	7.21	000	Y	N	N	N	N	190.13	190.13
31640		A	4.93	1.52	0.77	7.22	4.93	1.52	0.77	7.22	000	Y	N	N	N	N	190.39	190.39
31641		A	5.02	1.56	0.7	7.28	5.02	1.56	0.7	7.28	000	Y	N	N	N	N	191.97	191.97
31643		A	3.49	1.09	0.35	4.93	3.49	1.09	0.35	4.93	000	Y	N	N	N	N	130.00	130.00
31645		A	3.16	1.02	0.35	4.53	3.16	4.64	0.35	8.15	000	Y	N	N	N	N	119.46	214.92
31646		A	2.72	0.89	0.31	3.92	2.72	4.28	0.31	7.31	000	Y	N	N	N	N	103.37	192.76
31647		A	4.4	1.17	0.69	6.26	4.4	1.17	0.69	6.26	000	Y	N	N	N	N	165.08	165.08
31648		A	4.2	1.12	0.68	6	4.2	1.12	0.68	6	000	Y	N	N	N	N	158.22	158.22
31649		A	1.44	0.36	0.13	1.93	1.44	0.36	0.13	1.93	ZZZ	N	N	N	N	N	50.89	50.89
31651		A	1.58	0.5	0.14	2.22	1.58	0.5	0.14	2.22	ZZZ	N	N	N	N	N	58.54	58.54
31660		NOT COVEI	4.25	1.08	0.67	6	4.25	1.08	0.67	6	000	Y	N	N	N	N	158.22	158.22
31661		NOT COVEI	4.5	1.11	0.72	6.33	4.5	1.11	0.72	6.33	000	Y	N	N	N	N	166.92	166.92
31717		A	2.12	0.72	0.19	3.03	2.12	4.28	0.19	6.59	000	Y	N	N	N	N	79.90	173.78
31720		A	1.06	0.27	0.1	1.43	1.06	0.27	0.1	1.43	000	Y	N	N	N	N	37.71	37.71
31725		A	1.96	0.41	0.24	2.61	1.96	0.41	0.24	2.61	000	Y	N	N	N	N	68.83	68.83
31730		A	2.85	0.77	0.54	4.16	2.85	25.78	0.54	29.17	000	Y	N	N	N	N	109.70	769.21
31750		A	15.39	17.93	2.73	36.05	15.39	17.93	2.73	36.05	090	Y	N	Y	D	N	950.64	950.64
31755		A	17.54	24.51	2.7	44.75	17.54	24.51	2.7	44.75	090	Y	N	Y	D	N	1,180.06	1,180.06
31760		A	23.48	9.07	6.58	39.13	23.48	9.07	6.58	39.13	090	Y	N	Y	D	N	1,031.86	1,031.86
31766		A	31.67	10.55	8.89	51.11	31.67	10.55	8.89	51.11	090	Y	N	Y	D	N	1,347.77	1,347.77
31770		A	23.54	8.09	6.61	38.24	23.54	8.09	6.61	38.24	090	Y	N	Y	D	N	1,008.39	1,008.39
31775		A	24.59	7.66	6.92	39.17	24.59	7.66	6.92	39.17	090	Y	N	Y	N	N	1,032.91	1,032.91
31780		A	19.84	9.17	3.88	32.89	19.84	9.17	3.88	32.89	090	Y	N	Y	D	N	867.31	867.31
31781		A	24.85	11.56	6.98	43.39	24.85	11.56	6.98	43.39	090	Y	N	Y	D	N	1,144.19	1,144.19
31785		A	18.35	8.56	3.14	30.05	18.35	8.56	3.14	30.05	090	Y	N	Y	D	N	792.42	792.42
31786		A	25.42	8.82	7.16	41.4	25.42	8.82	7.16	41.4	090	Y	N	Y	D	N	1,091.72	1,091.72
31800		A	8.18	9.29	1.26	18.73	8.18	9.29	1.26	18.73	090	Y	N	D	N	N	493.91	493.91
31805		A	13.42	5.92	3.79	23.13	13.42	5.92	3.79	23.13	090	Y	N	Y	D	N	609.94	609.94
31820		A	4.64	3.48	0.8	8.92	4.64	5.97	0.8	11.41	090	Y	N	D	N	N	235.22	300.88
31825		A	7.07	4.83	1.19	13.09	7.07	7.71	1.19	15.97	090	Y	N	D	N	N	345.18	421.13
31830		A	4.62	3.75	0.85	9.22	4.62	6.12	0.85	11.59	090	Y	N	D	N	N	243.13	305.63
31899		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
32035		A	11.29	5.74	3.09	20.12	11.29	5.74	3.09	20.12	090	Y	Y	Y	D	N	530.56	530.56
32036		A	12.3	6.13	3.48	21.91	12.3	6.13	3.48	21.91	090	Y	Y	Y	D	N	577.77	577.77
32096		A	13.75	5.4	3.87	23.02	13.75	5.4	3.87	23.02	090	Y	N	Y	D	N	607.04	607.04
32097		A	13.75	5.41	3.87	23.03	13.75	5.41	3.87	23.03	090	Y	N	Y	D	N	607.30	607.30
32098		A	12.91	5.18	3.62	21.71	12.91	5.18	3.62	21.71	090	Y	N	Y	D	N	572.49	572.49
32100		A	13.75	5.44	4.13	23.32	13.75	5.44	4.13	23.32	090	Y	N	Y	D	N	614.95	614.95
32110		A	25.28	9.4	6.9	41.58	25.28	9.4	6.9	41.58	090	Y	N	Y	D	N	1,096.46	1,096.46
32120		A	14.39	6.29	4.08	24.76	14.39	6.29	4.08	24.76	090	Y	N	Y	D	N	652.92	652.92
32124		A	15.45	6.56	4.41	26.42	15.45	6.56	4.41	26.42	090	Y	N	Y	D	N	696.70	696.70
32140		A	16.66	6.91	4.67	28.24	16.66	6.91	4.67	28.24	090	Y	N	Y	D	N	744.69	744.69
32141		A	27.18	9.17	7.69	44.04	27.18	9.17	7.69	44.04	090	Y	N	Y	D	N	1,161.33	1,161.33
32150		A	16.82	7.04	4.72	28.58	16.82	7.04	4.72	28.58	090	Y	N	Y	D	N	753.65	753.65
32151		A	16.94	6.83	4.77	28.54	16.94	6.83	4.77	28.54	090	Y	N	Y	D	N	752.60	752.60
32160		A	13.1	5.64	3.59	22.33	13.1	5.64	3.59	22.33	090	Y	N	Y	D	N	588.84	588.84
32200		A	18.68	8.31	5.15	32.14	18.68	8.31	5.15	32.14	090	Y	N	Y	D	N	847.53	847.53
32215		A	13.05	5.95	3.67	22.67	13.05	5.95	3.67	22.67	090	Y	Y	Y	D	N	597.81	597.81
32220		A	26.65	10.99	7.56	45.2	26.65	10.99	7.56	45.2	090	Y	Y	Y	D	N	1,191.92	1,191.92
32225		A	16.75	6.88	4.71	28.34	16.75	6.88	4.71	28.34	090	Y	Y	Y	D	N	747.33	747.33
32310		A	15.28	6.49	4.35	26.12	15.28	6.49	4.35	26.12	090	Y	N	Y	D	N	688.78	688.78
32320		A	27.25	10.73	7.6	45.58	27.25	10.73	7.6	45.58	090	Y	N	Y	D	N	1,201.94	1,201.94

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
32400		A	1.76	0.5	0.21	2.47	1.76	1.96	0.21	3.93	000	Y	N	N	N	N	65.13	103.63
32405		A	1.93	0.75	0.21	2.89	1.93	8.75	0.21	10.89	000	Y	N	N	N	N	76.21	287.17
32440		A	27.28	9.96	7.64	44.88	27.28	9.96	7.64	44.88	090	Y	N	Y	D	N	1,183.49	1,183.49
32442		A	56.47	19.92	15.86	92.25	56.47	19.92	15.86	92.25	090	Y	N	Y	D	N	2,432.63	2,432.63
32445		A	63.84	20.17	17.95	101.96	63.84	20.17	17.95	101.96	090	Y	N	Y	D	N	2,688.69	2,688.69
32480		A	25.82	9.32	7.28	42.42	25.82	9.32	7.28	42.42	090	Y	N	Y	D	N	1,118.62	1,118.62
32482		A	27.44	10.22	7.71	45.37	27.44	10.22	7.71	45.37	090	Y	N	Y	D	N	1,196.41	1,196.41
32484		A	25.38	8.74	7.1	41.22	25.38	8.74	7.1	41.22	090	Y	N	Y	D	N	1,086.97	1,086.97
32486		A	42.88	12.86	12.18	67.92	42.88	12.86	12.18	67.92	090	Y	N	Y	D	N	1,791.05	1,791.05
32488		A	42.99	14.04	12.15	69.18	42.99	14.04	12.15	69.18	090	Y	N	Y	D	N	1,824.28	1,824.28
32491		A	25.24	9.73	7.06	42.03	25.24	9.73	7.06	42.03	090	Y	Y	Y	D	N	1,108.33	1,108.33
32501		A	4.68	1.16	1.31	7.15	4.68	1.16	1.31	7.15	ZZZ	N	N	Y	D	N	188.55	188.55
32503		A	31.74	11.36	9.01	52.11	31.74	11.36	9.01	52.11	090	Y	N	Y	D	N	1,374.14	1,374.14
32504		A	36.54	12.69	10.24	59.47	36.54	12.69	10.24	59.47	090	Y	N	Y	D	N	1,568.22	1,568.22
32505		A	15.75	6.42	4.33	26.5	15.75	6.42	4.33	26.5	090	Y	N	Y	D	N	698.81	698.81
32506		A	3	0.74	0.85	4.59	3	0.74	0.85	4.59	ZZZ	N	N	Y	D	N	121.04	121.04
32507		A	3	0.74	0.85	4.59	3	0.74	0.85	4.59	ZZZ	N	N	Y	D	N	121.04	121.04
32540		A	30.35	10.91	8.53	49.79	30.35	10.91	8.53	49.79	090	Y	N	Y	D	N	1,312.96	1,312.96
32550		A	4.17	1.37	0.83	6.37	4.17	14.44	0.83	19.44	000	N	N	N	N	N	167.98	512.63
32551		A	3.29	0.95	0.88	5.12	3.29	0.95	0.88	5.12	000	Y	Y	N	N	N	135.01	135.01
32552		A	2.53	1.41	0.72	4.66	2.53	1.98	0.72	5.23	010	Y	N	D	N	N	122.88	137.92
32553		A	3.8	1.23	1.06	6.09	3.8	10.01	1.06	14.87	000	Y	N	Y	N	N	160.59	392.12
32554		A	1.82	0.52	0.2	2.54	1.82	3.02	0.2	5.04	000	Y	Y	N	N	N	66.98	132.90
32555		A	2.27	0.65	0.28	3.2	2.27	4.89	0.28	7.44	000	Y	Y	N	N	N	84.38	196.19
32556		A	2.5	0.71	0.3	3.51	2.5	10.31	0.3	13.11	000	Y	Y	N	N	N	92.56	345.71
32557		A	3.12	0.84	0.83	4.79	3.12	10.28	0.83	14.23	000	Y	Y	N	N	N	126.31	375.25
32560		A	1.54	0.4	0.33	2.27	1.54	4.27	0.33	6.14	000	Y	N	N	N	N	59.86	161.91
32561		A	1.39	0.37	0.29	2.05	1.39	0.91	0.29	2.59	000	Y	N	Y	N	N	54.06	68.30
32562		A	1.24	0.32	0.28	1.84	1.24	0.82	0.28	2.34	000	Y	N	Y	N	N	48.52	61.71
32601		A	5.5	1.86	1.53	8.89	5.5	1.86	1.53	8.89	000	Y	N	D	N	N	234.43	234.43
32604		A	8.77	2.68	2.45	13.9	8.77	2.68	2.45	13.9	000	Y	N	D	N	N	366.54	366.54
32606		A	8.39	2.62	2.32	13.33	8.39	2.62	2.32	13.33	000	Y	N	D	N	N	351.51	351.51
32607		A	5.5	1.86	1.53	8.89	5.5	1.86	1.53	8.89	000	Y	N	D	N	N	234.43	234.43
32608		A	6.84	2.19	1.92	10.95	6.84	2.19	1.92	10.95	000	Y	N	D	N	N	288.75	288.75
32609		A	4.58	1.62	1.33	7.53	4.58	1.62	1.33	7.53	000	Y	N	D	N	N	198.57	198.57
32650		A	10.83	5.02	2.98	18.83	10.83	5.02	2.98	18.83	090	Y	Y	Y	D	N	496.55	496.55
32651		A	18.78	7.25	5.17	31.2	18.78	7.25	5.17	31.2	090	Y	Y	Y	D	N	822.74	822.74
32652		A	29.13	10.37	8.08	47.58	29.13	10.37	8.08	47.58	090	Y	Y	Y	D	N	1,254.68	1,254.68
32653		A	18.17	7.03	4.95	30.15	18.17	7.03	4.95	30.15	090	Y	N	Y	D	N	795.06	795.06
32654		A	20.52	7.46	5.59	33.57	20.52	7.46	5.59	33.57	090	Y	Y	Y	D	N	885.24	885.24
32655		A	16.17	6.52	4.53	27.22	16.17	6.52	4.53	27.22	090	Y	Y	Y	D	N	717.79	717.79
32656		A	13.26	5.76	3.62	22.64	13.26	5.76	3.62	22.64	090	Y	Y	Y	D	N	597.02	597.02
32658		A	11.71	5.23	3.3	20.24	11.71	5.23	3.3	20.24	090	Y	N	Y	D	N	533.73	533.73
32659		A	11.94	5.42	3.37	20.73	11.94	5.42	3.37	20.73	090	Y	N	Y	D	N	546.65	546.65
32661		A	13.33	5.62	3.76	22.71	13.33	5.62	3.76	22.71	090	Y	N	Y	D	N	598.86	598.86
32662		A	14.99	6.25	4.21	25.45	14.99	6.25	4.21	25.45	090	Y	N	Y	D	N	671.12	671.12
32663		A	24.64	8.66	6.9	40.2	24.64	8.66	6.9	40.2	090	Y	N	Y	D	N	1,060.07	1,060.07
32664		A	14.28	5.86	4.03	24.17	14.28	5.86	4.03	24.17	090	Y	Y	Y	D	N	637.36	637.36
32665		A	21.53	7.76	5.53	34.82	21.53	7.76	5.53	34.82	090	Y	N	Y	D	N	918.20	918.20
32666		A	14.5	6.18	4.07	24.75	14.5	6.18	4.07	24.75	090	Y	N	Y	D	N	652.66	652.66
32667		A	3	0.75	0.85	4.6	3	0.75	0.85	4.6	ZZZ	N	N	Y	D	N	121.30	121.30
32668		A	3	0.73	0.88	4.61	3	0.73	0.88	4.61	ZZZ	N	N	Y	D	N	121.57	121.57
32669		A	23.53	8.47	6.58	38.58	23.53	8.47	6.58	38.58	090	Y	N	Y	D	N	1,017.35	1,017.35
32670		A	28.52	9.53	7.9	45.95	28.52	9.53	7.9	45.95	090	Y	N	Y	D	N	1,211.70	1,211.70

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
32671		A	31.92	10.35	9.06	51.33	31.92	10.35	9.06	51.33	090	Y	N	Y	D	N	1,353.57	1,353.57
32672		A	27	9.26	7.64	43.9	27	9.26	7.64	43.9	090	Y	N	Y	D	N	1,157.64	1,157.64
32673		A	21.13	7.89	5.41	34.43	21.13	7.89	5.41	34.43	090	Y	N	Y	D	N	907.92	907.92
32674		A	4.12	1.02	1.16	6.3	4.12	1.02	1.16	6.3	ZZZ	N	N	Y	D	N	166.13	166.13
32701		A	4.18	1.02	1.26	6.46	4.18	1.02	1.26	6.46	XXX	N	N	D	D	N	170.35	170.35
32800		A	15.71	6.68	4.43	26.82	15.71	6.68	4.43	26.82	090	Y	N	Y	D	N	707.24	707.24
32810		A	14.95	6.46	4.22	25.63	14.95	6.46	4.22	25.63	090	Y	N	Y	N	N	675.86	675.86
32815		A	50.03	16.7	14.29	81.02	50.03	16.7	14.29	81.02	090	Y	N	Y	D	N	2,136.50	2,136.50
32820		A	22.51	9.09	6.34	37.94	22.51	9.09	6.34	37.94	090	Y	N	Y	D	N	1,000.48	1,000.48
32850		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
32851		A	59.64	18.6	16.88	95.12	59.64	18.6	16.88	95.12	090	Y	N	Y	D	Y	2,508.31	2,508.31
32852		A	65.5	19.92	18.44	103.86	65.5	19.92	18.44	103.86	090	Y	N	Y	D	Y	2,738.79	2,738.79
32853		A	84.48	24.58	24.03	133.09	84.48	24.58	24.03	133.09	090	Y	B	Y	D	Y	3,509.58	3,509.58
32854		A	90	26.15	25.47	141.62	90	26.15	25.47	141.62	090	Y	B	Y	D	Y	3,734.52	3,734.52
32855		NOT COVEI	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
32856		NOT COVEI	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
32900		A	23.81	9.63	6.58	40.02	23.81	9.63	6.58	40.02	090	Y	N	Y	D	N	1,055.33	1,055.33
32905		A	23.29	8.47	6.53	38.29	23.29	8.47	6.53	38.29	090	Y	N	Y	D	N	1,009.71	1,009.71
32906		A	29.3	9.93	8.25	47.48	29.3	9.93	8.25	47.48	090	Y	N	Y	D	N	1,252.05	1,252.05
32940		A	21.34	8	6.02	35.36	21.34	8	6.02	35.36	090	Y	N	Y	D	N	932.44	932.44
32960		A	1.84	0.62	0.5	2.96	1.84	1.7	0.5	4.04	000	Y	N	N	N	N	78.06	106.53
32997		A	7.31	1.69	1.09	10.09	7.31	1.69	1.09	10.09	000	Y	Y	N	N	N	266.07	266.07
32998		A	5.68	1.71	0.72	8.11	5.68	64.28	0.72	70.68	000	Y	Y	Y	N	N	213.86	1,863.83
32999		C	0	0	0	0	0	0	0	0	YYY	Y	N	N	D	D	0.00	0.00
33010		A	2.24	0.63	0.54	3.41	2.24	0.63	0.54	3.41	000	Y	N	N	N	N	89.92	89.92
33011		A	2.24	0.64	0.59	3.47	2.24	0.64	0.59	3.47	000	Y	N	D	N	N	91.50	91.50
33015		A	8.52	3.75	2.01	14.28	8.52	3.75	2.01	14.28	090	Y	N	N	N	N	376.56	376.56
33020		A	14.95	5.89	4.22	25.06	14.95	5.89	4.22	25.06	090	Y	N	Y	D	N	660.83	660.83
33025		A	13.7	5.3	3.91	22.91	13.7	5.3	3.91	22.91	090	Y	N	Y	D	N	604.14	604.14
33030		A	36	11.63	10.27	57.9	36	11.63	10.27	57.9	090	Y	N	Y	D	N	1,526.82	1,526.82
33031		A	45	13.98	13.01	71.99	45	13.98	13.01	71.99	090	Y	N	Y	D	N	1,898.38	1,898.38
33050		A	16.97	6.81	4.77	28.55	16.97	6.81	4.77	28.55	090	Y	N	Y	D	N	752.86	752.86
33120		A	38.45	11.57	11.05	61.07	38.45	11.57	11.05	61.07	090	Y	N	Y	D	N	1,610.42	1,610.42
33130		A	24.17	8.69	7.26	40.12	24.17	8.69	7.26	40.12	090	Y	N	Y	D	N	1,057.96	1,057.96
33140		A	28.34	8.99	8.5	45.83	28.34	8.99	8.5	45.83	090	Y	N	Y	N	N	1,208.54	1,208.54
33141		A	2.54	0.62	0.73	3.89	2.54	0.62	0.73	3.89	ZZZ	N	N	Y	D	N	102.58	102.58
33202		A	13.2	5.18	3.79	22.17	13.2	5.18	3.79	22.17	090	Y	N	N	N	N	584.62	584.62
33203		A	13.97	5.18	3.94	23.09	13.97	5.18	3.94	23.09	090	Y	N	N	N	N	608.88	608.88
33206		A	7.39	3.52	1.95	12.86	7.39	3.52	1.95	12.86	090	Y	N	N	Y	N	339.12	339.12
33207		A	8.05	3.58	2.12	13.75	8.05	3.58	2.12	13.75	090	Y	N	N	Y	N	362.59	362.59
33208		A	8.77	3.82	2.31	14.9	8.77	3.82	2.31	14.9	090	Y	N	N	Y	N	392.91	392.91
33210		A	3.3	0.97	0.85	5.12	3.3	0.97	0.85	5.12	000	Y	N	N	N	N	135.01	135.01
33211		A	3.39	0.98	0.9	5.27	3.39	0.98	0.9	5.27	000	Y	N	N	N	N	138.97	138.97
33212		A	5.26	2.63	1.38	9.27	5.26	2.63	1.38	9.27	090	Y	N	N	N	N	244.45	244.45
33213		A	5.53	2.7	1.47	9.7	5.53	2.7	1.47	9.7	090	Y	N	N	N	N	255.79	255.79
33214		A	7.84	3.79	2.05	13.68	7.84	3.79	2.05	13.68	090	Y	N	D	Y	N	360.74	360.74
33215		A	4.92	2.39	1.29	8.6	4.92	2.39	1.29	8.6	090	Y	N	N	N	N	226.78	226.78
33216		A	5.87	3.16	1.53	10.56	5.87	3.16	1.53	10.56	090	Y	N	N	N	N	278.47	278.47
33217		A	5.84	3.05	1.53	10.42	5.84	3.05	1.53	10.42	090	Y	N	N	N	N	274.78	274.78
33218		A	6.07	3.37	1.58	11.02	6.07	3.37	1.58	11.02	090	Y	N	N	N	N	290.60	290.60
33220		A	6.15	3.36	1.6	11.11	6.15	3.36	1.6	11.11	090	Y	N	N	N	N	292.97	292.97
33221		A	5.8	2.95	1.54	10.29	5.8	2.95	1.54	10.29	090	Y	N	N	N	N	271.35	271.35
33222		A	5.1	3.14	1.37	9.61	5.1	3.14	1.37	9.61	090	Y	N	N	N	N	253.42	253.42
33223		A	6.55	3.37	1.76	11.68	6.55	3.37	1.76	11.68	090	Y	N	D	N	N	308.00	308.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
33224		A	9.04	3.14	2.39	14.57	9.04	3.14	2.39	14.57	000	Y	N	N	N	N	384.21	384.21
33225		A	8.33	2.72	2.19	13.24	8.33	2.72	2.19	13.24	ZZZ	N	N	N	N	N	349.14	349.14
33226		A	8.68	3	2.3	13.98	8.68	3	2.3	13.98	000	Y	N	N	N	N	368.65	368.65
33227		A	5.5	2.79	1.48	9.77	5.5	2.79	1.48	9.77	090	Y	N	N	N	N	257.63	257.63
33228		A	5.77	2.87	1.54	10.18	5.77	2.87	1.54	10.18	090	Y	N	N	N	N	268.45	268.45
33229		A	6.04	3.03	1.62	10.69	6.04	3.03	1.62	10.69	090	Y	N	N	N	N	281.90	281.90
33230		A	6.32	3.1	1.7	11.12	6.32	3.1	1.7	11.12	090	Y	N	N	N	N	293.23	293.23
33231		A	6.59	3.13	1.77	11.49	6.59	3.13	1.77	11.49	090	Y	N	N	N	N	302.99	302.99
33233		A	3.39	2.32	0.88	6.59	3.39	2.32	0.88	6.59	090	Y	N	N	N	N	173.78	173.78
33234		A	7.91	3.8	2.08	13.79	7.91	3.8	2.08	13.79	090	Y	N	N	N	N	363.64	363.64
33235		A	10.15	5.12	2.7	17.97	10.15	5.12	2.7	17.97	090	Y	N	N	N	N	473.87	473.87
33236		A	12.73	5.86	3.82	22.41	12.73	5.86	3.82	22.41	090	Y	N	D	Y	N	590.95	590.95
33237		A	13.84	6.12	3.89	23.85	13.84	6.12	3.89	23.85	090	Y	N	D	Y	N	628.92	628.92
33238		A	15.4	6.89	4.43	26.72	15.4	6.89	4.43	26.72	090	Y	N	D	Y	N	704.61	704.61
33240		A	6.05	2.9	1.62	10.57	6.05	2.9	1.62	10.57	090	Y	N	N	N	N	278.73	278.73
33241		A	3.29	2.09	0.85	6.23	3.29	2.09	0.85	6.23	090	Y	N	N	N	N	164.29	164.29
33243		A	23.57	8.95	6.69	39.21	23.57	8.95	6.69	39.21	090	Y	N	Y	D	N	1,033.97	1,033.97
33244		A	13.99	6.53	3.72	24.24	13.99	6.53	3.72	24.24	090	Y	N	N	D	N	639.21	639.21
33249		A	15.17	6.71	3.98	25.86	15.17	6.71	3.98	25.86	090	Y	N	N	D	N	681.93	681.93
33250		A	25.9	8.91	7.76	42.57	25.9	8.91	7.76	42.57	090	Y	N	Y	D	N	1,122.57	1,122.57
33251		A	28.92	9.78	8.42	47.12	28.92	9.78	8.42	47.12	090	Y	N	Y	D	N	1,242.55	1,242.55
33254		A	23.71	8.63	7.11	39.45	23.71	8.63	7.11	39.45	090	Y	N	Y	D	N	1,040.30	1,040.30
33255		A	29.04	10.29	8.7	48.03	29.04	10.29	8.7	48.03	090	Y	N	Y	D	N	1,266.55	1,266.55
33256		A	34.9	11.52	10.51	56.93	34.9	11.52	10.51	56.93	090	Y	N	Y	D	N	1,501.24	1,501.24
33257		A	9.63	4.25	2.78	16.66	9.63	4.25	2.78	16.66	ZZZ	N	N	Y	N	N	439.32	439.32
33258		A	11	4.6	3.17	18.77	11	4.6	3.17	18.77	ZZZ	N	N	Y	N	N	494.96	494.96
33259		A	14.14	6	4.12	24.26	14.14	6	4.12	24.26	ZZZ	N	N	Y	N	N	639.74	639.74
33261		A	28.92	10.1	8.68	47.7	28.92	10.1	8.68	47.7	090	Y	N	Y	D	N	1,257.85	1,257.85
33262		A	6.06	3.03	1.62	10.71	6.06	3.03	1.62	10.71	090	Y	N	N	N	N	282.42	282.42
33263		A	6.33	3.12	1.7	11.15	6.33	3.12	1.7	11.15	090	Y	N	N	N	N	294.03	294.03
33264		A	6.6	3.24	1.77	11.61	6.6	3.24	1.77	11.61	090	Y	N	N	N	N	306.16	306.16
33265		A	23.71	8.79	6.78	39.28	23.71	8.79	6.78	39.28	090	Y	N	Y	D	N	1,035.81	1,035.81
33266		A	33.04	10.98	9.58	53.6	33.04	10.98	9.58	53.6	090	Y	N	Y	D	N	1,413.43	1,413.43
33282		A	3.5	2.12	0.93	6.55	3.5	2.12	0.93	6.55	090	Y	N	N	N	N	172.72	172.72
33284		A	3	1.97	0.78	5.75	3	1.97	0.78	5.75	090	Y	N	N	N	N	151.63	151.63
33300		A	44.97	13.26	12.9	71.13	44.97	13.26	12.9	71.13	090	Y	N	Y	D	N	1,875.70	1,875.70
33305		A	76.93	20.74	22.14	119.81	76.93	20.74	22.14	119.81	090	Y	N	Y	D	N	3,159.39	3,159.39
33310		A	20.34	7.6	5.39	33.33	20.34	7.6	5.39	33.33	090	Y	N	Y	D	N	878.91	878.91
33315		A	35	10.7	10.1	55.8	35	10.7	10.1	55.8	090	Y	N	Y	D	N	1,471.45	1,471.45
33320		A	18.54	6.9	5.16	30.6	18.54	6.9	5.16	30.6	090	Y	N	Y	D	N	806.92	806.92
33321		A	20.81	7.73	5.85	34.39	20.81	7.73	5.85	34.39	090	Y	N	Y	D	N	906.86	906.86
33322		A	24.42	8.64	7.05	40.11	24.42	8.64	7.05	40.11	090	Y	N	Y	D	N	1,057.70	1,057.70
33330		A	25.29	8.77	7.6	41.66	25.29	8.77	7.6	41.66	090	Y	N	Y	D	N	1,098.57	1,098.57
33332		A	24.56	6.07	7.35	37.98	24.56	6.07	7.35	37.98	090	Y	N	Y	D	N	1,001.53	1,001.53
33335		A	33.91	10.9	9.82	54.63	33.91	10.9	9.82	54.63	090	Y	N	Y	D	N	1,440.59	1,440.59
33361		NOT COVEI	25.13	7.23	6.73	39.09	25.13	7.23	6.73	39.09	000	Y	N	D	Y	D	1,030.80	1,030.80
33362		NOT COVEI	27.52	7.87	7.37	42.76	27.52	7.87	7.37	42.76	000	Y	N	D	Y	D	1,127.58	1,127.58
33363		NOT COVEI	28.5	8.13	7.64	44.27	28.5	8.13	7.64	44.27	000	Y	N	D	Y	D	1,167.40	1,167.40
33364		NOT COVEI	30	8.53	8.05	46.58	30	8.53	8.05	46.58	000	Y	N	D	Y	D	1,228.31	1,228.31
33365		NOT COVEI	33.12	8.95	9.52	51.59	33.12	8.95	9.52	51.59	000	Y	N	D	Y	D	1,360.43	1,360.43
33366		A	35.88	9.65	10.31	55.84	35.88	9.65	10.31	55.84	000	Y	N	D	Y	D	1,472.50	1,472.50
33367		NOT COVEI	11.88	2.8	3.42	18.1	11.88	2.8	3.42	18.1	ZZZ	N	N	D	N	D	477.30	477.30
33368		NOT COVEI	14.39	3.4	4.14	21.93	14.39	3.4	4.14	21.93	ZZZ	N	N	D	N	D	578.29	578.29
33369		NOT COVEI	19	4.48	5.46	28.94	19	4.48	5.46	28.94	ZZZ	N	N	D	N	D	763.15	763.15

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
33400		A	41.5	13.04	11.88	66.42	41.5	13.04	11.88	66.42	090	Y	N	Y	D	N	1,751.50	1,751.50
33401		A	24.63	9.6	6.47	40.7	24.63	9.6	6.47	40.7	090	Y	N	Y	D	N	1,073.26	1,073.26
33403		A	25.61	9.63	7.69	42.93	25.61	9.63	7.69	42.93	090	Y	N	Y	D	N	1,132.06	1,132.06
33404		A	31.37	10.47	8.82	50.66	31.37	10.47	8.82	50.66	090	Y	N	Y	D	N	1,335.90	1,335.90
33405		A	41.32	12.88	11.92	66.12	41.32	12.88	11.92	66.12	090	Y	N	Y	D	N	1,743.58	1,743.58
33406		A	52.68	15.91	15.34	83.93	52.68	15.91	15.34	83.93	090	Y	N	Y	D	N	2,213.23	2,213.23
33410		A	46.41	14.21	13.39	74.01	46.41	14.21	13.39	74.01	090	Y	N	Y	D	N	1,951.64	1,951.64
33411		A	62.07	18.05	17.94	98.06	62.07	18.05	17.94	98.06	090	Y	N	Y	N	N	2,585.84	2,585.84
33412		A	59	16.5	17.73	93.23	59	16.5	17.73	93.23	090	Y	N	Y	D	N	2,458.48	2,458.48
33413		A	59.87	17.36	16.84	94.07	59.87	17.36	16.84	94.07	090	Y	N	Y	D	N	2,480.63	2,480.63
33414		A	39.37	11.64	11.82	62.83	39.37	11.64	11.82	62.83	090	Y	N	Y	D	N	1,656.83	1,656.83
33415		A	37.27	11.4	10.24	58.91	37.27	11.4	10.24	58.91	090	Y	N	Y	D	N	1,553.46	1,553.46
33416		A	36.56	11.92	10.59	59.07	36.56	11.92	10.59	59.07	090	Y	N	Y	D	N	1,557.68	1,557.68
33417		A	29.33	10.28	8.45	48.06	29.33	10.28	8.45	48.06	090	Y	N	Y	D	N	1,267.34	1,267.34
33420		A	25.79	11.04	4.26	41.09	25.79	11.04	4.26	41.09	090	Y	N	N	D	N	1,083.54	1,083.54
33422		A	29.73	10.28	8.92	48.93	29.73	10.28	8.92	48.93	090	Y	N	Y	D	N	1,290.28	1,290.28
33425		A	49.96	15.28	14.41	79.65	49.96	15.28	14.41	79.65	090	Y	N	Y	D	N	2,100.37	2,100.37
33426		A	43.28	13.59	12.51	69.38	43.28	13.59	12.51	69.38	090	Y	N	Y	D	N	1,829.55	1,829.55
33427		A	44.83	13.55	12.95	71.33	44.83	13.55	12.95	71.33	090	Y	N	Y	D	N	1,880.97	1,880.97
33430		A	50.93	15.87	14.72	81.52	50.93	15.87	14.72	81.52	090	Y	N	Y	D	N	2,149.68	2,149.68
33460		A	44.7	13.15	13.41	71.26	44.7	13.15	13.41	71.26	090	Y	N	Y	D	N	1,879.13	1,879.13
33463		A	57.08	16.62	16.57	90.27	57.08	16.62	16.57	90.27	090	Y	N	Y	D	N	2,380.42	2,380.42
33464		A	44.62	13.79	12.9	71.31	44.62	13.79	12.9	71.31	090	Y	N	Y	D	N	1,880.44	1,880.44
33465		A	50.72	15.03	14.76	80.51	50.72	15.03	14.76	80.51	090	Y	N	Y	D	N	2,123.05	2,123.05
33468		A	45.13	13.02	13.58	71.73	45.13	13.02	13.58	71.73	090	Y	N	Y	D	N	1,891.52	1,891.52
33470		A	21.54	9.19	6.07	36.8	21.54	9.19	6.07	36.8	090	Y	N	Y	N	N	970.42	970.42
33471		A	22.96	9.88	6.92	39.76	22.96	9.88	6.92	39.76	090	Y	N	Y	D	N	1,048.47	1,048.47
33472		A	23.06	9.43	6.97	39.46	23.06	9.43	6.97	39.46	090	Y	N	Y	N	N	1,040.56	1,040.56
33474		A	39.4	12.52	11.09	63.01	39.4	12.52	11.09	63.01	090	Y	N	Y	D	N	1,661.57	1,661.57
33475		A	42.4	13.25	12.74	68.39	42.4	13.25	12.74	68.39	090	Y	N	Y	D	N	1,803.44	1,803.44
33476		A	26.57	9.71	7.98	44.26	26.57	9.71	7.98	44.26	090	Y	N	Y	D	N	1,167.14	1,167.14
33478		A	27.54	9.73	8.28	45.55	27.54	9.73	8.28	45.55	090	Y	N	Y	D	N	1,201.15	1,201.15
33496		A	29.84	9.99	8.39	48.22	29.84	9.99	8.39	48.22	090	Y	N	Y	D	N	1,271.56	1,271.56
33500		A	27.94	9.59	8.39	45.92	27.94	9.59	8.39	45.92	090	Y	N	Y	D	N	1,210.91	1,210.91
33501		A	19.51	7.3	5.88	32.69	19.51	7.3	5.88	32.69	090	Y	N	Y	Y	N	862.04	862.04
33502		A	21.85	8.43	6.56	36.84	21.85	8.43	6.56	36.84	090	Y	N	Y	D	N	971.47	971.47
33503		A	22.51	9.1	5.92	37.53	22.51	9.1	5.92	37.53	090	Y	N	D	D	N	989.67	989.67
33504		A	25.46	9.48	7.64	42.58	25.46	9.48	7.64	42.58	090	Y	N	Y	D	N	1,122.83	1,122.83
33505		A	38.4	10.8	11.53	60.73	38.4	10.8	11.53	60.73	090	Y	N	Y	D	N	1,601.45	1,601.45
33506		A	37.85	11.14	10.65	59.64	37.85	11.14	10.65	59.64	090	Y	N	Y	D	N	1,572.71	1,572.71
33507		A	31.4	9.49	8.83	49.72	31.4	9.49	8.83	49.72	090	Y	N	Y	D	N	1,311.12	1,311.12
33508		A	0.31	0.07	0.09	0.47	0.31	0.07	0.09	0.47	ZZZ	N	N	Y	D	N	12.39	12.39
33510		A	34.98	11.21	10.1	56.29	34.98	11.21	10.1	56.29	090	Y	N	Y	N	N	1,484.37	1,484.37
33511		A	38.45	12.26	11.12	61.83	38.45	12.26	11.12	61.83	090	Y	N	Y	N	N	1,630.46	1,630.46
33512		A	43.98	13.65	12.74	70.37	43.98	13.65	12.74	70.37	090	Y	N	Y	N	N	1,855.66	1,855.66
33513		A	45.37	13.9	13.18	72.45	45.37	13.9	13.18	72.45	090	Y	N	Y	N	N	1,910.51	1,910.51
33514		A	48.08	14.51	13.87	76.46	48.08	14.51	13.87	76.46	090	Y	N	Y	N	N	2,016.25	2,016.25
33516		A	49.76	14.98	14.93	79.67	49.76	14.98	14.93	79.67	090	Y	N	Y	N	N	2,100.90	2,100.90
33517		A	3.61	0.87	1.03	5.51	3.61	0.87	1.03	5.51	ZZZ	N	N	Y	N	N	145.30	145.30
33518		A	7.93	1.91	2.3	12.14	7.93	1.91	2.3	12.14	ZZZ	N	N	Y	N	N	320.13	320.13
33519		A	10.49	2.53	3.03	16.05	10.49	2.53	3.03	16.05	ZZZ	N	N	Y	N	N	423.24	423.24
33521		A	12.59	3.03	3.67	19.29	12.59	3.03	3.67	19.29	ZZZ	N	N	Y	N	N	508.68	508.68
33522		A	14.14	3.39	4.12	21.65	14.14	3.39	4.12	21.65	ZZZ	N	N	Y	N	N	570.91	570.91
33523		A	16.08	3.82	4.65	24.55	16.08	3.82	4.65	24.55	ZZZ	N	N	Y	N	N	647.38	647.38

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
33530		A	10.13	2.45	2.9	15.48	10.13	2.45	2.9	15.48	ZZZ	N	N	Y	N	N	408.21	408.21
33533		A	33.75	10.88	9.76	54.39	33.75	10.88	9.76	54.39	090	Y	N	Y	N	N	1,434.26	1,434.26
33534		A	39.88	12.6	11.5	63.98	39.88	12.6	11.5	63.98	090	Y	N	Y	N	N	1,687.15	1,687.15
33535		A	44.75	13.75	12.91	71.41	44.75	13.75	12.91	71.41	090	Y	N	Y	N	N	1,883.08	1,883.08
33536		A	48.43	14.33	14.05	76.81	48.43	14.33	14.05	76.81	090	Y	N	Y	N	N	2,025.48	2,025.48
33542		A	48.21	14.46	13.98	76.65	48.21	14.46	13.98	76.65	090	Y	N	Y	D	N	2,021.26	2,021.26
33545		A	57.06	16.75	16.43	90.24	57.06	16.75	16.43	90.24	090	Y	N	Y	D	N	2,379.63	2,379.63
33548		A	54.14	16.78	15.75	86.67	54.14	16.78	15.75	86.67	090	Y	N	Y	D	N	2,285.49	2,285.49
33572		A	4.44	1.07	1.29	6.8	4.44	1.07	1.29	6.8	ZZZ	N	N	Y	N	N	179.32	179.32
33600		A	30.31	10.42	8.5	49.23	30.31	10.42	8.5	49.23	090	Y	N	Y	D	N	1,298.20	1,298.20
33602		A	29.34	10.41	7.51	47.26	29.34	10.41	7.51	47.26	090	Y	N	Y	D	N	1,246.25	1,246.25
33606		A	31.53	10.84	8.08	50.45	31.53	10.84	8.08	50.45	090	Y	N	Y	D	N	1,330.37	1,330.37
33608		A	31.88	10.79	8.96	51.63	31.88	10.79	8.96	51.63	090	Y	N	Y	D	N	1,361.48	1,361.48
33610		A	31.4	10.68	8.83	50.91	31.4	10.68	8.83	50.91	090	Y	N	Y	D	N	1,342.50	1,342.50
33611		A	35.57	10.74	10.69	57	35.57	10.74	10.69	57	090	Y	N	Y	D	N	1,503.09	1,503.09
33612		A	36.57	11.22	9.58	57.37	36.57	11.22	9.58	57.37	090	Y	N	Y	D	N	1,512.85	1,512.85
33615		A	35.89	12.21	10.1	58.2	35.89	12.21	10.1	58.2	090	Y	N	Y	D	N	1,534.73	1,534.73
33617		A	39.09	12.21	11	62.3	39.09	12.21	11	62.3	090	Y	N	Y	D	N	1,642.85	1,642.85
33619		A	48.76	19.3	13.72	81.78	48.76	19.3	13.72	81.78	090	Y	N	Y	D	N	2,156.54	2,156.54
33620		A	30	4.53	9.01	43.54	30	4.53	9.01	43.54	090	Y	N	Y	D	N	1,148.15	1,148.15
33621		A	16.18	4.78	4.52	25.48	16.18	4.78	4.52	25.48	090	Y	N	Y	D	N	671.91	671.91
33622		A	64	18.38	18	100.38	64	18.38	18	100.38	090	Y	N	Y	D	N	2,647.02	2,647.02
33641		A	29.58	9.44	8.55	47.57	29.58	9.44	8.55	47.57	090	Y	N	Y	D	N	1,254.42	1,254.42
33645		A	31.3	9.76	9.39	50.45	31.3	9.76	9.39	50.45	090	Y	N	Y	D	N	1,330.37	1,330.37
33647		A	33	10.36	9.91	53.27	33	10.36	9.91	53.27	090	Y	N	Y	D	N	1,404.73	1,404.73
33660		A	31.83	9.86	9.56	51.25	31.83	9.86	9.56	51.25	090	Y	N	Y	D	N	1,351.46	1,351.46
33665		A	34.85	10.81	10.5	56.16	34.85	10.81	10.5	56.16	090	Y	N	Y	D	N	1,480.94	1,480.94
33670		A	36.63	10.44	11.02	58.09	36.63	10.44	11.02	58.09	090	Y	N	Y	D	N	1,531.83	1,531.83
33675		A	35.95	10.86	10.79	57.6	35.95	10.86	10.79	57.6	090	Y	N	Y	D	N	1,518.91	1,518.91
33676		A	36.95	13.82	11.24	62.01	36.95	13.82	11.24	62.01	090	Y	N	Y	D	N	1,635.20	1,635.20
33677		A	38.45	14.29	11.71	64.45	38.45	14.29	11.71	64.45	090	Y	N	Y	D	N	1,699.55	1,699.55
33681		A	32.34	11.38	9.37	53.09	32.34	11.38	9.37	53.09	090	Y	N	Y	D	N	1,399.98	1,399.98
33684		A	34.37	10.45	10.32	55.14	34.37	10.45	10.32	55.14	090	Y	N	Y	D	N	1,454.04	1,454.04
33688		A	34.75	9.98	10.45	55.18	34.75	9.98	10.45	55.18	090	Y	N	Y	D	N	1,455.10	1,455.10
33690		A	20.36	8.07	5.71	34.14	20.36	8.07	5.71	34.14	090	Y	N	Y	D	N	900.27	900.27
33692		A	36.15	13.04	10.94	60.13	36.15	13.04	10.94	60.13	090	Y	N	Y	D	N	1,585.63	1,585.63
33694		A	35.57	10.98	10.69	57.24	35.57	10.98	10.69	57.24	090	Y	N	Y	D	N	1,509.42	1,509.42
33697		A	37.57	12.26	9.83	59.66	37.57	12.26	9.83	59.66	090	Y	N	Y	D	N	1,573.23	1,573.23
33702		A	27.24	9.42	8.18	44.84	27.24	9.42	8.18	44.84	090	Y	N	Y	D	N	1,182.43	1,182.43
33710		A	37.5	13.02	10.55	61.07	37.5	13.02	10.55	61.07	090	Y	N	Y	N	N	1,610.42	1,610.42
33720		A	27.26	9.63	7.66	44.55	27.26	9.63	7.66	44.55	090	Y	N	Y	D	N	1,174.78	1,174.78
33722		A	29.21	9.56	8.75	47.52	29.21	9.56	8.75	47.52	090	Y	N	Y	D	N	1,253.10	1,253.10
33724		A	27.63	9.09	7.75	44.47	27.63	9.09	7.75	44.47	090	Y	N	Y	D	N	1,172.67	1,172.67
33726		A	37.12	12.15	11.14	60.41	37.12	12.15	11.14	60.41	090	Y	N	Y	D	N	1,593.01	1,593.01
33730		A	36.14	11.42	10.86	58.42	36.14	11.42	10.86	58.42	090	Y	N	Y	D	N	1,540.54	1,540.54
33732		A	28.96	12.33	8.69	49.98	28.96	12.33	8.69	49.98	090	Y	N	Y	D	N	1,317.97	1,317.97
33735		A	22.2	8.51	6.69	37.4	22.2	8.51	6.69	37.4	090	Y	N	Y	N	N	986.24	986.24
33736		A	24.32	9.01	7.28	40.61	24.32	9.01	7.28	40.61	090	Y	N	Y	D	N	1,070.89	1,070.89
33737		A	22.47	9.73	6.33	38.53	22.47	9.73	6.33	38.53	090	Y	N	Y	D	N	1,016.04	1,016.04
33750		A	22.22	7.7	9.58	39.5	22.22	7.7	9.58	39.5	090	Y	N	Y	D	N	1,041.62	1,041.62
33755		A	22.6	10.02	5.93	38.55	22.6	10.02	5.93	38.55	090	Y	N	Y	D	N	1,016.56	1,016.56
33762		A	22.6	9.31	6.88	38.79	22.6	9.31	6.88	38.79	090	Y	N	Y	D	N	1,022.89	1,022.89
33764		A	22.6	8.79	5.8	37.19	22.6	8.79	5.8	37.19	090	Y	N	Y	D	N	980.70	980.70
33766		A	23.57	9.63	6.17	39.37	23.57	9.63	6.17	39.37	090	Y	N	Y	D	N	1,038.19	1,038.19

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
33767		A	25.3	8.61	7.6	41.51	25.3	8.61	7.6	41.51	090	Y	N	Y	D	N	1,094.62	1,094.62
33768		A	8	2.55	2.39	12.94	8	2.55	2.39	12.94	ZZZ	N	N	Y	Y	N	341.23	341.23
33770		A	39.07	14.14	11	64.21	39.07	14.14	11	64.21	090	Y	N	Y	D	N	1,693.22	1,693.22
33771		A	40.63	14.23	12.4	67.26	40.63	14.23	12.4	67.26	090	Y	N	Y	D	N	1,773.65	1,773.65
33774		A	31.73	11.17	9.52	52.42	31.73	11.17	9.52	52.42	090	Y	N	Y	D	N	1,382.32	1,382.32
33775		A	32.99	13.24	9.96	56.19	32.99	13.24	9.96	56.19	090	Y	N	Y	N	N	1,481.73	1,481.73
33776		A	34.75	11.71	10.48	56.94	34.75	11.71	10.48	56.94	090	Y	N	Y	D	N	1,501.51	1,501.51
33777		A	34.17	13.15	10.34	57.66	34.17	13.15	10.34	57.66	090	Y	N	Y	N	N	1,520.49	1,520.49
33778		A	42.75	16.11	13.04	71.9	42.75	16.11	13.04	71.9	090	Y	N	Y	D	N	1,896.00	1,896.00
33779		A	43.23	8.78	13.2	65.21	43.23	8.78	13.2	65.21	090	Y	N	Y	D	N	1,719.59	1,719.59
33780		A	43.9	12.32	13.38	69.6	43.9	12.32	13.38	69.6	090	Y	N	Y	D	N	1,835.35	1,835.35
33781		A	43.21	15.06	13.2	71.47	43.21	15.06	13.2	71.47	090	Y	N	Y	N	N	1,884.66	1,884.66
33782		A	60.08	18.68	16.91	95.67	60.08	18.68	16.91	95.67	090	Y	N	Y	D	N	2,522.82	2,522.82
33783		A	65.08	22.79	18.3	106.17	65.08	22.79	18.3	106.17	090	Y	N	Y	D	N	2,799.70	2,799.70
33786		A	41.87	12.41	12.74	67.02	41.87	12.41	12.74	67.02	090	Y	N	Y	D	N	1,767.32	1,767.32
33788		A	27.42	9.12	8.25	44.79	27.42	9.12	8.25	44.79	090	Y	N	Y	D	N	1,181.11	1,181.11
33800		A	17.28	4.38	5.17	26.83	17.28	4.38	5.17	26.83	090	Y	N	Y	Y	N	707.51	707.51
33802		A	18.37	7.46	5.53	31.36	18.37	7.46	5.53	31.36	090	Y	N	Y	D	N	826.96	826.96
33803		A	20.31	8.34	6.1	34.75	20.31	8.34	6.1	34.75	090	Y	N	Y	D	N	916.36	916.36
33813		A	21.36	8.2	6.02	35.58	21.36	8.2	6.02	35.58	090	Y	N	Y	D	N	938.24	938.24
33814		A	26.57	9.54	7.98	44.09	26.57	9.54	7.98	44.09	090	Y	N	Y	D	N	1,162.65	1,162.65
33820		A	16.69	6.41	5.02	28.12	16.69	6.41	5.02	28.12	090	Y	N	Y	N	N	741.52	741.52
33822		A	17.71	6.66	5.35	29.72	17.71	6.66	5.35	29.72	090	Y	N	Y	D	N	783.72	783.72
33824		A	20.23	7.73	5.69	33.65	20.23	7.73	5.69	33.65	090	Y	N	Y	D	N	887.35	887.35
33840		A	21.34	9.37	6.42	37.13	21.34	9.37	6.42	37.13	090	Y	N	Y	D	N	979.12	979.12
33845		A	22.93	8.68	6.88	38.49	22.93	8.68	6.88	38.49	090	Y	N	Y	D	N	1,014.98	1,014.98
33851		A	21.98	9.58	6.58	38.14	21.98	9.58	6.58	38.14	090	Y	N	Y	D	N	1,005.75	1,005.75
33852		A	24.41	8.94	7.32	40.67	24.41	8.94	7.32	40.67	090	Y	N	Y	N	N	1,072.47	1,072.47
33853		A	32.51	11.18	9.77	53.46	32.51	11.18	9.77	53.46	090	Y	N	Y	D	N	1,409.74	1,409.74
33860		A	59.46	17.26	17.12	93.84	59.46	17.26	17.12	93.84	090	Y	N	Y	D	N	2,474.56	2,474.56
33863		A	58.79	16.44	16.91	92.14	58.79	16.44	16.91	92.14	090	Y	N	Y	D	N	2,429.73	2,429.73
33864		A	60.08	16.7	17.19	93.97	60.08	16.7	17.19	93.97	090	Y	N	Y	D	N	2,477.99	2,477.99
33870		A	46.06	14.12	13.21	73.39	46.06	14.12	13.21	73.39	090	Y	N	Y	D	N	1,935.29	1,935.29
33875		A	50.72	15.04	14.56	80.32	50.72	15.04	14.56	80.32	090	Y	N	Y	D	N	2,118.04	2,118.04
33877		A	69.03	18.25	19.64	106.92	69.03	18.25	19.64	106.92	090	Y	N	Y	D	N	2,819.48	2,819.48
33880		A	34.58	9.13	9.27	52.98	34.58	9.13	9.27	52.98	090	Y	B	Y	Y	N	1,397.08	1,397.08
33881		A	29.58	8.02	7.93	45.53	29.58	8.02	7.93	45.53	090	Y	B	Y	Y	N	1,200.63	1,200.63
33883		A	21.09	6.16	5.64	32.89	21.09	6.16	5.64	32.89	090	Y	N	Y	Y	N	867.31	867.31
33884		A	8.2	1.78	2.21	12.19	8.2	1.78	2.21	12.19	ZZZ	N	N	Y	Y	N	321.45	321.45
33886		A	18.09	5.39	5.16	28.64	18.09	5.39	5.16	28.64	090	Y	N	Y	Y	N	755.24	755.24
33889		A	15.92	3.33	4.53	23.78	15.92	3.33	4.53	23.78	000	Y	Y	Y	Y	N	627.08	627.08
33891		A	20	3.54	5.7	29.24	20	3.54	5.7	29.24	000	Y	Y	Y	Y	N	771.06	771.06
33910		A	48.21	14.75	14.46	77.42	48.21	14.75	14.46	77.42	090	Y	N	Y	D	N	2,041.57	2,041.57
33915		A	24.95	5.77	6.53	37.25	24.95	5.77	6.53	37.25	090	Y	N	Y	D	N	982.28	982.28
33916		A	78	21.9	23.41	123.31	78	21.9	23.41	123.31	090	Y	N	Y	D	N	3,251.68	3,251.68
33917		A	25.3	9.24	7.11	41.65	25.3	9.24	7.11	41.65	090	Y	N	Y	D	N	1,098.31	1,098.31
33920		A	32.74	10.41	9.82	52.97	32.74	10.41	9.82	52.97	090	Y	N	Y	D	N	1,396.82	1,396.82
33922		A	24.22	8.89	7.28	40.39	24.22	8.89	7.28	40.39	090	Y	N	Y	D	N	1,065.08	1,065.08
33924		A	5.49	1.3	1.53	8.32	5.49	1.3	1.53	8.32	ZZZ	N	N	Y	D	N	219.40	219.40
33925		A	31.3	9.47	8.79	49.56	31.3	9.47	8.79	49.56	090	Y	N	Y	D	N	1,306.90	1,306.90
33926		A	44.73	12.65	13.41	70.79	44.73	12.65	13.41	70.79	090	Y	N	Y	D	N	1,866.73	1,866.73
33930		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
33933		NOT COVEI	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
33935		A	91.78	26.94	27.56	146.28	91.78	26.94	27.56	146.28	090	Y	N	Y	D	Y	3,857.40	3,857.40

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
33940		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
33944		NOT COVEI	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
33945		A	89.5	26.32	25.63	141.45	89.5	26.32	25.63	141.45	090	Y	N	Y	D	Y	3,730.04	3,730.04
33960		A	19.33	5.02	4.58	28.93	19.33	5.02	4.58	28.93	000	N	N	Y	D	N	762.88	762.88
33961		A	10.91	3.08	2	15.99	10.91	3.08	2	15.99	XXX	N	N	N	D	N	421.66	421.66
33967		A	4.84	1.36	1.29	7.49	4.84	1.36	1.29	7.49	000	Y	N	D	N	N	197.51	197.51
33968		A	0.64	0.17	0.16	0.97	0.64	0.17	0.16	0.97	000	N	N	N	N	N	25.58	25.58
33970		A	6.74	1.74	1.88	10.36	6.74	1.74	1.88	10.36	000	Y	N	Y	D	N	273.19	273.19
33971		A	11.99	4.96	3.37	20.32	11.99	4.96	3.37	20.32	090	Y	N	N	N	N	535.84	535.84
33973		A	9.75	2.55	2.71	15.01	9.75	2.55	2.71	15.01	000	Y	N	Y	D	N	395.81	395.81
33974		A	15.03	6.07	4.53	25.63	15.03	6.07	4.53	25.63	090	Y	N	N	N	N	675.86	675.86
33975		A	25	6.7	7.15	38.85	25	6.7	7.15	38.85	XXX	Y	N	Y	N	N	1,024.47	1,024.47
33976		A	30.75	7.56	9.22	47.53	30.75	7.56	9.22	47.53	XXX	Y	B	Y	N	N	1,253.37	1,253.37
33977		A	20.86	6.11	5.95	32.92	20.86	6.11	5.95	32.92	XXX	Y	N	Y	N	N	868.10	868.10
33978		A	25	6.91	7.52	39.43	25	6.91	7.52	39.43	XXX	Y	B	Y	N	N	1,039.77	1,039.77
33979		A	37.5	9.14	10.79	57.43	37.5	9.14	10.79	57.43	XXX	Y	N	Y	N	N	1,514.43	1,514.43
33980		A	33.5	9.09	9.71	52.3	33.5	9.09	9.71	52.3	XXX	Y	N	Y	N	N	1,379.15	1,379.15
33981		A	16.11	3.81	4.82	24.74	16.11	3.81	4.82	24.74	XXX	Y	N	Y	N	N	652.39	652.39
33982		A	37.86	8.95	10.89	57.7	37.86	8.95	10.89	57.7	XXX	Y	N	Y	N	N	1,521.55	1,521.55
33983		A	44.54	10.62	12.81	67.97	44.54	10.62	12.81	67.97	XXX	Y	N	Y	N	N	1,792.37	1,792.37
33990		A	8.15	2.31	2.19	12.65	8.15	2.31	2.19	12.65	XXX	Y	N	Y	N	N	333.58	333.58
33991		A	11.88	3.38	3.18	18.44	11.88	3.38	3.18	18.44	XXX	Y	N	Y	N	N	486.26	486.26
33992		A	4	0.95	1.07	6.02	4	0.95	1.07	6.02	XXX	Y	N	Y	N	N	158.75	158.75
33993		A	3.51	0.83	0.94	5.28	3.51	0.83	0.94	5.28	XXX	Y	N	Y	N	N	139.23	139.23
33999		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
34001		A	17.88	5.43	4.89	28.2	17.88	5.43	4.89	28.2	090	Y	Y	Y	D	N	743.63	743.63
34051		A	16.99	6.64	5.1	28.73	16.99	6.64	5.1	28.73	090	Y	Y	Y	D	N	757.61	757.61
34101		A	10.93	3.71	2.95	17.59	10.93	3.71	2.95	17.59	090	Y	Y	Y	D	N	463.85	463.85
34111		A	10.93	3.72	2.93	17.58	10.93	3.72	2.93	17.58	090	Y	Y	Y	D	N	463.58	463.58
34151		A	26.52	7.65	7.17	41.34	26.52	7.65	7.17	41.34	090	Y	Y	Y	D	N	1,090.14	1,090.14
34201		A	19.48	5.62	5.38	30.48	19.48	5.62	5.38	30.48	090	Y	Y	Y	D	N	803.76	803.76
34203		A	17.86	5.43	4.94	28.23	17.86	5.43	4.94	28.23	090	Y	Y	Y	D	N	744.43	744.43
34401		A	26.52	9.02	6.79	42.33	26.52	9.02	6.79	42.33	090	Y	Y	Y	D	N	1,116.24	1,116.24
34421		A	13.37	4.37	3.57	21.31	13.37	4.37	3.57	21.31	090	Y	Y	Y	D	N	561.94	561.94
34451		A	28.52	6.51	8.14	43.17	28.52	6.51	8.14	43.17	090	Y	Y	Y	D	N	1,138.39	1,138.39
34471		A	21.11	5.19	5.4	31.7	21.11	5.19	5.4	31.7	090	Y	Y	N	D	N	835.93	835.93
34490		A	10.91	3.85	2.9	17.66	10.91	3.85	2.9	17.66	090	Y	Y	N	N	N	465.69	465.69
34501		A	16.85	6.99	4.81	28.65	16.85	6.99	4.81	28.65	090	Y	Y	Y	D	N	755.50	755.50
34502		A	28.07	9.01	7.07	44.15	28.07	9.01	7.07	44.15	090	Y	N	Y	N	N	1,164.24	1,164.24
34510		A	19.91	8.49	5.09	33.49	19.91	8.49	5.09	33.49	090	Y	Y	Y	D	N	883.13	883.13
34520		A	19.18	4.93	5.46	29.57	19.18	4.93	5.46	29.57	090	Y	Y	Y	D	N	779.76	779.76
34530		A	17.93	8.45	4.58	30.96	17.93	8.45	4.58	30.96	090	Y	Y	Y	D	N	816.42	816.42
34800		A	21.54	6.07	5.49	33.1	21.54	6.07	5.49	33.1	090	Y	N	Y	Y	N	872.85	872.85
34802		A	23.79	6.67	6.12	36.58	23.79	6.67	6.12	36.58	090	Y	N	Y	Y	N	964.61	964.61
34803		A	24.82	6.68	6.42	37.92	24.82	6.68	6.42	37.92	090	Y	B	Y	Y	N	999.95	999.95
34804		A	23.79	6.6	6.18	36.57	23.79	6.6	6.18	36.57	090	Y	N	Y	Y	N	964.35	964.35
34805		A	22.67	6.42	6.05	35.14	22.67	6.42	6.05	35.14	090	Y	N	Y	Y	N	926.64	926.64
34806		A	2.06	0.37	0.54	2.97	2.06	0.37	0.54	2.97	ZZZ	N	N	Y	Y	N	78.32	78.32
34808		A	4.12	0.9	1.08	6.1	4.12	0.9	1.08	6.1	ZZZ	N	N	Y	Y	N	160.86	160.86
34812		A	6.74	1.45	1.86	10.05	6.74	1.45	1.86	10.05	000	Y	Y	Y	Y	N	265.02	265.02
34813		A	4.79	0.97	1.32	7.08	4.79	0.97	1.32	7.08	ZZZ	N	N	Y	Y	N	186.70	186.70
34820		A	9.74	2.2	2.61	14.55	9.74	2.2	2.61	14.55	000	Y	Y	Y	Y	N	383.68	383.68
34825		A	12.8	4.24	3.3	20.34	12.8	4.24	3.3	20.34	090	Y	N	Y	Y	N	536.37	536.37
34826		A	4.12	0.9	1.06	6.08	4.12	0.9	1.06	6.08	ZZZ	N	N	Y	Y	N	160.33	160.33

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
34830		A	35.23	7.76	10.04	53.03	35.23	7.76	10.04	53.03	090	Y	N	Y	Y	N	1,398.40	1,398.40
34831		A	37.98	8.25	10.84	57.07	37.98	8.25	10.84	57.07	090	Y	N	Y	Y	N	1,504.94	1,504.94
34832		A	37.98	8.25	10.84	57.07	37.98	8.25	10.84	57.07	090	Y	N	Y	Y	N	1,504.94	1,504.94
34833		A	11.98	2.82	3.35	18.15	11.98	2.82	3.35	18.15	000	Y	Y	Y	Y	N	478.62	478.62
34834		A	5.34	1.3	1.49	8.13	5.34	1.3	1.49	8.13	000	Y	Y	Y	Y	N	214.39	214.39
34841		C	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
34842		C	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
34843		C	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
34844		C	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
34845		C	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
34846		C	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
34847		C	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
34848		C	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
34900		A	16.85	4.98	4.3	26.13	16.85	4.98	4.3	26.13	090	Y	Y	Y	Y	N	689.05	689.05
35001		A	20.81	6.46	5.79	33.06	20.81	6.46	5.79	33.06	090	Y	Y	Y	D	N	871.79	871.79
35002		A	22.23	5.46	5.7	33.39	22.23	5.46	5.7	33.39	090	Y	Y	Y	D	N	880.49	880.49
35005		A	19.29	8.4	5.49	33.18	19.29	8.4	5.49	33.18	090	Y	Y	Y	D	N	874.96	874.96
35011		A	18.58	5.71	5.07	29.36	18.58	5.71	5.07	29.36	090	Y	Y	Y	D	N	774.22	774.22
35013		A	23.23	7.22	6.34	36.79	23.23	7.22	6.34	36.79	090	Y	Y	Y	D	N	970.15	970.15
35021		A	22.17	7.86	6.24	36.27	22.17	7.86	6.24	36.27	090	Y	Y	Y	D	N	956.44	956.44
35022		A	25.7	8.89	7.23	41.82	25.7	8.89	7.23	41.82	090	Y	Y	Y	D	N	1,102.79	1,102.79
35045		A	18.01	6.26	4.81	29.08	18.01	6.26	4.81	29.08	090	Y	Y	Y	D	N	766.84	766.84
35081		A	33.53	9.04	9.33	51.9	33.53	9.04	9.33	51.9	090	Y	N	Y	D	N	1,368.60	1,368.60
35082		A	42.09	11.24	11.61	64.94	42.09	11.24	11.61	64.94	090	Y	N	Y	D	N	1,712.47	1,712.47
35091		A	35.35	8.34	9.83	53.52	35.35	8.34	9.83	53.52	090	Y	Y	Y	D	N	1,411.32	1,411.32
35092		A	50.97	12.6	14.17	77.74	50.97	12.6	14.17	77.74	090	Y	Y	Y	D	N	2,050.00	2,050.00
35102		A	36.53	9.61	10.15	56.29	36.53	9.61	10.15	56.29	090	Y	Y	Y	D	N	1,484.37	1,484.37
35103		A	43.62	11.22	11.99	66.83	43.62	11.22	11.99	66.83	090	Y	Y	Y	D	N	1,762.31	1,762.31
35111		A	26.28	10.39	6.73	43.4	26.28	10.39	6.73	43.4	090	Y	Y	Y	D	N	1,144.46	1,144.46
35112		A	32.57	12.41	8.34	53.32	32.57	12.41	8.34	53.32	090	Y	Y	Y	D	N	1,406.05	1,406.05
35121		A	31.52	8.28	8.7	48.5	31.52	8.28	8.7	48.5	090	Y	Y	Y	N	N	1,278.95	1,278.95
35122		A	37.89	14	9.71	61.6	37.89	14	9.71	61.6	090	Y	Y	Y	D	N	1,624.39	1,624.39
35131		A	26.4	7.35	7.32	41.07	26.4	7.35	7.32	41.07	090	Y	Y	Y	D	N	1,083.02	1,083.02
35132		A	32.57	7.29	8.94	48.8	32.57	7.29	8.94	48.8	090	Y	Y	Y	D	N	1,286.86	1,286.86
35141		A	20.91	6.01	5.8	32.72	20.91	6.01	5.8	32.72	090	Y	Y	Y	D	N	862.83	862.83
35142		A	25.16	7.12	6.95	39.23	25.16	7.12	6.95	39.23	090	Y	Y	Y	D	N	1,034.50	1,034.50
35151		A	23.72	6.56	6.57	36.85	23.72	6.56	6.57	36.85	090	Y	Y	Y	D	N	971.73	971.73
35152		A	27.66	6.42	7.89	41.97	27.66	6.42	7.89	41.97	090	Y	Y	Y	D	N	1,106.75	1,106.75
35180		A	15.1	6.84	4.3	26.24	15.1	6.84	4.3	26.24	090	Y	N	Y	D	N	691.95	691.95
35182		A	31.71	10.64	8.11	50.46	31.71	10.64	8.11	50.46	090	Y	N	Y	D	N	1,330.63	1,330.63
35184		A	18.82	6.42	4.81	30.05	18.82	6.42	4.81	30.05	090	Y	N	Y	D	N	792.42	792.42
35188		A	18	10.91	4.62	33.53	18	10.91	4.62	33.53	090	Y	N	Y	D	N	884.19	884.19
35189		A	29.98	6.84	9.01	45.83	29.98	6.84	9.01	45.83	090	Y	N	Y	D	N	1,208.54	1,208.54
35190		A	13.42	4.93	3.68	22.03	13.42	4.93	3.68	22.03	090	Y	N	Y	D	N	580.93	580.93
35201		A	16.93	6.06	4.52	27.51	16.93	6.06	4.52	27.51	090	Y	Y	Y	D	N	725.44	725.44
35206		A	13.84	4.98	3.68	22.5	13.84	4.98	3.68	22.5	090	Y	Y	Y	D	N	593.33	593.33
35207		A	10.94	7.28	2.32	20.54	10.94	7.28	2.32	20.54	090	Y	Y	N	D	N	541.64	541.64
35211		A	24.58	8.52	7.1	40.2	24.58	8.52	7.1	40.2	090	Y	Y	Y	D	N	1,060.07	1,060.07
35216		A	36.61	12.65	10.37	59.63	36.61	12.65	10.37	59.63	090	Y	Y	Y	D	N	1,572.44	1,572.44
35221		A	26.62	8.4	7.01	42.03	26.62	8.4	7.01	42.03	090	Y	Y	Y	D	N	1,108.33	1,108.33
35226		A	15.3	4.95	4.23	24.48	15.3	4.95	4.23	24.48	090	Y	Y	Y	D	N	645.54	645.54
35231		A	21.16	8.63	5	34.79	21.16	8.63	5	34.79	090	Y	Y	Y	D	N	917.41	917.41
35236		A	18.02	5.86	4.8	28.68	18.02	5.86	4.8	28.68	090	Y	Y	Y	D	N	756.29	756.29
35241		A	25.58	8.59	7.56	41.73	25.58	8.59	7.56	41.73	090	Y	Y	Y	D	N	1,100.42	1,100.42

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
35246		A	28.23	9.18	8.05	45.46	28.23	9.18	8.05	45.46	090	Y	Y	Y	D	N	1,198.78	1,198.78
35251		A	31.91	8.97	8.4	49.28	31.91	8.97	8.4	49.28	090	Y	Y	Y	D	N	1,299.51	1,299.51
35256		A	19.06	5.77	5.24	30.07	19.06	5.77	5.24	30.07	090	Y	Y	Y	D	N	792.95	792.95
35261		A	18.96	6.53	5.58	31.07	18.96	6.53	5.58	31.07	090	Y	Y	Y	D	N	819.32	819.32
35266		A	15.83	5.28	4.35	25.46	15.83	5.28	4.35	25.46	090	Y	Y	Y	D	N	671.38	671.38
35271		A	24.58	8.3	7.37	40.25	24.58	8.3	7.37	40.25	090	Y	Y	Y	D	N	1,061.39	1,061.39
35276		A	25.83	8.95	7.26	42.04	25.83	8.95	7.26	42.04	090	Y	Y	Y	D	N	1,108.59	1,108.59
35281		A	30.06	9.4	8.15	47.61	30.06	9.4	8.15	47.61	090	Y	Y	Y	D	N	1,255.48	1,255.48
35286		A	17.19	5.62	4.76	27.57	17.19	5.62	4.76	27.57	090	Y	Y	Y	D	N	727.02	727.02
35301		A	21.16	6.36	5.92	33.44	21.16	6.36	5.92	33.44	090	Y	Y	Y	D	N	881.81	881.81
35302		A	21.35	6.14	5.92	33.41	21.35	6.14	5.92	33.41	090	Y	Y	Y	D	N	881.02	881.02
35303		A	23.6	6.76	6.52	36.88	23.6	6.76	6.52	36.88	090	Y	Y	Y	D	N	972.53	972.53
35304		A	24.6	6.81	6.78	38.19	24.6	6.81	6.78	38.19	090	Y	Y	Y	D	N	1,007.07	1,007.07
35305		A	23.6	6.56	6.52	36.68	23.6	6.56	6.52	36.68	090	Y	Y	Y	D	N	967.25	967.25
35306		A	9.25	1.96	2.63	13.84	9.25	1.96	2.63	13.84	ZZZ	N	N	Y	D	N	364.96	364.96
35311		A	28.6	6.27	8.05	42.92	28.6	6.27	8.05	42.92	090	Y	Y	Y	D	N	1,131.80	1,131.80
35321		A	16.59	4.97	4.53	26.09	16.59	4.97	4.53	26.09	090	Y	Y	Y	D	N	687.99	687.99
35331		A	27.72	7.58	7.74	43.04	27.72	7.58	7.74	43.04	090	Y	Y	Y	D	N	1,134.96	1,134.96
35341		A	26.21	7.33	7.28	40.82	26.21	7.33	7.28	40.82	090	Y	Y	Y	D	N	1,076.42	1,076.42
35351		A	24.61	6.66	6.78	38.05	24.61	6.66	6.78	38.05	090	Y	Y	Y	D	N	1,003.38	1,003.38
35355		A	19.86	5.47	5.48	30.81	19.86	5.47	5.48	30.81	090	Y	Y	Y	D	N	812.46	812.46
35361		A	30.24	6.88	8.64	45.76	30.24	6.88	8.64	45.76	090	Y	Y	Y	D	N	1,206.69	1,206.69
35363		A	32.35	9.89	9.09	51.33	32.35	9.89	9.09	51.33	090	Y	Y	Y	D	N	1,353.57	1,353.57
35371		A	15.31	4.69	4.23	24.23	15.31	4.69	4.23	24.23	090	Y	Y	Y	D	N	638.95	638.95
35372		A	18.58	5.35	5.11	29.04	18.58	5.35	5.11	29.04	090	Y	Y	Y	D	N	765.78	765.78
35390		A	3.19	0.68	0.88	4.75	3.19	0.68	0.88	4.75	ZZZ	N	N	Y	D	N	125.26	125.26
35400		A	3	0.62	0.82	4.44	3	0.62	0.82	4.44	ZZZ	N	N	D	D	N	117.08	117.08
35450		A	10.05	2.43	2.7	15.18	10.05	2.43	2.7	15.18	000	Y	Y	Y	D	N	400.30	400.30
35452		A	6.9	1.41	1.9	10.21	6.9	1.41	1.9	10.21	000	Y	Y	Y	D	N	269.24	269.24
35458		A	9.48	2.45	2.57	14.5	9.48	2.45	2.57	14.5	000	Y	Y	Y	D	N	382.37	382.37
35460		A	6.03	1.56	1.58	9.17	6.03	1.56	1.58	9.17	000	Y	Y	N	D	N	241.81	241.81
35471		A	10.05	2.79	2.39	15.23	10.05	49.65	2.39	62.09	000	Y	Y	N	N	N	401.62	1,637.31
35472		A	6.9	1.81	1.73	10.44	6.9	36.53	1.73	45.16	000	Y	Y	D	D	N	275.30	1,190.87
35475		A	6.6	1.92	1.27	9.79	6.6	31.07	1.27	38.94	000	Y	Y	N	N	N	258.16	1,026.85
35476		A	5.1	1.76	0.84	7.7	5.1	29.32	0.84	35.26	000	Y	Y	N	N	N	203.05	929.81
35500		A	6.44	1.33	1.8	9.57	6.44	1.33	1.8	9.57	ZZZ	N	N	Y	D	N	252.36	252.36
35501		A	29.09	7.35	8.05	44.49	29.09	7.35	8.05	44.49	090	Y	Y	Y	D	N	1,173.20	1,173.20
35506		A	25.33	5.77	7.23	38.33	25.33	5.77	7.23	38.33	090	Y	Y	Y	D	N	1,010.76	1,010.76
35508		A	26.09	6.34	7.84	40.27	26.09	6.34	7.84	40.27	090	Y	Y	Y	D	N	1,061.92	1,061.92
35509		A	28.09	6.42	8.01	42.52	28.09	6.42	8.01	42.52	090	Y	Y	Y	D	N	1,121.25	1,121.25
35510		A	24.39	5.63	6.95	36.97	24.39	5.63	6.95	36.97	090	Y	Y	Y	D	N	974.90	974.90
35511		A	22.2	8.69	6.34	37.23	22.2	8.69	6.34	37.23	090	Y	Y	Y	D	N	981.76	981.76
35512		A	23.89	5.55	6.82	36.26	23.89	5.55	6.82	36.26	090	Y	Y	Y	D	N	956.18	956.18
35515		A	26.09	6.34	7.44	39.87	26.09	6.34	7.44	39.87	090	Y	Y	Y	D	N	1,051.37	1,051.37
35516		A	24.21	5.57	6.9	36.68	24.21	5.57	6.9	36.68	090	Y	Y	Y	D	N	967.25	967.25
35518		A	22.65	5.22	6.47	34.34	22.65	5.22	6.47	34.34	090	Y	Y	Y	D	N	905.55	905.55
35521		A	24.13	5.8	6.88	36.81	24.13	5.8	6.88	36.81	090	Y	Y	Y	D	N	970.68	970.68
35522		A	23.15	6.33	6.58	36.06	23.15	6.33	6.58	36.06	090	Y	Y	Y	D	N	950.90	950.90
35523		NOT COVEI	24.13	7.21	6.58	37.92	24.13	7.21	6.58	37.92	090	Y	Y	Y	D	N	999.95	999.95
35525		A	21.69	6.16	5.8	33.65	21.69	6.16	5.8	33.65	090	Y	Y	Y	D	N	887.35	887.35
35526		A	31.55	9.86	9.48	50.89	31.55	9.86	9.48	50.89	090	Y	Y	Y	D	N	1,341.97	1,341.97
35531		A	39.11	10.24	10.7	60.05	39.11	10.24	10.7	60.05	090	Y	Y	Y	D	N	1,583.52	1,583.52
35533		A	29.92	6.83	8.53	45.28	29.92	6.83	8.53	45.28	090	Y	Y	Y	D	N	1,194.03	1,194.03
35535		A	38.13	8.3	3.25	49.68	38.13	8.3	3.25	49.68	090	Y	Y	Y	D	N	1,310.06	1,310.06

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
35536		A	33.73	7.5	9.63	50.86	33.73	7.5	9.63	50.86	090	Y	Y	Y	D	N	1,341.18	1,341.18
35537		A	41.88	8.99	11.94	62.81	41.88	8.99	11.94	62.81	090	Y	N	Y	D	N	1,656.30	1,656.30
35538		A	47.03	9.93	13.4	70.36	47.03	9.93	13.4	70.36	090	Y	N	Y	D	N	1,855.39	1,855.39
35539		A	44.11	9.39	12.59	66.09	44.11	9.39	12.59	66.09	090	Y	Y	Y	D	N	1,742.79	1,742.79
35540		A	49.33	10.31	13.63	73.27	49.33	10.31	13.63	73.27	090	Y	Y	N	D	N	1,932.13	1,932.13
35556		A	26.75	7.54	7.37	41.66	26.75	7.54	7.37	41.66	090	Y	Y	Y	D	N	1,098.57	1,098.57
35558		A	23.13	7.04	6.42	36.59	23.13	7.04	6.42	36.59	090	Y	Y	Y	D	N	964.88	964.88
35560		A	34.03	7.55	9.71	51.29	34.03	7.55	9.71	51.29	090	Y	Y	Y	D	N	1,352.52	1,352.52
35563		A	26.12	6.16	7.44	39.72	26.12	6.16	7.44	39.72	090	Y	Y	Y	D	N	1,047.42	1,047.42
35565		A	25.13	7.05	6.9	39.08	25.13	7.05	6.9	39.08	090	Y	Y	Y	D	N	1,030.54	1,030.54
35566		A	32.35	8.51	9.01	49.87	32.35	8.51	9.01	49.87	090	Y	Y	Y	D	N	1,315.07	1,315.07
35570		A	29.15	7.89	2.49	39.53	29.15	7.89	2.49	39.53	090	Y	Y	Y	D	N	1,042.41	1,042.41
35571		A	25.52	7	7.07	39.59	25.52	7	7.07	39.59	090	Y	Y	Y	D	N	1,043.99	1,043.99
35572		A	6.81	1.56	1.91	10.28	6.81	1.56	1.91	10.28	ZZZ	N	N	Y	N	N	271.08	271.08
35583		A	27.75	7.63	7.64	43.02	27.75	7.63	7.64	43.02	090	Y	Y	Y	D	N	1,134.44	1,134.44
35585		A	32.35	8.69	8.89	49.93	32.35	8.69	8.89	49.93	090	Y	Y	Y	D	N	1,316.65	1,316.65
35587		A	26.21	7.25	7.26	40.72	26.21	7.25	7.26	40.72	090	Y	Y	Y	D	N	1,073.79	1,073.79
35600		A	4.94	1.21	1.44	7.59	4.94	1.21	1.44	7.59	ZZZ	N	N	Y	D	N	200.15	200.15
35601		A	27.09	7.11	7.61	41.81	27.09	7.11	7.61	41.81	090	Y	Y	Y	D	N	1,102.53	1,102.53
35606		A	22.46	6.18	6.31	34.95	22.46	6.18	6.31	34.95	090	Y	Y	Y	D	N	921.63	921.63
35612		A	20.35	5.13	5.82	31.3	20.35	5.13	5.82	31.3	090	Y	Y	Y	D	N	825.38	825.38
35616		A	21.82	5.08	5.59	32.49	21.82	5.08	5.59	32.49	090	Y	Y	Y	D	N	856.76	856.76
35621		A	21.03	5.81	5.85	32.69	21.03	5.81	5.85	32.69	090	Y	Y	Y	D	N	862.04	862.04
35623		A	25.92	6.12	7.37	39.41	25.92	6.12	7.37	39.41	090	Y	Y	Y	D	N	1,039.24	1,039.24
35626		A	29.14	9	8.39	46.53	29.14	9	8.39	46.53	090	Y	Y	Y	D	N	1,227.00	1,227.00
35631		A	36.03	9.11	10.11	55.25	36.03	9.11	10.11	55.25	090	Y	Y	Y	D	N	1,456.94	1,456.94
35632		A	36.13	7.95	3.09	47.17	36.13	7.95	3.09	47.17	090	Y	Y	Y	D	N	1,243.87	1,243.87
35633		A	39.11	9.98	3.34	52.43	39.11	9.98	3.34	52.43	090	Y	Y	Y	D	N	1,382.58	1,382.58
35634		A	35.33	7.81	3	46.14	35.33	7.81	3	46.14	090	Y	Y	Y	D	N	1,216.71	1,216.71
35636		A	31.75	7.15	9.06	47.96	31.75	7.15	9.06	47.96	090	Y	Y	Y	D	N	1,264.71	1,264.71
35637		A	33.05	9.2	9.19	51.44	33.05	9.2	9.19	51.44	090	Y	N	Y	D	N	1,356.47	1,356.47
35638		A	33.6	9.45	9.41	52.46	33.6	9.45	9.41	52.46	090	Y	N	Y	D	N	1,383.37	1,383.37
35642		A	18.94	5.13	5.39	29.46	18.94	5.13	5.39	29.46	090	Y	Y	Y	D	N	776.86	776.86
35645		A	18.43	6.63	5.54	30.6	18.43	6.63	5.54	30.6	090	Y	Y	Y	D	N	806.92	806.92
35646		A	32.98	8.98	9.12	51.08	32.98	8.98	9.12	51.08	090	Y	N	Y	D	N	1,346.98	1,346.98
35647		A	29.73	8.29	8.29	46.31	29.73	8.29	8.29	46.31	090	Y	Y	Y	D	N	1,221.19	1,221.19
35650		A	20.16	6.12	5.53	31.81	20.16	6.12	5.53	31.81	090	Y	Y	Y	D	N	838.83	838.83
35654		A	26.28	7.23	7.28	40.79	26.28	7.23	7.28	40.79	090	Y	N	Y	D	N	1,075.63	1,075.63
35656		A	20.47	6.04	5.65	32.16	20.47	6.04	5.65	32.16	090	Y	Y	Y	D	N	848.06	848.06
35661		A	20.35	6.17	5.64	32.16	20.35	6.17	5.64	32.16	090	Y	Y	Y	D	N	848.06	848.06
35663		A	23.93	6.8	6.57	37.3	23.93	6.8	6.57	37.3	090	Y	Y	Y	D	N	983.60	983.60
35665		A	22.35	6.41	6.15	34.91	22.35	6.41	6.15	34.91	090	Y	Y	Y	D	N	920.58	920.58
35666		A	23.66	7.41	6.53	37.6	23.66	7.41	6.53	37.6	090	Y	Y	Y	D	N	991.51	991.51
35671		A	20.77	6.66	5.74	33.17	20.77	6.66	5.74	33.17	090	Y	Y	Y	D	N	874.69	874.69
35681		A	1.6	0.35	0.44	2.39	1.6	0.35	0.44	2.39	ZZZ	N	N	Y	D	N	63.02	63.02
35682		A	7.19	1.45	2	10.64	7.19	1.45	2	10.64	ZZZ	N	N	D	D	N	280.58	280.58
35683		A	8.49	1.5	2.4	12.39	8.49	1.5	2.4	12.39	ZZZ	N	N	D	D	N	326.72	326.72
35685		A	4.04	0.83	1.12	5.99	4.04	0.83	1.12	5.99	ZZZ	N	N	Y	D	N	157.96	157.96
35686		A	3.34	0.59	0.9	4.83	3.34	0.59	0.9	4.83	ZZZ	N	N	Y	D	N	127.37	127.37
35691		A	18.41	4.64	5.25	28.3	18.41	4.64	5.25	28.3	090	Y	Y	Y	D	N	746.27	746.27
35693		A	15.73	4.63	4.5	24.86	15.73	4.63	4.5	24.86	090	Y	Y	Y	D	N	655.56	655.56
35694		A	19.28	4.79	5.49	29.56	19.28	4.79	5.49	29.56	090	Y	Y	Y	D	N	779.50	779.50
35695		A	20.06	4.93	5.71	30.7	20.06	4.93	5.71	30.7	090	Y	Y	Y	D	N	809.56	809.56
35697		A	3	0.61	0.83	4.44	3	0.61	0.83	4.44	ZZZ	N	N	Y	Y	N	117.08	117.08

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
35700		A	3.08	0.65	0.85	4.58	3.08	0.65	0.85	4.58	ZZZ	N	N	Y	D	N	120.77	120.77
35701		A	9.19	4.78	2.16	16.13	9.19	4.78	2.16	16.13	090	Y	Y	Y	D	N	425.35	425.35
35721		A	7.72	3.29	2.08	13.09	7.72	3.29	2.08	13.09	090	Y	Y	Y	D	N	345.18	345.18
35741		A	8.69	3.81	2.32	14.82	8.69	3.81	2.32	14.82	090	Y	Y	Y	D	N	390.80	390.80
35761		A	5.93	3.54	1.54	11.01	5.93	3.54	1.54	11.01	090	Y	Y	Y	D	N	290.33	290.33
35800		A	12	5.45	3.04	20.49	12	5.45	3.04	20.49	090	Y	N	Y	D	N	540.32	540.32
35820		A	36.89	11.18	10.6	58.67	36.89	11.18	10.6	58.67	090	Y	N	Y	D	N	1,547.13	1,547.13
35840		A	20.75	7.82	5.35	33.92	20.75	7.82	5.35	33.92	090	Y	N	Y	D	N	894.47	894.47
35860		A	15.25	5.23	4.18	24.66	15.25	5.23	4.18	24.66	090	Y	N	Y	D	N	650.28	650.28
35870		A	24.5	5.86	6.98	37.34	24.5	5.86	6.98	37.34	090	Y	N	Y	D	N	984.66	984.66
35875		A	10.72	3.76	2.93	17.41	10.72	3.76	2.93	17.41	090	Y	N	N	D	N	459.10	459.10
35876		A	17.82	5.25	4.9	27.97	17.82	5.25	4.9	27.97	090	Y	N	Y	D	N	737.57	737.57
35879		A	17.41	5.2	4.81	27.42	17.41	5.2	4.81	27.42	090	Y	Y	Y	D	N	723.07	723.07
35881		A	19.35	5.57	5.39	30.31	19.35	5.57	5.39	30.31	090	Y	Y	Y	D	N	799.27	799.27
35883		A	23.15	6.37	6.42	35.94	23.15	6.37	6.42	35.94	090	Y	Y	Y	D	N	947.74	947.74
35884		A	24.65	5.62	7.01	37.28	24.65	5.62	7.01	37.28	090	Y	Y	Y	D	N	983.07	983.07
35901		A	8.38	3.12	2.3	13.8	8.38	3.12	2.3	13.8	090	Y	N	Y	D	N	363.91	363.91
35903		A	9.53	4.23	2.59	16.35	9.53	4.23	2.59	16.35	090	Y	N	Y	D	N	431.15	431.15
35905		A	33.52	7.45	9.56	50.53	33.52	7.45	9.56	50.53	090	Y	N	Y	D	N	1,332.48	1,332.48
35907		A	37.27	9.29	10.31	56.87	37.27	9.29	10.31	56.87	090	Y	N	Y	D	N	1,499.66	1,499.66
36000		B	0.18	0.06	0.04	0.28	0.18	0.43	0.04	0.65	XXX	N	N	N	N	N	7.38	17.14
36002		A	1.96	0.72	0.36	3.04	1.96	1.99	0.36	4.31	000	Y	Y	N	N	N	80.16	113.65
36005		A	0.95	0.27	0.16	1.38	0.95	6.69	0.16	7.8	000	Y	Y	D	N	N	36.39	205.69
36010		A	2.43	0.63	0.41	3.47	2.43	9.57	0.41	12.41	XXX	Y	Y	N	N	N	91.50	327.25
36011		A	3.14	0.83	0.53	4.5	3.14	16.76	0.53	20.43	XXX	Y	Y	N	N	N	118.67	538.74
36012		A	3.51	0.94	0.63	5.08	3.51	17.08	0.63	21.22	XXX	Y	Y	N	N	N	133.96	559.57
36013		A	2.52	0.7	0.54	3.76	2.52	16.1	0.54	19.16	XXX	Y	N	N	N	N	99.15	505.25
36014		A	3.02	0.82	0.4	4.24	3.02	16.39	0.4	19.81	XXX	Y	Y	N	N	N	111.81	522.39
36015		A	3.51	0.97	0.44	4.92	3.51	17.32	0.44	21.27	XXX	Y	Y	N	N	N	129.74	560.89
36100		A	3.02	0.81	0.8	4.63	3.02	8.93	0.8	12.75	XXX	Y	Y	N	N	N	122.09	336.22
36120		A	2.01	0.48	0.4	2.89	2.01	8.16	0.4	10.57	XXX	Y	N	N	N	N	76.21	278.73
36140		A	2.01	0.51	0.46	2.98	2.01	8.37	0.46	10.84	XXX	Y	N	N	N	N	78.58	285.85
36147		A	3.72	1.02	0.6	5.34	3.72	16.32	0.6	20.64	XXX	Y	N	Y	N	N	140.82	544.28
36148		A	1	0.26	0.14	1.4	1	5.24	0.14	6.38	ZZZ	N	N	Y	N	N	36.92	168.24
36160		A	2.52	0.71	0.45	3.68	2.52	9.68	0.45	12.65	XXX	Y	N	N	N	N	97.04	333.58
36200		A	3.02	0.71	0.72	4.45	3.02	11.76	0.72	15.5	000	Y	Y	N	N	N	117.35	408.74
36215		A	4.67	1.32	0.98	6.97	4.67	21.49	0.98	27.14	XXX	Y	N	N	N	N	183.80	715.68
36216		A	5.27	1.56	1.12	7.95	5.27	24.23	1.12	30.62	XXX	Y	N	N	N	N	209.64	807.45
36217		A	6.29	1.95	1.27	9.51	6.29	44.38	1.27	51.94	XXX	Y	N	N	N	N	250.78	1,369.66
36218		A	1.01	0.31	0.19	1.51	1.01	3.77	0.19	4.97	ZZZ	N	N	N	N	N	39.82	131.06
36221		A	4.17	1.06	0.99	6.22	4.17	22.17	0.99	27.33	000	Y	B	N	N	N	164.02	720.69
36222		A	5.53	1.66	1.18	8.37	5.53	27.89	1.18	34.6	000	Y	Y	N	N	N	220.72	912.40
36223		A	6	1.77	1.27	9.04	6	30.4	1.27	37.67	000	Y	Y	N	N	N	238.38	993.36
36224		A	6.5	2.04	1.32	9.86	6.5	33.55	1.32	41.37	000	Y	Y	N	N	N	260.01	1,090.93
36225		A	6	1.75	1.26	9.01	6	30.05	1.26	37.31	000	Y	Y	N	N	N	237.59	983.86
36226		A	6.5	2.06	1.32	9.88	6.5	34.34	1.32	42.16	000	Y	Y	N	N	N	260.54	1,111.76
36227		A	2.09	0.64	0.4	3.13	2.09	3.86	0.4	6.35	ZZZ	N	Y	N	N	N	82.54	167.45
36228		A	4.25	1.31	0.8	6.36	4.25	23.56	0.8	28.61	ZZZ	N	Y	N	N	N	167.71	754.45
36245		A	4.9	1.39	1.09	7.38	4.9	27.36	1.09	33.35	XXX	Y	Y	N	N	N	194.61	879.44
36246		A	5.27	1.34	1.18	7.79	5.27	15.89	1.18	22.34	000	Y	Y	N	N	N	205.42	589.11
36247		A	6.29	1.61	1.42	9.32	6.29	31.16	1.42	38.87	000	Y	Y	N	N	N	245.77	1,025.00
36248		A	1.01	0.27	0.19	1.47	1.01	2.67	0.19	3.87	ZZZ	N	N	N	N	N	38.76	102.05
36251		A	5.35	1.53	1.21	8.09	5.35	28.1	1.21	34.66	000	Y	N	N	N	N	213.33	913.98
36252		A	6.99	2.03	1.56	10.58	6.99	29.41	1.56	37.96	000	Y	B	N	N	N	278.99	1,001.01

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
36253		A	7.55	2.1	1.7	11.35	7.55	46.18	1.7	55.43	000	Y	N	N	N	N	299.30	1,461.69
36254		A	8.15	2.33	1.82	12.3	8.15	43.37	1.82	53.34	000	Y	B	N	N	N	324.35	1,406.58
36260		A	9.91	4.89	2.55	17.35	9.91	4.89	2.55	17.35	090	Y	N	N	N	N	457.52	457.52
36261		A	5.63	2.89	1.6	10.12	5.63	2.89	1.6	10.12	090	Y	N	Y	N	N	266.86	266.86
36262		A	4.11	3.13	1.04	8.28	4.11	3.13	1.04	8.28	090	Y	N	N	N	N	218.34	218.34
36299		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
36400		A	0.38	0.13	0.06	0.57	0.38	0.36	0.06	0.8	XXX	Y	N	N	N	N	15.03	21.10
36405		A	0.31	0.11	0.06	0.48	0.31	0.33	0.06	0.7	XXX	Y	N	N	N	N	12.66	18.46
36406		A	0.18	0.05	0.04	0.27	0.18	0.27	0.04	0.49	XXX	Y	N	N	N	N	7.12	12.92
36410		A	0.18	0.06	0.04	0.28	0.18	0.22	0.04	0.44	XXX	Y	N	N	N	N	7.38	11.60
36415		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
36416		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
36420		A	1.01	0.23	0.14	1.38	1.01	0.23	0.14	1.38	XXX	Y	N	D	N	N	36.39	36.39
36425		A	0.76	0.24	0.14	1.14	0.76	0.24	0.14	1.14	XXX	Y	N	N	N	N	30.06	30.06
36430		A	0	0.78	0.01	0.79	0	0.78	0.01	0.79	XXX	N	N	N	N	N	20.83	20.83
36440		A	1.03	0.33	0.29	1.65	1.03	0.33	0.29	1.65	XXX	Y	N	D	N	N	43.51	43.51
36450		A	2.23	0.63	0.14	3	2.23	0.63	0.14	3	XXX	Y	N	D	N	N	79.11	79.11
36455		A	2.43	0.57	0.16	3.16	2.43	0.57	0.16	3.16	XXX	Y	N	N	N	N	83.33	83.33
36460		A	6.58	2.17	1.68	10.43	6.58	2.17	1.68	10.43	XXX	Y	N	Y	N	N	275.04	275.04
36468		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
36469		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
36470		NOT COVEI	1.1	0.95	0.26	2.31	1.1	2.5	0.26	3.86	010	Y	Y	N	N	N	60.91	101.79
36471		NOT COVEI	1.65	0.8	0.4	2.85	1.65	2.5	0.4	4.55	010	Y	Y	N	N	N	75.15	119.98
36475		A	6.72	1.89	1.71	10.32	6.72	32.74	1.71	41.17	000	Y	Y	N	N	N	272.14	1,085.65
36476		A	3.38	0.84	0.87	5.09	3.38	5.6	0.87	9.85	ZZZ	N	Y	N	N	N	134.22	259.74
36478		A	6.72	1.89	1.58	10.19	6.72	24.82	1.58	33.12	000	Y	Y	N	N	N	268.71	873.37
36479		A	3.38	0.87	0.78	5.03	3.38	5.87	0.78	10.03	ZZZ	N	Y	N	N	N	132.64	264.49
36481		A	6.98	2.08	1.06	10.12	6.98	41.64	1.06	49.68	000	Y	N	N	N	N	266.86	1,310.06
36500		A	3.51	1.01	0.64	5.16	3.51	1.01	0.64	5.16	000	Y	N	N	N	N	136.07	136.07
36510		A	1.09	0.39	0.29	1.77	1.09	1.25	0.29	2.63	000	Y	N	D	N	N	46.67	69.35
36511		A	1.74	0.62	0.33	2.69	1.74	0.62	0.33	2.69	000	Y	N	N	N	N	70.94	70.94
36512		A	1.74	0.67	0.19	2.6	1.74	0.67	0.19	2.6	000	Y	N	N	N	N	68.56	68.56
36513		A	1.74	0.66	0.41	2.81	1.74	0.66	0.41	2.81	000	Y	N	N	N	N	74.10	74.10
36514		A	1.74	0.6	0.33	2.67	1.74	10.54	0.33	12.61	000	Y	N	N	N	N	70.41	332.53
36515		A	1.74	0.46	0.29	2.49	1.74	46.84	0.29	48.87	000	Y	N	N	N	N	65.66	1,288.70
36516		A	1.22	0.41	0.41	2.04	1.22	46.15	0.41	47.78	000	Y	N	N	N	N	53.79	1,259.96
36522		A	1.67	0.92	0.19	2.78	1.67	30.04	0.19	31.9	000	Y	N	N	N	N	73.31	841.20
36555		A	2.68	0.42	0.26	3.36	2.68	3.64	0.26	6.58	000	N	N	N	N	N	88.60	173.51
36556		A	2.5	0.59	0.38	3.47	2.5	3.19	0.38	6.07	000	N	N	N	N	N	91.50	160.07
36557		A	5.14	2.68	1.31	9.13	5.14	18.68	1.31	25.13	010	Y	Y	D	N	N	240.76	662.68
36558		A	4.84	2.12	0.87	7.83	4.84	13.9	0.87	19.61	010	Y	Y	D	N	N	206.48	517.12
36560		A	6.29	3.02	0.7	10.01	6.29	25.95	0.7	32.94	010	Y	Y	D	N	N	263.96	868.63
36561		A	6.04	2.67	1.32	10.03	6.04	21.93	1.32	29.29	010	Y	Y	D	N	N	264.49	772.38
36563		A	6.24	2.85	1.57	10.66	6.24	24.88	1.57	32.69	010	Y	N	D	N	N	281.10	862.04
36565		A	6.04	2.39	1.54	9.97	6.04	17.21	1.54	24.79	010	Y	Y	D	N	N	262.91	653.71
36566		A	6.54	2.8	1.52	10.86	6.54	119.61	1.52	127.67	010	Y	Y	D	N	N	286.38	3,366.66
36568		A	1.92	0.62	0.21	2.75	1.92	5.29	0.21	7.42	000	N	N	N	N	N	72.52	195.67
36569		A	1.82	0.56	0.21	2.59	1.82	4.21	0.21	6.24	000	N	N	N	N	N	68.30	164.55
36570		A	5.36	2.59	0.59	8.54	5.36	23.08	0.59	29.03	010	Y	Y	D	N	N	225.20	765.52
36571		A	5.34	2.51	1.23	9.08	5.34	25.49	1.23	32.06	010	Y	Y	D	N	N	239.44	845.42
36575		A	0.67	0.22	0.13	1.02	0.67	3.29	0.13	4.09	000	Y	N	D	N	N	26.90	107.85
36576		A	3.24	1.58	0.68	5.5	3.24	6.06	0.68	9.98	010	Y	N	D	N	N	145.04	263.17
36578		A	3.54	1.84	0.64	6.02	3.54	9	0.64	13.18	010	Y	N	D	N	N	158.75	347.56
36580		A	1.31	0.41	0.19	1.91	1.31	3.84	0.19	5.34	000	N	N	N	N	N	50.37	140.82

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
36581		A	3.48	1.51	0.53	5.52	3.48	14.88	0.53	18.89	010	Y	N	D	N	N	145.56	498.13
36582		A	5.24	2.32	1.06	8.62	5.24	21.17	1.06	27.47	010	Y	N	D	N	N	227.31	724.38
36583		A	5.29	2.73	1.37	9.39	5.29	26.68	1.37	33.34	010	Y	N	D	N	N	247.61	879.18
36584		A	1.2	0.52	0.14	1.86	1.2	3.72	0.14	5.06	000	N	N	N	N	N	49.05	133.43
36585		A	4.84	2.22	0.8	7.86	4.84	22.71	0.8	28.35	010	Y	N	D	N	N	207.27	747.59
36589		A	2.28	1.15	0.44	3.87	2.28	1.75	0.44	4.47	010	Y	N	D	N	N	102.05	117.87
36590		A	3.35	1.66	0.75	5.76	3.35	3.69	0.75	7.79	010	Y	N	D	N	N	151.89	205.42
36591		NOT COVEI	0	0.53	0.01	0.54	0	0.53	0.01	0.54	XXX	N	N	D	N	N	14.24	14.24
36592		NOT COVEI	0	0.6	0.01	0.61	0	0.6	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
36593		A	0	0.71	0.01	0.72	0	0.71	0.01	0.72	XXX	N	N	D	N	N	18.99	18.99
36595		A	3.59	1.16	0.46	5.21	3.59	10.44	0.46	14.49	000	Y	N	N	N	N	137.39	382.10
36596		A	0.75	0.38	0.13	1.26	0.75	2.46	0.13	3.34	000	Y	N	N	N	N	33.23	88.08
36597		A	1.21	0.37	0.14	1.72	1.21	1.89	0.14	3.24	000	Y	N	N	N	N	45.36	85.44
36598		A	0.74	0.22	0.09	1.05	0.74	1.93	0.09	2.76	000	Y	Y	D	N	N	27.69	72.78
36600		A	0.32	0.08	0.04	0.44	0.32	0.44	0.04	0.8	XXX	Y	N	N	N	N	11.60	21.10
36620		A	1.15	0.18	0.13	1.46	1.15	0.18	0.13	1.46	000	N	N	N	N	N	38.50	38.50
36625		A	2.11	0.47	0.5	3.08	2.11	0.47	0.5	3.08	000	N	N	N	N	N	81.22	81.22
36640		A	2.1	1.04	0.5	3.64	2.1	1.04	0.5	3.64	000	Y	N	N	N	N	95.99	95.99
36660		A	1.4	0.2	0.41	2.01	1.4	0.2	0.41	2.01	000	Y	N	D	N	N	53.00	53.00
36680		A	1.2	0.27	0.26	1.73	1.2	0.27	0.26	1.73	000	Y	N	D	N	N	45.62	45.62
36800		A	2.43	0.67	0.5	3.6	2.43	0.67	0.5	3.6	000	Y	N	N	N	N	94.93	94.93
36810		A	3.96	1.37	0.88	6.21	3.96	1.37	0.88	6.21	000	Y	N	N	N	N	163.76	163.76
36815		A	2.62	0.92	0.68	4.22	2.62	0.92	0.68	4.22	000	Y	N	N	N	N	111.28	111.28
36818		A	11.89	4.34	3.18	19.41	11.89	4.34	3.18	19.41	090	Y	N	Y	D	N	511.84	511.84
36819		A	13.29	4.52	3.58	21.39	13.29	4.52	3.58	21.39	090	Y	N	Y	D	N	564.05	564.05
36820		A	14.47	5	3.89	23.36	14.47	5	3.89	23.36	090	Y	Y	Y	D	N	616.00	616.00
36821		A	12.11	4.66	3.25	20.02	12.11	4.66	3.25	20.02	090	Y	N	Y	D	N	527.93	527.93
36822		A	5.57	3.56	1.54	10.67	5.57	3.56	1.54	10.67	090	Y	N	N	N	N	281.37	281.37
36823		A	22.98	9.14	6.02	38.14	22.98	9.14	6.02	38.14	090	Y	N	N	N	N	1,005.75	1,005.75
36825		A	14.17	5.09	3.81	23.07	14.17	5.09	3.81	23.07	090	Y	N	Y	D	N	608.36	608.36
36830		A	12.03	3.85	3.25	19.13	12.03	3.85	3.25	19.13	090	Y	N	Y	D	N	504.46	504.46
36831		A	8.04	2.95	2.16	13.15	8.04	2.95	2.16	13.15	090	Y	N	Y	D	N	346.77	346.77
36832		A	10.53	3.49	2.81	16.83	10.53	3.49	2.81	16.83	090	Y	N	Y	D	N	443.81	443.81
36833		A	11.98	3.9	3.23	19.11	11.98	3.9	3.23	19.11	090	Y	N	Y	D	N	503.93	503.93
36835		A	7.51	4.47	2.14	14.12	7.51	4.47	2.14	14.12	090	Y	N	N	N	N	372.34	372.34
36838		A	21.69	6.17	5.93	33.79	21.69	6.17	5.93	33.79	090	Y	Y	Y	D	N	891.04	891.04
36860		A	2.01	0.86	0.31	3.18	2.01	3.12	0.31	5.44	000	Y	N	N	N	N	83.86	143.45
36861		A	2.52	0.68	0.58	3.78	2.52	0.68	0.58	3.78	000	Y	N	N	N	N	99.68	99.68
36870		A	5.2	2.4	0.82	8.42	5.2	38.48	0.82	44.5	090	Y	Y	N	Y	N	222.04	1,173.47
37140		A	40	14.78	10.25	65.03	40	14.78	10.25	65.03	090	Y	N	N	D	N	1,714.84	1,714.84
37145		A	37	13.8	9.7	60.5	37	13.8	9.7	60.5	090	Y	N	Y	N	N	1,595.39	1,595.39
37160		A	38	14.19	9.76	61.95	38	14.19	9.76	61.95	090	Y	N	Y	D	N	1,633.62	1,633.62
37180		A	36.5	13.7	9.37	59.57	36.5	13.7	9.37	59.57	090	Y	N	Y	D	N	1,570.86	1,570.86
37181		A	40	14.78	10.24	65.02	40	14.78	10.24	65.02	090	Y	N	Y	D	N	1,714.58	1,714.58
37182		A	16.97	4.92	1.95	23.84	16.97	4.92	1.95	23.84	000	Y	N	D	N	N	628.66	628.66
37183		A	7.99	2.33	0.88	11.2	7.99	131.1	0.88	139.97	000	Y	N	D	N	N	295.34	3,691.01
37184		A	8.66	2.59	1.81	13.06	8.66	44.9	1.81	55.37	000	Y	Y	N	Y	N	344.39	1,460.11
37185		A	3.28	0.83	0.73	4.84	3.28	13.89	0.73	17.9	ZZZ	N	B	N	Y	N	127.63	472.02
37186		A	4.92	1.26	1.14	7.32	4.92	27.96	1.14	34.02	ZZZ	N	B	N	Y	N	193.03	897.11
37187		A	8.03	2.23	1.36	11.62	8.03	41.25	1.36	50.64	000	Y	Y	N	Y	N	306.42	1,335.38
37188		A	5.71	1.74	0.83	8.28	5.71	36.76	0.83	43.3	000	Y	Y	N	Y	N	218.34	1,141.82
37191		A	4.71	1.33	0.83	6.87	4.71	57.85	0.83	63.39	000	Y	N	N	N	N	181.16	1,671.59
37192		A	7.35	1.77	1.29	10.41	7.35	29.14	1.29	37.78	000	Y	N	N	N	N	274.51	996.26
37193		A	7.35	1.96	1.29	10.6	7.35	31.08	1.29	39.72	000	Y	N	N	N	N	279.52	1,047.42

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
37195		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
37197		A	6.29	1.66	0.69	8.64	6.29	30.1	0.69	37.08	000	Y	N	N	N	N	227.84	977.80
37200		A	4.55	1.25	0.5	6.3	4.55	1.25	0.5	6.3	000	Y	N	N	N	N	166.13	166.13
37202		A	5.67	1.64	1.42	8.73	5.67	1.64	1.42	8.73	000	Y	N	N	N	N	230.21	230.21
37211		A	8	1.97	1.67	11.64	8	1.97	1.67	11.64	000	Y	Y	N	N	N	306.95	306.95
37212		A	7.06	1.74	1.48	10.28	7.06	1.74	1.48	10.28	000	Y	Y	N	N	N	271.08	271.08
37213		A	5	1.14	1.04	7.18	5	1.14	1.04	7.18	000	Y	N	N	N	N	189.34	189.34
37214		A	2.74	0.87	0.58	4.19	2.74	0.87	0.58	4.19	000	Y	N	N	N	N	110.49	110.49
37215		A	19.68	6.47	5.04	31.19	19.68	6.47	5.04	31.19	090	Y	Y	D	N	N	822.48	822.48
37216		A	18.95	7.55	1.6	28.1	18.95	7.55	1.6	28.1	090	N	N	N	N	N	741.00	741.00
37217		A	20.38	6.63	5.21	32.22	20.38	6.63	5.21	32.22	090	Y	Y	D	N	N	849.64	849.64
37220		A	8.15	2	2.01	12.16	8.15	67.03	2.01	77.19	000	Y	Y	N	N	N	320.66	2,035.50
37221		A	10	2.5	2.27	14.77	10	100.5	2.27	112.77	000	Y	Y	D	N	N	389.48	2,973.74
37222		A	3.73	0.84	0.92	5.49	3.73	17.46	0.92	22.11	ZZZ	N	Y	D	N	N	144.77	583.04
37223		A	4.25	1.01	1	6.26	4.25	57.08	1	62.33	ZZZ	N	Y	D	N	N	165.08	1,643.64
37224		A	9	2.25	2.17	13.42	9	82.09	2.17	93.26	000	Y	Y	D	N	N	353.89	2,459.27
37225		A	12	3.1	3.03	18.13	12	247.89	3.03	262.92	000	Y	Y	D	N	N	478.09	6,933.20
37226		A	10.49	2.63	1.54	14.66	10.49	203.64	1.54	215.67	000	Y	Y	D	N	N	386.58	5,687.22
37227		A	14.5	3.68	3.67	21.85	14.5	335.39	3.67	353.56	000	Y	Y	D	N	N	576.18	9,323.38
37228		A	11	2.69	2.71	16.4	11	118.39	2.71	132.1	000	Y	Y	D	N	N	432.47	3,483.48
37229		A	14.05	3.58	3.58	21.21	14.05	241.9	3.58	259.53	000	Y	Y	D	N	N	559.31	6,843.81
37230		A	13.8	3.54	3.14	20.48	13.8	182.32	3.14	199.26	000	Y	Y	D	N	N	540.06	5,254.49
37231		A	15	3.99	3.42	22.41	15	297.95	3.42	316.37	000	Y	Y	D	N	N	590.95	8,342.68
37232		A	4	0.97	0.98	5.95	4	24.77	0.98	29.75	ZZZ	N	Y	D	N	N	156.90	784.51
37233		A	6.5	1.58	1.65	9.73	6.5	28.02	1.65	36.17	ZZZ	N	Y	D	N	N	256.58	953.80
37234		A	5.5	1.41	1.31	8.22	5.5	85.95	1.31	92.76	ZZZ	N	Y	D	N	N	216.76	2,446.08
37235		A	7.8	2.21	1.86	11.87	7.8	85.58	1.86	95.24	ZZZ	N	Y	D	N	N	313.01	2,511.48
37236		A	9	2.36	2.03	13.39	9	57.65	2.03	68.68	000	Y	Y	D	N	N	353.09	1,811.09
37237		A	4.25	1.03	1	6.28	4.25	24.68	1	29.93	ZZZ	N	Y	D	N	N	165.60	789.25
37238		A	6.29	1.67	1.42	9.38	6.29	91.05	1.42	98.76	000	Y	Y	D	N	N	247.35	2,604.30
37239		A	2.97	0.72	0.7	4.39	2.97	45.39	0.7	49.06	ZZZ	N	Y	D	N	N	115.76	1,293.71
37241		A	9	2.41	1.32	12.73	9	99.27	1.32	109.59	000	Y	N	N	N	N	335.69	2,889.89
37242		A	10.05	2.69	1.48	14.22	10.05	171.94	1.48	183.47	000	Y	N	N	N	N	374.98	4,838.10
37243		A	11.99	3.19	1.77	16.95	11.99	217.7	1.77	231.46	000	Y	N	N	N	N	446.97	6,103.60
37244		A	14	3.72	2.06	19.78	14	147.22	2.06	163.28	000	Y	N	N	N	N	521.60	4,305.69
37250		A	2.1	0.5	0.54	3.14	2.1	0.5	0.54	3.14	ZZZ	N	N	D	D	N	82.80	82.80
37251		A	1.6	0.34	0.41	2.35	1.6	0.34	0.41	2.35	ZZZ	N	N	D	D	N	61.97	61.97
37500		A	11.67	6.61	3.17	21.45	11.67	6.61	3.17	21.45	090	Y	Y	N	D	N	565.64	565.64
37501		C	0	0	0	0	0	0	0	0	YYY	Y	Y	N	D	D	0.00	0.00
37565		A	12.05	5.61	3.09	20.75	12.05	5.61	3.09	20.75	090	Y	Y	D	D	N	547.18	547.18
37600		A	12.42	4.89	3.06	20.37	12.42	4.89	3.06	20.37	090	Y	N	Y	D	N	537.16	537.16
37605		A	14.28	4.91	4.07	23.26	14.28	4.91	4.07	23.26	090	Y	N	Y	D	N	613.37	613.37
37606		A	8.81	4.94	2.26	16.01	8.81	4.94	2.26	16.01	090	Y	N	Y	N	N	422.18	422.18
37607		A	6.25	2.89	1.65	10.79	6.25	2.89	1.65	10.79	090	Y	N	N	D	N	284.53	284.53
37609		A	3.05	1.96	0.77	5.78	3.05	4.34	0.77	8.16	010	Y	Y	N	N	N	152.42	215.18
37615		A	7.8	4.96	1.98	14.74	7.8	4.96	1.98	14.74	090	Y	N	Y	D	N	388.69	388.69
37616		A	18.97	7.3	4.87	31.14	18.97	7.3	4.87	31.14	090	Y	N	Y	D	N	821.16	821.16
37617		A	23.79	8.39	6.03	38.21	23.79	8.39	6.03	38.21	090	Y	N	Y	D	N	1,007.60	1,007.60
37618		A	6.03	3.31	1.58	10.92	6.03	3.31	1.58	10.92	090	Y	N	Y	D	N	287.96	287.96
37619		A	30	9.32	8.28	47.6	30	9.32	8.28	47.6	090	Y	N	Y	N	N	1,255.21	1,255.21
37650		A	8.49	3.82	2.26	14.57	8.49	3.82	2.26	14.57	090	Y	Y	N	D	N	384.21	384.21
37660		A	22.28	5.16	5.7	33.14	22.28	5.16	5.7	33.14	090	Y	Y	Y	D	N	873.90	873.90
37700		A	3.82	2.25	1	7.07	3.82	2.25	1	7.07	090	Y	Y	N	N	N	186.44	186.44
37718		A	7.13	3.41	1.88	12.42	7.13	3.41	1.88	12.42	090	Y	Y	N	D	N	327.52	327.52

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
37722		A	8.16	3.49	2.17	13.82	8.16	3.49	2.17	13.82	090	Y	Y	N	D	N	364.43	364.43
37735		A	10.9	5.57	2.89	19.36	10.9	5.57	2.89	19.36	090	Y	Y	N	D	N	510.52	510.52
37760		A	10.78	4.17	2.75	17.7	10.78	4.17	2.75	17.7	090	Y	Y	N	D	N	466.75	466.75
37761		A	9.13	4.24	2.35	15.72	9.13	4.24	2.35	15.72	090	Y	Y	Y	D	N	414.54	414.54
37765		A	7.71	3.29	1.88	12.88	7.71	8.04	1.88	17.63	090	Y	Y	N	D	N	339.65	464.90
37766		A	9.66	3.84	2.41	15.91	9.66	9.19	2.41	21.26	090	Y	Y	N	D	N	419.55	560.63
37780		A	3.93	2.26	1.03	7.22	3.93	2.26	1.03	7.22	090	Y	Y	N	D	N	190.39	190.39
37785		A	3.93	2.4	1.03	7.36	3.93	4.54	1.03	9.5	090	Y	Y	N	N	N	194.08	250.52
37788		A	23.33	8.61	5.98	37.92	23.33	8.61	5.98	37.92	090	Y	N	Y	D	N	999.95	999.95
37790		A	8.43	3.83	0.98	13.24	8.43	3.83	0.98	13.24	090	Y	N	D	N	N	349.14	349.14
37799		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
38100		A	19.55	7.83	4.9	32.28	19.55	7.83	4.9	32.28	090	Y	N	Y	D	N	851.22	851.22
38101		A	19.55	7.97	5	32.52	19.55	7.97	5	32.52	090	Y	N	Y	D	N	857.55	857.55
38102		A	4.79	1.46	1.19	7.44	4.79	1.46	1.19	7.44	ZZZ	N	N	Y	D	N	196.19	196.19
38115		A	21.88	8.49	5.15	35.52	21.88	8.49	5.15	35.52	090	Y	N	Y	D	N	936.66	936.66
38120		A	17.07	7.87	4.33	29.27	17.07	7.87	4.33	29.27	090	Y	N	Y	D	N	771.85	771.85
38129		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
38200		A	2.64	0.47	0.75	3.86	2.64	0.47	0.75	3.86	000	Y	N	D	N	N	101.79	101.79
38204		B	2	0.64	0.16	2.8	2	0.64	0.16	2.8	XXX	N	N	N	N	N	73.84	73.84
38205		A	1.5	0.62	0.1	2.22	1.5	0.62	0.1	2.22	000	Y	N	D	N	N	58.54	58.54
38206		A	1.5	0.62	0.14	2.26	1.5	0.62	0.14	2.26	000	Y	N	D	N	N	59.60	59.60
38207		A	0.89	0.28	0.06	1.23	0.89	0.28	0.06	1.23	XXX	N	N	N	N	N	32.44	32.44
38208		A	0.56	0.18	0.05	0.79	0.56	0.18	0.05	0.79	XXX	N	N	N	N	N	20.83	20.83
38209		A	0.24	0.07	0.01	0.32	0.24	0.07	0.01	0.32	XXX	N	N	N	N	N	8.44	8.44
38210		A	1.57	0.5	0.13	2.2	1.57	0.5	0.13	2.2	XXX	N	N	N	N	N	58.01	58.01
38211		A	1.42	0.46	0.13	2.01	1.42	0.46	0.13	2.01	XXX	N	N	N	N	N	53.00	53.00
38212		A	0.94	0.3	0.06	1.3	0.94	0.3	0.06	1.3	XXX	N	N	N	N	N	34.28	34.28
38213		A	0.24	0.07	0.01	0.32	0.24	0.07	0.01	0.32	XXX	N	N	N	N	N	8.44	8.44
38214		A	0.81	0.26	0.06	1.13	0.81	0.26	0.06	1.13	XXX	N	N	N	N	N	29.80	29.80
38215		A	0.94	0.3	0.06	1.3	0.94	0.3	0.06	1.3	XXX	N	N	N	N	N	34.28	34.28
38220		A	1.08	0.46	0.14	1.68	1.08	2.77	0.14	3.99	XXX	Y	Y	D	N	N	44.30	105.22
38221		A	1.37	0.58	0.1	2.05	1.37	2.69	0.1	4.16	XXX	Y	Y	D	N	N	54.06	109.70
38230		A	3.5	1.47	0.95	5.92	3.5	1.47	0.95	5.92	000	Y	N	D	N	N	156.11	156.11
38232		NOT COVEI	3.5	1.43	0.95	5.88	3.5	1.43	0.95	5.88	000	Y	N	D	N	N	155.06	155.06
38240		A	4	1.81	0.34	6.15	4	1.81	0.34	6.15	XXX	Y	N	D	N	N	162.18	162.18
38241		A	3	1.36	0.23	4.59	3	1.36	0.23	4.59	XXX	Y	N	D	N	N	121.04	121.04
38242		A	2.11	0.95	0.14	3.2	2.11	0.95	0.14	3.2	000	Y	N	D	N	N	84.38	84.38
38243		NOT COVEI	2.13	0.96	0.14	3.23	2.13	0.96	0.14	3.23	000	Y	N	D	N	N	85.18	85.18
38300		A	2.36	2.06	0.49	4.91	2.36	4.18	0.49	7.03	010	Y	N	N	N	N	129.48	185.38
38305		A	6.68	4.68	1.6	12.96	6.68	4.68	1.6	12.96	090	Y	N	N	N	N	341.76	341.76
38308		A	6.81	3.79	1.76	12.36	6.81	3.79	1.76	12.36	090	Y	N	Y	D	N	325.93	325.93
38380		A	8.46	5.78	1.31	15.55	8.46	5.78	1.31	15.55	090	Y	N	Y	D	N	410.05	410.05
38381		A	13.38	5.61	3.77	22.76	13.38	5.61	3.77	22.76	090	Y	N	Y	D	N	600.18	600.18
38382		A	10.65	3.66	2.71	17.02	10.65	3.66	2.71	17.02	090	Y	N	Y	D	N	448.82	448.82
38500		A	3.79	2.23	0.94	6.96	3.79	4.02	0.94	8.75	010	Y	Y	N	N	N	183.54	230.74
38505		A	1.14	0.67	0.14	1.95	1.14	1.95	0.14	3.23	000	Y	Y	N	N	N	51.42	85.18
38510		A	6.74	3.46	1.46	11.66	6.74	5.77	1.46	13.97	010	Y	Y	N	N	N	307.47	368.39
38520		A	7.03	4.1	1.71	12.84	7.03	4.1	1.71	12.84	090	Y	Y	N	N	N	338.59	338.59
38525		A	6.43	3.87	1.63	11.93	6.43	3.87	1.63	11.93	090	Y	Y	N	N	N	314.59	314.59
38530		A	8.34	4.72	2.19	15.25	8.34	4.72	2.19	15.25	090	Y	Y	Y	D	N	402.14	402.14
38542		A	7.95	4.76	1.6	14.31	7.95	4.76	1.6	14.31	090	Y	Y	Y	D	N	377.35	377.35
38550		A	7.11	4.86	1.82	13.79	7.11	4.86	1.82	13.79	090	Y	N	D	N	N	363.64	363.64
38555		A	15.59	8.14	4.02	27.75	15.59	8.14	4.02	27.75	090	Y	N	Y	D	N	731.77	731.77
38562		A	11.06	5.85	2.35	19.26	11.06	5.85	2.35	19.26	090	Y	B	Y	D	N	507.89	507.89

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
38564		A	11.38	5.37	2.7	19.45	11.38	5.37	2.7	19.45	090	Y	N	Y	D	N	512.90	512.90
38570		A	9.34	3.8	1.65	14.79	9.34	3.8	1.65	14.79	010	Y	N	Y	Y	N	390.01	390.01
38571		A	14.76	5.26	1.78	21.8	14.76	5.26	1.78	21.8	010	Y	B	Y	Y	N	574.87	574.87
38572		A	16.94	6.79	2.89	26.62	16.94	6.79	2.89	26.62	010	Y	B	Y	Y	N	701.97	701.97
38589		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
38700		A	12.81	7.29	2.12	22.22	12.81	7.29	2.12	22.22	090	Y	Y	Y	D	N	585.94	585.94
38720		A	21.95	11.37	4.07	37.39	21.95	11.37	4.07	37.39	090	Y	Y	Y	D	N	985.97	985.97
38724		A	23.95	12.36	4.02	40.33	23.95	12.36	4.02	40.33	090	Y	Y	Y	D	N	1,063.50	1,063.50
38740		A	10.7	5.7	2.71	19.11	10.7	5.7	2.71	19.11	090	Y	Y	Y	D	N	503.93	503.93
38745		A	13.87	6.84	3.54	24.25	13.87	6.84	3.54	24.25	090	Y	Y	Y	D	N	639.47	639.47
38746		A	4.12	1.02	1.16	6.3	4.12	1.02	1.16	6.3	ZZZ	N	N	Y	D	N	166.13	166.13
38747		A	4.88	1.45	1.24	7.57	4.88	1.45	1.24	7.57	ZZZ	N	N	Y	D	N	199.62	199.62
38760		A	13.62	6.42	3.35	23.39	13.62	6.42	3.35	23.39	090	Y	Y	Y	D	N	616.79	616.79
38765		A	21.91	8.99	5.09	35.99	21.91	8.99	5.09	35.99	090	Y	Y	Y	D	N	949.06	949.06
38770		A	14.06	5.9	2.12	22.08	14.06	5.9	2.12	22.08	090	Y	Y	Y	D	N	582.25	582.25
38780		A	17.7	7.6	3.08	28.38	17.7	7.6	3.08	28.38	090	Y	N	Y	D	N	748.38	748.38
38790		A	1.29	0.74	0.29	2.32	1.29	0.74	0.29	2.32	000	Y	Y	N	N	N	61.18	61.18
38792		A	0.52	0.47	0.1	1.09	0.52	0.47	0.1	1.09	000	Y	Y	N	N	N	28.74	28.74
38794		A	4.62	2.95	0.5	8.07	4.62	2.95	0.5	8.07	090	Y	N	D	N	N	212.81	212.81
38900		A	2.5	0.77	0.64	3.91	2.5	0.77	0.64	3.91	ZZZ	N	Y	Y	D	N	103.11	103.11
38999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
39000		A	7.57	4.31	2.01	13.89	7.57	4.31	2.01	13.89	090	Y	N	Y	D	N	366.28	366.28
39010		A	13.19	5.54	3.76	22.49	13.19	5.54	3.76	22.49	090	Y	N	Y	D	N	593.06	593.06
39200		A	15.09	5.7	4.26	25.05	15.09	5.7	4.26	25.05	090	Y	N	Y	D	N	660.57	660.57
39220		A	19.55	7.75	5.34	32.64	19.55	7.75	5.34	32.64	090	Y	N	Y	D	N	860.72	860.72
39400		A	8.05	3.99	2.26	14.3	8.05	3.99	2.26	14.3	010	Y	N	N	N	N	377.09	377.09
39499		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
39501		A	13.98	6.27	3.54	23.79	13.98	6.27	3.54	23.79	090	Y	N	Y	D	N	627.34	627.34
39503		A	108.91	36.52	27.91	173.34	108.91	36.52	27.91	173.34	090	Y	N	Y	D	N	4,570.98	4,570.98
39540		A	14.57	6	3.74	24.31	14.57	6	3.74	24.31	090	Y	N	Y	D	N	641.05	641.05
39541		A	15.75	6.63	4.08	26.46	15.75	6.63	4.08	26.46	090	Y	N	Y	D	N	697.75	697.75
39545		A	14.67	6.55	4.11	25.33	14.67	6.55	4.11	25.33	090	Y	N	Y	D	N	667.95	667.95
39560		A	13.06	5.94	3.35	22.35	13.06	5.94	3.35	22.35	090	Y	N	Y	D	N	589.37	589.37
39561		A	19.99	9.56	5.26	34.81	19.99	9.56	5.26	34.81	090	Y	N	Y	D	N	917.94	917.94
39599		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
40490		A	1.22	0.6	0.21	2.03	1.22	1.86	0.21	3.29	000	Y	N	N	N	N	53.53	86.76
40500		A	4.47	4.48	0.8	9.75	4.47	7.79	0.8	13.06	090	Y	N	N	N	N	257.11	344.39
40510		A	4.82	4.01	0.85	9.68	4.82	7.01	0.85	12.68	090	Y	N	N	N	N	255.26	334.37
40520		A	4.79	4.05	0.9	9.74	4.79	7.11	0.9	12.8	090	Y	N	N	N	N	256.84	337.54
40525		A	7.72	5.89	1.52	15.13	7.72	5.89	1.52	15.13	090	Y	N	N	N	N	398.98	398.98
40527		A	9.32	6.17	1.44	16.93	9.32	6.17	1.44	16.93	090	Y	N	D	N	N	446.44	446.44
40530		A	5.54	4.38	1.03	10.95	5.54	7.56	1.03	14.13	090	Y	N	N	N	N	288.75	372.61
40650		A	3.78	3.53	0.78	8.09	3.78	6.81	0.78	11.37	090	Y	N	D	N	N	213.33	299.83
40652		A	4.43	4.12	0.92	9.47	4.43	7.29	0.92	12.64	090	Y	N	D	N	N	249.72	333.32
40654		A	5.48	4.88	1.12	11.48	5.48	8.22	1.12	14.82	090	Y	N	N	N	N	302.73	390.80
40700		A	14.17	8.51	2.19	24.87	14.17	8.51	2.19	24.87	090	Y	N	D	N	N	655.82	655.82
40701		A	17.23	8.15	2.64	28.02	17.23	8.15	2.64	28.02	090	Y	B	Y	N	N	738.89	738.89
40702		A	14.27	8.67	1.23	24.17	14.27	8.67	1.23	24.17	090	Y	B	Y	N	N	637.36	637.36
40720		A	14.72	10.36	3.49	28.57	14.72	10.36	3.49	28.57	090	Y	Y	D	N	N	753.39	753.39
40761		A	15.84	10.63	3.76	30.23	15.84	10.63	3.76	30.23	090	Y	N	N	N	N	797.17	797.17
40799		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
40800		A	1.23	2.02	0.21	3.46	1.23	3.95	0.21	5.39	010	Y	N	N	N	N	91.24	142.13
40801		A	2.63	2.88	0.44	5.95	2.63	5.11	0.44	8.18	010	Y	N	N	N	N	156.90	215.71
40804		A	1.3	2.02	0.19	3.51	1.3	4.07	0.19	5.56	010	Y	N	D	N	N	92.56	146.62

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
40805		A	2.79	3.1	0.41	6.3	2.79	6.71	0.41	9.91	010	Y	N	D	N	N	166.13	261.33
40806		A	0.31	0.56	0.05	0.92	0.31	2.88	0.05	3.24	000	Y	N	D	N	N	24.26	85.44
40808		A	1.01	1.67	0.14	2.82	1.01	3.55	0.14	4.7	010	Y	N	N	N	N	74.36	123.94
40810		A	1.36	1.82	0.21	3.39	1.36	3.71	0.21	5.28	010	Y	N	N	N	N	89.39	139.23
40812		A	2.37	2.55	0.38	5.3	2.37	4.72	0.38	7.47	010	Y	N	N	N	N	139.76	196.98
40814		A	3.52	4.1	0.58	8.2	3.52	5.97	0.58	10.07	090	Y	N	N	N	N	216.23	265.55
40816		A	3.77	4.16	0.63	8.56	3.77	6.18	0.63	10.58	090	Y	N	N	N	N	225.73	278.99
40818		A	2.83	3.96	0.44	7.23	2.83	5.97	0.44	9.24	090	Y	N	D	N	N	190.66	243.66
40819		A	2.51	3.37	0.4	6.28	2.51	5.14	0.4	8.05	090	Y	N	D	N	N	165.60	212.28
40820		A	1.34	2.9	0.21	4.45	1.34	5.11	0.21	6.66	010	Y	N	N	N	N	117.35	175.62
40830		A	1.82	2.27	0.38	4.47	1.82	4.66	0.38	6.86	010	Y	N	D	N	N	117.87	180.90
40831		A	2.57	3	0.5	6.07	2.57	5.7	0.5	8.77	010	Y	N	D	N	N	160.07	231.26
40840		A	9.15	6.48	1.42	17.05	9.15	10.79	1.42	21.36	090	Y	N	Y	N	N	449.61	563.26
40842		A	9.15	5.96	1.42	16.53	9.15	10.23	1.42	20.8	090	Y	N	D	N	N	435.90	548.50
40843		A	12.79	8.63	3.03	24.45	12.79	14	3.03	29.82	090	Y	B	Y	N	N	644.75	786.35
40844		A	16.8	9.59	3.98	30.37	16.8	15.32	3.98	36.1	090	Y	N	Y	N	N	800.86	951.96
40845		A	19.36	11.32	2.98	33.66	19.36	16.91	2.98	39.25	090	Y	N	D	N	N	887.61	1,035.02
40899		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
41000		A	1.35	1.45	0.21	3.01	1.35	2.65	0.21	4.21	010	Y	N	N	N	N	79.37	111.02
41005		A	1.31	1.82	0.19	3.32	1.31	4.29	0.19	5.79	010	Y	N	D	N	N	87.55	152.68
41006		A	3.34	2.98	0.5	6.82	3.34	5.51	0.5	9.35	090	Y	N	D	N	N	179.84	246.56
41007		A	3.2	2.93	0.49	6.62	3.2	5.49	0.49	9.18	090	Y	N	D	N	N	174.57	242.08
41008		A	3.46	3.29	0.53	7.28	3.46	5.85	0.53	9.84	090	Y	N	D	N	N	191.97	259.48
41009		A	3.71	3.59	0.58	7.88	3.71	6.18	0.58	10.47	090	Y	N	D	N	N	207.80	276.09
41010		A	1.11	1.6	0.16	2.87	1.11	3.88	0.16	5.15	010	Y	N	D	N	N	75.68	135.81
41015		A	4.08	4.57	0.63	9.28	4.08	6.96	0.63	11.67	090	Y	N	D	N	N	244.71	307.74
41016		A	4.19	4.56	0.64	9.39	4.19	6.66	0.64	11.49	090	Y	N	D	N	N	247.61	302.99
41017		A	4.19	4.6	0.64	9.43	4.19	6.76	0.64	11.59	090	Y	N	D	N	N	248.67	305.63
41018		A	5.22	5.03	0.8	11.05	5.22	7.21	0.8	13.23	090	Y	N	D	N	N	291.39	348.88
41019		A	8.84	3.2	0.87	12.91	8.84	3.2	0.87	12.91	000	Y	N	D	D	D	340.44	340.44
41100		A	1.42	1.28	0.24	2.94	1.42	2.71	0.24	4.37	010	Y	N	N	N	N	77.53	115.24
41105		A	1.47	1.32	0.24	3.03	1.47	2.73	0.24	4.44	010	Y	N	N	N	N	79.90	117.08
41108		A	1.1	1.16	0.16	2.42	1.1	2.54	0.16	3.8	010	Y	N	N	N	N	63.82	100.21
41110		A	1.56	1.73	0.26	3.55	1.56	3.68	0.26	5.5	010	Y	N	N	N	N	93.61	145.04
41112		A	2.83	3.49	0.44	6.76	2.83	5.42	0.44	8.69	090	Y	N	N	N	N	178.26	229.16
41113		A	3.29	3.7	0.5	7.49	3.29	5.72	0.5	9.51	090	Y	N	N	N	N	197.51	250.78
41114		A	8.82	7.07	1.41	17.3	8.82	7.07	1.41	17.3	090	Y	N	D	N	N	456.20	456.20
41115		A	1.79	2.02	0.28	4.09	1.79	4.29	0.28	6.36	010	Y	N	D	N	N	107.85	167.71
41116		A	2.52	2.99	0.41	5.92	2.52	5.66	0.41	8.59	090	Y	N	N	N	N	156.11	226.52
41120		A	11.14	14.69	1.78	27.61	11.14	14.69	1.78	27.61	090	Y	N	Y	D	N	728.08	728.08
41130		A	15.74	16.42	2.5	34.66	15.74	16.42	2.5	34.66	090	Y	N	Y	D	N	913.98	913.98
41135		A	30.14	23.48	4.85	58.47	30.14	23.48	4.85	58.47	090	Y	N	Y	D	N	1,541.85	1,541.85
41140		A	29.15	24.95	4.52	58.62	29.15	24.95	4.52	58.62	090	Y	N	Y	D	N	1,545.81	1,545.81
41145		A	37.93	30.58	5.85	74.36	37.93	30.58	5.85	74.36	090	Y	N	Y	D	N	1,960.87	1,960.87
41150		A	29.86	24.47	4.76	59.09	29.86	24.47	4.76	59.09	090	Y	N	Y	D	N	1,558.20	1,558.20
41153		A	33.59	25.58	5.3	64.47	33.59	25.58	5.3	64.47	090	Y	N	Y	D	N	1,700.07	1,700.07
41155		A	44.3	30.37	7.11	81.78	44.3	30.37	7.11	81.78	090	Y	N	Y	D	N	2,156.54	2,156.54
41250		A	1.96	1.85	0.4	4.21	1.96	4.52	0.4	6.88	010	Y	N	D	N	N	111.02	181.43
41251		A	2.32	2.18	0.36	4.86	2.32	4.75	0.36	7.43	010	Y	N	D	N	N	128.16	195.93
41252		A	3.02	2.21	0.58	5.81	3.02	4.7	0.58	8.3	010	Y	N	D	N	N	153.21	218.87
41500		A	3.8	5.42	0.59	9.81	3.8	5.42	0.59	9.81	090	Y	N	D	N	N	258.69	258.69
41510		A	3.51	7.32	0.53	11.36	3.51	7.32	0.53	11.36	090	Y	N	D	N	N	299.56	299.56
41512		NOT COVEI	6.86	8.87	0.59	16.32	6.86	8.87	0.59	16.32	090	Y	N	D	N	N	430.36	430.36
41520		A	2.83	3.59	0.41	6.83	2.83	5.87	0.41	9.11	090	Y	N	D	N	N	180.11	240.23

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
41530		A	4.51	5.74	0.38	10.63	4.51	73.27	0.38	78.16	010	Y	N	D	N	N	280.31	2,061.08
41599		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
41800		A	1.27	2.33	0.26	3.86	1.27	5.24	0.26	6.77	010	Y	N	N	N	N	101.79	178.52
41805		A	1.34	2.98	0.21	4.53	1.34	5	0.21	6.55	010	Y	N	D	N	N	119.46	172.72
41806		A	2.79	3.7	0.65	7.14	2.79	5.93	0.65	9.37	010	Y	N	D	N	N	188.28	247.09
41820		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
41821		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
41822		A	2.41	2.2	0.38	4.99	2.41	4.77	0.38	7.56	010	Y	N	D	N	N	131.59	199.36
41823		A	3.77	4.33	0.58	8.68	3.77	6.81	0.58	11.16	090	Y	N	D	N	N	228.89	294.29
41825		A	1.41	1.64	0.24	3.29	1.41	3.78	0.24	5.43	010	Y	N	N	N	N	86.76	143.19
41826		A	2.41	2.89	0.38	5.68	2.41	5.32	0.38	8.11	010	Y	N	N	N	N	149.78	213.86
41827		A	3.83	3.84	0.59	8.26	3.83	7.02	0.59	11.44	090	Y	N	N	N	N	217.82	301.67
41828		A	3.14	2.25	0.46	5.85	3.14	4.46	0.46	8.06	010	Y	N	D	N	N	154.26	212.54
41830		A	3.45	3.67	0.53	7.65	3.45	6.26	0.53	10.24	010	Y	N	D	N	N	201.73	270.03
41850		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
41870		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
41872		A	3.01	3.29	0.72	7.02	3.01	5.82	0.72	9.55	090	Y	N	D	N	N	185.12	251.83
41874		A	3.19	3.2	0.46	6.85	3.19	6.06	0.46	9.71	090	Y	N	D	N	N	180.63	256.05
41899		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
42000		A	1.28	1.31	0.19	2.78	1.28	2.6	0.19	4.07	010	Y	N	D	N	N	73.31	107.33
42100		A	1.36	1.38	0.21	2.95	1.36	2.35	0.21	3.92	010	Y	N	N	N	N	77.79	103.37
42104		A	1.69	1.79	0.28	3.76	1.69	3.64	0.28	5.61	010	Y	N	N	N	N	99.15	147.94
42106		A	2.15	2.3	0.35	4.8	2.15	4.58	0.35	7.08	010	Y	N	N	N	N	126.58	186.70
42107		A	4.56	4.12	0.7	9.38	4.56	6.85	0.7	12.11	090	Y	N	N	N	N	247.35	319.34
42120		A	11.86	12.76	1.88	26.5	11.86	12.76	1.88	26.5	090	Y	N	Y	D	N	698.81	698.81
42140		A	1.7	2.16	0.28	4.14	1.7	4.52	0.28	6.5	090	Y	N	N	N	N	109.17	171.41
42145		A	9.78	7.85	1.51	19.14	9.78	7.85	1.51	19.14	090	Y	N	N	N	N	504.72	504.72
42160		A	1.85	1.83	0.29	3.97	1.85	3.88	0.29	6.02	010	Y	N	D	N	N	104.69	158.75
42180		A	2.55	2.06	0.4	5.01	2.55	3.51	0.4	6.46	010	Y	N	D	N	N	132.11	170.35
42182		A	3.87	2.57	0.59	7.03	3.87	4.12	0.59	8.58	010	Y	N	D	N	N	185.38	226.25
42200		A	12.53	8.81	1.93	23.27	12.53	8.81	1.93	23.27	090	Y	N	Y	N	N	613.63	613.63
42205		A	13.66	8.65	2.12	24.43	13.66	8.65	2.12	24.43	090	Y	N	Y	N	N	644.22	644.22
42210		A	15.03	9.79	3.57	28.39	15.03	9.79	3.57	28.39	090	Y	N	Y	N	N	748.64	748.64
42215		A	8.99	7.16	2.14	18.29	8.99	7.16	2.14	18.29	090	Y	N	Y	N	N	482.31	482.31
42220		A	7.16	6.13	0.6	13.89	7.16	6.13	0.6	13.89	090	Y	N	Y	N	N	366.28	366.28
42225		A	9.77	11.96	1.51	23.24	9.77	11.96	1.51	23.24	090	Y	N	Y	N	N	612.84	612.84
42226		A	10.35	11.79	1.58	23.72	10.35	11.79	1.58	23.72	090	Y	N	Y	N	N	625.50	625.50
42227		A	9.9	10.88	1.52	22.3	9.9	10.88	1.52	22.3	090	Y	N	Y	N	N	588.05	588.05
42235		A	8.01	10.14	1.24	19.39	8.01	10.14	1.24	19.39	090	Y	N	Y	N	N	511.31	511.31
42260		A	10.22	6.37	1.57	18.16	10.22	10.01	1.57	21.8	090	Y	N	Y	N	N	478.88	574.87
42280		A	1.59	1.15	0.41	3.15	1.59	2.46	0.41	4.46	010	Y	N	D	N	N	83.07	117.61
42281		A	1.98	1.81	0.31	4.1	1.98	3.1	0.31	5.39	010	Y	N	D	N	N	108.12	142.13
42299		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
42300		A	1.98	1.83	0.33	4.14	1.98	3.19	0.33	5.5	010	Y	N	N	N	N	109.17	145.04
42305		A	6.31	4.45	1.03	11.79	6.31	4.45	1.03	11.79	090	Y	N	D	N	N	310.90	310.90
42310		A	1.61	1.5	0.26	3.37	1.61	2.39	0.26	4.26	010	Y	N	D	N	N	88.87	112.34
42320		A	2.4	2.01	0.38	4.79	2.4	3.79	0.38	6.57	010	Y	N	D	N	N	126.31	173.25
42330		A	2.26	1.87	0.36	4.49	2.26	3.49	0.36	6.11	010	Y	N	N	N	N	118.40	161.12
42335		A	3.41	3.06	0.5	6.97	3.41	5.87	0.5	9.78	090	Y	N	N	N	N	183.80	257.90
42340		A	4.72	3.71	0.73	9.16	4.72	6.8	0.73	12.25	090	Y	Y	D	N	N	241.55	323.03
42400		A	0.78	0.62	0.1	1.5	0.78	1.83	0.1	2.71	000	Y	N	N	N	N	39.56	71.46
42405		A	3.34	2.34	0.5	6.18	3.34	4.07	0.5	7.91	010	Y	N	N	N	N	162.97	208.59
42408		A	4.66	3.53	0.72	8.91	4.66	6.56	0.72	11.94	090	Y	N	D	N	N	234.96	314.86
42409		A	2.91	2.65	0.44	6	2.91	5.33	0.44	8.68	090	Y	N	Y	N	N	158.22	228.89

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
42410		A	9.57	5.89	1.73	17.19	9.57	5.89	1.73	17.19	090	Y	Y	Y	D	N	453.30	453.30
42415		A	17.16	9.35	2.75	29.26	17.16	9.35	2.75	29.26	090	Y	Y	Y	D	N	771.59	771.59
42420		A	19.53	10.23	3.17	32.93	19.53	10.23	3.17	32.93	090	Y	Y	Y	D	N	868.36	868.36
42425		A	13.42	7.53	2.21	23.16	13.42	7.53	2.21	23.16	090	Y	Y	Y	D	N	610.73	610.73
42426		A	22.66	11.22	3.74	37.62	22.66	11.22	3.74	37.62	090	Y	Y	Y	D	N	992.04	992.04
42440		A	6.14	4.18	0.98	11.3	6.14	4.18	0.98	11.3	090	Y	Y	Y	D	N	297.98	297.98
42450		A	4.74	4.23	0.77	9.74	4.74	6.47	0.77	11.98	090	Y	N	D	N	N	256.84	315.91
42500		A	4.42	4.16	0.72	9.3	4.42	6.34	0.72	11.48	090	Y	N	D	N	N	245.24	302.73
42505		A	6.32	5.09	0.97	12.38	6.32	7.54	0.97	14.83	090	Y	N	N	N	N	326.46	391.07
42507		A	6.25	6.56	0.97	13.78	6.25	6.56	0.97	13.78	090	Y	B	Y	N	N	363.38	363.38
42508		A	9.33	8.48	1.44	19.25	9.33	8.48	1.44	19.25	090	Y	B	Y	N	N	507.62	507.62
42509		A	11.76	9.43	2.76	23.95	11.76	9.43	2.76	23.95	090	Y	B	D	N	N	631.56	631.56
42510		A	8.35	7.36	1.29	17	8.35	7.36	1.29	17	090	Y	B	Y	D	N	448.29	448.29
42550		A	1.25	0.38	0.14	1.77	1.25	2.03	0.14	3.42	000	Y	N	N	N	N	46.67	90.19
42600		A	4.94	3.79	0.77	9.5	4.94	6.95	0.77	12.66	090	Y	N	D	N	N	250.52	333.84
42650		A	0.77	0.71	0.13	1.61	0.77	1.31	0.13	2.21	000	Y	N	N	N	N	42.46	58.28
42660		A	1.13	0.96	0.16	2.25	1.13	1.88	0.16	3.17	000	Y	N	D	N	N	59.33	83.59
42665		A	2.63	2.55	0.41	5.59	2.63	5.13	0.41	8.17	090	Y	N	D	N	N	147.41	215.44
42699		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
42700		A	1.67	1.72	0.28	3.67	1.67	3.01	0.28	4.96	010	Y	N	N	N	N	96.78	130.80
42720		A	6.31	3.55	0.99	10.85	6.31	5.03	0.99	12.33	010	Y	N	D	N	N	286.11	325.14
42725		A	12.41	7.98	1.91	22.3	12.41	7.98	1.91	22.3	090	Y	N	Y	D	N	588.05	588.05
42800		A	1.44	1.36	0.24	3.04	1.44	2.48	0.24	4.16	010	Y	N	N	N	N	80.16	109.70
42804		A	1.29	1.53	0.19	3.01	1.29	3.51	0.19	4.99	010	Y	N	N	N	N	79.37	131.59
42806		A	1.63	1.66	0.26	3.55	1.63	3.77	0.26	5.66	010	Y	N	N	N	N	93.61	149.25
42808		A	2.35	1.71	0.36	4.42	2.35	3.28	0.36	5.99	010	Y	N	N	N	N	116.56	157.96
42809		A	1.86	1.44	0.33	3.63	1.86	2.39	0.33	4.58	010	Y	N	N	N	N	95.72	120.77
42810		A	3.38	3.85	0.5	7.73	3.38	6.22	0.5	10.1	090	Y	Y	Y	N	N	203.84	266.34
42815		A	7.31	6.59	1.22	15.12	7.31	6.59	1.22	15.12	090	Y	Y	Y	D	N	398.71	398.71
42820		A	4.22	3.06	0.64	7.92	4.22	3.06	0.64	7.92	090	Y	N	D	N	N	208.85	208.85
42821		A	4.36	3.19	0.68	8.23	4.36	3.19	0.68	8.23	090	Y	N	D	N	N	217.03	217.03
42825		A	3.51	3.05	0.53	7.09	3.51	3.05	0.53	7.09	090	Y	N	D	N	N	186.96	186.96
42826		A	3.45	2.85	0.53	6.83	3.45	2.85	0.53	6.83	090	Y	N	N	N	N	180.11	180.11
42830		A	2.65	2.54	0.41	5.6	2.65	2.54	0.41	5.6	090	Y	N	D	N	N	147.67	147.67
42831		A	2.81	2.78	0.41	6	2.81	2.78	0.41	6	090	Y	N	D	N	N	158.22	158.22
42835		A	2.38	2.08	0.36	4.82	2.38	2.08	0.36	4.82	090	Y	N	D	N	N	127.10	127.10
42836		A	3.26	2.77	0.49	6.52	3.26	2.77	0.49	6.52	090	Y	N	D	N	N	171.93	171.93
42842		A	12.23	12.48	1.9	26.61	12.23	12.48	1.9	26.61	090	Y	N	D	N	N	701.71	701.71
42844		A	17.78	16.22	2.73	36.73	17.78	16.22	2.73	36.73	090	Y	N	Y	D	N	968.57	968.57
42845		A	32.56	22.86	5.02	60.44	32.56	22.86	5.02	60.44	090	Y	N	Y	D	N	1,593.80	1,593.80
42860		A	2.3	2.4	0.36	5.06	2.3	2.4	0.36	5.06	090	Y	N	D	N	N	133.43	133.43
42870		A	5.52	8.74	0.85	15.11	5.52	8.74	0.85	15.11	090	Y	N	D	N	N	398.45	398.45
42890		A	19.13	16.08	3.03	38.24	19.13	16.08	3.03	38.24	090	Y	N	Y	D	N	1,008.39	1,008.39
42892		A	26.03	20.79	4.11	50.93	26.03	20.79	4.11	50.93	090	Y	N	Y	D	N	1,343.02	1,343.02
42894		A	33.92	25.05	5.31	64.28	33.92	25.05	5.31	64.28	090	Y	N	Y	D	N	1,695.06	1,695.06
42900		A	5.29	3.24	0.82	9.35	5.29	3.24	0.82	9.35	010	Y	N	D	N	N	246.56	246.56
42950		A	8.27	11.28	1.37	20.92	8.27	11.28	1.37	20.92	090	Y	N	Y	D	N	551.66	551.66
42953		A	9.45	13.9	1.57	24.92	9.45	13.9	1.57	24.92	090	Y	N	Y	N	N	657.14	657.14
42955		A	8.01	10.59	1.24	19.84	8.01	10.59	1.24	19.84	090	Y	N	Y	N	N	523.18	523.18
42960		A	2.38	1.88	0.38	4.64	2.38	1.88	0.38	4.64	010	Y	N	D	N	N	122.36	122.36
42961		A	5.77	4.79	0.88	11.44	5.77	4.79	0.88	11.44	090	Y	N	Y	N	N	301.67	301.67
42962		A	7.4	5.57	1.14	14.11	7.4	5.57	1.14	14.11	090	Y	N	N	N	N	372.08	372.08
42970		A	5.82	4.41	1	11.23	5.82	4.41	1	11.23	090	Y	N	N	N	N	296.14	296.14
42971		A	6.6	4.88	1	12.48	6.6	4.88	1	12.48	090	Y	N	Y	N	N	329.10	329.10

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
42972		A	7.59	5.26	1.18	14.03	7.59	5.26	1.18	14.03	090	Y	N	Y	N	N	369.97	369.97
42999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
43020		A	8.23	4.21	1.27	13.71	8.23	4.21	1.27	13.71	090	Y	N	Y	D	N	361.53	361.53
43030		A	7.99	4.93	1.41	14.33	7.99	4.93	1.41	14.33	090	Y	N	Y	D	N	377.88	377.88
43045		A	21.88	9.04	6.15	37.07	21.88	9.04	6.15	37.07	090	Y	N	Y	D	N	977.54	977.54
43100		A	9.66	6.09	1.49	17.24	9.66	6.09	1.49	17.24	090	Y	N	Y	D	N	454.62	454.62
43101		A	17.07	6.85	4.81	28.73	17.07	6.85	4.81	28.73	090	Y	N	Y	D	N	757.61	757.61
43107		A	44.18	16.37	11.86	72.41	44.18	16.37	11.86	72.41	090	Y	N	Y	D	N	1,909.45	1,909.45
43108		A	82.87	28.32	21.23	132.42	82.87	28.32	21.23	132.42	090	Y	N	Y	D	N	3,491.92	3,491.92
43112		A	47.48	16.44	12.94	76.86	47.48	16.44	12.94	76.86	090	Y	N	Y	Y	N	2,026.80	2,026.80
43113		A	80.06	28.63	20.51	129.2	80.06	28.63	20.51	129.2	090	Y	N	Y	Y	N	3,407.00	3,407.00
43116		A	92.99	39.06	14.34	146.39	92.99	39.06	14.34	146.39	090	Y	N	Y	D	N	3,860.30	3,860.30
43117		A	43.65	15.03	11.86	70.54	43.65	15.03	11.86	70.54	090	Y	N	Y	Y	N	1,860.14	1,860.14
43118		A	67.07	19.39	17.18	103.64	67.07	19.39	17.18	103.64	090	Y	N	Y	Y	N	2,732.99	2,732.99
43121		A	51.43	16.61	14.44	82.48	51.43	16.61	14.44	82.48	090	Y	N	Y	Y	N	2,175.00	2,175.00
43122		A	44.18	16.84	11.58	72.6	44.18	16.84	11.58	72.6	090	Y	N	Y	D	N	1,914.46	1,914.46
43123		A	83.12	29.54	21.28	133.94	83.12	29.54	21.28	133.94	090	Y	N	Y	D	N	3,532.00	3,532.00
43124		A	69.09	21.57	19.43	110.09	69.09	21.57	19.43	110.09	090	Y	N	Y	D	N	2,903.07	2,903.07
43130		A	12.53	7	2.39	21.92	12.53	7	2.39	21.92	090	Y	N	Y	D	N	578.03	578.03
43135		A	26.17	9.4	7.17	42.74	26.17	9.4	7.17	42.74	090	Y	N	Y	D	N	1,127.05	1,127.05
43191		A	2	1.19	0.26	3.45	2	1.19	0.26	3.45	000	Y	N	N	N	N	90.98	90.98
43192		A	2.45	1.36	0.33	4.14	2.45	1.36	0.33	4.14	000	Y	N	N	N	N	109.17	109.17
43193		A	3	1.54	0.4	4.94	3	1.54	0.4	4.94	000	Y	N	N	N	N	130.27	130.27
43194		A	3	1.14	0.4	4.54	3	1.14	0.4	4.54	000	Y	N	N	N	N	119.72	119.72
43195		A	3	1.55	0.4	4.95	3	1.55	0.4	4.95	000	Y	N	N	N	N	130.53	130.53
43196		A	3.3	1.63	0.53	5.46	3.3	1.63	0.53	5.46	000	Y	N	N	N	N	143.98	143.98
43197		A	1.48	0.57	0.19	2.24	1.48	3	0.19	4.67	000	Y	N	N	N	N	59.07	123.15
43198		A	1.78	0.66	0.23	2.67	1.78	3.24	0.23	5.25	000	Y	N	N	N	N	70.41	138.44
43200		A	1.5	0.83	0.26	2.59	1.5	4.96	0.26	6.72	000	Y	N	N	N	N	68.30	177.21
43201		A	1.8	0.94	0.31	3.05	1.8	4.8	0.31	6.91	000	Y	N	N	N	N	80.43	182.22
43202		A	1.8	0.93	0.34	3.07	1.8	6.82	0.34	8.96	000	Y	N	N	N	N	80.96	236.28
43204		A	2.4	1.2	0.45	4.05	2.4	1.2	0.45	4.05	000	Y	N	N	N	N	106.80	106.80
43205		A	2.51	1.23	0.44	4.18	2.51	1.23	0.44	4.18	000	Y	N	N	N	N	110.23	110.23
43206		NOT COVEI	2.39	1.19	0.41	3.99	2.39	5.57	0.41	8.37	000	Y	N	N	N	N	105.22	220.72
43211		A	4.21	1.9	0.72	6.83	4.21	1.9	0.72	6.83	000	Y	N	N	N	N	180.11	180.11
43212		A	3.38	1.36	0.69	5.43	3.38	1.36	0.69	5.43	000	Y	N	N	N	N	143.19	143.19
43213		A	4.73	2.04	0.84	7.61	4.73	24.6	0.84	30.17	000	Y	N	N	N	N	200.68	795.58
43214		A	3.38	1.51	0.6	5.49	3.38	1.51	0.6	5.49	000	Y	N	N	N	N	144.77	144.77
43215		A	2.51	1.16	0.48	4.15	2.51	7.2	0.48	10.19	000	Y	N	N	N	N	109.44	268.71
43216		A	2.4	1.2	0.41	4.01	2.4	7.64	0.41	10.45	000	Y	N	N	N	N	105.74	275.57
43217		A	2.9	1.33	0.59	4.82	2.9	7.79	0.59	11.28	000	Y	N	N	N	N	127.10	297.45
43220		A	2.1	1.05	0.38	3.53	2.1	21.71	0.38	24.19	000	Y	N	N	N	N	93.09	637.89
43226		A	2.34	1.11	0.44	3.89	2.34	6.78	0.44	9.56	000	Y	N	N	N	N	102.58	252.10
43227		A	2.99	1.4	0.54	4.93	2.99	6.51	0.54	10.04	000	Y	N	N	N	N	130.00	264.75
43229		A	3.54	1.6	0.68	5.82	3.54	13.76	0.68	17.98	000	Y	N	N	N	N	153.47	474.13
43231		A	2.9	1.37	0.53	4.8	2.9	6.84	0.53	10.27	000	Y	N	N	Y	N	126.58	270.82
43232		A	3.54	1.54	0.67	5.75	3.54	7.93	0.67	12.14	000	Y	N	N	Y	N	151.63	320.13
43233		A	4.05	1.76	0.72	6.53	4.05	1.76	0.72	6.53	000	Y	N	N	N	N	172.20	172.20
43235		A	2.17	1.08	0.41	3.66	2.17	5.3	0.41	7.88	000	Y	N	N	N	N	96.51	207.80
43236		A	2.47	1.21	0.43	4.11	2.47	6.86	0.43	9.76	000	Y	N	N	N	N	108.38	257.37
43237		A	3.57	1.6	0.65	5.82	3.57	1.6	0.65	5.82	000	Y	N	N	N	N	153.47	153.47
43238		A	4.11	1.81	0.73	6.65	4.11	1.81	0.73	6.65	000	Y	N	N	N	N	175.36	175.36
43239		A	2.47	1.2	0.43	4.1	2.47	7.08	0.43	9.98	000	Y	N	N	N	N	108.12	263.17
43240		A	7.25	3.04	1.31	11.6	7.25	3.04	1.31	11.6	000	Y	N	N	N	N	305.89	305.89

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
43241		A	2.59	1.2	0.46	4.25	2.59	1.2	0.46	4.25	000	Y	N	N	N	N	112.07	112.07
43242		A	4.68	2.06	0.83	7.57	4.68	2.06	0.83	7.57	000	Y	N	N	N	N	199.62	199.62
43243		A	4.37	1.88	0.78	7.03	4.37	1.88	0.78	7.03	000	Y	N	N	N	N	185.38	185.38
43244		A	4.5	1.99	0.78	7.27	4.5	1.99	0.78	7.27	000	Y	N	N	N	N	191.71	191.71
43245		A	3.18	1.43	0.6	5.21	3.18	11.51	0.6	15.29	000	Y	N	N	N	N	137.39	403.20
43246		A	3.66	1.56	0.8	6.02	3.66	1.56	0.8	6.02	000	Y	N	D	Y	N	158.75	158.75
43247		A	3.18	1.45	0.59	5.22	3.18	6.58	0.59	10.35	000	Y	N	N	N	N	137.65	272.93
43248		A	3.01	1.42	0.51	4.94	3.01	6.9	0.51	10.42	000	Y	N	N	N	N	130.27	274.78
43249		A	2.77	1.31	0.48	4.56	2.77	22.16	0.48	25.41	000	Y	N	N	N	N	120.25	670.06
43250		A	3.07	1.38	0.6	5.05	3.07	7.86	0.6	11.53	000	Y	N	N	N	N	133.17	304.05
43251		A	3.57	1.61	0.65	5.83	3.57	8.5	0.65	12.72	000	Y	N	N	N	N	153.74	335.43
43252		NOT COVEI	3.06	1.42	0.53	5.01	3.06	5.84	0.53	9.43	000	Y	N	N	N	N	132.11	248.67
43253		A	4.68	2.06	0.83	7.57	4.68	2.06	0.83	7.57	000	Y	N	N	N	N	199.62	199.62
43254		A	4.88	2.1	0.89	7.87	4.88	2.1	0.89	7.87	000	Y	N	N	N	N	207.53	207.53
43255		A	3.66	1.66	0.65	5.97	3.66	6.77	0.65	11.08	000	Y	N	N	N	N	157.43	292.18
43257		NOT COVEI	4.11	1.86	0.72	6.69	4.11	1.86	0.72	6.69	000	Y	N	N	N	N	176.42	176.42
43259		A	4.14	1.86	0.72	6.72	4.14	1.86	0.72	6.72	000	Y	N	N	N	N	177.21	177.21
43260		A	5.95	2.55	1.04	9.54	5.95	2.55	1.04	9.54	000	Y	N	N	N	N	251.57	251.57
43261		A	6.25	2.66	1.09	10	6.25	2.66	1.09	10	000	Y	N	N	N	N	263.70	263.70
43262		A	6.6	2.8	1.17	10.57	6.6	2.8	1.17	10.57	000	Y	N	N	N	N	278.73	278.73
43263		A	6.6	2.8	1.18	10.58	6.6	2.8	1.18	10.58	000	Y	N	N	N	N	278.99	278.99
43264		A	6.73	2.85	1.19	10.77	6.73	2.85	1.19	10.77	000	Y	N	N	N	N	284.00	284.00
43265		A	8.03	3.34	1.43	12.8	8.03	3.34	1.43	12.8	000	Y	N	N	N	N	337.54	337.54
43266		A	4.05	1.72	0.75	6.52	4.05	1.72	0.75	6.52	000	Y	N	N	N	N	171.93	171.93
43270		A	4.21	1.87	0.75	6.83	4.21	13.1	0.75	18.06	000	Y	N	N	N	N	180.11	476.24
43273		A	2.24	0.86	0.4	3.5	2.24	0.86	0.4	3.5	ZZZ	N	N	D	N	N	92.30	92.30
43274		A	8.48	3.52	1.51	13.51	8.48	3.52	1.51	13.51	000	Y	N	N	N	N	356.26	356.26
43275		A	6.96	2.93	1.24	11.13	6.96	2.93	1.24	11.13	000	Y	N	N	N	N	293.50	293.50
43276		A	8.84	3.65	1.56	14.05	8.84	3.65	1.56	14.05	000	Y	N	N	N	N	370.50	370.50
43277		A	7	2.95	1.24	11.19	7	2.95	1.24	11.19	000	Y	N	N	N	N	295.08	295.08
43278		A	7.99	3.33	1.42	12.74	7.99	3.33	1.42	12.74	000	Y	N	N	N	N	335.95	335.95
43279		A	22.1	8.51	5.65	36.26	22.1	8.51	5.65	36.26	090	Y	N	Y	D	N	956.18	956.18
43280		A	18.1	7.54	4.62	30.26	18.1	7.54	4.62	30.26	090	Y	N	Y	D	N	797.96	797.96
43281		A	26.6	10	6.79	43.39	26.6	10	6.79	43.39	090	Y	N	Y	D	N	1,144.19	1,144.19
43282		A	30.1	11.07	7.66	48.83	30.1	11.07	7.66	48.83	090	Y	N	Y	D	N	1,287.65	1,287.65
43283		A	2.95	0.81	0.72	4.48	2.95	0.81	0.72	4.48	ZZZ	N	N	Y	D	N	118.14	118.14
43289		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
43300		A	9.33	6.12	1.44	16.89	9.33	6.12	1.44	16.89	090	Y	N	Y	D	N	445.39	445.39
43305		A	18.1	9.4	2.78	30.28	18.1	9.4	2.78	30.28	090	Y	N	Y	D	N	798.48	798.48
43310		A	26.26	9.03	7.37	42.66	26.26	9.03	7.37	42.66	090	Y	N	Y	D	N	1,124.94	1,124.94
43312		A	29.25	8.75	8.24	46.24	29.25	8.75	8.24	46.24	090	Y	N	Y	D	N	1,219.35	1,219.35
43313		A	48.45	19.85	13.63	81.93	48.45	19.85	13.63	81.93	090	Y	N	Y	D	N	2,160.49	2,160.49
43314		A	53.43	20	8.25	81.68	53.43	20	8.25	81.68	090	Y	N	Y	D	N	2,153.90	2,153.90
43320		A	23.31	9.68	5.98	38.97	23.31	9.68	5.98	38.97	090	Y	N	Y	D	N	1,027.64	1,027.64
43325		A	22.6	9.24	5.8	37.64	22.6	9.24	5.8	37.64	090	Y	N	Y	D	N	992.57	992.57
43327		A	13.35	6.1	3.42	22.87	13.35	6.1	3.42	22.87	090	Y	N	Y	D	N	603.08	603.08
43328		A	19.91	7.18	5.98	33.07	19.91	7.18	5.98	33.07	090	Y	N	Y	D	N	872.06	872.06
43330		A	22.19	9.35	5.74	37.28	22.19	9.35	5.74	37.28	090	Y	N	Y	D	N	983.07	983.07
43331		A	23.06	8.83	6.48	38.37	23.06	8.83	6.48	38.37	090	Y	N	Y	D	N	1,011.82	1,011.82
43332		A	19.62	7.93	5.02	32.57	19.62	7.93	5.02	32.57	090	Y	N	Y	D	N	858.87	858.87
43333		A	21.46	8.54	5.46	35.46	21.46	8.54	5.46	35.46	090	Y	N	Y	D	N	935.08	935.08
43334		A	22.12	7.63	5.65	35.4	22.12	7.63	5.65	35.4	090	Y	N	Y	D	N	933.50	933.50
43335		A	23.97	7.92	6.1	37.99	23.97	7.92	6.1	37.99	090	Y	N	Y	D	N	1,001.80	1,001.80
43336		A	25.81	10.04	7.02	42.87	25.81	10.04	7.02	42.87	090	Y	N	Y	D	N	1,130.48	1,130.48

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
43337		A	27.65	11.05	7.54	46.24	27.65	11.05	7.54	46.24	090	Y	N	Y	D	N	1,219.35	1,219.35
43338		A	2.21	0.56	0.6	3.37	2.21	0.56	0.6	3.37	ZZZ	N	N	Y	D	N	88.87	88.87
43340		A	22.99	9.59	5.89	38.47	22.99	9.59	5.89	38.47	090	Y	N	Y	D	N	1,014.45	1,014.45
43341		A	24.23	8.93	6.82	39.98	24.23	8.93	6.82	39.98	090	Y	N	Y	D	N	1,054.27	1,054.27
43350		A	19.49	9.08	4.99	33.56	19.49	9.08	4.99	33.56	090	Y	N	Y	D	N	884.98	884.98
43351		A	22.05	9.24	6.19	37.48	22.05	9.24	6.19	37.48	090	Y	N	Y	D	N	988.35	988.35
43352		A	17.81	7.55	5	30.36	17.81	7.55	5	30.36	090	Y	N	Y	D	N	800.59	800.59
43360		A	40.11	16.24	11.29	67.64	40.11	16.24	11.29	67.64	090	Y	N	Y	D	N	1,783.67	1,783.67
43361		A	45.68	14.97	11.69	72.34	45.68	14.97	11.69	72.34	090	Y	N	Y	D	N	1,907.61	1,907.61
43400		A	25.6	12.33	4.53	42.46	25.6	12.33	4.53	42.46	090	Y	N	Y	D	N	1,119.67	1,119.67
43401		A	26.49	10.52	6.78	43.79	26.49	10.52	6.78	43.79	090	Y	N	Y	D	N	1,154.74	1,154.74
43405		A	24.73	9.89	6.34	40.96	24.73	9.89	6.34	40.96	090	Y	N	Y	D	N	1,080.12	1,080.12
43410		A	16.41	8.49	4.61	29.51	16.41	8.49	4.61	29.51	090	Y	N	Y	D	N	778.18	778.18
43415		A	44.88	16.42	12.31	73.61	44.88	16.42	12.31	73.61	090	Y	N	Y	D	N	1,941.10	1,941.10
43420		A	16.78	8.86	2.59	28.23	16.78	8.86	2.59	28.23	090	Y	N	D	D	N	744.43	744.43
43425		A	25.04	9.31	6.43	40.78	25.04	9.31	6.43	40.78	090	Y	N	Y	D	N	1,075.37	1,075.37
43450		A	1.38	0.79	0.26	2.43	1.38	3.71	0.26	5.35	000	Y	N	N	N	N	64.08	141.08
43453		A	1.51	0.84	0.28	2.63	1.51	21.58	0.28	23.37	000	Y	N	N	N	N	69.35	616.27
43460		A	3.79	1.71	0.65	6.15	3.79	1.71	0.65	6.15	000	Y	N	N	N	N	162.18	162.18
43496		C	0	0	0	0	0	0	0	0	090	Y	N	Y	D	N	0.00	0.00
43499		C	0	0	0	0	0	0	0	0	YYY	Y	N	N	D	D	0.00	0.00
43500		A	12.79	5.87	3.25	21.91	12.79	5.87	3.25	21.91	090	Y	N	Y	D	N	577.77	577.77
43501		A	22.6	9.33	5.74	37.67	22.6	9.33	5.74	37.67	090	Y	N	Y	D	N	993.36	993.36
43502		A	25.69	10.35	6.57	42.61	25.69	10.35	6.57	42.61	090	Y	N	Y	D	N	1,123.63	1,123.63
43510		A	15.14	7.18	2.66	24.98	15.14	7.18	2.66	24.98	090	Y	N	Y	D	N	658.72	658.72
43520		A	11.29	4.93	3	19.22	11.29	4.93	3	19.22	090	Y	N	Y	D	N	506.83	506.83
43605		A	13.72	6.01	3.44	23.17	13.72	6.01	3.44	23.17	090	Y	N	Y	D	N	610.99	610.99
43610		A	16.34	6.91	4.16	27.41	16.34	6.91	4.16	27.41	090	Y	N	Y	D	N	722.80	722.80
43611		A	20.38	8.58	5.16	34.12	20.38	8.58	5.16	34.12	090	Y	N	Y	D	N	899.74	899.74
43620		A	34.04	12.48	8.7	55.22	34.04	12.48	8.7	55.22	090	Y	N	Y	D	N	1,456.15	1,456.15
43621		A	39.53	14.18	10.1	63.81	39.53	14.18	10.1	63.81	090	Y	N	Y	D	N	1,682.67	1,682.67
43622		A	40.03	14.65	10.27	64.95	40.03	14.65	10.27	64.95	090	Y	N	Y	D	N	1,712.73	1,712.73
43631		A	24.51	9.84	6.24	40.59	24.51	9.84	6.24	40.59	090	Y	N	Y	D	N	1,070.36	1,070.36
43632		A	35.14	12.99	8.92	57.05	35.14	12.99	8.92	57.05	090	Y	N	Y	D	N	1,504.41	1,504.41
43633		A	33.14	12.35	8.4	53.89	33.14	12.35	8.4	53.89	090	Y	N	Y	D	N	1,421.08	1,421.08
43634		A	36.64	13.64	9.38	59.66	36.64	13.64	9.38	59.66	090	Y	N	Y	D	N	1,573.23	1,573.23
43635		A	2.06	0.61	0.5	3.17	2.06	0.61	0.5	3.17	ZZZ	N	N	Y	D	N	83.59	83.59
43640		A	19.56	8.43	4.95	32.94	19.56	8.43	4.95	32.94	090	Y	N	Y	D	N	868.63	868.63
43641		A	19.81	8.59	5.07	33.47	19.81	8.59	5.07	33.47	090	Y	N	Y	D	N	882.60	882.60
43644		A	29.4	11.66	7.47	48.53	29.4	11.66	7.47	48.53	090	Y	N	Y	D	N	1,279.74	1,279.74
43645		A	31.53	12.31	8.1	51.94	31.53	12.31	8.1	51.94	090	Y	N	Y	D	N	1,369.66	1,369.66
43647		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	N	0.00	0.00
43648		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	N	0.00	0.00
43651		A	10.13	5.32	2.6	18.05	10.13	5.32	2.6	18.05	090	Y	N	Y	D	N	475.98	475.98
43652		A	12.13	5.92	3.11	21.16	12.13	5.92	3.11	21.16	090	Y	N	Y	D	N	557.99	557.99
43653		A	8.48	5.06	2.17	15.71	8.48	5.06	2.17	15.71	090	Y	N	Y	D	N	414.27	414.27
43659		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
43752		A	0.81	0.24	0.1	1.15	0.81	0.24	0.1	1.15	000	N	N	N	N	N	30.33	30.33
43753		A	0.45	0.1	0.04	0.59	0.45	0.1	0.04	0.59	000	N	N	Y	N	N	15.56	15.56
43754		A	0.45	0.38	0.05	0.88	0.45	1.72	0.05	2.22	000	N	N	Y	N	N	23.21	58.54
43755		A	0.94	0.53	0.1	1.57	0.94	2.4	0.1	3.44	000	N	N	Y	N	N	41.40	90.71
43756		A	0.77	0.53	0.06	1.36	0.77	4.29	0.06	5.12	000	N	N	Y	N	N	35.86	135.01
43757		A	1.26	0.72	0.1	2.08	1.26	5.87	0.1	7.23	000	N	N	Y	N	N	54.85	190.66
43760		A	0.9	0.28	0.16	1.34	0.9	10.59	0.16	11.65	000	Y	N	N	N	N	35.34	307.21

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
43761		A	2.01	0.63	0.29	2.93	2.01	0.94	0.29	3.24	000	Y	N	N	N	N	77.26	85.44
43770		NOT COVEI	18	8.45	4.57	31.02	18	8.45	4.57	31.02	090	Y	N	Y	D	N	818.00	818.00
43771		NOT COVEI	20.79	9.41	5.34	35.54	20.79	9.41	5.34	35.54	090	Y	N	Y	D	N	937.19	937.19
43772		NOT COVEI	15.7	6.87	4.03	26.6	15.7	6.87	4.03	26.6	090	Y	N	Y	D	N	701.44	701.44
43773		NOT COVEI	20.79	9.26	5.34	35.39	20.79	9.26	5.34	35.39	090	Y	N	Y	D	N	933.23	933.23
43774		NOT COVEI	15.76	6.99	4.03	26.78	15.76	6.99	4.03	26.78	090	Y	N	Y	D	N	706.19	706.19
43775		NOT COVEI	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
43800		A	15.43	6.59	3.98	26	15.43	6.59	3.98	26	090	Y	N	Y	D	N	685.62	685.62
43810		A	16.88	7.17	4.31	28.36	16.88	7.17	4.31	28.36	090	Y	N	Y	D	N	747.85	747.85
43820		A	22.53	9.25	5.71	37.49	22.53	9.25	5.71	37.49	090	Y	N	Y	D	N	988.61	988.61
43825		A	21.76	9.18	5.58	36.52	21.76	9.18	5.58	36.52	090	Y	N	Y	D	N	963.03	963.03
43830		A	10.85	5.75	2.68	19.28	10.85	5.75	2.68	19.28	090	Y	N	Y	D	N	508.41	508.41
43831		A	8.49	5.55	2.17	16.21	8.49	5.55	2.17	16.21	090	Y	N	Y	D	N	427.46	427.46
43832		A	17.34	7.44	4.3	29.08	17.34	7.44	4.3	29.08	090	Y	N	Y	D	N	766.84	766.84
43840		A	22.83	9.37	5.79	37.99	22.83	9.37	5.79	37.99	090	Y	N	Y	D	N	1,001.80	1,001.80
43842		A	21.03	8.78	1.8	31.61	21.03	8.78	1.8	31.61	090	N	N	N	N	N	833.56	833.56
43843		A	21.21	9.04	5.43	35.68	21.21	9.04	5.43	35.68	090	Y	N	Y	Y	N	940.88	940.88
43845		NOT COVEI	33.3	13.1	8.48	54.88	33.3	13.1	8.48	54.88	090	Y	N	Y	D	N	1,447.19	1,447.19
43846		A	27.41	10.78	6.97	45.16	27.41	10.78	6.97	45.16	090	Y	N	Y	D	N	1,190.87	1,190.87
43847		A	30.28	12.32	7.75	50.35	30.28	12.32	7.75	50.35	090	Y	N	Y	D	N	1,327.73	1,327.73
43848		A	32.75	12.87	8.34	53.96	32.75	12.87	8.34	53.96	090	Y	N	Y	D	N	1,422.93	1,422.93
43850		A	27.58	10.92	7.06	45.56	27.58	10.92	7.06	45.56	090	Y	N	Y	D	N	1,201.42	1,201.42
43855		A	28.69	11.25	7.34	47.28	28.69	11.25	7.34	47.28	090	Y	N	Y	D	N	1,246.77	1,246.77
43860		A	27.89	10.91	7.06	45.86	27.89	10.91	7.06	45.86	090	Y	N	Y	D	N	1,209.33	1,209.33
43865		A	29.05	11.36	7.44	47.85	29.05	11.36	7.44	47.85	090	Y	N	Y	D	N	1,261.80	1,261.80
43870		A	11.44	5.46	2.83	19.73	11.44	5.46	2.83	19.73	090	Y	N	Y	D	N	520.28	520.28
43880		A	27.18	10.75	6.85	44.78	27.18	10.75	6.85	44.78	090	Y	N	Y	D	N	1,180.85	1,180.85
43881		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	N	0.00	0.00
43882		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	N	0.00	0.00
43886		NOT COVEI	4.64	3.94	1.19	9.77	4.64	3.94	1.19	9.77	090	Y	N	Y	D	N	257.63	257.63
43887		NOT COVEI	4.32	3.39	1.09	8.8	4.32	3.39	1.09	8.8	090	Y	N	Y	D	N	232.06	232.06
43888		NOT COVEI	6.44	4.43	1.65	12.52	6.44	4.43	1.65	12.52	090	Y	N	Y	D	N	330.15	330.15
43999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
44005		A	18.46	7.51	4.61	30.58	18.46	7.51	4.61	30.58	090	Y	N	Y	D	N	806.39	806.39
44010		A	14.26	6.42	3.62	24.3	14.26	6.42	3.62	24.3	090	Y	N	Y	D	N	640.79	640.79
44015		A	2.62	0.77	0.68	4.07	2.62	0.77	0.68	4.07	ZZZ	N	N	Y	D	N	107.33	107.33
44020		A	16.22	6.83	4.08	27.13	16.22	6.83	4.08	27.13	090	Y	N	Y	D	N	715.42	715.42
44021		A	16.31	6.96	4.13	27.4	16.31	6.96	4.13	27.4	090	Y	N	Y	D	N	722.54	722.54
44025		A	16.51	7.01	4.12	27.64	16.51	7.01	4.12	27.64	090	Y	N	Y	D	N	728.87	728.87
44050		A	15.52	6.68	3.89	26.09	15.52	6.68	3.89	26.09	090	Y	N	Y	D	N	687.99	687.99
44055		A	25.63	9.84	6.51	41.98	25.63	9.84	6.51	41.98	090	Y	N	Y	D	N	1,107.01	1,107.01
44100		A	2.01	0.77	0.38	3.16	2.01	0.77	0.38	3.16	000	Y	N	N	N	N	83.33	83.33
44110		A	14.04	6.23	3.48	23.75	14.04	6.23	3.48	23.75	090	Y	N	Y	D	N	626.29	626.29
44111		A	16.52	6.91	4.13	27.56	16.52	6.91	4.13	27.56	090	Y	N	Y	D	N	726.76	726.76
44120		A	20.82	8.25	5.2	34.27	20.82	8.25	5.2	34.27	090	Y	N	Y	D	N	903.70	903.70
44121		A	4.44	1.34	1.08	6.86	4.44	1.34	1.08	6.86	ZZZ	N	N	Y	D	N	180.90	180.90
44125		A	20.03	8.16	4.89	33.08	20.03	8.16	4.89	33.08	090	Y	N	Y	D	N	872.32	872.32
44126		A	42.23	16.09	10.81	69.13	42.23	16.09	10.81	69.13	090	Y	N	Y	D	N	1,822.96	1,822.96
44127		A	49.3	18.14	12.62	80.06	49.3	18.14	12.62	80.06	090	Y	N	Y	D	N	2,111.18	2,111.18
44128		A	4.44	1.34	1.12	6.9	4.44	1.34	1.12	6.9	ZZZ	N	N	Y	D	N	181.95	181.95
44130		A	22.11	9.16	5.48	36.75	22.11	9.16	5.48	36.75	090	Y	N	Y	D	N	969.10	969.10
44132		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
44133		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
44135		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
44136		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
44137		C	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
44139		A	2.23	0.67	0.53	3.43	2.23	0.67	0.53	3.43	ZZZ	N	N	Y	D	N	90.45	90.45
44140		A	22.59	9.34	5.58	37.51	22.59	9.34	5.58	37.51	090	Y	N	Y	D	N	989.14	989.14
44141		A	29.91	13.57	7.42	50.9	29.91	13.57	7.42	50.9	090	Y	N	Y	D	N	1,342.23	1,342.23
44143		A	27.79	11.85	6.9	46.54	27.79	11.85	6.9	46.54	090	Y	N	Y	D	N	1,227.26	1,227.26
44144		A	29.91	12.28	7.42	49.61	29.91	12.28	7.42	49.61	090	Y	N	Y	D	N	1,308.22	1,308.22
44145		A	28.58	11.22	6.79	46.59	28.58	11.22	6.79	46.59	090	Y	N	Y	D	N	1,228.58	1,228.58
44146		A	35.3	15.61	8.25	59.16	35.3	15.61	8.25	59.16	090	Y	N	Y	D	N	1,560.05	1,560.05
44147		A	33.69	12.85	8.14	54.68	33.69	12.85	8.14	54.68	090	Y	N	Y	D	N	1,441.91	1,441.91
44150		A	30.18	14.55	7.35	52.08	30.18	14.55	7.35	52.08	090	Y	N	Y	D	N	1,373.35	1,373.35
44151		A	34.92	16.05	8.94	59.91	34.92	16.05	8.94	59.91	090	Y	N	Y	D	N	1,579.83	1,579.83
44155		A	34.42	15.91	7.76	58.09	34.42	15.91	7.76	58.09	090	Y	N	Y	D	N	1,531.83	1,531.83
44156		A	37.42	17.29	9.6	64.31	37.42	17.29	9.6	64.31	090	Y	N	Y	D	N	1,695.85	1,695.85
44157		A	35.7	16.07	9.16	60.93	35.7	16.07	9.16	60.93	090	Y	N	Y	D	N	1,606.72	1,606.72
44158		A	36.7	16.66	9.41	62.77	36.7	16.66	9.41	62.77	090	Y	N	Y	D	N	1,655.24	1,655.24
44160		A	20.89	8.73	5.11	34.73	20.89	8.73	5.11	34.73	090	Y	N	Y	D	N	915.83	915.83
44180		A	15.27	6.57	3.81	25.65	15.27	6.57	3.81	25.65	090	Y	N	Y	D	N	676.39	676.39
44186		A	10.38	5.05	2.66	18.09	10.38	5.05	2.66	18.09	090	Y	N	Y	D	N	477.03	477.03
44187		A	17.4	9.32	3.98	30.7	17.4	9.32	3.98	30.7	090	Y	N	Y	D	N	809.56	809.56
44188		A	19.35	10.06	4.61	34.02	19.35	10.06	4.61	34.02	090	Y	N	Y	D	N	897.11	897.11
44202		A	23.39	9.62	5.83	38.84	23.39	9.62	5.83	38.84	090	Y	N	Y	D	N	1,024.21	1,024.21
44203		A	4.44	1.32	1.12	6.88	4.44	1.32	1.12	6.88	ZZZ	N	N	Y	D	N	181.43	181.43
44204		A	26.42	10.54	6.28	43.24	26.42	10.54	6.28	43.24	090	Y	N	Y	D	N	1,140.24	1,140.24
44205		A	22.95	9.25	5.4	37.6	22.95	9.25	5.4	37.6	090	Y	N	Y	D	N	991.51	991.51
44206		A	29.79	12.23	7.28	49.3	29.79	12.23	7.28	49.3	090	Y	N	Y	D	N	1,300.04	1,300.04
44207		A	31.92	12.16	7.42	51.5	31.92	12.16	7.42	51.5	090	Y	N	Y	D	N	1,358.06	1,358.06
44208		A	33.99	14.12	7.69	55.8	33.99	14.12	7.69	55.8	090	Y	N	Y	D	N	1,471.45	1,471.45
44210		A	30.09	13.31	6.98	50.38	30.09	13.31	6.98	50.38	090	Y	N	Y	D	N	1,328.52	1,328.52
44211		A	37.08	16.37	9.51	62.96	37.08	16.37	9.51	62.96	090	Y	N	Y	D	N	1,660.26	1,660.26
44212		A	34.58	15.63	7.65	57.86	34.58	15.63	7.65	57.86	090	Y	N	Y	D	N	1,525.77	1,525.77
44213		A	3.5	1.06	0.8	5.36	3.5	1.06	0.8	5.36	ZZZ	N	N	Y	D	N	141.34	141.34
44227		A	28.62	11.27	7.01	46.9	28.62	11.27	7.01	46.9	090	Y	N	Y	D	N	1,236.75	1,236.75
44238		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
44300		A	13.75	6.22	3.49	23.46	13.75	6.22	3.49	23.46	090	Y	N	Y	D	N	618.64	618.64
44310		A	17.59	7.47	4.16	29.22	17.59	7.47	4.16	29.22	090	Y	N	Y	D	N	770.53	770.53
44312		A	9.43	4.8	2.06	16.29	9.43	4.8	2.06	16.29	090	Y	N	D	N	N	429.57	429.57
44314		A	16.74	7.55	3.79	28.08	16.74	7.55	3.79	28.08	090	Y	N	Y	D	N	740.47	740.47
44316		A	23.59	9.83	6.05	39.47	23.59	9.83	6.05	39.47	090	Y	N	Y	D	N	1,040.82	1,040.82
44320		A	19.91	8.79	4.89	33.59	19.91	8.79	4.89	33.59	090	Y	N	Y	D	N	885.77	885.77
44322		A	13.32	10.33	3.42	27.07	13.32	10.33	3.42	27.07	090	Y	N	Y	D	N	713.84	713.84
44340		A	9.28	5.62	2.26	17.16	9.28	5.62	2.26	17.16	090	Y	N	N	D	N	452.51	452.51
44345		A	17.22	8	4.13	29.35	17.22	8	4.13	29.35	090	Y	N	Y	D	N	773.96	773.96
44346		A	19.63	8.74	4.66	33.03	19.63	8.74	4.66	33.03	090	Y	N	Y	D	N	871.00	871.00
44360		A	2.59	1.26	0.45	4.3	2.59	1.26	0.45	4.3	000	Y	N	N	N	N	113.39	113.39
44361		A	2.87	1.37	0.49	4.73	2.87	1.37	0.49	4.73	000	Y	N	N	N	N	124.73	124.73
44363		A	3.49	1.57	0.63	5.69	3.49	1.57	0.63	5.69	000	Y	N	D	N	N	150.05	150.05
44364		A	3.73	1.68	0.65	6.06	3.73	1.68	0.65	6.06	000	Y	N	D	N	N	159.80	159.80
44365		A	3.31	1.49	0.59	5.39	3.31	1.49	0.59	5.39	000	Y	N	D	N	N	142.13	142.13
44366		A	4.4	1.96	0.77	7.13	4.4	1.96	0.77	7.13	000	Y	N	N	N	N	188.02	188.02
44369		A	4.51	2.01	0.78	7.3	4.51	2.01	0.78	7.3	000	Y	N	D	N	N	192.50	192.50
44370		A	4.79	2.23	0.83	7.85	4.79	2.23	0.83	7.85	000	Y	N	D	N	N	207.00	207.00
44372		A	4.4	1.89	0.83	7.12	4.4	1.89	0.83	7.12	000	Y	N	N	N	N	187.75	187.75
44373		A	3.49	1.55	0.64	5.68	3.49	1.55	0.64	5.68	000	Y	N	N	N	N	149.78	149.78

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
44376		A	5.25	2.2	0.98	8.43	5.25	2.2	0.98	8.43	000	Y	N	D	N	N	222.30	222.30
44377		A	5.52	2.35	0.98	8.85	5.52	2.35	0.98	8.85	000	Y	N	D	N	N	233.37	233.37
44378		A	7.12	3	1.26	11.38	7.12	3	1.26	11.38	000	Y	N	D	N	N	300.09	300.09
44379		A	7.46	3.29	1.31	12.06	7.46	3.29	1.31	12.06	000	Y	N	D	N	N	318.02	318.02
44380		A	1.05	0.63	0.16	1.84	1.05	0.63	0.16	1.84	000	Y	N	N	N	N	48.52	48.52
44382		A	1.27	0.73	0.24	2.24	1.27	0.73	0.24	2.24	000	Y	N	N	N	N	59.07	59.07
44383		A	2.94	1.19	0.4	4.53	2.94	1.19	0.4	4.53	000	Y	N	N	N	N	119.46	119.46
44385		A	1.82	0.85	0.31	2.98	1.82	4.48	0.31	6.61	000	Y	N	N	N	N	78.58	174.31
44386		A	2.12	1.02	0.4	3.54	2.12	6.27	0.4	8.79	000	Y	N	D	N	N	93.35	231.79
44388		A	2.82	1.26	0.54	4.62	2.82	5.59	0.54	8.95	000	Y	N	N	N	N	121.83	236.01
44389		A	3.13	1.41	0.59	5.13	3.13	6.33	0.59	10.05	000	Y	N	N	N	N	135.28	265.02
44390		A	3.82	1.73	0.68	6.23	3.82	7.27	0.68	11.77	000	Y	N	D	N	N	164.29	310.37
44391		A	4.31	1.87	0.78	6.96	4.31	7.61	0.78	12.7	000	Y	N	D	N	N	183.54	334.90
44392		A	3.81	1.58	0.75	6.14	3.81	6.7	0.75	11.26	000	Y	N	N	N	N	161.91	296.93
44393		A	4.83	1.97	0.92	7.72	4.83	7.24	0.92	12.99	000	Y	N	N	N	N	203.58	342.55
44394		A	4.42	1.88	0.83	7.13	4.42	7.47	0.83	12.72	000	Y	N	N	N	N	188.02	335.43
44397		A	4.7	2.06	0.82	7.58	4.7	2.06	0.82	7.58	000	Y	N	N	N	N	199.88	199.88
44500		A	0.49	0.15	0.05	0.69	0.49	0.15	0.05	0.69	000	N	N	D	N	N	18.20	18.20
44602		A	24.72	8.89	6.13	39.74	24.72	8.89	6.13	39.74	090	Y	N	Y	D	N	1,047.94	1,047.94
44603		A	28.16	10.41	6.92	45.49	28.16	10.41	6.92	45.49	090	Y	N	Y	D	N	1,199.57	1,199.57
44604		A	18.16	7.02	4.47	29.65	18.16	7.02	4.47	29.65	090	Y	N	Y	D	N	781.87	781.87
44605		A	22.08	9.04	5.48	36.6	22.08	9.04	5.48	36.6	090	Y	N	Y	D	N	965.14	965.14
44615		A	18.16	7.5	4.48	30.14	18.16	7.5	4.48	30.14	090	Y	N	Y	D	N	794.79	794.79
44620		A	14.43	6.41	3.4	24.24	14.43	6.41	3.4	24.24	090	Y	N	Y	D	N	639.21	639.21
44625		A	17.28	7.27	4.03	28.58	17.28	7.27	4.03	28.58	090	Y	N	Y	D	N	753.65	753.65
44626		A	27.9	10.43	6.85	45.18	27.9	10.43	6.85	45.18	090	Y	N	Y	D	N	1,191.40	1,191.40
44640		A	24.2	9.35	5.88	39.43	24.2	9.35	5.88	39.43	090	Y	N	Y	D	N	1,039.77	1,039.77
44650		A	25.12	9.58	6.08	40.78	25.12	9.58	6.08	40.78	090	Y	N	Y	D	N	1,075.37	1,075.37
44660		A	23.91	8.75	4.62	37.28	23.91	8.75	4.62	37.28	090	Y	N	Y	D	N	983.07	983.07
44661		A	27.35	10.16	6.13	43.64	27.35	10.16	6.13	43.64	090	Y	N	Y	D	N	1,150.79	1,150.79
44680		A	17.96	7.4	4.61	29.97	17.96	7.4	4.61	29.97	090	Y	N	Y	D	N	790.31	790.31
44700		A	17.48	7.38	3.65	28.51	17.48	7.38	3.65	28.51	090	Y	N	Y	D	N	751.81	751.81
44701		A	3.1	0.94	0.7	4.74	3.1	0.94	0.7	4.74	ZZZ	N	N	Y	D	N	124.99	124.99
44705		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
44715		NOT COVEI	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
44720		NOT COVEI	5	1.59	0.41	7	5	1.59	0.41	7	XXX	Y	N	Y	D	N	184.59	184.59
44721		NOT COVEI	7	2.23	1.8	11.03	7	2.23	1.8	11.03	XXX	Y	N	Y	D	N	290.86	290.86
44799		C	0	0	0	0	0	0	0	0	YYY	Y	N	N	D	D	0.00	0.00
44800		A	12.05	6.12	2.93	21.1	12.05	6.12	2.93	21.1	090	Y	N	Y	D	N	556.41	556.41
44820		A	13.73	6.28	3.4	23.41	13.73	6.28	3.4	23.41	090	Y	N	Y	D	N	617.32	617.32
44850		A	12.11	5.71	3.03	20.85	12.11	5.71	3.03	20.85	090	Y	N	Y	D	N	549.81	549.81
44899		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
44900		A	12.57	5.8	3.17	21.54	12.57	5.8	3.17	21.54	090	Y	N	Y	D	N	568.01	568.01
44950		A	10.6	4.61	2.68	17.89	10.6	4.61	2.68	17.89	090	Y	N	Y	D	N	471.76	471.76
44955		A	1.53	0.47	0.38	2.38	1.53	0.47	0.38	2.38	ZZZ	N	N	Y	D	N	62.76	62.76
44960		A	14.5	6.19	3.71	24.4	14.5	6.19	3.71	24.4	090	Y	N	Y	D	N	643.43	643.43
44970		A	9.45	4.77	2.36	16.58	9.45	4.77	2.36	16.58	090	Y	N	Y	Y	N	437.21	437.21
44979		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
45000		A	6.3	4.02	1.31	11.63	6.3	4.02	1.31	11.63	090	Y	N	N	N	N	306.68	306.68
45005		A	2.02	1.75	0.45	4.22	2.02	4.3	0.45	6.77	010	Y	N	N	N	N	111.28	178.52
45020		A	8.56	5.12	1.95	15.63	8.56	5.12	1.95	15.63	090	Y	N	N	N	N	412.16	412.16
45100		A	4.04	3.19	0.87	8.1	4.04	3.19	0.87	8.1	090	Y	N	N	N	N	213.60	213.60
45108		A	5.12	3.59	1.31	10.02	5.12	3.59	1.31	10.02	090	Y	N	N	D	N	264.23	264.23
45110		A	30.76	13.99	7.01	51.76	30.76	13.99	7.01	51.76	090	Y	N	Y	D	N	1,364.91	1,364.91

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
45111		A	18.01	8.17	4.26	30.44	18.01	8.17	4.26	30.44	090	Y	N	Y	D	N	802.70	802.70
45112		A	33.18	12.65	7.3	53.13	33.18	12.65	7.3	53.13	090	Y	N	Y	D	N	1,401.04	1,401.04
45113		A	33.22	14.34	8.5	56.06	33.22	14.34	8.5	56.06	090	Y	N	Y	D	N	1,478.30	1,478.30
45114		A	30.79	12.17	7.89	50.85	30.79	12.17	7.89	50.85	090	Y	N	Y	D	N	1,340.91	1,340.91
45116		A	27.72	11.24	4.76	43.72	27.72	11.24	4.76	43.72	090	Y	N	Y	D	N	1,152.90	1,152.90
45119		A	33.48	14.21	7.05	54.74	33.48	14.21	7.05	54.74	090	Y	N	Y	D	N	1,443.49	1,443.49
45120		A	26.4	11.38	6.76	44.54	26.4	11.38	6.76	44.54	090	Y	N	Y	D	N	1,174.52	1,174.52
45121		A	29.08	12	7.44	48.52	29.08	12	7.44	48.52	090	Y	N	Y	D	N	1,279.47	1,279.47
45123		A	18.86	8.58	3.81	31.25	18.86	8.58	3.81	31.25	090	Y	N	Y	D	N	824.06	824.06
45126		A	49.1	19.33	12.57	81	49.1	19.33	12.57	81	090	Y	N	Y	D	N	2,135.97	2,135.97
45130		A	18.5	8.29	3.76	30.55	18.5	8.29	3.76	30.55	090	Y	N	Y	D	N	805.60	805.60
45135		A	22.36	10.18	5.71	38.25	22.36	10.18	5.71	38.25	090	Y	N	Y	D	N	1,008.65	1,008.65
45136		A	30.82	14.55	5.3	50.67	30.82	14.55	5.3	50.67	090	Y	N	Y	D	N	1,336.17	1,336.17
45150		A	5.85	3.89	0.99	10.73	5.85	3.89	0.99	10.73	090	Y	N	D	N	N	282.95	282.95
45160		A	16.33	7.82	4.18	28.33	16.33	7.82	4.18	28.33	090	Y	N	Y	D	N	747.06	747.06
45171		A	8.13	6.32	1.81	16.26	8.13	6.32	1.81	16.26	090	Y	N	Y	D	N	428.78	428.78
45172		A	12.13	7.53	2.68	22.34	12.13	7.53	2.68	22.34	090	Y	N	Y	D	N	589.11	589.11
45190		A	10.42	6.41	2.24	19.07	10.42	6.41	2.24	19.07	090	Y	N	N	D	N	502.88	502.88
45300		A	0.8	0.53	0.14	1.47	0.8	2.14	0.14	3.08	000	Y	N	N	N	N	38.76	81.22
45303		A	1.5	0.75	0.31	2.56	1.5	20.69	0.31	22.5	000	Y	N	N	N	N	67.51	593.33
45305		A	1.25	0.67	0.28	2.2	1.25	3.4	0.28	4.93	000	Y	N	N	N	N	58.01	130.00
45307		A	1.7	0.81	0.4	2.91	1.7	3.76	0.4	5.86	000	Y	N	D	N	N	76.74	154.53
45308		A	1.4	0.72	0.31	2.43	1.4	3.77	0.31	5.48	000	Y	N	N	N	N	64.08	144.51
45309		A	1.5	0.75	0.33	2.58	1.5	3.81	0.33	5.64	000	Y	N	N	N	N	68.03	148.73
45315		A	1.8	0.91	0.4	3.11	1.8	3.67	0.4	5.87	000	Y	N	N	N	N	82.01	154.79
45317		A	2	0.92	0.4	3.32	2	3.85	0.4	6.25	000	Y	N	N	N	N	87.55	164.81
45320		A	1.78	0.83	0.38	2.99	1.78	3.97	0.38	6.13	000	Y	N	N	N	N	78.85	161.65
45321		A	1.75	0.86	0.4	3.01	1.75	0.86	0.4	3.01	000	Y	N	N	N	N	79.37	79.37
45327		A	2	0.9	0.5	3.4	2	0.9	0.5	3.4	000	Y	N	N	N	N	89.66	89.66
45330		A	0.96	0.6	0.16	1.72	0.96	2.3	0.16	3.42	000	Y	N	N	N	N	45.36	90.19
45331		A	1.15	0.7	0.21	2.06	1.15	2.75	0.21	4.11	000	Y	N	N	N	N	54.32	108.38
45332		A	1.79	0.93	0.35	3.07	1.79	5.16	0.35	7.3	000	Y	N	N	N	N	80.96	192.50
45333		A	1.79	0.91	0.35	3.05	1.79	5.27	0.35	7.41	000	Y	N	N	N	N	80.43	195.40
45334		A	2.73	1.3	0.46	4.49	2.73	1.3	0.46	4.49	000	Y	N	N	N	N	118.40	118.40
45335		A	1.46	0.8	0.28	2.54	1.46	5.07	0.28	6.81	000	Y	N	N	N	N	66.98	179.58
45337		A	2.36	1.13	0.45	3.94	2.36	1.13	0.45	3.94	000	Y	N	N	N	N	103.90	103.90
45338		A	2.34	1.14	0.41	3.89	2.34	5.28	0.41	8.03	000	Y	N	N	N	N	102.58	211.75
45339		A	3.14	1.44	0.58	5.16	3.14	5.07	0.58	8.79	000	Y	N	N	N	N	136.07	231.79
45340		A	1.89	0.95	0.36	3.2	1.89	9.66	0.36	11.91	000	Y	N	N	N	N	84.38	314.07
45341		A	2.6	1.26	0.45	4.31	2.6	1.26	0.45	4.31	000	Y	N	N	N	N	113.65	113.65
45342		A	4.05	1.81	0.72	6.58	4.05	1.81	0.72	6.58	000	Y	N	N	N	N	173.51	173.51
45345		A	2.92	1.36	0.53	4.81	2.92	1.36	0.53	4.81	000	Y	N	N	N	N	126.84	126.84
45355		A	3.51	1.51	0.7	5.72	3.51	1.51	0.7	5.72	000	Y	N	N	N	N	150.84	150.84
45378		A	3.69	1.61	0.7	6	3.69	5.64	0.7	10.03	000	Y	N	N	N	N	158.22	264.49
45378	53	A	0.96	0.6	0.16	1.72	0.96	2.3	0.16	3.42	000	Y	N	N	N	N	45.36	90.19
45379		A	4.68	2	0.87	7.55	4.68	7.32	0.87	12.87	000	Y	N	N	N	N	199.09	339.38
45380		A	4.43	1.93	0.8	7.16	4.43	6.71	0.8	11.94	000	Y	N	N	N	N	188.81	314.86
45381		A	4.19	1.85	0.75	6.79	4.19	6.98	0.75	11.92	000	Y	N	N	N	N	179.05	314.33
45382		A	5.68	2.42	1	9.1	5.68	8.8	1	15.48	000	Y	N	N	N	N	239.97	408.21
45383		A	5.86	2.4	1.09	9.35	5.86	7.68	1.09	14.63	000	Y	N	N	N	N	246.56	385.79
45384		A	4.69	1.96	0.88	7.53	4.69	6.45	0.88	12.02	000	Y	N	N	N	N	198.57	316.97
45385		A	5.3	2.25	0.97	8.52	5.3	7.28	0.97	13.55	000	Y	N	N	N	N	224.67	357.31
45386		A	4.57	1.95	0.87	7.39	4.57	11.32	0.87	16.76	000	Y	N	N	N	N	194.87	441.96
45387		A	5.9	2.6	1.06	9.56	5.9	2.6	1.06	9.56	000	Y	N	N	N	N	252.10	252.10

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
45391		A	5.09	2.18	0.88	8.15	5.09	2.18	0.88	8.15	000	Y	N	N	N	N	214.92	214.92
45392		A	6.54	2.75	1.23	10.52	6.54	2.75	1.23	10.52	000	Y	N	N	N	N	277.41	277.41
45395		A	33	15.28	7.2	55.48	33	15.28	7.2	55.48	090	Y	N	Y	D	N	1,463.01	1,463.01
45397		A	36.5	16.38	7.23	60.11	36.5	16.38	7.23	60.11	090	Y	N	Y	D	N	1,585.10	1,585.10
45400		A	19.44	8.57	4.28	32.29	19.44	8.57	4.28	32.29	090	Y	N	Y	D	N	851.49	851.49
45402		A	26.51	10.78	5.79	43.08	26.51	10.78	5.79	43.08	090	Y	N	Y	D	N	1,136.02	1,136.02
45499		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
45500		A	7.73	5.23	1.46	14.42	7.73	5.23	1.46	14.42	090	Y	N	D	N	N	380.26	380.26
45505		A	8.36	5.94	1.81	16.11	8.36	5.94	1.81	16.11	090	Y	N	N	N	N	424.82	424.82
45520		A	0.55	0.46	0.09	1.1	0.55	3.19	0.09	3.83	000	Y	N	N	N	N	29.01	101.00
45540		A	18.12	7.76	3.74	29.62	18.12	7.76	3.74	29.62	090	Y	N	Y	D	N	781.08	781.08
45541		A	14.85	7.7	3.11	25.66	14.85	7.7	3.11	25.66	090	Y	N	Y	D	N	676.65	676.65
45550		A	24.8	10.88	5.38	41.06	24.8	10.88	5.38	41.06	090	Y	N	Y	D	N	1,082.75	1,082.75
45560		A	11.5	5.67	2.16	19.33	11.5	5.67	2.16	19.33	090	Y	N	Y	D	N	509.73	509.73
45562		A	17.98	8.94	4.06	30.98	17.98	8.94	4.06	30.98	090	Y	N	Y	D	N	816.94	816.94
45563		A	26.38	12.52	6.76	45.66	26.38	12.52	6.76	45.66	090	Y	N	Y	D	N	1,204.05	1,204.05
45800		A	20.31	8.98	4.07	33.36	20.31	8.98	4.07	33.36	090	Y	N	Y	D	N	879.70	879.70
45805		A	23.32	11.18	5.98	40.48	23.32	11.18	5.98	40.48	090	Y	N	Y	D	N	1,067.46	1,067.46
45820		A	20.37	9.53	2.35	32.25	20.37	9.53	2.35	32.25	090	Y	N	Y	D	N	850.43	850.43
45825		A	24.17	10.06	4.16	38.39	24.17	10.06	4.16	38.39	090	Y	N	Y	D	N	1,012.34	1,012.34
45900		A	2.99	1.91	0.68	5.58	2.99	1.91	0.68	5.58	010	Y	N	D	N	N	147.14	147.14
45905		A	2.35	1.73	0.49	4.57	2.35	1.73	0.49	4.57	010	Y	N	N	N	N	120.51	120.51
45910		A	2.85	1.9	0.58	5.33	2.85	1.9	0.58	5.33	010	Y	N	N	N	N	140.55	140.55
45915		A	3.19	2.31	0.63	6.13	3.19	4.7	0.63	8.52	010	Y	N	N	N	N	161.65	224.67
45990		A	1.8	0.82	0.38	3	1.8	0.82	0.38	3	000	Y	N	D	D	D	79.11	79.11
45999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
46020		A	3	2.65	0.65	6.3	3	3.6	0.65	7.25	010	Y	N	N	N	N	166.13	191.18
46030		A	1.26	0.93	0.28	2.47	1.26	2.06	0.28	3.6	010	Y	N	D	N	N	65.13	94.93
46040		A	5.37	4.47	1.26	11.1	5.37	7.21	1.26	13.84	090	Y	N	N	N	N	292.71	364.96
46045		A	5.87	4.43	1.41	11.71	5.87	4.43	1.41	11.71	090	Y	N	N	N	N	308.79	308.79
46050		A	1.24	1.11	0.29	2.64	1.24	3.52	0.29	5.05	010	Y	N	N	N	N	69.62	133.17
46060		A	6.37	5.03	1.42	12.82	6.37	5.03	1.42	12.82	090	Y	N	N	N	N	338.06	338.06
46070		A	2.79	3.21	0.24	6.24	2.79	3.21	0.24	6.24	090	Y	N	D	N	N	164.55	164.55
46080		A	2.52	1.31	0.59	4.42	2.52	3.37	0.59	6.48	010	Y	N	N	N	N	116.56	170.88
46083		A	1.45	1.13	0.29	2.87	1.45	2.74	0.29	4.48	010	Y	N	N	N	N	75.68	118.14
46200		A	3.59	4.19	0.75	8.53	3.59	6.92	0.75	11.26	090	Y	N	N	N	N	224.94	296.93
46220		A	1.61	1.26	0.36	3.23	1.61	3.29	0.36	5.26	010	Y	N	N	N	N	85.18	138.71
46221		A	2.36	2.25	0.49	5.1	2.36	4.04	0.49	6.89	010	Y	N	N	N	N	134.49	181.69
46230		A	2.62	1.57	0.58	4.77	2.62	3.92	0.58	7.12	010	Y	N	N	N	N	125.78	187.75
46250		A	4.25	3.25	0.98	8.48	4.25	6.66	0.98	11.89	090	Y	N	N	N	N	223.62	313.54
46255		A	4.96	3.49	1.14	9.59	4.96	6.98	1.14	13.08	090	Y	N	N	N	N	252.89	344.92
46257		A	5.76	4.31	1.29	11.36	5.76	4.31	1.29	11.36	090	Y	N	N	N	N	299.56	299.56
46258		A	6.41	4.56	1.65	12.62	6.41	4.56	1.65	12.62	090	Y	N	D	N	N	332.79	332.79
46260		A	6.73	4.63	1.52	12.88	6.73	4.63	1.52	12.88	090	Y	N	N	N	N	339.65	339.65
46261		A	7.76	4.9	1.67	14.33	7.76	4.9	1.67	14.33	090	Y	N	N	N	N	377.88	377.88
46262		A	7.91	5.39	1.73	15.03	7.91	5.39	1.73	15.03	090	Y	N	N	N	N	396.34	396.34
46270		A	4.92	4.39	1.18	10.49	4.92	7.04	1.18	13.14	090	Y	N	N	N	N	276.62	346.50
46275		A	5.42	4.54	1.18	11.14	5.42	7.37	1.18	13.97	090	Y	N	N	N	N	293.76	368.39
46280		A	6.39	4.94	1.36	12.69	6.39	4.94	1.36	12.69	090	Y	N	N	N	N	334.64	334.64
46285		A	5.42	4.58	1.09	11.09	5.42	7.38	1.09	13.89	090	Y	N	N	N	N	292.44	366.28
46288		A	7.81	5.51	1.6	14.92	7.81	5.51	1.6	14.92	090	Y	N	N	N	N	393.44	393.44
46320		A	1.64	1.05	0.36	3.05	1.64	2.73	0.36	4.73	010	Y	N	N	N	N	80.43	124.73
46500		A	1.69	1.46	0.35	3.5	1.69	3.99	0.35	6.03	010	Y	N	N	N	N	92.30	159.01
46505		A	3.18	2.61	0.7	6.49	3.18	3.69	0.7	7.57	010	Y	Y	N	N	N	171.14	199.62

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
46600		A	0.55	0.45	0.1	1.1	0.55	1.56	0.1	2.21	000	Y	N	N	N	N	29.01	58.28
46604		A	1.03	0.61	0.19	1.83	1.03	13.59	0.19	14.81	000	Y	N	N	N	N	48.26	390.54
46606		A	1.2	0.67	0.28	2.15	1.2	4.16	0.28	5.64	000	Y	N	N	N	N	56.70	148.73
46608		A	1.3	0.65	0.29	2.24	1.3	4.06	0.29	5.65	000	Y	N	D	N	N	59.07	148.99
46610		A	1.28	0.67	0.29	2.24	1.28	4.08	0.29	5.65	000	Y	N	N	N	N	59.07	148.99
46611		A	1.3	0.7	0.28	2.28	1.3	2.88	0.28	4.46	000	Y	N	D	N	N	60.12	117.61
46612		A	1.5	0.75	0.38	2.63	1.5	4.94	0.38	6.82	000	Y	N	D	N	N	69.35	179.84
46614		A	1	0.59	0.16	1.75	1	2.08	0.16	3.24	000	Y	N	N	N	N	46.15	85.44
46615		A	1.5	0.76	0.35	2.61	1.5	1.94	0.35	3.79	000	Y	N	D	N	N	68.83	99.94
46700		A	9.81	6.13	1.96	17.9	9.81	6.13	1.96	17.9	090	Y	N	N	N	N	472.02	472.02
46705		A	7.43	4.9	0.63	12.96	7.43	4.9	0.63	12.96	090	Y	N	Y	D	N	341.76	341.76
46706		A	2.44	1.68	0.5	4.62	2.44	1.68	0.5	4.62	010	Y	N	N	N	N	121.83	121.83
46707		NOT COVEI	6.39	4.94	1.08	12.41	6.39	4.94	1.08	12.41	090	Y	N	D	N	N	327.25	327.25
46710		A	17.14	8.94	4.41	30.49	17.14	8.94	4.41	30.49	090	Y	N	Y	D	N	804.02	804.02
46712		A	36.45	16.38	3.11	55.94	36.45	16.38	3.11	55.94	090	Y	N	Y	D	N	1,475.14	1,475.14
46715		A	7.62	5.08	0.64	13.34	7.62	5.08	0.64	13.34	090	Y	N	Y	N	N	351.78	351.78
46716		A	17.54	9.93	1.49	28.96	17.54	9.93	1.49	28.96	090	Y	N	Y	D	N	763.68	763.68
46730		A	30.65	14.71	2.61	47.97	30.65	14.71	2.61	47.97	090	Y	N	Y	D	N	1,264.97	1,264.97
46735		A	36.14	16.46	3.09	55.69	36.14	16.46	3.09	55.69	090	Y	N	Y	D	N	1,468.55	1,468.55
46740		A	33.9	16.76	8.68	59.34	33.9	16.76	8.68	59.34	090	Y	N	Y	D	N	1,564.80	1,564.80
46742		A	40.14	17.74	10.29	68.17	40.14	17.74	10.29	68.17	090	Y	N	Y	D	N	1,797.64	1,797.64
46744		A	58.94	24.16	10.11	93.21	58.94	24.16	10.11	93.21	090	Y	N	Y	D	N	2,457.95	2,457.95
46746		A	65.44	25.92	5.58	96.94	65.44	25.92	5.58	96.94	090	Y	N	Y	D	N	2,556.31	2,556.31
46748		A	71.42	27.82	6.1	105.34	71.42	27.82	6.1	105.34	090	Y	N	Y	D	N	2,777.82	2,777.82
46750		A	12.15	6.53	2.36	21.04	12.15	6.53	2.36	21.04	090	Y	N	Y	D	N	554.82	554.82
46751		A	9.3	5.44	1.88	16.62	9.3	5.44	1.88	16.62	090	Y	N	Y	D	N	438.27	438.27
46753		A	8.89	5.43	1.81	16.13	8.89	5.43	1.81	16.13	090	Y	N	N	N	N	425.35	425.35
46754		A	3.01	2.55	0.5	6.06	3.01	4.03	0.5	7.54	010	Y	N	D	N	N	159.80	198.83
46760		A	17.45	9.75	2.98	30.18	17.45	9.75	2.98	30.18	090	Y	N	Y	D	N	795.85	795.85
46761		A	15.29	7.6	2.9	25.79	15.29	7.6	2.9	25.79	090	Y	N	Y	D	N	680.08	680.08
46762		A	14.82	8.13	2.55	25.5	14.82	8.13	2.55	25.5	090	Y	N	Y	D	N	672.44	672.44
46900		A	1.91	1.46	0.36	3.73	1.91	3.85	0.36	6.12	010	Y	N	N	N	N	98.36	161.38
46910		A	1.91	1.36	0.41	3.68	1.91	4.15	0.41	6.47	010	Y	N	N	N	N	97.04	170.61
46916		A	1.91	1.57	0.33	3.81	1.91	3.54	0.33	5.78	010	Y	N	N	N	N	100.47	152.42
46917		A	1.91	1.34	0.4	3.65	1.91	8.63	0.4	10.94	010	Y	N	N	N	N	96.25	288.49
46922		A	1.91	1.36	0.41	3.68	1.91	4.41	0.41	6.73	010	Y	N	N	N	N	97.04	177.47
46924		A	2.81	1.7	0.54	5.05	2.81	9.9	0.54	13.25	010	Y	N	N	N	N	133.17	349.40
46930		A	1.61	1.95	0.31	3.87	1.61	3.27	0.31	5.19	090	Y	N	D	N	N	102.05	136.86
46940		A	2.35	1.26	0.44	4.05	2.35	3.17	0.44	5.96	010	Y	N	N	N	N	106.80	157.17
46942		A	2.07	1.18	0.4	3.65	2.07	3.16	0.4	5.63	010	Y	N	D	N	N	96.25	148.46
46945		A	2.21	3.15	0.45	5.81	2.21	5.01	0.45	7.67	090	Y	N	N	N	N	153.21	202.26
46946		A	2.63	2.77	0.53	5.93	2.63	4.78	0.53	7.94	090	Y	N	N	N	N	156.37	209.38
46947		A	5.57	3.57	1.31	10.45	5.57	3.57	1.31	10.45	090	Y	N	N	N	N	275.57	275.57
46999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
47000		A	1.9	0.76	0.24	2.9	1.9	6.78	0.24	8.92	000	Y	N	N	N	N	76.47	235.22
47001		A	1.9	0.57	0.45	2.92	1.9	0.57	0.45	2.92	ZZZ	N	N	N	D	N	77.00	77.00
47010		A	19.4	9.22	4.76	33.38	19.4	9.22	4.76	33.38	090	Y	N	Y	D	N	880.23	880.23
47015		A	18.5	8.68	4.72	31.9	18.5	8.68	4.72	31.9	090	Y	N	Y	D	N	841.20	841.20
47100		A	12.91	7.07	3.23	23.21	12.91	7.07	3.23	23.21	090	Y	N	Y	D	N	612.05	612.05
47120		A	39.01	16.07	9.92	65	39.01	16.07	9.92	65	090	Y	N	Y	D	N	1,714.05	1,714.05
47122		A	59.48	21.66	15.19	96.33	59.48	21.66	15.19	96.33	090	Y	N	Y	D	N	2,540.22	2,540.22
47125		A	53.04	19.7	13.45	86.19	53.04	19.7	13.45	86.19	090	Y	N	Y	D	N	2,272.83	2,272.83
47130		A	57.19	20.99	14.46	92.64	57.19	20.99	14.46	92.64	090	Y	N	Y	D	N	2,442.92	2,442.92
47133		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
47135		A	83.64	32.19	21.28	137.11	83.64	32.19	21.28	137.11	090	Y	N	Y	D	Y	3,615.59	3,615.59
47136		A	70.74	28.4	18.12	117.26	70.74	28.4	18.12	117.26	090	Y	N	Y	D	Y	3,092.15	3,092.15
47140		A	59.4	24.9	15.22	99.52	59.4	24.9	15.22	99.52	090	Y	N	Y	D	Y	2,624.34	2,624.34
47141		A	71.5	29.26	6.1	106.86	71.5	29.26	6.1	106.86	090	Y	N	Y	D	Y	2,817.90	2,817.90
47142		A	79.44	31.64	20.33	131.41	79.44	31.64	20.33	131.41	090	Y	N	Y	D	N	3,465.28	3,465.28
47143		NOT COVEI	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
47144		NOT COVEI	0	0	0	0	0	0	0	0	090	Y	N	Y	D	N	0.00	0.00
47145		NOT COVEI	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
47146		NOT COVEI	6	1.8	1.53	9.33	6	1.8	1.53	9.33	XXX	Y	N	Y	D	N	246.03	246.03
47147		NOT COVEI	7	2.1	1.78	10.88	7	2.1	1.78	10.88	XXX	Y	N	Y	D	N	286.91	286.91
47300		A	18.14	8.54	4.61	31.29	18.14	8.54	4.61	31.29	090	Y	N	Y	D	N	825.12	825.12
47350		A	22.49	10.01	5.64	38.14	22.49	10.01	5.64	38.14	090	Y	N	Y	D	N	1,005.75	1,005.75
47360		A	31.31	12.8	8.01	52.12	31.31	12.8	8.01	52.12	090	Y	N	Y	D	N	1,374.40	1,374.40
47361		A	52.6	19.11	12.85	84.56	52.6	19.11	12.85	84.56	090	Y	N	Y	D	N	2,229.85	2,229.85
47362		A	23.54	10.71	5.93	40.18	23.54	10.71	5.93	40.18	090	Y	N	Y	D	N	1,059.55	1,059.55
47370		A	20.8	8.68	5.07	34.55	20.8	8.68	5.07	34.55	090	Y	N	Y	D	N	911.08	911.08
47371		A	20.8	8.23	5.34	34.37	20.8	8.23	5.34	34.37	090	Y	N	Y	D	N	906.34	906.34
47379		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
47380		A	24.56	9.76	5.94	40.26	24.56	9.76	5.94	40.26	090	Y	N	Y	D	N	1,061.66	1,061.66
47381		A	24.88	9.48	6.38	40.74	24.88	9.48	6.38	40.74	090	Y	N	Y	D	N	1,074.31	1,074.31
47382		A	15.22	4.86	1.78	21.86	15.22	103.63	1.78	120.63	010	Y	N	N	N	N	576.45	3,181.01
47399		C	0	0	0	0	0	0	0	0	YYY	Y	N	N	D	D	0.00	0.00
47400		A	36.36	14.56	9.29	60.21	36.36	14.56	9.29	60.21	090	Y	N	Y	D	N	1,587.74	1,587.74
47420		A	22.03	9.73	5.61	37.37	22.03	9.73	5.61	37.37	090	Y	N	Y	D	N	985.45	985.45
47425		A	22.31	9.98	5.71	38	22.31	9.98	5.71	38	090	Y	N	Y	D	N	1,002.06	1,002.06
47460		A	20.52	9.44	5.25	35.21	20.52	9.44	5.25	35.21	090	Y	N	Y	D	N	928.49	928.49
47480		A	13.25	7.49	3.3	24.04	13.25	7.49	3.3	24.04	090	Y	N	Y	D	N	633.93	633.93
47490		A	4.76	3.65	0.53	8.94	4.76	3.65	0.53	8.94	010	Y	N	N	N	N	235.75	235.75
47500		A	1.96	0.55	0.24	2.75	1.96	0.55	0.24	2.75	000	Y	N	N	N	N	72.52	72.52
47505		A	0.76	0.22	0.09	1.07	0.76	0.22	0.09	1.07	000	Y	N	D	N	N	28.22	28.22
47510		A	8.03	3.99	0.97	12.99	8.03	3.99	0.97	12.99	090	Y	N	N	N	N	342.55	342.55
47511		A	10.77	4.11	1.23	16.11	10.77	4.11	1.23	16.11	090	Y	Y	N	N	N	424.82	424.82
47525		A	1.54	0.64	0.16	2.34	1.54	10.72	0.16	12.42	000	Y	Y	N	N	N	61.71	327.52
47530		A	6.05	2.9	0.73	9.68	6.05	26.87	0.73	33.65	090	Y	N	N	N	N	255.26	887.35
47550		A	3.02	0.91	0.75	4.68	3.02	0.91	0.75	4.68	ZZZ	N	N	Y	D	N	123.41	123.41
47552		A	6.03	2.06	0.75	8.84	6.03	2.06	0.75	8.84	000	Y	N	N	D	N	233.11	233.11
47553		A	6.34	1.76	0.75	8.85	6.34	1.76	0.75	8.85	000	Y	N	N	N	N	233.37	233.37
47554		A	9.05	2.96	1.81	13.82	9.05	2.96	1.81	13.82	000	Y	N	N	D	N	364.43	364.43
47555		A	7.55	2.1	0.85	10.5	7.55	2.1	0.85	10.5	000	Y	N	N	N	N	276.89	276.89
47556		A	8.55	2.4	0.97	11.92	8.55	2.4	0.97	11.92	000	Y	N	N	N	N	314.33	314.33
47560		A	4.88	1.46	1.26	7.6	4.88	1.46	1.26	7.6	000	Y	N	D	N	N	200.41	200.41
47561		A	5.17	1.79	1.32	8.28	5.17	1.79	1.32	8.28	000	Y	N	D	N	N	218.34	218.34
47562		A	10.47	5.08	2.65	18.2	10.47	5.08	2.65	18.2	090	Y	N	Y	D	N	479.93	479.93
47563		A	11.47	5.42	2.91	19.8	11.47	5.42	2.91	19.8	090	Y	N	Y	D	N	522.13	522.13
47564		A	18	8.32	4.61	30.93	18	8.32	4.61	30.93	090	Y	N	Y	D	N	815.62	815.62
47570		A	12.56	5.75	3.2	21.51	12.56	5.75	3.2	21.51	090	Y	N	Y	D	N	567.22	567.22
47579		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
47600		A	17.48	7.8	4.45	29.73	17.48	7.8	4.45	29.73	090	Y	N	Y	D	N	783.98	783.98
47605		A	18.48	8.11	4.72	31.31	18.48	8.11	4.72	31.31	090	Y	N	Y	D	N	825.64	825.64
47610		A	20.92	8.74	5.35	35.01	20.92	8.74	5.35	35.01	090	Y	N	Y	D	N	923.21	923.21
47612		A	21.21	8.83	5.4	35.44	21.21	8.83	5.4	35.44	090	Y	N	Y	D	N	934.55	934.55
47620		A	23.07	9.51	5.93	38.51	23.07	9.51	5.93	38.51	090	Y	N	Y	D	N	1,015.51	1,015.51
47630		A	9.65	4.03	1.46	15.14	9.65	4.03	1.46	15.14	090	Y	N	N	D	N	399.24	399.24
47700		A	16.5	8.34	4.23	29.07	16.5	8.34	4.23	29.07	090	Y	N	Y	D	N	766.58	766.58

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
47701		A	28.73	12.26	7.34	48.33	28.73	12.26	7.34	48.33	090	Y	N	D	N	N	1,274.46	1,274.46
47711		A	25.9	11.03	6.58	43.51	25.9	11.03	6.58	43.51	090	Y	N	Y	D	N	1,147.36	1,147.36
47712		A	33.72	13.52	8.65	55.89	33.72	13.52	8.65	55.89	090	Y	N	Y	D	N	1,473.82	1,473.82
47715		A	21.55	9.88	5.53	36.96	21.55	9.88	5.53	36.96	090	Y	N	Y	D	N	974.64	974.64
47720		A	18.34	8.91	4.66	31.91	18.34	8.91	4.66	31.91	090	Y	N	Y	D	N	841.47	841.47
47721		A	21.99	10.01	5.64	37.64	21.99	10.01	5.64	37.64	090	Y	N	Y	D	N	992.57	992.57
47740		A	21.23	9.78	5.43	36.44	21.23	9.78	5.43	36.44	090	Y	N	Y	D	N	960.92	960.92
47741		A	24.21	10.67	6.19	41.07	24.21	10.67	6.19	41.07	090	Y	N	Y	D	N	1,083.02	1,083.02
47760		A	38.32	15.08	9.75	63.15	38.32	15.08	9.75	63.15	090	Y	N	Y	D	N	1,665.27	1,665.27
47765		A	52.19	19.66	13.36	85.21	52.19	19.66	13.36	85.21	090	Y	N	Y	D	N	2,246.99	2,246.99
47780		A	42.32	16.24	10.79	69.35	42.32	16.24	10.79	69.35	090	Y	N	Y	D	N	1,828.76	1,828.76
47785		A	56.19	20.71	14.41	91.31	56.19	20.71	14.41	91.31	090	Y	N	Y	D	N	2,407.84	2,407.84
47800		A	26.17	11.22	6.72	44.11	26.17	11.22	6.72	44.11	090	Y	N	Y	D	N	1,163.18	1,163.18
47801		A	17.6	7.5	2.93	28.03	17.6	7.5	2.93	28.03	090	Y	N	Y	D	N	739.15	739.15
47802		A	24.93	11.12	6.39	42.44	24.93	11.12	6.39	42.44	090	Y	N	Y	D	N	1,119.14	1,119.14
47900		A	22.44	10.04	5.66	38.14	22.44	10.04	5.66	38.14	090	Y	N	Y	D	N	1,005.75	1,005.75
47999		C	0	0	0	0	0	0	0	0	YYY	Y	N	N	D	D	0.00	0.00
48000		A	31.95	12.45	7.42	51.82	31.95	12.45	7.42	51.82	090	Y	N	Y	D	N	1,366.49	1,366.49
48001		A	39.69	14.9	10.19	64.78	39.69	14.9	10.19	64.78	090	Y	N	Y	D	N	1,708.25	1,708.25
48020		A	19.09	8.72	4.9	32.71	19.09	8.72	4.9	32.71	090	Y	N	Y	D	N	862.56	862.56
48100		A	14.46	6.6	3.59	24.65	14.46	6.6	3.59	24.65	090	Y	N	Y	D	N	650.02	650.02
48102		A	4.7	1.58	0.53	6.81	4.7	8.28	0.53	13.51	010	Y	N	N	N	N	179.58	356.26
48105		A	49.26	18.3	12.37	79.93	49.26	18.3	12.37	79.93	090	Y	N	Y	D	N	2,107.75	2,107.75
48120		A	18.41	7.82	4.7	30.93	18.41	7.82	4.7	30.93	090	Y	N	Y	D	N	815.62	815.62
48140		A	26.32	10.67	6.71	43.7	26.32	10.67	6.71	43.7	090	Y	N	Y	D	N	1,152.37	1,152.37
48145		A	27.39	11.21	7.01	45.61	27.39	11.21	7.01	45.61	090	Y	N	Y	D	N	1,202.74	1,202.74
48146		A	30.6	13.8	7.84	52.24	30.6	13.8	7.84	52.24	090	Y	N	Y	D	N	1,377.57	1,377.57
48148		A	20.39	9.11	5.21	34.71	20.39	9.11	5.21	34.71	090	Y	N	Y	D	N	915.30	915.30
48150		A	52.84	20.71	13.49	87.04	52.84	20.71	13.49	87.04	090	Y	N	Y	D	N	2,295.24	2,295.24
48152		A	48.65	19.58	12.47	80.7	48.65	19.58	12.47	80.7	090	Y	N	Y	D	N	2,128.06	2,128.06
48153		A	52.79	20.51	13.46	86.76	52.79	20.51	13.46	86.76	090	Y	N	Y	D	N	2,287.86	2,287.86
48154		A	48.88	19.64	12.52	81.04	48.88	19.64	12.52	81.04	090	Y	N	Y	D	N	2,137.02	2,137.02
48155		A	29.45	13.51	7.54	50.5	29.45	13.51	7.54	50.5	090	Y	N	Y	D	N	1,331.69	1,331.69
48160		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
48400		A	1.95	0.76	0.35	3.06	1.95	0.76	0.35	3.06	ZZZ	N	N	D	N	N	80.69	80.69
48500		A	18.16	9.03	4.65	31.84	18.16	9.03	4.65	31.84	090	Y	N	Y	D	N	839.62	839.62
48510		A	17.19	8.64	4.31	30.14	17.19	8.64	4.31	30.14	090	Y	N	Y	D	N	794.79	794.79
48520		A	18.15	7.7	4.61	30.46	18.15	7.7	4.61	30.46	090	Y	N	Y	D	N	803.23	803.23
48540		A	21.94	9.04	5.61	36.59	21.94	9.04	5.61	36.59	090	Y	N	Y	D	N	964.88	964.88
48545		A	22.23	9.56	5.7	37.49	22.23	9.56	5.7	37.49	090	Y	N	Y	D	N	988.61	988.61
48547		A	30.38	12.01	7.76	50.15	30.38	12.01	7.76	50.15	090	Y	N	Y	D	N	1,322.46	1,322.46
48548		A	28.09	11.29	7.17	46.55	28.09	11.29	7.17	46.55	090	Y	N	Y	D	N	1,227.52	1,227.52
48550		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
48551		NOT COVEI	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
48552		NOT COVEI	4.3	1.29	1.08	6.67	4.3	1.29	1.08	6.67	XXX	Y	N	Y	D	N	175.89	175.89
48554		A	37.8	22.91	9.48	70.19	37.8	22.91	9.48	70.19	090	Y	N	Y	Y	Y	1,850.91	1,850.91
48556		A	19.47	10.62	4.99	35.08	19.47	10.62	4.99	35.08	090	Y	N	Y	Y	Y	925.06	925.06
48999		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
49000		A	12.54	5.8	3.09	21.43	12.54	5.8	3.09	21.43	090	Y	N	Y	D	N	565.11	565.11
49002		A	17.63	7.25	4.4	29.28	17.63	7.25	4.4	29.28	090	Y	N	Y	D	N	772.11	772.11
49010		A	16.06	6.3	3.84	26.2	16.06	6.3	3.84	26.2	090	Y	N	Y	D	N	690.89	690.89
49020		A	26.67	11.2	6.51	44.38	26.67	11.2	6.51	44.38	090	Y	N	Y	N	N	1,170.30	1,170.30
49040		A	16.52	7.26	4.07	27.85	16.52	7.26	4.07	27.85	090	Y	N	Y	D	N	734.40	734.40
49060		A	18.53	7.77	4.43	30.73	18.53	7.77	4.43	30.73	090	Y	N	N	D	N	810.35	810.35

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	Conversion Factors $ 37.56 OB/GYN Non- Facility
49062		A	12.22	5.28	2.95	20.45	12.22	5.28	2.95	20.45	090	Y	N	Y	D	N	539.27	539.27
49082		A	1.24	0.64	0.14	2.02	1.24	3.36	0.14	4.74	000	Y	N	N	N	N	53.27	124.99
49083		A	2	0.81	0.21	3.02	2	5.16	0.21	7.37	000	Y	N	N	N	N	79.64	194.35
49084		A	2	0.61	0.21	2.82	2	0.61	0.21	2.82	000	Y	N	N	N	N	74.36	74.36
49180		A	1.73	0.51	0.19	2.43	1.73	2.28	0.19	4.2	000	Y	N	N	N	N	64.08	110.75
49203		A	20.13	8.53	4.72	33.38	20.13	8.53	4.72	33.38	090	Y	N	Y	D	N	880.23	880.23
49204		A	26.13	10.5	6.1	42.73	26.13	10.5	6.1	42.73	090	Y	N	Y	D	N	1,126.79	1,126.79
49205		A	30.13	11.83	7.25	49.21	30.13	11.83	7.25	49.21	090	Y	N	Y	D	N	1,297.67	1,297.67
49215		A	37.81	15.32	9.06	62.19	37.81	15.32	9.06	62.19	090	Y	N	Y	D	N	1,639.95	1,639.95
49220		A	15.79	6.81	4.07	26.67	15.79	6.81	4.07	26.67	090	Y	N	Y	D	N	703.29	703.29
49250		A	9.01	4.85	2.21	16.07	9.01	4.85	2.21	16.07	090	Y	N	N	D	N	423.77	423.77
49255		A	12.56	6.32	3.06	21.94	12.56	6.32	3.06	21.94	090	Y	N	Y	D	N	578.56	578.56
49320		A	5.14	2.68	1.24	9.06	5.14	2.68	1.24	9.06	010	Y	N	Y	N	N	238.91	238.91
49321		A	5.44	2.81	1.36	9.61	5.44	2.81	1.36	9.61	010	Y	N	Y	Y	N	253.42	253.42
49322		A	6.01	2.89	1.39	10.29	6.01	2.89	1.39	10.29	010	Y	N	Y	Y	N	271.35	271.35
49323		A	10.23	5.1	2.57	17.9	10.23	5.1	2.57	17.9	090	Y	N	Y	Y	N	472.02	472.02
49324		A	6.32	2.97	1.6	10.89	6.32	2.97	1.6	10.89	010	Y	N	Y	Y	N	287.17	287.17
49325		A	6.82	3.1	1.77	11.69	6.82	3.1	1.77	11.69	010	Y	N	Y	Y	N	308.27	308.27
49326		A	3.5	1	0.88	5.38	3.5	1	0.88	5.38	ZZZ	N	N	Y	D	N	141.87	141.87
49327		A	2.38	0.72	0.58	3.68	2.38	0.72	0.58	3.68	ZZZ	N	N	Y	D	N	97.04	97.04
49329		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
49400		A	1.88	0.52	0.29	2.69	1.88	1.47	0.29	3.64	000	Y	N	N	N	N	70.94	95.99
49402		A	14.09	6.22	3.48	23.79	14.09	6.22	3.48	23.79	090	Y	N	N	D	N	627.34	627.34
49405		A	4.25	1.27	0.46	5.98	4.25	16.74	0.46	21.45	000	Y	N	N	N	N	157.69	565.64
49406		A	4.25	1.28	0.46	5.99	4.25	16.73	0.46	21.44	000	Y	N	N	N	N	157.96	565.37
49407		A	4.5	1.38	0.5	6.38	4.5	13.31	0.5	18.31	000	Y	N	N	N	N	168.24	482.83
49411		A	3.82	1.3	0.41	5.53	3.82	9.01	0.41	13.24	000	Y	N	D	N	N	145.83	349.14
49412		A	1.5	0.45	0.36	2.31	1.5	0.45	0.36	2.31	ZZZ	N	N	D	D	N	60.91	60.91
49418		A	4.21	1.42	0.75	6.38	4.21	29.74	0.75	34.7	000	Y	N	D	N	N	168.24	915.04
49419		A	7.08	3.67	1.47	12.22	7.08	3.67	1.47	12.22	090	Y	N	N	N	N	322.24	322.24
49421		A	4.21	1.3	0.99	6.5	4.21	1.3	0.99	6.5	000	Y	N	N	N	N	171.41	171.41
49422		A	6.29	2.78	1.54	10.61	6.29	2.78	1.54	10.61	010	Y	N	N	N	N	279.79	279.79
49423		A	1.46	0.43	0.14	2.03	1.46	11.59	0.14	13.19	000	Y	N	D	N	N	53.53	347.82
49424		A	0.76	0.24	0.09	1.09	0.76	2.75	0.09	3.6	000	Y	N	D	N	N	28.74	94.93
49425		A	12.22	5.53	3.2	20.95	12.22	5.53	3.2	20.95	090	Y	N	Y	D	N	552.45	552.45
49426		A	10.41	4.36	2.49	17.26	10.41	4.36	2.49	17.26	090	Y	N	N	N	N	455.15	455.15
49427		A	0.89	0.27	0.13	1.29	0.89	0.27	0.13	1.29	000	Y	N	D	N	N	34.02	34.02
49428		A	6.87	3.33	1.77	11.97	6.87	3.33	1.77	11.97	010	Y	N	N	N	N	315.65	315.65
49429		A	7.44	3.4	1.91	12.75	7.44	3.4	1.91	12.75	010	Y	N	N	N	N	336.22	336.22
49435		A	2.25	0.62	0.54	3.41	2.25	0.62	0.54	3.41	ZZZ	N	N	Y	D	N	89.92	89.92
49436		A	2.72	1.69	0.7	5.11	2.72	1.69	0.7	5.11	010	Y	N	Y	D	N	134.75	134.75
49440		A	4.18	1.56	0.58	6.32	4.18	20.82	0.58	25.58	010	Y	N	D	N	N	166.66	674.54
49441		A	4.77	1.75	0.65	7.17	4.77	23.43	0.65	28.85	010	Y	N	D	N	N	189.07	760.77
49442		A	4	1.7	0.44	6.14	4	18.93	0.44	23.37	010	Y	N	D	N	N	161.91	616.27
49446		A	3.31	0.94	0.38	4.63	3.31	20.6	0.38	24.29	000	Y	N	D	N	N	122.09	640.53
49450		A	1.36	0.39	0.14	1.89	1.36	14.51	0.14	16.01	000	Y	N	D	N	N	49.84	422.18
49451		A	1.84	0.52	0.24	2.6	1.84	15.56	0.24	17.64	000	Y	N	D	N	N	68.56	465.17
49452		A	2.86	0.81	0.33	4	2.86	18.68	0.33	21.87	000	Y	N	D	N	N	105.48	576.71
49460		A	0.96	0.28	0.13	1.37	0.96	16.51	0.13	17.6	000	Y	N	D	N	N	36.13	464.11
49465		A	0.62	0.18	0.06	0.86	0.62	3.39	0.06	4.07	000	Y	N	D	N	N	22.68	107.33
49491		A	12.53	6.19	3.2	21.92	12.53	6.19	3.2	21.92	090	Y	Y	Y	D	N	578.03	578.03
49492		A	15.43	6.86	3.96	26.25	15.43	6.86	3.96	26.25	090	Y	Y	Y	D	N	692.21	692.21
49495		A	6.2	3.22	1.58	11	6.2	3.22	1.58	11	090	Y	Y	Y	D	N	290.07	290.07
49496		A	9.42	4.84	2.64	16.9	9.42	4.84	2.64	16.9	090	Y	Y	Y	D	N	445.65	445.65

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
49500		A	5.84	3.14	1.49	10.47	5.84	3.14	1.49	10.47	090	Y	Y	Y	D	N	276.09	276.09
49501		A	9.36	4.91	2.39	16.66	9.36	4.91	2.39	16.66	090	Y	Y	Y	D	N	439.32	439.32
49505		A	7.96	4.34	2	14.3	7.96	4.34	2	14.3	090	Y	Y	Y	D	N	377.09	377.09
49507		A	9.09	4.74	2.31	16.14	9.09	4.74	2.31	16.14	090	Y	Y	Y	D	N	425.61	425.61
49520		A	9.99	4.93	2.52	17.44	9.99	4.93	2.52	17.44	090	Y	Y	Y	D	N	459.89	459.89
49521		A	11.48	5.44	2.89	19.81	11.48	5.44	2.89	19.81	090	Y	Y	Y	D	N	522.39	522.39
49525		A	8.93	4.62	2.24	15.79	8.93	4.62	2.24	15.79	090	Y	Y	Y	D	N	416.38	416.38
49540		A	10.74	5.17	2.71	18.62	10.74	5.17	2.71	18.62	090	Y	Y	Y	D	N	491.01	491.01
49550		A	8.99	4.59	2.27	15.85	8.99	4.59	2.27	15.85	090	Y	Y	Y	D	N	417.96	417.96
49553		A	9.92	4.99	2.52	17.43	9.92	4.99	2.52	17.43	090	Y	Y	Y	D	N	459.63	459.63
49555		A	9.39	4.68	2.36	16.43	9.39	4.68	2.36	16.43	090	Y	Y	Y	D	N	433.26	433.26
49557		A	11.62	5.47	2.94	20.03	11.62	5.47	2.94	20.03	090	Y	Y	Y	D	N	528.19	528.19
49560		A	11.92	5.54	2.98	20.44	11.92	5.54	2.98	20.44	090	Y	Y	Y	D	N	539.00	539.00
49561		A	15.38	6.63	3.89	25.9	15.38	6.63	3.89	25.9	090	Y	Y	Y	D	N	682.98	682.98
49565		A	12.37	5.83	3.13	21.33	12.37	5.83	3.13	21.33	090	Y	Y	Y	D	N	562.47	562.47
49566		A	15.53	6.71	3.96	26.2	15.53	6.71	3.96	26.2	090	Y	Y	Y	D	N	690.89	690.89
49568		A	4.88	1.46	1.24	7.58	4.88	1.46	1.24	7.58	ZZZ	N	N	Y	D	N	199.88	199.88
49570		A	6.05	3.79	1.53	11.37	6.05	3.79	1.53	11.37	090	Y	Y	Y	D	N	299.83	299.83
49572		A	7.87	4.32	1.98	14.17	7.87	4.32	1.98	14.17	090	Y	Y	Y	D	N	373.66	373.66
49580		A	4.47	3.37	1.14	8.98	4.47	3.37	1.14	8.98	090	Y	N	Y	D	N	236.80	236.80
49582		A	7.13	4.25	1.82	13.2	7.13	4.25	1.82	13.2	090	Y	N	Y	D	N	348.08	348.08
49585		A	6.59	3.92	1.65	12.16	6.59	3.92	1.65	12.16	090	Y	N	Y	D	N	320.66	320.66
49587		A	7.08	4.16	1.78	13.02	7.08	4.16	1.78	13.02	090	Y	N	Y	D	N	343.34	343.34
49590		A	8.9	4.65	2.26	15.81	8.9	4.65	2.26	15.81	090	Y	Y	Y	D	N	416.91	416.91
49600		A	11.55	5.68	2.94	20.17	11.55	5.68	2.94	20.17	090	Y	N	Y	D	N	531.88	531.88
49605		A	87.09	29.6	22.32	139.01	87.09	29.6	22.32	139.01	090	Y	N	Y	D	N	3,665.69	3,665.69
49606		A	19	7.74	4.87	31.61	19	7.74	4.87	31.61	090	Y	N	Y	D	N	833.56	833.56
49610		A	10.91	5.31	2.78	19	10.91	5.31	2.78	19	090	Y	N	Y	D	N	501.03	501.03
49611		A	9.34	4.93	0.78	15.05	9.34	4.93	0.78	15.05	090	Y	N	Y	D	N	396.87	396.87
49650		A	6.36	3.77	1.6	11.73	6.36	3.77	1.6	11.73	090	Y	Y	Y	D	N	309.32	309.32
49651		A	8.38	4.78	2.14	15.3	8.38	4.78	2.14	15.3	090	Y	Y	Y	D	N	403.46	403.46
49652		A	11.92	5.68	0.99	18.59	11.92	5.68	0.99	18.59	090	Y	Y	Y	D	N	490.22	490.22
49653		A	14.94	7.03	1.28	23.25	14.94	7.03	1.28	23.25	090	Y	Y	Y	D	N	613.10	613.10
49654		A	13.76	6.25	1.17	21.18	13.76	6.25	1.17	21.18	090	Y	Y	Y	D	N	558.52	558.52
49655		A	16.84	7.6	1.43	25.87	16.84	7.6	1.43	25.87	090	Y	Y	Y	D	N	682.19	682.19
49656		A	15.08	6.66	1.29	23.03	15.08	6.66	1.29	23.03	090	Y	Y	Y	D	N	607.30	607.30
49657		A	22.11	9.15	1.88	33.14	22.11	9.15	1.88	33.14	090	Y	Y	Y	D	N	873.90	873.90
49659		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
49900		A	12.41	6.95	3.06	22.42	12.41	6.95	3.06	22.42	090	Y	N	Y	D	N	591.22	591.22
49904		A	22.35	11.99	5.7	40.04	22.35	11.99	5.7	40.04	090	Y	N	N	D	D	1,055.85	1,055.85
49905		A	6.54	1.96	1.49	9.99	6.54	1.96	1.49	9.99	ZZZ	N	N	Y	Y	N	263.44	263.44
49906		C	0	0	0	0	0	0	0	0	090	Y	N	N	D	N	0.00	0.00
49999		C	0	0	0	0	0	0	0	0	YYY	Y	N	N	D	D	0.00	0.00
50010		A	12.28	5.89	2.16	20.33	12.28	5.89	2.16	20.33	090	Y	Y	Y	D	N	536.10	536.10
50020		A	18.08	7.43	2.89	28.4	18.08	7.43	2.89	28.4	090	Y	N	N	D	N	748.91	748.91
50040		A	16.68	6.64	2.03	25.35	16.68	6.64	2.03	25.35	090	Y	Y	N	D	N	668.48	668.48
50045		A	16.82	6.7	1.95	25.47	16.82	6.7	1.95	25.47	090	Y	Y	Y	D	N	671.64	671.64
50060		A	20.95	7.85	2.41	31.21	20.95	7.85	2.41	31.21	090	Y	Y	Y	D	N	823.01	823.01
50065		A	22.32	8.25	2.6	33.17	22.32	8.25	2.6	33.17	090	Y	Y	Y	N	N	874.69	874.69
50070		A	21.85	8.11	2.55	32.51	21.85	8.11	2.55	32.51	090	Y	Y	Y	D	N	857.29	857.29
50075		A	27.09	9.78	3.17	40.04	27.09	9.78	3.17	40.04	090	Y	Y	Y	D	N	1,055.85	1,055.85
50080		A	15.74	6.21	1.86	23.81	15.74	6.21	1.86	23.81	090	Y	Y	N	N	N	627.87	627.87
50081		A	23.5	8.75	2.78	35.03	23.5	8.75	2.78	35.03	090	Y	Y	Y	D	N	923.74	923.74
50100		A	17.45	8	4.48	29.93	17.45	8	4.48	29.93	090	Y	Y	Y	D	N	789.25	789.25

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
50120		A	17.21	6.75	2	25.96	17.21	6.75	2	25.96	090	Y	Y	Y	D	N	684.57	684.57
50125		A	17.82	6.98	2.06	26.86	17.82	6.98	2.06	26.86	090	Y	Y	Y	D	N	708.30	708.30
50130		A	18.82	7.26	2.19	28.27	18.82	7.26	2.19	28.27	090	Y	Y	Y	D	N	745.48	745.48
50135		A	20.59	7.75	2.39	30.73	20.59	7.75	2.39	30.73	090	Y	Y	Y	D	N	810.35	810.35
50200		A	2.63	1.02	0.38	4.03	2.63	11.35	0.38	14.36	000	Y	Y	N	N	N	106.27	378.67
50205		A	12.29	5.7	2.89	20.88	12.29	5.7	2.89	20.88	090	Y	Y	Y	D	N	550.61	550.61
50220		A	18.68	7.35	2.7	28.73	18.68	7.35	2.7	28.73	090	Y	Y	Y	D	N	757.61	757.61
50225		A	21.88	8.21	2.86	32.95	21.88	8.21	2.86	32.95	090	Y	Y	Y	D	N	868.89	868.89
50230		A	23.81	8.49	2.94	35.24	23.81	8.49	2.94	35.24	090	Y	Y	Y	Y	N	929.28	929.28
50234		A	24.05	8.76	2.93	35.74	24.05	8.76	2.93	35.74	090	Y	Y	Y	D	N	942.46	942.46
50236		A	26.94	10.08	3.17	40.19	26.94	10.08	3.17	40.19	090	Y	Y	Y	D	N	1,059.81	1,059.81
50240		A	24.21	9.19	2.9	36.3	24.21	9.19	2.9	36.3	090	Y	Y	Y	D	N	957.23	957.23
50250		A	22.22	8.49	2.61	33.32	22.22	8.49	2.61	33.32	090	Y	N	Y	D	N	878.65	878.65
50280		A	17.09	6.84	2.24	26.17	17.09	6.84	2.24	26.17	090	Y	Y	Y	D	N	690.10	690.10
50290		A	16.15	6.51	1.88	24.54	16.15	6.51	1.88	24.54	090	Y	N	Y	D	N	647.12	647.12
50300		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
50320		A	22.43	11.96	4.66	39.05	22.43	11.96	4.66	39.05	090	Y	Y	Y	D	N	1,029.75	1,029.75
50323		NOT COVEI	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
50325		NOT COVEI	0	0	0	0	0	0	0	0	XXX	Y	N	Y	D	N	0.00	0.00
50327		NOT COVEI	4	1.16	0.94	6.1	4	1.16	0.94	6.1	XXX	Y	N	Y	D	N	160.86	160.86
50328		NOT COVEI	3.5	1.04	0.8	5.34	3.5	1.04	0.8	5.34	XXX	Y	N	Y	D	N	140.82	140.82
50329		NOT COVEI	3.34	0.98	0.58	4.9	3.34	0.98	0.58	4.9	XXX	Y	N	Y	D	N	129.21	129.21
50340		A	14.04	8.31	3.62	25.97	14.04	8.31	3.62	25.97	090	Y	Y	Y	D	N	684.83	684.83
50360		A	39.88	17.5	9.72	67.1	39.88	17.5	9.72	67.1	090	Y	N	Y	Y	Y	1,769.43	1,769.43
50365		A	46.13	20.85	11.82	78.8	46.13	20.85	11.82	78.8	090	Y	Y	Y	Y	Y	2,077.96	2,077.96
50370		A	18.88	9.61	4.52	33.01	18.88	9.61	4.52	33.01	090	Y	N	Y	D	N	870.47	870.47
50380		A	30.11	17.11	7.7	54.92	30.11	17.11	7.7	54.92	090	Y	N	Y	D	N	1,448.24	1,448.24
50382		A	5.5	1.55	0.63	7.68	5.5	22.98	0.63	29.11	000	Y	Y	N	N	N	202.52	767.63
50384		A	5	1.44	0.58	7.02	5	17.8	0.58	23.38	000	Y	Y	N	N	N	185.12	616.53
50385		A	4.44	1.49	0.5	6.43	4.44	22.7	0.5	27.64	000	Y	Y	D	N	N	169.56	728.87
50386		A	3.3	1.19	0.38	4.87	3.3	14.29	0.38	17.97	000	Y	Y	D	N	N	128.42	473.87
50387		A	2	0.56	0.24	2.8	2	11.12	0.24	13.36	000	Y	Y	D	N	N	73.84	352.30
50389		A	1.1	0.32	0.13	1.55	1.1	6.08	0.13	7.31	000	Y	Y	N	N	N	40.87	192.76
50390		A	1.96	0.56	0.21	2.73	1.96	0.56	0.21	2.73	000	Y	Y	N	N	N	71.99	71.99
50391		A	1.96	0.55	0.24	2.75	1.96	1.09	0.24	3.29	000	Y	Y	N	N	N	72.52	86.76
50392		A	3.37	1.25	0.38	5	3.37	1.25	0.38	5	000	Y	Y	N	N	N	131.85	131.85
50393		A	4.15	1.46	0.45	6.06	4.15	1.46	0.45	6.06	000	Y	Y	N	N	N	159.80	159.80
50394		A	0.76	0.51	0.09	1.36	0.76	1.71	0.09	2.56	000	Y	Y	N	N	N	35.86	67.51
50395		A	3.37	1.24	0.4	5.01	3.37	1.24	0.4	5.01	000	Y	Y	N	N	N	132.11	132.11
50396		A	2.09	0.93	0.24	3.26	2.09	0.93	0.24	3.26	000	Y	Y	D	N	N	85.97	85.97
50398		A	1.46	0.44	0.14	2.04	1.46	10.37	0.14	11.97	000	Y	Y	N	N	N	53.79	315.65
50400		A	21.27	7.95	2.52	31.74	21.27	7.95	2.52	31.74	090	Y	Y	Y	D	N	836.98	836.98
50405		A	25.86	9.43	3	38.29	25.86	9.43	3	38.29	090	Y	Y	Y	D	N	1,009.71	1,009.71
50500		A	21.22	9.14	5.43	35.79	21.22	9.14	5.43	35.79	090	Y	N	Y	D	N	943.78	943.78
50520		A	18.88	8.44	2.21	29.53	18.88	8.44	2.21	29.53	090	Y	N	Y	D	N	778.71	778.71
50525		A	24.39	10.45	6.24	41.08	24.39	10.45	6.24	41.08	090	Y	N	Y	D	N	1,083.28	1,083.28
50526		A	26.31	10.67	2.24	39.22	26.31	10.67	2.24	39.22	090	Y	N	Y	N	N	1,034.23	1,034.23
50540		A	21.1	7.9	2.44	31.44	21.1	7.9	2.44	31.44	090	Y	B	Y	D	N	829.07	829.07
50541		A	16.86	6.35	2.05	25.26	16.86	6.35	2.05	25.26	090	Y	Y	Y	D	N	666.11	666.11
50542		A	21.36	8.09	2.52	31.97	21.36	8.09	2.52	31.97	090	Y	Y	Y	D	N	843.05	843.05
50543		A	27.41	10.18	3.27	40.86	27.41	10.18	3.27	40.86	090	Y	Y	Y	D	N	1,077.48	1,077.48
50544		A	23.37	8.15	2.78	34.3	23.37	8.15	2.78	34.3	090	Y	Y	Y	D	N	904.49	904.49
50545		A	25.06	8.82	3.06	36.94	25.06	8.82	3.06	36.94	090	Y	Y	Y	D	N	974.11	974.11
50546		A	21.87	8.35	2.76	32.98	21.87	8.35	2.76	32.98	090	Y	Y	Y	D	N	869.68	869.68

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
50547		A	26.34	12.2	5.8	44.34	26.34	12.2	5.8	44.34	090	Y	Y	Y	D	N	1,169.25	1,169.25
50548		A	25.36	8.74	3	37.1	25.36	8.74	3	37.1	090	Y	Y	Y	D	N	978.33	978.33
50549		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
50551		A	5.59	1.89	0.65	8.13	5.59	3.33	0.65	9.57	000	Y	Y	D	N	N	214.39	252.36
50553		A	5.98	1.96	0.78	8.72	5.98	3.54	0.78	10.3	000	Y	Y	N	N	N	229.95	271.61
50555		A	6.52	2.15	0.75	9.42	6.52	3.72	0.75	10.99	000	Y	Y	D	N	N	248.41	289.81
50557		A	6.61	2.17	0.77	9.55	6.61	3.79	0.77	11.17	000	Y	Y	D	N	N	251.83	294.55
50561		A	7.58	2.45	0.9	10.93	7.58	4.24	0.9	12.72	000	Y	Y	D	N	N	288.22	335.43
50562		A	10.9	3.84	1.27	16.01	10.9	3.84	1.27	16.01	090	Y	N	Y	D	N	422.18	422.18
50570		A	9.53	2.97	1.09	13.59	9.53	2.97	1.09	13.59	000	Y	Y	D	N	N	358.37	358.37
50572		A	10.33	3.19	1.22	14.74	10.33	3.19	1.22	14.74	000	Y	Y	D	N	N	388.69	388.69
50574		A	11	3.39	1.29	15.68	11	3.39	1.29	15.68	000	Y	Y	D	N	N	413.48	413.48
50575		A	13.96	4.23	1.63	19.82	13.96	4.23	1.63	19.82	000	Y	Y	N	N	N	522.65	522.65
50576		A	10.97	3.38	1.27	15.62	10.97	3.38	1.27	15.62	000	Y	Y	D	N	N	411.90	411.90
50580		A	11.84	3.64	1.39	16.87	11.84	3.64	1.39	16.87	000	Y	Y	D	N	N	444.86	444.86
50590		A	9.77	4.5	1.14	15.41	9.77	7.95	1.14	18.86	090	Y	Y	N	N	N	406.36	497.34
50592		A	6.8	2.55	0.77	10.12	6.8	67.13	0.77	74.7	010	Y	Y	N	N	N	266.86	1,969.84
50593		A	9.13	3.26	1.03	13.42	9.13	99.27	1.03	109.43	010	Y	Y	Y	N	N	353.89	2,885.67
50600		A	17.17	6.55	2	25.72	17.17	6.55	2	25.72	090	Y	Y	Y	D	N	678.24	678.24
50605		A	16.79	6.99	3.18	26.96	16.79	6.99	3.18	26.96	090	Y	Y	Y	D	N	710.94	710.94
50610		A	17.25	6.63	2	25.88	17.25	6.63	2	25.88	090	Y	Y	Y	D	N	682.46	682.46
50620		A	16.43	6.4	1.91	24.74	16.43	6.4	1.91	24.74	090	Y	Y	Y	D	N	652.39	652.39
50630		A	16.21	6.33	1.88	24.42	16.21	6.33	1.88	24.42	090	Y	Y	Y	D	N	643.96	643.96
50650		A	18.82	7.27	2.27	28.36	18.82	7.27	2.27	28.36	090	Y	Y	Y	D	N	747.85	747.85
50660		A	21.02	7.88	2.44	31.34	21.02	7.88	2.44	31.34	090	Y	N	Y	D	N	826.44	826.44
50684		A	0.76	0.51	0.09	1.36	0.76	1.78	0.09	2.63	000	Y	Y	N	N	N	35.86	69.35
50686		A	1.51	0.8	0.26	2.57	1.51	2.16	0.26	3.93	000	Y	N	D	N	N	67.77	103.63
50688		A	1.2	0.82	0.14	2.16	1.2	0.82	0.14	2.16	010	Y	N	N	N	N	56.96	56.96
50690		A	1.16	0.63	0.13	1.92	1.16	1.26	0.13	2.55	000	Y	N	N	N	N	50.63	67.24
50700		A	16.69	6.74	1.95	25.38	16.69	6.74	1.95	25.38	090	Y	Y	Y	D	N	669.27	669.27
50715		A	20.64	8.94	3.62	33.2	20.64	8.94	3.62	33.2	090	Y	Y	Y	D	N	875.48	875.48
50722		A	17.95	7.75	3.67	29.37	17.95	7.75	3.67	29.37	090	Y	N	Y	D	N	774.49	774.49
50725		A	20.2	7.65	2.34	30.19	20.2	7.65	2.34	30.19	090	Y	N	Y	D	N	796.11	796.11
50727		A	8.28	4.36	1	13.64	8.28	4.36	1	13.64	090	Y	N	Y	Y	N	359.69	359.69
50728		A	12.18	5.39	1.42	18.99	12.18	5.39	1.42	18.99	090	Y	N	Y	Y	N	500.77	500.77
50740		A	20.07	8.79	5.15	34.01	20.07	8.79	5.15	34.01	090	Y	Y	Y	D	N	896.84	896.84
50750		A	21.22	7.94	2.45	31.61	21.22	7.94	2.45	31.61	090	Y	Y	Y	N	N	833.56	833.56
50760		A	20.07	7.87	3.2	31.14	20.07	7.87	3.2	31.14	090	Y	Y	Y	D	N	821.16	821.16
50770		A	21.22	7.94	2.45	31.61	21.22	7.94	2.45	31.61	090	Y	N	Y	D	N	833.56	833.56
50780		A	19.95	7.73	2.78	30.46	19.95	7.73	2.78	30.46	090	Y	Y	Y	D	N	803.23	803.23
50782		A	19.66	5.09	5.04	29.79	19.66	5.09	5.04	29.79	090	Y	Y	Y	Y	N	785.56	785.56
50783		A	20.7	7.79	2.4	30.89	20.7	7.79	2.4	30.89	090	Y	Y	Y	Y	N	814.57	814.57
50785		A	22.23	8.29	2.7	33.22	22.23	8.29	2.7	33.22	090	Y	Y	Y	D	N	876.01	876.01
50800		A	16.41	6.81	2.08	25.3	16.41	6.81	2.08	25.3	090	Y	Y	Y	D	N	667.16	667.16
50810		A	22.61	8.9	5.8	37.31	22.61	8.9	5.8	37.31	090	Y	N	Y	D	N	983.86	983.86
50815		A	22.26	8.61	2.6	33.47	22.26	8.61	2.6	33.47	090	Y	Y	Y	D	N	882.60	882.60
50820		A	24.07	9	3.18	36.25	24.07	9	3.18	36.25	090	Y	Y	Y	D	N	955.91	955.91
50825		A	30.68	11.08	3.81	45.57	30.68	11.08	3.81	45.57	090	Y	N	Y	D	N	1,201.68	1,201.68
50830		A	33.77	11.86	3.96	49.59	33.77	11.86	3.96	49.59	090	Y	N	Y	D	N	1,307.69	1,307.69
50840		A	22.39	8.64	2.61	33.64	22.39	8.64	2.61	33.64	090	Y	Y	Y	D	N	887.09	887.09
50845		A	22.46	9.04	2.61	34.11	22.46	9.04	2.61	34.11	090	Y	N	Y	D	N	899.48	899.48
50860		A	17.08	6.77	1.98	25.83	17.08	6.77	1.98	25.83	090	Y	Y	Y	D	N	681.14	681.14
50900		A	15.04	6.38	1.77	23.19	15.04	6.38	1.77	23.19	090	Y	Y	Y	D	N	611.52	611.52
50920		A	15.81	6.41	1.85	24.07	15.81	6.41	1.85	24.07	090	Y	N	Y	D	N	634.73	634.73

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
50930		A	20.19	8.83	5.16	34.18	20.19	8.83	5.16	34.18	090	Y	N	Y	D	N	901.33	901.33
50940		A	15.93	6.45	1.86	24.24	15.93	6.45	1.86	24.24	090	Y	Y	Y	D	N	639.21	639.21
50945		A	17.97	6.64	2.08	26.69	17.97	6.64	2.08	26.69	090	Y	Y	Y	D	N	703.82	703.82
50947		A	25.78	9.31	3	38.09	25.78	9.31	3	38.09	090	Y	Y	Y	D	N	1,004.43	1,004.43
50948		A	23.82	8.45	2.76	35.03	23.82	8.45	2.76	35.03	090	Y	Y	Y	D	N	923.74	923.74
50949		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
50951		A	5.83	1.96	0.68	8.47	5.83	3.49	0.68	10	000	Y	Y	D	N	N	223.35	263.70
50953		A	6.23	2.06	0.73	9.02	6.23	3.64	0.73	10.6	000	Y	Y	D	N	N	237.86	279.52
50955		A	6.74	2.22	0.78	9.74	6.74	3.83	0.78	11.35	000	Y	Y	D	N	N	256.84	299.30
50957		A	6.78	2.23	0.78	9.79	6.78	3.89	0.78	11.45	000	Y	Y	D	N	N	258.16	301.94
50961		A	6.04	2.01	0.7	8.75	6.04	3.54	0.7	10.28	000	Y	Y	D	N	N	230.74	271.08
50970		A	7.13	2.3	0.82	10.25	7.13	2.3	0.82	10.25	000	Y	Y	D	N	N	270.29	270.29
50972		A	6.88	2.22	0.8	9.9	6.88	2.22	0.8	9.9	000	Y	Y	D	N	N	261.06	261.06
50974		A	9.16	2.87	1.06	13.09	9.16	2.87	1.06	13.09	000	Y	Y	D	N	N	345.18	345.18
50976		A	9.03	2.83	1.04	12.9	9.03	2.83	1.04	12.9	000	Y	Y	D	N	N	340.17	340.17
50980		A	6.84	2.21	0.78	9.83	6.84	2.21	0.78	9.83	000	Y	Y	D	N	N	259.22	259.22
51020		A	7.69	4.05	0.94	12.68	7.69	4.05	0.94	12.68	090	Y	N	Y	D	N	334.37	334.37
51030		A	7.81	3.99	0.9	12.7	7.81	3.99	0.9	12.7	090	Y	N	D	N	N	334.90	334.90
51040		A	4.49	2.71	0.53	7.73	4.49	2.71	0.53	7.73	090	Y	N	Y	D	N	203.84	203.84
51045		A	7.81	4.25	1.27	13.33	7.81	4.25	1.27	13.33	090	Y	N	Y	N	N	351.51	351.51
51050		A	7.97	3.88	0.94	12.79	7.97	3.88	0.94	12.79	090	Y	N	Y	D	N	337.27	337.27
51060		A	9.95	4.64	1.18	15.77	9.95	4.64	1.18	15.77	090	Y	N	Y	D	N	415.85	415.85
51065		A	9.95	4.58	1.18	15.71	9.95	4.58	1.18	15.71	090	Y	N	D	N	N	414.27	414.27
51080		A	6.71	3.52	0.78	11.01	6.71	3.52	0.78	11.01	090	Y	N	Y	D	N	290.33	290.33
51100		A	0.78	0.22	0.1	1.1	0.78	0.72	0.1	1.6	000	Y	N	N	N	N	29.01	42.19
51101		A	1.02	0.31	0.14	1.47	1.02	1.96	0.14	3.12	000	Y	N	N	N	N	38.76	82.27
51102		A	2.7	0.98	0.35	4.03	2.7	2.85	0.35	5.9	000	Y	N	N	N	N	106.27	155.58
51500		A	11.05	4.95	1.29	17.29	11.05	4.95	1.29	17.29	090	Y	N	Y	D	N	455.94	455.94
51520		A	10.21	4.71	1.19	16.11	10.21	4.71	1.19	16.11	090	Y	N	Y	D	N	424.82	424.82
51525		A	15.42	6.22	1.88	23.52	15.42	6.22	1.88	23.52	090	Y	N	Y	D	N	620.22	620.22
51530		A	13.71	6	1.98	21.69	13.71	6	1.98	21.69	090	Y	N	Y	D	N	571.97	571.97
51535		A	13.9	5.74	1.6	21.24	13.9	5.74	1.6	21.24	090	Y	Y	Y	D	N	560.10	560.10
51550		A	17.23	6.81	2.57	26.61	17.23	6.81	2.57	26.61	090	Y	N	Y	D	N	701.71	701.71
51555		A	23.18	8.64	3.13	34.95	23.18	8.64	3.13	34.95	090	Y	N	Y	D	N	921.63	921.63
51565		A	23.68	8.91	2.9	35.49	23.68	8.91	2.9	35.49	090	Y	N	Y	D	N	935.87	935.87
51570		A	27.46	9.85	3.37	40.68	27.46	9.85	3.37	40.68	090	Y	N	Y	D	N	1,072.73	1,072.73
51575		A	34.18	11.88	4.02	50.08	34.18	11.88	4.02	50.08	090	Y	B	Y	D	N	1,320.61	1,320.61
51580		A	35.37	12.6	4.13	52.1	35.37	12.6	4.13	52.1	090	Y	N	Y	D	N	1,373.88	1,373.88
51585		A	39.64	13.79	4.62	58.05	39.64	13.79	4.62	58.05	090	Y	B	Y	D	N	1,530.78	1,530.78
51590		A	36.33	12.53	4.41	53.27	36.33	12.53	4.41	53.27	090	Y	N	Y	D	N	1,404.73	1,404.73
51595		A	41.32	14.09	4.94	60.35	41.32	14.09	4.94	60.35	090	Y	B	Y	D	N	1,591.43	1,591.43
51596		A	44.26	15.27	5.21	64.74	44.26	15.27	5.21	64.74	090	Y	N	Y	D	N	1,707.19	1,707.19
51597		A	42.86	15.08	5.44	63.38	42.86	15.08	5.44	63.38	090	Y	N	Y	D	N	1,671.33	1,671.33
51600		A	0.88	0.26	0.1	1.24	0.88	3.45	0.1	4.43	000	Y	N	N	N	N	32.70	116.82
51605		A	0.64	0.32	0.06	1.02	0.64	0.32	0.06	1.02	000	Y	N	N	N	N	26.90	26.90
51610		A	1.05	0.57	0.13	1.75	1.05	1.53	0.13	2.71	000	Y	N	N	N	N	46.15	71.46
51700		A	0.88	0.26	0.1	1.24	0.88	1.13	0.1	2.11	000	Y	N	N	N	N	32.70	55.64
51701		A	0.5	0.2	0.06	0.76	0.5	0.82	0.06	1.38	000	Y	N	N	N	N	20.04	36.39
51702		A	0.5	0.26	0.06	0.82	0.5	1.18	0.06	1.74	000	Y	N	N	N	N	21.62	45.88
51703		A	1.47	0.59	0.16	2.22	1.47	1.68	0.16	3.31	000	Y	N	N	N	N	58.54	87.28
51705		A	0.9	0.41	0.11	1.42	0.9	1.3	0.11	2.31	000	Y	N	N	N	N	37.45	60.91
51710		A	1.35	0.66	0.14	2.15	1.35	1.76	0.14	3.25	000	Y	N	N	N	N	56.70	85.70
51715		A	3.73	1.33	0.46	5.52	3.73	3.34	0.46	7.53	000	Y	N	D	N	N	145.56	198.57
51720		A	1.5	0.53	0.16	2.19	1.5	1.18	0.16	2.84	000	Y	N	N	N	N	57.75	74.89

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
51725		A	1.51	2.99	0.15	4.65	1.51	2.99	0.15	4.65	000	Y	N	D	N	N	122.62	122.62
51725	TC	A	0	2.53	0.01	2.54	0	2.53	0.01	2.54	000	Y	N	D	N	N	66.98	66.98
51725	26	A	1.51	0.46	0.14	2.11	1.51	0.46	0.14	2.11	000	Y	N	D	N	N	55.64	55.64
51726		A	1.71	4.56	0.2	6.47	1.71	4.56	0.2	6.47	000	Y	N	N	N	N	170.61	170.61
51726	TC	A	0	4.06	0.04	4.1	0	4.06	0.04	4.1	000	Y	N	N	N	N	108.12	108.12
51726	26	A	1.71	0.5	0.16	2.37	1.71	0.5	0.16	2.37	000	Y	N	N	N	N	62.50	62.50
51727		A	2.11	5.35	0.28	7.74	2.11	5.35	0.28	7.74	000	Y	N	D	N	N	204.10	204.10
51727	TC	A	0	4.7	0.01	4.71	0	4.7	0.01	4.71	000	Y	N	D	N	N	124.20	124.20
51727	26	A	2.11	0.65	0.26	3.02	2.11	0.65	0.26	3.02	000	Y	N	D	N	N	79.64	79.64
51728		A	2.11	5.4	0.23	7.74	2.11	5.4	0.23	7.74	000	Y	N	D	N	N	204.10	204.10
51728	TC	A	0	4.79	0.01	4.8	0	4.79	0.01	4.8	000	Y	N	D	N	N	126.58	126.58
51728	26	A	2.11	0.61	0.21	2.93	2.11	0.61	0.21	2.93	000	Y	N	D	N	N	77.26	77.26
51729		A	2.51	5.64	0.3	8.45	2.51	5.64	0.3	8.45	000	Y	N	D	N	N	222.83	222.83
51729	TC	A	0	4.88	0.01	4.89	0	4.88	0.01	4.89	000	Y	N	D	N	N	128.95	128.95
51729	26	A	2.51	0.76	0.29	3.56	2.51	0.76	0.29	3.56	000	Y	N	D	N	N	93.88	93.88
51736		A	0.17	0.2	0.03	0.4	0.17	0.2	0.03	0.4	XXX	Y	N	D	N	N	10.55	10.55
51736	TC	A	0	0.15	0.01	0.16	0	0.15	0.01	0.16	XXX	Y	N	D	N	N	4.22	4.22
51736	26	A	0.17	0.05	0.01	0.23	0.17	0.05	0.01	0.23	XXX	Y	N	D	N	N	6.07	6.07
51741		A	0.17	0.21	0.03	0.41	0.17	0.21	0.03	0.41	XXX	Y	N	N	N	N	10.81	10.81
51741	TC	A	0	0.16	0.01	0.17	0	0.16	0.01	0.17	XXX	Y	N	N	N	N	4.48	4.48
51741	26	A	0.17	0.05	0.01	0.23	0.17	0.05	0.01	0.23	XXX	Y	N	N	N	N	6.07	6.07
51784		A	1.53	3.09	0.15	4.77	1.53	3.09	0.15	4.77	000	Y	N	N	N	N	125.78	125.78
51784	TC	A	0	2.63	0.01	2.64	0	2.63	0.01	2.64	000	Y	N	N	N	N	69.62	69.62
51784	26	A	1.53	0.46	0.14	2.13	1.53	0.46	0.14	2.13	000	Y	N	N	N	N	56.17	56.17
51785		A	1.53	4.59	0.15	6.27	1.53	4.59	0.15	6.27	000	Y	N	D	N	N	165.34	165.34
51785	TC	A	0	4.07	0.01	4.08	0	4.07	0.01	4.08	000	Y	N	D	N	N	107.59	107.59
51785	26	A	1.53	0.52	0.14	2.19	1.53	0.52	0.14	2.19	000	Y	N	D	N	N	57.75	57.75
51792		A	1.1	3.89	0.14	5.13	1.1	3.89	0.14	5.13	000	Y	N	D	N	N	135.28	135.28
51792	TC	A	0	3.56	0.01	3.57	0	3.56	0.01	3.57	000	Y	N	D	N	N	94.14	94.14
51792	26	A	1.1	0.32	0.13	1.55	1.1	0.32	0.13	1.55	000	Y	N	D	N	N	40.87	40.87
51797		A	0.8	1.87	0.08	2.75	0.8	1.87	0.08	2.75	ZZZ	N	N	D	N	N	72.52	72.52
51797	TC	A	0	1.64	0.01	1.65	0	1.64	0.01	1.65	ZZZ	N	N	D	N	N	43.51	43.51
51797	26	A	0.8	0.23	0.06	1.09	0.8	0.23	0.06	1.09	ZZZ	N	N	D	N	N	28.74	28.74
51798		A	0	0.43	0.01	0.44	0	0.43	0.01	0.44	XXX	N	N	D	N	N	11.60	11.60
51800		A	18.89	7.36	2.34	28.59	18.89	7.36	2.34	28.59	090	Y	N	Y	D	N	753.92	753.92
51820		A	19.59	7.74	2.27	29.6	19.59	7.74	2.27	29.6	090	Y	B	Y	D	N	780.55	780.55
51840		A	11.36	5.09	1.8	18.25	11.36	5.09	1.8	18.25	090	Y	N	Y	D	N	481.25	481.25
51841		A	13.68	5.84	2.21	21.73	13.68	5.84	2.21	21.73	090	Y	N	Y	D	N	573.02	573.02
51845		A	10.15	4.6	1.44	16.19	10.15	4.6	1.44	16.19	090	Y	N	Y	D	N	426.93	426.93
51860		A	12.6	5.79	2.22	20.61	12.6	5.79	2.22	20.61	090	Y	N	Y	D	N	543.49	543.49
51865		A	15.8	6.52	2.31	24.63	15.8	6.52	2.31	24.63	090	Y	N	Y	D	N	649.49	649.49
51880		A	7.87	3.79	1.19	12.85	7.87	3.79	1.19	12.85	090	Y	N	Y	D	N	338.85	338.85
51900		A	14.63	6.29	1.71	22.63	14.63	6.29	1.71	22.63	090	Y	N	Y	D	N	596.75	596.75
51920		A	13.41	6.88	1.54	21.83	13.41	6.88	1.54	21.83	090	Y	N	Y	D	N	575.66	575.66
51925		A	17.53	8	3.57	29.1	17.53	8	3.57	29.1	090	Y	N	Y	D	N	767.37	767.37
51940		A	30.66	10.6	3.58	44.84	30.66	10.6	3.58	44.84	090	Y	N	Y	D	N	1,182.43	1,182.43
51960		A	25.4	9.66	3.18	38.24	25.4	9.66	3.18	38.24	090	Y	N	Y	D	N	1,008.39	1,008.39
51980		A	12.57	5.38	1.47	19.42	12.57	5.38	1.47	19.42	090	Y	N	Y	D	N	512.11	512.11
51990		A	13.36	5.55	2.12	21.03	13.36	5.55	2.12	21.03	090	Y	N	Y	D	N	554.56	554.56
51992		A	14.87	6.25	2.68	23.8	14.87	6.25	2.68	23.8	090	Y	N	Y	D	N	627.61	627.61
51999		C	0	0	0	0	0	0	0	0	YYY	N	N	D	D	D	0.00	0.00
52000		A	2.23	0.95	0.28	3.46	2.23	2.68	0.28	5.19	000	Y	N	N	N	N	91.24	136.86
52001		A	5.44	1.85	0.64	7.93	5.44	3.7	0.64	9.78	000	Y	N	N	N	N	209.11	257.90
52005		A	2.37	0.99	0.29	3.65	2.37	3.96	0.29	6.62	000	Y	N	N	N	N	96.25	174.57

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
52007		A	3.02	1.17	0.36	4.55	3.02	7.48	0.36	10.86	000	Y	Y	N	N	N	119.98	286.38
52010		A	3.02	1.17	0.36	4.55	3.02	5.72	0.36	9.1	000	Y	N	N	N	N	119.98	239.97
52204		A	2.59	0.99	0.31	3.89	2.59	6.14	0.31	9.04	000	Y	N	N	N	N	102.58	238.38
52214		A	3.5	0.99	0.4	4.89	3.5	12.02	0.4	15.92	000	Y	N	N	N	N	128.95	419.81
52224		A	4.05	1.15	0.48	5.68	4.05	12.24	0.48	16.77	000	Y	N	N	N	N	149.78	442.22
52234		A	4.62	1.61	0.53	6.76	4.62	1.61	0.53	6.76	000	Y	N	N	N	N	178.26	178.26
52235		A	5.44	1.87	0.64	7.95	5.44	1.87	0.64	7.95	000	Y	N	N	N	N	209.64	209.64
52240		A	7.5	2.45	0.88	10.83	7.5	2.45	0.88	10.83	000	Y	N	N	N	N	285.59	285.59
52250		A	4.49	1.58	0.54	6.61	4.49	1.58	0.54	6.61	000	Y	N	N	N	N	174.31	174.31
52260		A	3.91	1.42	0.46	5.79	3.91	1.42	0.46	5.79	000	Y	N	N	N	N	152.68	152.68
52265		A	2.94	1.17	0.41	4.52	2.94	5.77	0.41	9.12	000	Y	N	N	N	N	119.19	240.49
52270		A	3.36	1.25	0.4	5.01	3.36	5.15	0.4	8.91	000	Y	N	N	N	N	132.11	234.96
52275		A	4.69	1.61	0.54	6.84	4.69	6.83	0.54	12.06	000	Y	N	N	N	N	180.37	318.02
52276		A	4.99	1.72	0.59	7.3	4.99	1.72	0.59	7.3	000	Y	N	N	N	N	192.50	192.50
52277		A	6.16	2.05	0.72	8.93	6.16	2.05	0.72	8.93	000	Y	N	D	N	N	235.48	235.48
52281		A	2.75	1.1	0.35	4.2	2.75	3.78	0.35	6.88	000	Y	N	N	N	N	110.75	181.43
52282		A	6.39	2.14	0.78	9.31	6.39	2.14	0.78	9.31	000	Y	N	N	N	N	245.50	245.50
52283		A	3.73	1.37	0.44	5.54	3.73	3.03	0.44	7.2	000	Y	N	N	N	N	146.09	189.86
52285		A	3.6	1.36	0.44	5.4	3.6	3.19	0.44	7.23	000	Y	N	N	N	N	142.40	190.66
52287		A	3.2	1.08	0.4	4.68	3.2	4.28	0.4	7.88	000	Y	N	N	N	N	123.41	207.80
52290		A	4.58	1.61	0.53	6.72	4.58	1.61	0.53	6.72	000	Y	B	N	N	N	177.21	177.21
52300		A	5.3	1.83	0.68	7.81	5.3	1.83	0.68	7.81	000	Y	B	D	N	N	205.95	205.95
52301		A	5.5	1.86	0.64	8	5.5	1.86	0.64	8	000	Y	B	D	N	N	210.96	210.96
52305		A	5.3	1.77	0.63	7.7	5.3	1.77	0.63	7.7	000	Y	N	N	N	N	203.05	203.05
52310		A	2.81	1.02	0.35	4.18	2.81	3.06	0.35	6.22	000	Y	N	N	N	N	110.23	164.02
52315		A	5.2	1.76	0.6	7.56	5.2	4.84	0.6	10.64	000	Y	N	N	N	N	199.36	280.58
52317		A	6.71	2.12	0.78	9.61	6.71	12.48	0.78	19.97	000	Y	N	N	N	N	253.42	526.61
52318		A	9.18	2.86	1.06	13.1	9.18	2.86	1.06	13.1	000	Y	N	N	N	N	345.45	345.45
52320		A	4.69	1.56	0.54	6.79	4.69	1.56	0.54	6.79	000	Y	Y	N	N	N	179.05	179.05
52325		A	6.15	1.99	0.72	8.86	6.15	1.99	0.72	8.86	000	Y	Y	N	N	N	233.64	233.64
52327		A	5.18	1.48	0.63	7.29	5.18	1.48	0.63	7.29	000	Y	Y	N	N	N	192.24	192.24
52330		A	5.03	1.66	0.59	7.28	5.03	6.85	0.59	12.47	000	Y	Y	N	N	N	191.97	328.83
52332		A	2.82	1.11	0.34	4.27	2.82	8.73	0.34	11.89	000	Y	Y	N	N	N	112.60	313.54
52334		A	4.82	1.67	0.58	7.07	4.82	1.67	0.58	7.07	000	Y	Y	N	N	N	186.44	186.44
52341		A	5.35	1.85	0.63	7.83	5.35	1.85	0.63	7.83	000	Y	Y	N	N	N	206.48	206.48
52342		A	5.85	1.99	0.68	8.52	5.85	1.99	0.68	8.52	000	Y	Y	N	N	N	224.67	224.67
52343		A	6.55	2.19	0.77	9.51	6.55	2.19	0.77	9.51	000	Y	Y	N	N	N	250.78	250.78
52344		A	7.05	2.33	0.82	10.2	7.05	2.33	0.82	10.2	000	Y	Y	N	N	N	268.97	268.97
52345		A	7.55	2.47	0.87	10.89	7.55	2.47	0.87	10.89	000	Y	Y	D	N	N	287.17	287.17
52346		A	8.58	2.77	0.99	12.34	8.58	2.77	0.99	12.34	000	Y	Y	D	N	N	325.41	325.41
52351		A	5.75	1.93	0.67	8.35	5.75	1.93	0.67	8.35	000	Y	N	N	N	N	220.19	220.19
52352		A	6.75	2.25	0.79	9.79	6.75	2.25	0.79	9.79	000	Y	Y	N	N	N	258.16	258.16
52353		A	7.5	2.45	0.87	10.82	7.5	2.45	0.87	10.82	000	Y	Y	N	N	N	285.32	285.32
52354		A	8	2.6	0.93	11.53	8	2.6	0.93	11.53	000	Y	Y	N	N	N	304.05	304.05
52355		A	9	2.88	1.06	12.94	9	2.88	1.06	12.94	000	Y	Y	N	N	N	341.23	341.23
52356		A	8	2.57	0.93	11.5	8	2.57	0.93	11.5	000	Y	Y	N	N	N	303.26	303.26
52400		A	8.69	3.39	1	13.08	8.69	3.39	1	13.08	090	Y	N	N	N	N	344.92	344.92
52402		A	5.27	1.52	0.6	7.39	5.27	1.52	0.6	7.39	000	Y	N	D	N	N	194.87	194.87
52450		A	7.78	3.99	0.9	12.67	7.78	3.99	0.9	12.67	090	Y	N	N	N	N	334.11	334.11
52500		A	8.14	4.1	0.94	13.18	8.14	4.1	0.94	13.18	090	Y	N	N	N	N	347.56	347.56
52601		A	15.26	6.07	1.8	23.13	15.26	6.07	1.8	23.13	090	Y	N	N	N	N	609.94	609.94
52630		A	6.55	3.47	0.77	10.79	6.55	3.47	0.77	10.79	090	Y	N	N	N	N	284.53	284.53
52640		A	4.79	3.06	0.54	8.39	4.79	3.06	0.54	8.39	090	Y	N	N	N	N	221.24	221.24
52647		A	11.3	4.98	1.32	17.6	11.3	30.85	1.32	43.47	090	Y	N	N	N	N	464.11	1,146.30

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
52648		A	12.15	5.22	1.44	18.81	12.15	31.3	1.44	44.89	090	Y	N	N	N	N	496.02	1,183.75
52649		A	14.56	6.16	1.7	22.42	14.56	6.16	1.7	22.42	090	Y	N	D	N	N	591.22	591.22
52700		A	7.49	3.58	0.87	11.94	7.49	3.58	0.87	11.94	090	Y	N	D	N	N	314.86	314.86
53000		A	2.33	1.36	0.29	3.98	2.33	1.36	0.29	3.98	010	Y	N	N	N	N	104.95	104.95
53010		A	4.45	2.88	0.5	7.83	4.45	2.88	0.5	7.83	090	Y	N	N	N	N	206.48	206.48
53020		A	1.77	0.68	0.21	2.66	1.77	0.68	0.21	2.66	000	Y	N	N	N	N	70.14	70.14
53025		A	1.13	0.59	0.09	1.81	1.13	0.59	0.09	1.81	000	Y	N	D	N	N	47.73	47.73
53040		A	6.55	3.29	0.77	10.61	6.55	3.29	0.77	10.61	090	Y	N	D	N	N	279.79	279.79
53060		A	2.68	1.44	0.53	4.65	2.68	1.86	0.53	5.07	010	Y	N	N	N	N	122.62	133.70
53080		A	6.92	3.6	0.8	11.32	6.92	3.6	0.8	11.32	090	Y	N	N	N	N	298.51	298.51
53085		A	11.18	5.13	1.76	18.07	11.18	5.13	1.76	18.07	090	Y	N	Y	D	N	476.51	476.51
53200		A	2.59	0.99	0.33	3.91	2.59	1.3	0.33	4.22	000	Y	N	N	N	N	103.11	111.28
53210		A	13.72	5.68	1.58	20.98	13.72	5.68	1.58	20.98	090	Y	N	Y	D	N	553.24	553.24
53215		A	16.85	6.58	1.96	25.39	16.85	6.58	1.96	25.39	090	Y	N	Y	D	N	669.53	669.53
53220		A	7.63	3.74	0.88	12.25	7.63	3.74	0.88	12.25	090	Y	N	D	N	N	323.03	323.03
53230		A	10.44	4.76	1.41	16.61	10.44	4.76	1.41	16.61	090	Y	N	Y	D	N	438.01	438.01
53235		A	10.99	4.92	1.27	17.18	10.99	4.92	1.27	17.18	090	Y	N	Y	D	N	453.04	453.04
53240		A	7.08	3.57	0.82	11.47	7.08	3.57	0.82	11.47	090	Y	N	N	N	N	302.46	302.46
53250		A	6.52	3.39	1.71	11.62	6.52	3.39	1.71	11.62	090	Y	N	N	N	N	306.42	306.42
53260		A	3.03	1.48	0.41	4.92	3.03	1.96	0.41	5.4	010	Y	N	N	N	N	129.74	142.40
53265		A	3.17	1.49	0.41	5.07	3.17	2.21	0.41	5.79	010	Y	N	N	N	N	133.70	152.68
53270		A	3.14	1.46	0.64	5.24	3.14	1.96	0.64	5.74	010	Y	N	N	N	N	138.18	151.36
53275		A	4.57	2.03	0.54	7.14	4.57	2.03	0.54	7.14	010	Y	N	N	N	N	188.28	188.28
53400		A	14.13	6.02	1.71	21.86	14.13	6.02	1.71	21.86	090	Y	N	Y	D	N	576.45	576.45
53405		A	15.66	6.36	1.82	23.84	15.66	6.36	1.82	23.84	090	Y	N	Y	D	N	628.66	628.66
53410		A	17.68	7.04	2.06	26.78	17.68	7.04	2.06	26.78	090	Y	N	Y	D	N	706.19	706.19
53415		A	20.7	7.84	2.45	30.99	20.7	7.84	2.45	30.99	090	Y	N	Y	D	N	817.21	817.21
53420		A	15.17	6.04	1.78	22.99	15.17	6.04	1.78	22.99	090	Y	N	N	D	N	606.25	606.25
53425		A	17.07	6.58	1.98	25.63	17.07	6.58	1.98	25.63	090	Y	N	Y	D	N	675.86	675.86
53430		A	17.43	6.89	2.36	26.68	17.43	6.89	2.36	26.68	090	Y	N	Y	D	N	703.55	703.55
53431		A	21.18	7.98	2.45	31.61	21.18	7.98	2.45	31.61	090	Y	N	Y	D	N	833.56	833.56
53440		A	13.36	5.6	1.57	20.53	13.36	5.6	1.57	20.53	090	Y	N	Y	D	N	541.38	541.38
53442		A	13.49	6.17	1.57	21.23	13.49	6.17	1.57	21.23	090	Y	N	Y	N	N	559.84	559.84
53444		A	14.19	5.8	1.65	21.64	14.19	5.8	1.65	21.64	090	Y	N	Y	D	N	570.65	570.65
53445		A	13	5.92	1.53	20.45	13	5.92	1.53	20.45	090	Y	N	Y	D	N	539.27	539.27
53446		A	11.02	5.1	1.31	17.43	11.02	5.1	1.31	17.43	090	Y	N	Y	D	N	459.63	459.63
53447		A	14.28	6.07	1.68	22.03	14.28	6.07	1.68	22.03	090	Y	N	Y	D	N	580.93	580.93
53448		A	23.44	8.9	2.71	35.05	23.44	8.9	2.71	35.05	090	Y	N	Y	D	N	924.27	924.27
53449		A	10.56	4.8	1.26	16.62	10.56	4.8	1.26	16.62	090	Y	N	Y	D	N	438.27	438.27
53450		A	6.77	3.47	0.78	11.02	6.77	3.47	0.78	11.02	090	Y	N	N	N	N	290.60	290.60
53460		A	7.75	3.74	0.88	12.37	7.75	3.74	0.88	12.37	090	Y	N	D	N	N	326.20	326.20
53500		A	13	5.77	1.8	20.57	13	5.77	1.8	20.57	090	Y	N	Y	D	N	542.43	542.43
53502		A	8.26	3.96	0.97	13.19	8.26	3.96	0.97	13.19	090	Y	N	N	N	N	347.82	347.82
53505		A	8.26	3.94	0.97	13.17	8.26	3.94	0.97	13.17	090	Y	N	Y	N	N	347.29	347.29
53510		A	10.96	4.91	1.27	17.14	10.96	4.91	1.27	17.14	090	Y	N	Y	D	N	451.98	451.98
53515		A	14.22	5.83	1.65	21.7	14.22	5.83	1.65	21.7	090	Y	N	Y	D	N	572.23	572.23
53520		A	9.48	4.49	1.09	15.06	9.48	4.49	1.09	15.06	090	Y	N	N	N	N	397.13	397.13
53600		A	1.21	0.41	0.14	1.76	1.21	0.85	0.14	2.2	000	Y	N	N	N	N	46.41	58.01
53601		A	0.98	0.37	0.1	1.45	0.98	1	0.1	2.08	000	Y	N	N	N	N	38.24	54.85
53605		A	1.28	0.37	0.14	1.79	1.28	0.37	0.14	1.79	000	Y	N	N	N	N	47.20	47.20
53620		A	1.62	0.59	0.19	2.4	1.62	1.24	0.19	3.05	000	Y	N	N	N	N	63.29	80.43
53621		A	1.35	0.47	0.14	1.96	1.35	1.32	0.14	2.81	000	Y	N	N	N	N	51.69	74.10
53660		A	0.71	0.33	0.09	1.13	0.71	0.99	0.09	1.79	000	Y	N	N	N	N	29.80	47.20
53661		A	0.72	0.3	0.09	1.11	0.72	0.96	0.09	1.77	000	Y	N	N	N	N	29.27	46.67

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
53665		A	0.76	0.22	0.1	1.08	0.76	0.22	0.1	1.08	000	Y	N	N	N	N	28.48	28.48
53850		A	10.08	5.13	1.19	16.4	10.08	38.74	1.19	50.01	090	Y	N	N	N	N	432.47	1,318.76
53852		A	10.83	4.82	1.27	16.92	10.83	34.26	1.27	46.36	090	Y	N	N	N	N	446.18	1,222.51
53855		NOT COVEI	1.64	0.47	0.19	2.3	1.64	16.39	0.19	18.22	000	Y	N	D	N	N	60.65	480.46
53860		NOT COVEI	3.97	1.72	0.82	6.51	3.97	32.07	0.82	36.86	090	Y	N	D	N	N	171.67	972.00
53899		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
54000		A	1.59	1.1	0.16	2.85	1.59	2	0.16	3.75	010	Y	N	D	N	N	75.15	98.89
54001		A	2.24	1.23	0.28	3.75	2.24	2.26	0.28	4.78	010	Y	N	N	N	N	98.89	126.05
54015		A	5.36	2.39	0.68	8.43	5.36	2.39	0.68	8.43	010	Y	N	D	N	N	222.30	222.30
54050		A	1.29	1.26	0.19	2.74	1.29	1.85	0.19	3.33	010	Y	N	N	N	N	72.25	87.81
54055		A	1.25	1.01	0.16	2.42	1.25	1.58	0.16	2.99	010	Y	N	N	N	N	63.82	78.85
54056		A	1.29	1.4	0.21	2.9	1.29	2.08	0.21	3.58	010	Y	N	N	N	N	76.47	94.40
54057		A	1.29	1.05	0.14	2.48	1.29	1.97	0.14	3.4	010	Y	N	N	N	N	65.40	89.66
54060		A	1.98	1.25	0.26	3.49	1.98	2.35	0.26	4.59	010	Y	N	N	N	N	92.03	121.04
54065		A	2.47	1.79	0.38	4.64	2.47	2.82	0.38	5.67	010	Y	N	N	N	N	122.36	149.52
54100		A	1.9	1.18	0.29	3.37	1.9	2.8	0.29	4.99	000	Y	N	N	N	N	88.87	131.59
54105		A	3.54	1.8	0.41	5.75	3.54	2.96	0.41	6.91	010	Y	N	N	N	N	151.63	182.22
54110		A	10.92	4.78	1.27	16.97	10.92	4.78	1.27	16.97	090	Y	N	Y	N	N	447.50	447.50
54111		A	14.42	5.77	1.68	21.87	14.42	5.77	1.68	21.87	090	Y	N	Y	D	N	576.71	576.71
54112		A	16.98	6.69	1.96	25.63	16.98	6.69	1.96	25.63	090	Y	N	Y	D	N	675.86	675.86
54115		A	6.95	3.67	0.8	11.42	6.95	4.28	0.8	12.03	090	Y	N	Y	N	N	301.15	317.23
54120		A	11.01	4.88	1.31	17.2	11.01	4.88	1.31	17.2	090	Y	N	Y	D	N	453.56	453.56
54125		A	14.56	5.88	1.78	22.22	14.56	5.88	1.78	22.22	090	Y	N	Y	D	N	585.94	585.94
54130		A	21.84	8.3	2.55	32.69	21.84	8.3	2.55	32.69	090	Y	B	Y	D	N	862.04	862.04
54135		A	28.17	10.08	3.29	41.54	28.17	10.08	3.29	41.54	090	Y	B	Y	N	N	1,095.41	1,095.41
54150		A	1.9	0.57	0.28	2.75	1.9	1.86	0.28	4.04	000	Y	N	D	N	N	72.52	106.53
54160		A	2.53	1.1	0.29	3.92	2.53	2.81	0.29	5.63	010	Y	N	N	N	N	103.37	148.46
54161		A	3.32	1.61	0.41	5.34	3.32	1.61	0.41	5.34	010	Y	N	N	N	N	140.82	140.82
54162		A	3.32	1.66	0.4	5.38	3.32	2.99	0.4	6.71	010	Y	N	N	N	N	141.87	176.94
54163		A	3.32	2.11	0.4	5.83	3.32	2.11	0.4	5.83	010	Y	N	N	N	N	153.74	153.74
54164		A	2.82	1.98	0.35	5.15	2.82	1.98	0.35	5.15	010	Y	N	N	N	N	135.81	135.81
54200		A	1.11	0.97	0.13	2.21	1.11	1.48	0.13	2.72	010	Y	N	N	N	N	58.28	71.73
54205		A	8.97	4.38	1.03	14.38	8.97	4.38	1.03	14.38	090	Y	N	Y	N	N	379.20	379.20
54220		A	2.42	0.95	0.31	3.68	2.42	2.53	0.31	5.26	000	Y	N	N	N	N	97.04	138.71
54230		A	1.34	0.67	0.14	2.15	1.34	1.05	0.14	2.53	000	Y	N	N	N	N	56.70	66.72
54231		A	2.04	0.89	0.24	3.17	2.04	1.43	0.24	3.71	000	Y	N	N	N	N	83.59	97.83
54235		A	1.19	0.66	0.14	1.99	1.19	1.03	0.14	2.36	000	Y	N	N	N	N	52.48	62.23
54240		A	1.31	1.16	0.11	2.58	1.31	1.16	0.11	2.58	000	N	N	D	N	N	68.03	68.03
54240	TC	A	0	0.8	0.01	0.81	0	0.8	0.01	0.81	000	N	N	D	N	N	21.36	21.36
54240	26	A	1.31	0.37	0.1	1.78	1.31	0.37	0.1	1.78	000	N	N	D	N	N	46.94	46.94
54250		A	2.22	0.87	0.18	3.27	2.22	0.87	0.18	3.27	000	N	N	D	N	N	86.23	86.23
54250	TC	A	0	0.24	0.01	0.25	0	0.24	0.01	0.25	000	N	N	D	N	N	6.59	6.59
54250	26	A	2.22	0.62	0.16	3	2.22	0.62	0.16	3	000	N	N	D	N	N	79.11	79.11
54300		A	11.2	4.93	1.31	17.44	11.2	4.93	1.31	17.44	090	Y	N	Y	D	N	459.89	459.89
54304		A	13.28	5.61	1.53	20.42	13.28	5.61	1.53	20.42	090	Y	N	Y	N	N	538.48	538.48
54308		A	12.62	5.39	1.47	19.48	12.62	5.39	1.47	19.48	090	Y	N	Y	D	N	513.69	513.69
54312		A	14.51	6.11	1.68	22.3	14.51	6.11	1.68	22.3	090	Y	N	Y	D	N	588.05	588.05
54316		A	18.05	7.14	2.08	27.27	18.05	7.14	2.08	27.27	090	Y	N	Y	D	N	719.11	719.11
54318		A	12.43	5.46	1.04	18.93	12.43	5.46	1.04	18.93	090	Y	N	Y	D	N	499.18	499.18
54322		A	13.98	5.71	1.63	21.32	13.98	5.71	1.63	21.32	090	Y	N	Y	N	N	562.21	562.21
54324		A	17.55	6.91	2.03	26.49	17.55	6.91	2.03	26.49	090	Y	N	Y	D	N	698.54	698.54
54326		A	17.02	6.84	1.98	25.84	17.02	6.84	1.98	25.84	090	Y	N	Y	D	N	681.40	681.40
54328		A	16.89	6.81	1.96	25.66	16.89	6.81	1.96	25.66	090	Y	N	Y	D	N	676.65	676.65
54332		A	18.37	7.22	2.14	27.73	18.37	7.22	2.14	27.73	090	Y	N	Y	D	N	731.24	731.24

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
54336		A	21.62	8.41	2.52	32.55	21.62	8.41	2.52	32.55	090	Y	N	Y	D	N	858.34	858.34
54340		A	9.71	4.6	1.12	15.43	9.71	4.6	1.12	15.43	090	Y	N	Y	D	N	406.89	406.89
54344		A	17.06	8.01	1.98	27.05	17.06	8.01	1.98	27.05	090	Y	N	Y	D	N	713.31	713.31
54348		A	18.32	7.26	1.54	27.12	18.32	7.26	1.54	27.12	090	Y	N	Y	D	N	715.15	715.15
54352		A	26.13	9.68	3.06	38.87	26.13	9.68	3.06	38.87	090	Y	N	Y	D	N	1,025.00	1,025.00
54360		A	12.78	5.38	1.49	19.65	12.78	5.38	1.49	19.65	090	Y	N	Y	D	N	518.17	518.17
54380		A	14.18	5.96	1.65	21.79	14.18	5.96	1.65	21.79	090	Y	N	Y	D	N	574.60	574.60
54385		A	16.56	7.65	2.9	27.11	16.56	7.65	2.9	27.11	090	Y	N	Y	D	N	714.89	714.89
54390		A	22.77	9.63	2.64	35.04	22.77	9.63	2.64	35.04	090	Y	N	Y	D	N	924.00	924.00
54400		A	9.17	4.14	1.06	14.37	9.17	4.14	1.06	14.37	090	Y	N	N	D	N	378.94	378.94
54401		A	10.44	5.93	1.24	17.61	10.44	5.93	1.24	17.61	090	Y	N	N	D	N	464.38	464.38
54405		A	14.52	5.87	1.71	22.1	14.52	5.87	1.71	22.1	090	Y	N	Y	D	N	582.78	582.78
54406		A	12.89	5.49	1.51	19.89	12.89	5.49	1.51	19.89	090	Y	N	Y	D	N	524.50	524.50
54408		A	13.91	5.97	1.65	21.53	13.91	5.97	1.65	21.53	090	Y	N	Y	D	N	567.75	567.75
54410		A	15.18	6.46	1.78	23.42	15.18	6.46	1.78	23.42	090	Y	N	Y	D	N	617.59	617.59
54411		A	18.35	7.51	2.14	28	18.35	7.51	2.14	28	090	Y	N	Y	D	N	738.36	738.36
54415		A	8.88	4.38	1.03	14.29	8.88	4.38	1.03	14.29	090	Y	N	Y	D	N	376.83	376.83
54416		A	12.08	5.75	1.42	19.25	12.08	5.75	1.42	19.25	090	Y	N	Y	D	N	507.62	507.62
54417		A	16.1	6.56	1.88	24.54	16.1	6.56	1.88	24.54	090	Y	N	Y	D	N	647.12	647.12
54420		A	12.39	5.35	1.46	19.2	12.39	5.35	1.46	19.2	090	Y	N	Y	N	N	506.30	506.30
54430		A	11.06	5.03	1.29	17.38	11.06	5.03	1.29	17.38	090	Y	B	Y	N	N	458.31	458.31
54435		A	6.81	3.63	0.78	11.22	6.81	3.63	0.78	11.22	090	Y	N	N	N	N	295.87	295.87
54440		C	0	0	0	0	0	0	0	0	090	Y	N	Y	D	N	0.00	0.00
54450		A	1.12	0.34	0.13	1.59	1.12	0.62	0.13	1.87	000	Y	N	N	N	N	41.93	49.31
54500		A	1.31	0.57	0.14	2.02	1.31	0.57	0.14	2.02	000	Y	Y	D	N	N	53.27	53.27
54505		A	3.5	1.76	0.41	5.67	3.5	1.76	0.41	5.67	010	Y	Y	D	N	N	149.52	149.52
54512		A	9.33	4.23	1.12	14.68	9.33	4.23	1.12	14.68	090	Y	Y	N	D	N	387.11	387.11
54520		A	5.3	2.81	0.73	8.84	5.3	2.81	0.73	8.84	090	Y	Y	N	N	N	233.11	233.11
54522		A	10.25	4.88	1.22	16.35	10.25	4.88	1.22	16.35	090	Y	Y	Y	D	N	431.15	431.15
54530		A	8.46	4.2	1.04	13.7	8.46	4.2	1.04	13.7	090	Y	Y	Y	D	N	361.27	361.27
54535		A	13.19	5.56	1.53	20.28	13.19	5.56	1.53	20.28	090	Y	Y	Y	N	N	534.78	534.78
54550		A	8.41	3.95	0.98	13.34	8.41	3.95	0.98	13.34	090	Y	Y	Y	N	N	351.78	351.78
54560		A	12.1	5.19	1.42	18.71	12.1	5.19	1.42	18.71	090	Y	Y	Y	D	N	493.38	493.38
54600		A	7.64	3.74	0.88	12.26	7.64	3.74	0.88	12.26	090	Y	Y	N	N	N	323.30	323.30
54620		A	5.21	2.33	0.6	8.14	5.21	2.33	0.6	8.14	010	Y	Y	N	N	N	214.65	214.65
54640		A	7.73	4.16	1.04	12.93	7.73	4.16	1.04	12.93	090	Y	Y	D	N	N	340.96	340.96
54650		A	12.39	5.51	1.46	19.36	12.39	5.51	1.46	19.36	090	Y	Y	Y	N	N	510.52	510.52
54660		A	5.74	3.19	0.65	9.58	5.74	3.19	0.65	9.58	090	Y	Y	D	N	N	252.62	252.62
54670		A	6.65	3.5	0.77	10.92	6.65	3.5	0.77	10.92	090	Y	Y	D	N	N	287.96	287.96
54680		A	14.04	5.8	1.63	21.47	14.04	5.8	1.63	21.47	090	Y	Y	Y	D	N	566.16	566.16
54690		A	11.7	5.73	2.98	20.41	11.7	5.73	2.98	20.41	090	Y	Y	Y	D	N	538.21	538.21
54692		A	13.74	6.31	1.58	21.63	13.74	6.31	1.58	21.63	090	Y	Y	N	N	N	570.38	570.38
54699		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
54700		A	3.47	1.84	0.46	5.77	3.47	1.84	0.46	5.77	010	Y	Y	N	N	N	152.15	152.15
54800		A	2.33	0.86	0.4	3.59	2.33	0.86	0.4	3.59	000	Y	Y	D	N	N	94.67	94.67
54830		A	6.01	3.29	0.75	10.05	6.01	3.29	0.75	10.05	090	Y	Y	D	N	N	265.02	265.02
54840		A	5.27	2.77	0.63	8.67	5.27	2.77	0.63	8.67	090	Y	Y	N	N	N	228.63	228.63
54860		A	6.95	3.54	0.82	11.31	6.95	3.54	0.82	11.31	090	Y	N	N	N	N	298.24	298.24
54861		A	9.7	4.52	1.12	15.34	9.7	4.52	1.12	15.34	090	Y	N	D	N	N	404.52	404.52
54865		A	5.77	3.2	0.68	9.65	5.77	3.2	0.68	9.65	090	Y	N	D	N	N	254.47	254.47
54900		A	14.2	5.97	1.23	21.4	14.2	5.97	1.23	21.4	090	Y	N	D	N	N	564.32	564.32
54901		A	19.1	8.46	1.63	29.19	19.1	8.46	1.63	29.19	090	Y	B	D	N	N	769.74	769.74
55000		A	1.43	0.7	0.16	2.29	1.43	1.43	0.16	3.02	000	Y	Y	N	N	N	60.39	79.64
55040		A	5.45	2.98	0.73	9.16	5.45	2.98	0.73	9.16	090	Y	N	N	N	N	241.55	241.55

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
55041		A	8.54	4.22	1.08	13.84	8.54	4.22	1.08	13.84	090	Y	B	N	N	N	364.96	364.96
55060		A	6.15	3.34	0.8	10.29	6.15	3.34	0.8	10.29	090	Y	Y	D	N	N	271.35	271.35
55100		A	2.45	1.66	0.36	4.47	2.45	2.8	0.36	5.61	010	Y	N	N	N	N	117.87	147.94
55110		A	6.33	3.35	0.82	10.5	6.33	3.35	0.82	10.5	090	Y	N	N	N	N	276.89	276.89
55120		A	5.72	3.22	0.73	9.67	5.72	3.22	0.73	9.67	090	Y	N	D	N	N	255.00	255.00
55150		A	8.14	4.16	1.03	13.33	8.14	4.16	1.03	13.33	090	Y	N	Y	D	N	351.51	351.51
55175		A	5.87	3.19	0.72	9.78	5.87	3.19	0.72	9.78	090	Y	N	D	N	N	257.90	257.90
55180		A	11.78	5.59	1.54	18.91	11.78	5.59	1.54	18.91	090	Y	N	D	N	N	498.66	498.66
55200		A	4.55	2.46	0.53	7.54	4.55	6.1	0.53	11.18	090	Y	B	D	N	N	198.83	294.82
55250		A	3.37	2.28	0.4	6.05	3.37	5.86	0.4	9.63	090	Y	B	N	N	N	159.54	253.94
55300		A	3.5	1.25	0.41	5.16	3.5	1.25	0.41	5.16	000	Y	B	D	N	N	136.07	136.07
55400		A	8.61	4.69	0.99	14.29	8.61	4.69	0.99	14.29	090	Y	Y	Y	D	N	376.83	376.83
55450		A	4.43	2.04	0.5	6.97	4.43	4.33	0.5	9.26	010	Y	B	D	N	N	183.80	244.19
55500		A	6.22	3.52	1.06	10.8	6.22	3.52	1.06	10.8	090	Y	Y	D	N	N	284.80	284.80
55520		A	6.66	4.09	1.63	12.38	6.66	4.09	1.63	12.38	090	Y	Y	Y	D	N	326.46	326.46
55530		A	5.75	3.05	0.75	9.55	5.75	3.05	0.75	9.55	090	Y	Y	N	D	N	251.83	251.83
55535		A	7.19	3.6	0.83	11.62	7.19	3.6	0.83	11.62	090	Y	Y	Y	D	N	306.42	306.42
55540		A	8.3	4.58	1.98	14.86	8.3	4.58	1.98	14.86	090	Y	Y	N	D	N	391.86	391.86
55550		A	7.2	3.55	0.83	11.58	7.2	3.55	0.83	11.58	090	Y	Y	Y	D	N	305.36	305.36
55559		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
55600		A	7.01	3.56	0.82	11.39	7.01	3.56	0.82	11.39	090	Y	Y	D	N	N	300.35	300.35
55605		A	8.76	4.81	1	14.57	8.76	4.81	1	14.57	090	Y	Y	D	N	N	384.21	384.21
55650		A	12.65	5.42	1.47	19.54	12.65	5.42	1.47	19.54	090	Y	Y	Y	D	N	515.27	515.27
55680		A	5.67	3	0.65	9.32	5.67	3	0.65	9.32	090	Y	Y	D	N	N	245.77	245.77
55700		A	2.58	0.95	0.31	3.84	2.58	2.72	0.31	5.61	000	Y	N	N	N	N	101.26	147.94
55705		A	4.61	2.07	0.54	7.22	4.61	2.07	0.54	7.22	010	Y	N	N	D	N	190.39	190.39
55706		A	6.28	3.09	0.53	9.9	6.28	3.09	0.53	9.9	010	Y	N	Y	D	N	261.06	261.06
55720		A	7.73	3.63	0.88	12.24	7.73	3.63	0.88	12.24	090	Y	N	Y	D	N	322.77	322.77
55725		A	10.05	4.84	1.18	16.07	10.05	4.84	1.18	16.07	090	Y	N	Y	D	N	423.77	423.77
55801		A	19.8	7.8	2.31	29.91	19.8	7.8	2.31	29.91	090	Y	N	Y	D	N	788.73	788.73
55810		A	24.29	8.93	2.98	36.2	24.29	8.93	2.98	36.2	090	Y	N	Y	D	N	954.59	954.59
55812		A	29.89	10.81	3.49	44.19	29.89	10.81	3.49	44.19	090	Y	N	Y	D	N	1,165.29	1,165.29
55815		A	32.95	11.67	3.84	48.46	32.95	11.67	3.84	48.46	090	Y	B	Y	D	N	1,277.89	1,277.89
55821		A	15.76	6.28	1.86	23.9	15.76	6.28	1.86	23.9	090	Y	N	Y	D	N	630.24	630.24
55831		A	17.19	6.68	2	25.87	17.19	6.68	2	25.87	090	Y	N	Y	D	N	682.19	682.19
55840		A	24.63	9.17	2.89	36.69	24.63	9.17	2.89	36.69	090	Y	N	Y	D	N	967.52	967.52
55842		A	26.49	9.71	3.13	39.33	26.49	9.71	3.13	39.33	090	Y	N	Y	D	N	1,037.13	1,037.13
55845		A	30.67	10.68	3.65	45	30.67	10.68	3.65	45	090	Y	B	Y	D	N	1,186.65	1,186.65
55860		A	15.84	6.25	1.82	23.91	15.84	6.25	1.82	23.91	090	Y	N	N	D	N	630.51	630.51
55862		A	20.04	7.66	2.32	30.02	20.04	7.66	2.32	30.02	090	Y	N	Y	D	N	791.63	791.63
55865		A	24.57	9.15	2.86	36.58	24.57	9.15	2.86	36.58	090	Y	B	Y	D	N	964.61	964.61
55866		A	32.06	11.8	3.82	47.68	32.06	11.8	3.82	47.68	090	Y	N	Y	D	N	1,257.32	1,257.32
55870		NOT COVEI	2.58	1.02	0.31	3.91	2.58	1.76	0.31	4.65	000	Y	N	N	D	N	103.11	122.62
55873		A	13.6	5.67	1.63	20.9	13.6	146.24	1.63	161.47	090	Y	N	N	N	N	551.13	4,257.96
55875		A	13.46	5.77	1.54	20.77	13.46	5.77	1.54	20.77	090	Y	N	D	N	N	547.70	547.70
55876		A	1.73	0.81	0.19	2.73	1.73	1.59	0.19	3.51	000	Y	N	N	D	D	71.99	92.56
55899		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
55920		A	8.31	3.05	0.97	12.33	8.31	3.05	0.97	12.33	000	Y	N	D	N	N	325.14	325.14
55970		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
55980		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
56405		A	1.49	1.16	0.31	2.96	1.49	1.17	0.31	2.97	010	Y	N	N	Y	N	78.06	78.32
56420		A	1.44	0.81	0.29	2.54	1.44	1.5	0.29	3.23	010	Y	N	N	N	N	66.98	85.18
56440		A	2.89	1.6	0.59	5.08	2.89	1.6	0.59	5.08	010	Y	N	N	N	N	133.96	133.96
56441		A	2.02	1.39	0.35	3.76	2.02	1.5	0.35	3.87	010	Y	N	D	N	N	99.15	102.05

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
56442		A	0.68	0.5	0.14	1.32	0.68	0.5	0.14	1.32	000	Y	N	D	N	N	34.81	34.81
56501		A	1.58	1.22	0.33	3.13	1.58	1.58	0.33	3.49	010	Y	N	N	N	N	82.54	92.03
56515		A	3.08	1.83	0.6	5.51	3.08	2.4	0.6	6.08	010	Y	N	N	N	N	145.30	160.33
56605		A	1.1	0.4	0.21	1.71	1.1	0.91	0.21	2.22	000	Y	N	N	Y	N	45.09	58.54
56606		A	0.55	0.18	0.1	0.83	0.55	0.37	0.1	1.02	ZZZ	N	N	N	Y	N	21.89	26.90
56620		A	7.53	4.96	1.52	14.01	7.53	4.96	1.52	14.01	090	Y	N	Y	D	N	369.44	369.44
56625		A	9.68	5.35	1.95	16.98	9.68	5.35	1.95	16.98	090	Y	N	Y	D	N	447.76	447.76
56630		A	14.8	7.33	3.08	25.21	14.8	7.33	3.08	25.21	090	Y	N	Y	D	N	664.79	664.79
56631		A	18.99	9.23	3.86	32.08	18.99	9.23	3.86	32.08	090	Y	N	Y	Y	N	845.95	845.95
56632		A	21.86	10.87	4.45	37.18	21.86	10.87	4.45	37.18	090	Y	B	Y	Y	N	980.44	980.44
56633		A	19.62	9.3	3.98	32.9	19.62	9.3	3.98	32.9	090	Y	N	Y	Y	N	867.57	867.57
56634		A	20.66	10.06	4.21	34.93	20.66	10.06	4.21	34.93	090	Y	N	Y	Y	N	921.10	921.10
56637		A	24.75	11.14	5.02	40.91	24.75	11.14	5.02	40.91	090	Y	N	Y	Y	N	1,078.80	1,078.80
56640		A	24.78	11.17	5.02	40.97	24.78	11.17	5.02	40.97	090	Y	Y	Y	D	N	1,080.38	1,080.38
56700		A	2.84	1.76	0.58	5.18	2.84	1.76	0.58	5.18	010	Y	N	Y	D	N	136.60	136.60
56740		A	4.88	2.46	0.99	8.33	4.88	2.46	0.99	8.33	010	Y	Y	N	N	N	219.66	219.66
56800		A	3.93	1.99	0.77	6.69	3.93	1.99	0.77	6.69	010	Y	N	Y	D	N	176.42	176.42
56805		A	19.88	8.47	4.06	32.41	19.88	8.47	4.06	32.41	090	Y	N	Y	D	N	854.65	854.65
56810		A	4.29	2.12	0.83	7.24	4.29	2.12	0.83	7.24	010	Y	N	Y	Y	N	190.92	190.92
56820		A	1.5	0.62	0.31	2.43	1.5	1.21	0.31	3.02	000	Y	N	N	N	N	64.08	79.64
56821		A	2.05	0.8	0.41	3.26	2.05	1.53	0.41	3.99	000	Y	N	N	N	N	85.97	105.22
57000		A	3.02	1.64	0.6	5.26	3.02	1.64	0.6	5.26	010	Y	N	D	N	N	138.71	138.71
57010		A	6.84	3.85	1.39	12.08	6.84	3.85	1.39	12.08	090	Y	N	D	N	N	318.55	318.55
57020		A	1.5	0.52	0.31	2.33	1.5	0.8	0.31	2.61	000	Y	N	D	N	N	61.44	68.83
57022		A	2.73	1.53	0.54	4.8	2.73	1.53	0.54	4.8	010	Y	N	D	N	N	126.58	126.58
57023		A	5.18	2.49	1.04	8.71	5.18	2.49	1.04	8.71	010	Y	N	D	N	N	229.68	229.68
57061		A	1.3	1.1	0.26	2.66	1.3	1.44	0.26	3	010	Y	N	N	N	N	70.14	79.11
57065		A	2.66	1.57	0.53	4.76	2.66	2.04	0.53	5.23	010	Y	N	N	N	N	125.52	137.92
57100		A	1.2	0.44	0.24	1.88	1.2	0.95	0.24	2.39	000	Y	N	N	N	N	49.58	63.02
57105		A	1.74	1.32	0.35	3.41	1.74	1.54	0.35	3.63	010	Y	N	N	N	N	89.92	95.72
57106		A	7.5	4.44	1.46	13.4	7.5	4.44	1.46	13.4	090	Y	N	Y	D	N	353.36	353.36
57107		A	24.56	10.51	4.99	40.06	24.56	10.51	4.99	40.06	090	Y	N	Y	D	N	1,056.38	1,056.38
57109		A	28.4	12.72	5.77	46.89	28.4	12.72	5.77	46.89	090	Y	B	Y	D	N	1,236.49	1,236.49
57110		A	15.48	6.71	3.11	25.3	15.48	6.71	3.11	25.3	090	Y	N	Y	D	N	667.16	667.16
57111		A	28.4	11.37	5.77	45.54	28.4	11.37	5.77	45.54	090	Y	B	Y	D	N	1,200.89	1,200.89
57112		A	30.52	13.5	2.9	46.92	30.52	13.5	2.9	46.92	090	Y	B	Y	D	N	1,237.28	1,237.28
57120		A	8.28	4.31	1.63	14.22	8.28	4.31	1.63	14.22	090	Y	N	Y	D	N	374.98	374.98
57130		A	2.46	1.45	0.49	4.4	2.46	1.86	0.49	4.81	010	Y	N	Y	D	N	116.03	126.84
57135		A	2.7	1.54	0.53	4.77	2.7	1.97	0.53	5.2	010	Y	N	N	N	N	125.78	137.12
57150		A	0.55	0.18	0.1	0.83	0.55	0.55	0.1	1.2	000	Y	N	N	N	N	21.89	31.64
57155		A	5.4	1.96	0.58	7.94	5.4	5.13	0.58	11.11	000	Y	N	N	Y	N	209.38	292.97
57156		A	2.69	1.04	0.28	4.01	2.69	2.19	0.28	5.16	000	Y	N	D	N	N	105.74	136.07
57160		A	0.89	0.29	0.16	1.34	0.89	0.97	0.16	2.02	000	Y	N	N	N	N	35.34	53.27
57170		A	0.91	0.3	0.16	1.37	0.91	0.58	0.16	1.65	000	Y	N	D	N	N	36.13	43.51
57180		A	1.63	0.97	0.33	2.93	1.63	1.76	0.33	3.72	010	Y	N	N	N	N	77.26	98.10
57200		A	4.42	2.93	0.85	8.2	4.42	2.93	0.85	8.2	090	Y	N	Y	D	N	216.23	216.23
57210		A	5.71	3.32	1.09	10.12	5.71	3.32	1.09	10.12	090	Y	N	Y	D	N	266.86	266.86
57220		A	4.85	3	0.97	8.82	4.85	3	0.97	8.82	090	Y	N	Y	D	N	232.58	232.58
57230		A	6.3	3.44	1.27	11.01	6.3	3.44	1.27	11.01	090	Y	N	Y	D	N	290.33	290.33
57240		A	11.5	5.16	1.96	18.62	11.5	5.16	1.96	18.62	090	Y	N	Y	D	N	491.01	491.01
57250		A	11.5	5.25	2.24	18.99	11.5	5.25	2.24	18.99	090	Y	N	Y	D	N	500.77	500.77
57260		A	14.44	6.22	2.81	23.47	14.44	6.22	2.81	23.47	090	Y	N	Y	D	N	618.90	618.90
57265		A	15.94	6.7	3.09	25.73	15.94	6.7	3.09	25.73	090	Y	N	Y	D	N	678.50	678.50
57267		A	4.88	1.54	0.87	7.29	4.88	1.54	0.87	7.29	ZZZ	N	N	Y	D	N	192.24	192.24

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
57268		A	7.57	4.32	1.47	13.36	7.57	4.32	1.47	13.36	090	Y	N	Y	D	N	352.30	352.30
57270		A	13.67	6.12	2.7	22.49	13.67	6.12	2.7	22.49	090	Y	N	Y	D	N	593.06	593.06
57280		A	16.72	6.97	3.13	26.82	16.72	6.97	3.13	26.82	090	Y	N	Y	D	N	707.24	707.24
57282		A	7.97	4.38	1.49	13.84	7.97	4.38	1.49	13.84	090	Y	N	Y	D	N	364.96	364.96
57283		A	11.66	5.39	2.31	19.36	11.66	5.39	2.31	19.36	090	Y	N	Y	D	N	510.52	510.52
57284		A	14.33	5.97	2.6	22.9	14.33	5.97	2.6	22.9	090	Y	N	Y	Y	N	603.87	603.87
57285		A	11.6	5.1	2.16	18.86	11.6	5.1	2.16	18.86	090	Y	N	Y	Y	N	497.34	497.34
57287		A	11.15	5.72	1.77	18.64	11.15	5.72	1.77	18.64	090	Y	N	Y	D	N	491.54	491.54
57288		A	12.13	5.65	1.91	19.69	12.13	5.65	1.91	19.69	090	Y	N	Y	D	N	519.23	519.23
57289		A	12.8	5.54	1.49	19.83	12.8	5.54	1.49	19.83	090	Y	N	Y	D	N	522.92	522.92
57291		A	8.64	6.6	1.77	17.01	8.64	6.6	1.77	17.01	090	Y	N	Y	N	N	448.55	448.55
57292		A	14.01	6.21	2.81	23.03	14.01	6.21	2.81	23.03	090	Y	N	Y	D	N	607.30	607.30
57295		A	7.82	4	1.44	13.26	7.82	4	1.44	13.26	090	Y	N	Y	D	N	349.67	349.67
57296		A	16.56	6.95	3.35	26.86	16.56	6.95	3.35	26.86	090	Y	N	Y	D	N	708.30	708.30
57300		A	8.71	4.94	1.82	15.47	8.71	4.94	1.82	15.47	090	Y	N	Y	D	N	407.94	407.94
57305		A	15.35	7.14	3.57	26.06	15.35	7.14	3.57	26.06	090	Y	N	Y	D	N	687.20	687.20
57307		A	17.17	8.1	4.41	29.68	17.17	8.1	4.41	29.68	090	Y	N	Y	D	N	782.66	782.66
57308		A	10.59	5.76	2.16	18.51	10.59	5.76	2.16	18.51	090	Y	N	Y	D	N	488.11	488.11
57310		A	7.65	3.89	0.88	12.42	7.65	3.89	0.88	12.42	090	Y	N	Y	D	N	327.52	327.52
57311		A	8.91	4.24	1.03	14.18	8.91	4.24	1.03	14.18	090	Y	N	Y	D	N	373.93	373.93
57320		A	8.88	4.39	1.26	14.53	8.88	4.39	1.26	14.53	090	Y	N	Y	D	N	383.16	383.16
57330		A	13.21	5.42	1.53	20.16	13.21	5.42	1.53	20.16	090	Y	N	Y	D	N	531.62	531.62
57335		A	20.02	7.77	4.07	31.86	20.02	7.77	4.07	31.86	090	Y	N	Y	D	N	840.15	840.15
57400		A	2.27	1.04	0.45	3.76	2.27	1.04	0.45	3.76	000	Y	N	D	N	N	99.15	99.15
57410		A	1.75	0.9	0.35	3	1.75	0.9	0.35	3	000	Y	N	N	N	N	79.11	79.11
57415		A	2.49	1.46	0.44	4.39	2.49	1.46	0.44	4.39	010	Y	N	D	N	N	115.76	115.76
57420		A	1.6	0.65	0.31	2.56	1.6	1.24	0.31	3.15	000	Y	N	N	N	N	67.51	83.07
57421		A	2.2	0.86	0.44	3.5	2.2	1.61	0.44	4.25	000	Y	N	N	N	N	92.30	112.07
57423		A	16.08	6.61	3.27	25.96	16.08	6.61	3.27	25.96	090	Y	N	Y	Y	N	684.57	684.57
57425		A	17.03	7.06	3.2	27.29	17.03	7.06	3.2	27.29	090	Y	N	Y	D	N	719.64	719.64
57426		A	14.3	6.61	2.89	23.8	14.3	6.61	2.89	23.8	090	Y	N	Y	D	N	627.61	627.61
57452		A	1.5	0.77	0.29	2.56	1.5	1.16	0.29	2.95	000	Y	N	N	N	N	67.51	77.79
57454		A	2.33	1.05	0.45	3.83	2.33	1.43	0.45	4.21	000	Y	N	N	N	N	101.00	111.02
57455		A	1.99	0.77	0.4	3.16	1.99	1.49	0.4	3.88	000	Y	N	N	N	N	83.33	102.32
57456		A	1.85	0.72	0.38	2.95	1.85	1.44	0.38	3.67	000	Y	N	N	N	N	77.79	96.78
57460		A	2.83	1.21	0.58	4.62	2.83	3.97	0.58	7.38	000	Y	N	N	N	N	121.83	194.61
57461		A	3.43	1.24	0.7	5.37	3.43	4.28	0.7	8.41	000	Y	N	N	N	N	141.61	221.77
57500		A	1.2	0.67	0.24	2.11	1.2	1.86	0.24	3.3	000	Y	N	N	N	N	55.64	87.02
57505		A	1.19	1.05	0.24	2.48	1.19	1.27	0.24	2.7	010	Y	N	N	N	N	65.40	71.20
57510		A	1.9	0.97	0.38	3.25	1.9	1.31	0.38	3.59	010	Y	N	N	N	N	85.70	94.67
57511		A	1.95	1.3	0.4	3.65	1.95	1.58	0.4	3.93	010	Y	N	N	N	N	96.25	103.63
57513		A	1.95	1.31	0.4	3.66	1.95	1.56	0.4	3.91	010	Y	N	N	N	N	96.51	103.11
57520		A	4.11	2.6	0.82	7.53	4.11	3.32	0.82	8.25	090	Y	N	N	N	N	198.57	217.55
57522		A	3.67	2.3	0.75	6.72	3.67	2.75	0.75	7.17	090	Y	N	N	N	N	177.21	189.07
57530		A	5.27	3.2	1.04	9.51	5.27	3.2	1.04	9.51	090	Y	N	Y	D	N	250.78	250.78
57531		A	29.95	13.47	6.08	49.5	29.95	13.47	6.08	49.5	090	Y	B	Y	D	N	1,305.32	1,305.32
57540		A	13.29	5.97	2.68	21.94	13.29	5.97	2.68	21.94	090	Y	N	Y	D	N	578.56	578.56
57545		A	14.1	6.24	2.83	23.17	14.1	6.24	2.83	23.17	090	Y	N	Y	D	N	610.99	610.99
57550		A	6.34	3.69	1.29	11.32	6.34	3.69	1.29	11.32	090	Y	N	Y	D	N	298.51	298.51
57555		A	9.94	4.89	2	16.83	9.94	4.89	2	16.83	090	Y	N	Y	D	N	443.81	443.81
57556		A	9.36	4.68	1.76	15.8	9.36	4.68	1.76	15.8	090	Y	N	Y	D	N	416.65	416.65
57558		A	1.72	1.07	0.35	3.14	1.72	1.33	0.35	3.4	010	Y	N	N	N	N	82.80	89.66
57700		A	4.35	3.25	0.87	8.47	4.35	3.25	0.87	8.47	090	Y	N	D	N	N	223.35	223.35
57720		A	4.61	2.94	0.92	8.47	4.61	2.94	0.92	8.47	090	Y	N	Y	N	N	223.35	223.35

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
57800		A	0.77	0.43	0.14	1.34	0.77	0.7	0.14	1.61	000	Y	N	N	N	N	35.34	42.46
58100		A	1.53	0.65	0.31	2.49	1.53	1.13	0.31	2.97	000	Y	N	N	N	N	65.66	78.32
58110		A	0.77	0.26	0.14	1.17	0.77	0.42	0.14	1.33	ZZZ	N	N	D	N	N	30.85	35.07
58120		A	3.59	1.79	0.73	6.11	3.59	2.69	0.73	7.01	010	Y	N	N	N	N	161.12	184.85
58140		A	15.79	6.84	3.37	26	15.79	6.84	3.37	26	090	Y	N	Y	D	N	685.62	685.62
58145		A	8.91	4.52	1.8	15.23	8.91	4.52	1.8	15.23	090	Y	N	Y	D	N	401.62	401.62
58146		A	20.34	8.24	4.13	32.71	20.34	8.24	4.13	32.71	090	Y	N	Y	D	N	862.56	862.56
58150		A	17.31	7.45	3.53	28.29	17.31	7.45	3.53	28.29	090	Y	N	Y	D	N	746.01	746.01
58152		A	21.86	8.94	4.5	35.3	21.86	8.94	4.5	35.3	090	Y	N	Y	D	N	930.86	930.86
58180		A	16.6	7.12	3.37	27.09	16.6	7.12	3.37	27.09	090	Y	N	Y	D	N	714.36	714.36
58200		A	23.1	9.77	4.67	37.54	23.1	9.77	4.67	37.54	090	Y	N	Y	D	N	989.93	989.93
58210		A	30.91	13.15	6.33	50.39	30.91	13.15	6.33	50.39	090	Y	B	Y	D	N	1,328.78	1,328.78
58240		A	49.33	20.73	10.01	80.07	49.33	20.73	10.01	80.07	090	Y	N	Y	D	N	2,111.45	2,111.45
58260		A	14.15	6.3	2.86	23.31	14.15	6.3	2.86	23.31	090	Y	N	Y	D	N	614.68	614.68
58262		A	15.94	6.88	3.23	26.05	15.94	6.88	3.23	26.05	090	Y	N	Y	Y	N	686.94	686.94
58263		A	17.23	7.28	3.49	28	17.23	7.28	3.49	28	090	Y	N	Y	Y	N	738.36	738.36
58267		A	18.36	7.74	3.74	29.84	18.36	7.74	3.74	29.84	090	Y	N	Y	D	N	786.88	786.88
58270		A	15.3	6.52	3.09	24.91	15.3	6.52	3.09	24.91	090	Y	N	Y	D	N	656.88	656.88
58275		A	17.03	7.3	3.48	27.81	17.03	7.3	3.48	27.81	090	Y	N	Y	D	N	733.35	733.35
58280		A	18.33	7.7	3.71	29.74	18.33	7.7	3.71	29.74	090	Y	N	Y	D	N	784.24	784.24
58285		A	23.38	9.12	4.72	37.22	23.38	9.12	4.72	37.22	090	Y	N	Y	D	N	981.49	981.49
58290		A	20.27	8.23	4.12	32.62	20.27	8.23	4.12	32.62	090	Y	N	Y	D	N	860.19	860.19
58291		A	22.06	8.8	4.48	35.34	22.06	8.8	4.48	35.34	090	Y	N	Y	Y	N	931.92	931.92
58292		A	23.35	9.23	4.72	37.3	23.35	9.23	4.72	37.3	090	Y	N	Y	Y	N	983.60	983.60
58293		A	24.33	9.55	4.94	38.82	24.33	9.55	4.94	38.82	090	Y	N	Y	D	N	1,023.68	1,023.68
58294		A	21.55	8.63	4.4	34.58	21.55	8.63	4.4	34.58	090	Y	N	Y	D	N	911.87	911.87
58300		A	1.01	0.32	0.09	1.42	1.01	0.75	0.09	1.85	XXX	N	N	N	N	N	37.45	48.78
58301		A	1.27	0.42	0.26	1.95	1.27	1.05	0.26	2.58	000	Y	N	D	N	N	51.42	68.03
58321		NOT COVEI	0.92	0.31	0.06	1.29	0.92	0.93	0.06	1.91	000	Y	N	D	N	N	34.02	50.37
58322		NOT COVEI	1.1	0.37	0.21	1.68	1.1	0.99	0.21	2.3	000	Y	N	D	N	N	44.30	60.65
58323		NOT COVEI	0.23	0.07	0.05	0.35	0.23	0.15	0.05	0.43	000	Y	N	D	N	N	9.23	11.34
58340		A	0.88	0.56	0.14	1.58	0.88	1.94	0.14	2.96	000	Y	N	N	N	N	41.66	78.06
58345		A	4.7	2.19	0.94	7.83	4.7	2.19	0.94	7.83	010	Y	Y	Y	Y	N	206.48	206.48
58346		A	7.56	3.69	0.75	12	7.56	3.69	0.75	12	090	Y	N	N	N	N	316.44	316.44
58350		NOT COVEI	1.06	0.86	0.21	2.13	1.06	1.26	0.21	2.53	010	Y	Y	N	N	N	56.17	66.72
58353		A	3.6	1.81	0.73	6.14	3.6	19.96	0.73	24.29	010	Y	N	N	Y	N	161.91	640.53
58356		A	6.41	2.19	1.29	9.89	6.41	37.69	1.29	45.39	010	Y	N	Y	Y	N	260.80	1,196.93
58400		A	7.14	3.74	1.29	12.17	7.14	3.74	1.29	12.17	090	Y	N	Y	D	N	320.92	320.92
58410		A	13.8	6.09	2.78	22.67	13.8	6.09	2.78	22.67	090	Y	N	Y	D	N	597.81	597.81
58520		A	13.48	6.36	3.48	23.32	13.48	6.36	3.48	23.32	090	Y	N	Y	D	N	614.95	614.95
58540		A	15.71	6.77	3.18	25.66	15.71	6.77	3.18	25.66	090	Y	N	Y	N	N	676.65	676.65
58541		A	14.7	6.66	2.95	24.31	14.7	6.66	2.95	24.31	090	Y	N	Y	Y	N	641.05	641.05
58542		A	16.56	7.3	3.37	27.23	16.56	7.3	3.37	27.23	090	Y	N	Y	Y	N	718.06	718.06
58543		A	16.87	7.35	3.44	27.66	16.87	7.35	3.44	27.66	090	Y	N	Y	Y	N	729.39	729.39
58544		A	18.37	7.95	3.74	30.06	18.37	7.95	3.74	30.06	090	Y	N	Y	Y	N	792.68	792.68
58545		A	15.55	6.59	3.2	25.34	15.55	6.59	3.2	25.34	090	Y	N	Y	Y	N	668.22	668.22
58546		A	19.94	7.95	4.07	31.96	19.94	7.95	4.07	31.96	090	Y	N	Y	Y	N	842.79	842.79
58548		A	31.63	13.74	6.39	51.76	31.63	13.74	6.39	51.76	090	Y	B	Y	Y	N	1,364.91	1,364.91
58550		A	15.1	6.72	3.08	24.9	15.1	6.72	3.08	24.9	090	Y	N	Y	Y	N	656.61	656.61
58552		A	16.91	7.35	3.44	27.7	16.91	7.35	3.44	27.7	090	Y	N	Y	Y	N	730.45	730.45
58553		A	20.06	8.05	4.08	32.19	20.06	8.05	4.08	32.19	090	Y	N	Y	Y	N	848.85	848.85
58554		A	23.11	9.51	4.72	37.34	23.11	9.51	4.72	37.34	090	Y	N	Y	Y	N	984.66	984.66
58555		A	3.33	1.38	0.68	5.39	3.33	3.96	0.68	7.97	000	Y	N	D	Y	N	142.13	210.17
58558		A	4.74	1.86	0.97	7.57	4.74	4.83	0.97	10.54	000	Y	N	N	Y	N	199.62	277.94

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
58559		A	6.16	2.32	1.26	9.74	6.16	2.32	1.26	9.74	000	Y	N	N	Y	N	256.84	256.84
58560		A	6.99	2.6	1.42	11.01	6.99	2.6	1.42	11.01	000	Y	N	Y	Y	N	290.33	290.33
58561		A	9.99	3.6	2.01	15.6	9.99	3.6	2.01	15.6	000	Y	N	D	Y	N	411.37	411.37
58562		A	5.2	1.99	1.04	8.23	5.2	4.73	1.04	10.97	000	Y	N	N	Y	N	217.03	289.28
58563		A	6.16	2.33	1.26	9.75	6.16	32.74	1.26	40.16	000	Y	N	D	Y	N	257.11	1,059.02
58565		A	7.12	3.58	1.44	12.14	7.12	36.66	1.44	45.22	090	Y	B	N	Y	N	320.13	1,192.45
58570		A	15.88	7.09	3.23	26.2	15.88	7.09	3.23	26.2	090	Y	N	Y	Y	N	690.89	690.89
58571		A	17.69	8.01	3.62	29.32	17.69	8.01	3.62	29.32	090	Y	N	Y	Y	N	773.17	773.17
58572		A	20.09	8.55	4.08	32.72	20.09	8.55	4.08	32.72	090	Y	N	Y	Y	N	862.83	862.83
58573		A	23.11	9.9	4.67	37.68	23.11	9.9	4.67	37.68	090	Y	N	Y	Y	N	993.62	993.62
58578		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
58579		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
58600		A	5.91	3.07	1.22	10.2	5.91	3.07	1.22	10.2	090	Y	B	Y	D	N	268.97	268.97
58605		A	5.28	2.84	1.06	9.18	5.28	2.84	1.06	9.18	090	Y	B	Y	N	N	242.08	242.08
58611		A	1.45	0.48	0.29	2.22	1.45	0.48	0.29	2.22	ZZZ	N	N	Y	N	N	58.54	58.54
58615		A	3.94	2.06	0.8	6.8	3.94	2.06	0.8	6.8	010	Y	N	Y	N	N	179.32	179.32
58660		A	11.59	4.96	2.45	19	11.59	4.96	2.45	19	090	Y	N	Y	Y	N	501.03	501.03
58661		A	11.35	4.58	2.32	18.25	11.35	4.58	2.32	18.25	010	Y	Y	Y	Y	N	481.25	481.25
58662		A	12.15	5.27	2.49	19.91	12.15	5.27	2.49	19.91	090	Y	N	Y	Y	N	525.03	525.03
58670		A	5.91	3.08	1.22	10.21	5.91	3.08	1.22	10.21	090	Y	N	N	Y	N	269.24	269.24
58671		A	5.91	3.09	1.22	10.22	5.91	3.09	1.22	10.22	090	Y	N	N	Y	N	269.50	269.50
58672		A	12.91	5.3	2.61	20.82	12.91	5.3	2.61	20.82	090	Y	Y	Y	N	N	549.02	549.02
58673		A	14.04	5.77	2.83	22.64	14.04	5.77	2.83	22.64	090	Y	Y	Y	N	N	597.02	597.02
58679		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
58700		A	12.95	5.99	2.89	21.83	12.95	5.99	2.89	21.83	090	Y	B	Y	D	N	575.66	575.66
58720		A	12.16	5.67	2.59	20.42	12.16	5.67	2.59	20.42	090	Y	B	Y	D	N	538.48	538.48
58740		A	14.9	6.61	3.17	24.68	14.9	6.61	3.17	24.68	090	Y	N	Y	D	N	650.81	650.81
58750		A	15.64	6.96	3.17	25.77	15.64	6.96	3.17	25.77	090	Y	Y	Y	D	N	679.55	679.55
58752		A	15.64	6.67	1.32	23.63	15.64	6.67	1.32	23.63	090	Y	Y	Y	N	N	623.12	623.12
58760		A	13.93	6.1	2.81	22.84	13.93	6.1	2.81	22.84	090	Y	Y	Y	D	N	602.29	602.29
58770		A	14.77	6.61	2.98	24.36	14.77	6.61	2.98	24.36	090	Y	Y	Y	N	N	642.37	642.37
58800		A	4.62	2.71	0.92	8.25	4.62	3.16	0.92	8.7	090	Y	B	N	N	N	217.55	229.42
58805		A	6.42	3.54	1.31	11.27	6.42	3.54	1.31	11.27	090	Y	B	Y	D	N	297.19	297.19
58820		A	4.7	2.97	0.94	8.61	4.7	2.97	0.94	8.61	090	Y	Y	Y	N	N	227.05	227.05
58822		A	11.81	5.94	3.03	20.78	11.81	5.94	3.03	20.78	090	Y	Y	Y	D	N	547.97	547.97
58825		A	11.78	5.39	2.36	19.53	11.78	5.39	2.36	19.53	090	Y	N	Y	D	N	515.01	515.01
58900		A	6.59	4.12	1.68	12.39	6.59	4.12	1.68	12.39	090	Y	B	Y	D	N	326.72	326.72
58920		A	11.95	5.72	2.4	20.07	11.95	5.72	2.4	20.07	090	Y	B	Y	D	N	529.25	529.25
58925		A	12.43	5.74	2.68	20.85	12.43	5.74	2.68	20.85	090	Y	B	Y	D	N	549.81	549.81
58940		A	8.22	4.44	1.85	14.51	8.22	4.44	1.85	14.51	090	Y	B	Y	D	N	382.63	382.63
58943		A	19.52	8.6	4.23	32.35	19.52	8.6	4.23	32.35	090	Y	N	Y	D	N	853.07	853.07
58950		A	18.37	8.59	3.91	30.87	18.37	8.59	3.91	30.87	090	Y	B	Y	D	N	814.04	814.04
58951		A	24.26	10.46	5.02	39.74	24.26	10.46	5.02	39.74	090	Y	B	Y	D	N	1,047.94	1,047.94
58952		A	27.29	11.88	5.69	44.86	27.29	11.88	5.69	44.86	090	Y	B	Y	D	N	1,182.96	1,182.96
58953		A	34.13	14.37	7.06	55.56	34.13	14.37	7.06	55.56	090	Y	B	Y	D	N	1,465.12	1,465.12
58954		A	37.13	15.5	7.64	60.27	37.13	15.5	7.64	60.27	090	Y	B	Y	D	N	1,589.32	1,589.32
58956		A	22.8	10.25	4.8	37.85	22.8	10.25	4.8	37.85	090	Y	B	Y	D	N	998.10	998.10
58957		A	26.22	11.54	5.77	43.53	26.22	11.54	5.77	43.53	090	Y	B	Y	D	N	1,147.89	1,147.89
58958		A	29.22	12.55	5.93	47.7	29.22	12.55	5.93	47.7	090	Y	B	Y	D	N	1,257.85	1,257.85
58960		A	15.79	7.35	3.32	26.46	15.79	7.35	3.32	26.46	090	Y	N	Y	D	N	697.75	697.75
58970		NOT COVEI	3.52	1.46	0.31	5.29	3.52	1.95	0.31	5.78	000	Y	N	D	N	N	139.50	152.42
58974		NOT COVEI	0	0	0	0	0	0	0	0	000	Y	N	Y	D	N	0.00	0.00
58976		NOT COVEI	3.82	1.56	0.33	5.71	3.82	2.35	0.33	6.5	000	Y	N	Y	D	N	150.57	171.41
58999		C	0	0	0	0	0	0	0	0	YYY	Y	N	N	D	D	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
59000		A	1.3	0.59	0.44	2.33	1.3	1.62	0.44	3.36	000	Y	N	N	N	N	61.44	88.60
59001		A	3	1.2	1.03	5.23	3	1.2	1.03	5.23	000	Y	N	N	N	N	137.92	137.92
59012		A	3.44	1.3	1.19	5.93	3.44	1.3	1.19	5.93	000	Y	N	D	N	N	156.37	156.37
59015		A	2.2	0.89	0.75	3.84	2.2	1.43	0.75	4.38	000	Y	N	D	N	N	101.26	115.50
59020		A	0.66	0.99	0.2	1.85	0.66	0.99	0.2	1.85	000	N	N	D	N	N	48.78	48.78
59020	TC	A	0	0.77	0.01	0.78	0	0.77	0.01	0.78	000	N	N	D	N	N	20.57	20.57
59020	26	A	0.66	0.22	0.19	1.07	0.66	0.22	0.19	1.07	000	N	N	D	N	N	28.22	28.22
59025		A	0.53	0.59	0.15	1.27	0.53	0.59	0.15	1.27	000	N	N	D	N	N	33.49	33.49
59025	TC	A	0	0.42	0.01	0.43	0	0.42	0.01	0.43	000	N	N	D	N	N	11.34	11.34
59025	26	A	0.53	0.17	0.14	0.84	0.53	0.17	0.14	0.84	000	N	N	D	N	N	22.15	22.15
59030		A	1.99	0.64	0.14	2.77	1.99	0.64	0.14	2.77	000	Y	N	D	N	N	73.04	73.04
59050		NOT COVEI	0.89	0.29	0.31	1.49	0.89	0.29	0.31	1.49	XXX	N	N	D	N	N	39.29	39.29
59051		NOT COVEI	0.74	0.24	0.26	1.24	0.74	0.24	0.26	1.24	XXX	N	N	D	N	N	32.70	32.70
59070		A	5.24	2.01	1.81	9.06	5.24	4.31	1.81	11.36	000	Y	N	Y	N	N	238.91	299.56
59072		A	8.99	3.21	3.11	15.31	8.99	3.21	3.11	15.31	000	Y	N	N	N	N	403.72	403.72
59074		A	5.24	2.02	1.81	9.07	5.24	3.83	1.81	10.88	000	Y	N	Y	N	N	239.18	286.91
59076		A	8.99	3.26	3.11	15.36	8.99	3.26	3.11	15.36	000	Y	N	Y	N	N	405.04	405.04
59100		A	13.37	6.08	4.61	24.06	13.37	6.08	4.61	24.06	090	Y	N	Y	D	N	634.46	634.46
59120		A	12.67	5.85	4.4	22.92	12.67	5.85	4.4	22.92	090	Y	N	Y	D	N	604.40	604.40
59121		A	12.74	5.79	4.41	22.94	12.74	5.79	4.41	22.94	090	Y	N	Y	D	N	604.93	604.93
59130		A	15.08	6.56	1.29	22.93	15.08	6.56	1.29	22.93	090	Y	N	D	N	N	604.66	604.66
59135		A	14.92	6.55	1.27	22.74	14.92	6.55	1.27	22.74	090	Y	N	D	N	N	599.65	599.65
59136		A	14.25	6.33	4.92	25.5	14.25	6.33	4.92	25.5	090	Y	N	Y	N	N	672.44	672.44
59140		A	5.94	3.74	0.49	10.17	5.94	3.74	0.49	10.17	090	Y	N	Y	N	N	268.18	268.18
59150		A	12.29	5.65	4.26	22.2	12.29	5.65	4.26	22.2	090	Y	N	Y	N	N	585.41	585.41
59151		A	12.11	5.34	4.18	21.63	12.11	5.34	4.18	21.63	090	Y	N	Y	N	N	570.38	570.38
59160		A	2.76	1.28	0.94	4.98	2.76	1.98	0.94	5.68	010	Y	N	D	N	N	131.32	149.78
59200		A	0.79	0.27	0.28	1.34	0.79	0.89	0.28	1.96	000	Y	N	N	N	N	35.34	51.69
59300		A	2.41	1.06	0.82	4.29	2.41	2.08	0.82	5.31	000	Y	N	D	N	N	113.13	140.02
59320		A	2.48	1.09	0.83	4.4	2.48	1.09	0.83	4.4	000	Y	N	D	N	N	116.03	116.03
59325		A	4.06	1.61	0.35	6.02	4.06	1.61	0.35	6.02	000	Y	N	D	N	N	158.75	158.75
59350		A	4.94	1.59	1.71	8.24	4.94	1.59	1.71	8.24	000	Y	N	Y	N	N	217.29	217.29
59400		NOT COVEI	32.16	16.83	10.76	59.75	32.16	16.83	10.76	59.75	MMM	Y	N	N	N	N	2,244.21	2,244.21
59409		A	14.37	4.81	4.79	23.97	14.37	4.81	4.79	23.97	MMM	Y	N	D	N	N	900.31	900.31
59410		A	18.01	6.43	5.99	30.43	18.01	6.43	5.99	30.43	MMM	Y	N	N	N	N	1,142.95	1,142.95
59412		A	1.71	0.71	0.59	3.01	1.71	0.71	0.59	3.01	MMM	N	N	D	N	N	113.06	113.06
59414		A	1.61	0.53	0.55	2.69	1.61	0.53	0.55	2.69	MMM	Y	N	D	N	N	101.04	101.04
59425		NOT COVEI	6.31	2.09	2.08	10.48	6.31	4.36	2.08	12.75	MMM	N	N	D	N	N	393.63	478.89
59426		NOT COVEI	11.16	3.7	3.62	18.48	11.16	7.98	3.62	22.76	MMM	N	N	D	N	N	694.11	854.87
59430		A	2.47	0.82	0.8	4.09	2.47	1.86	0.8	5.13	MMM	Y	N	N	N	N	153.62	192.68
59510		NOT COVEI	35.64	18.35	12.2	66.19	35.64	18.35	12.2	66.19	MMM	Y	N	N	N	N	2,486.10	2,486.10
59514		A	16.13	5.37	5.49	26.99	16.13	5.37	5.49	26.99	MMM	Y	N	Y	D	N	1,013.74	1,013.74
59515		A	21.47	8.03	7.31	36.81	21.47	8.03	7.31	36.81	MMM	Y	N	N	N	N	1,382.58	1,382.58
59525		A	8.53	2.81	2.93	14.27	8.53	2.81	2.93	14.27	ZZZ	N	N	Y	D	N	376.30	376.30
59610		NOT COVEI	33.87	17.25	11.71	62.83	33.87	17.25	11.71	62.83	MMM	Y	N	D	N	N	2,359.89	2,359.89
59612		A	16.09	5.31	5.55	26.95	16.09	5.31	5.55	26.95	MMM	Y	N	D	N	N	1,012.24	1,012.24
59614		A	19.73	6.89	6.79	33.41	19.73	6.89	6.79	33.41	MMM	Y	N	D	N	N	1,254.88	1,254.88
59618		NOT COVEI	36.16	18.49	12.5	67.15	36.16	18.49	12.5	67.15	MMM	Y	N	D	N	N	2,522.15	2,522.15
59620		A	16.66	5.49	5.75	27.9	16.66	5.49	5.75	27.9	MMM	Y	N	Y	N	N	1,047.92	1,047.92
59622		A	22	8.24	7.6	37.84	22	8.24	7.6	37.84	MMM	Y	N	D	N	N	1,421.27	1,421.27
59812		A	4.44	2.45	1.51	8.4	4.44	2.97	1.51	8.92	090	Y	N	N	N	N	221.51	235.22
59820		A	4.84	3.46	1.67	9.97	4.84	3.99	1.67	10.5	090	Y	N	N	N	N	262.91	276.89
59821		A	5.09	3.23	1.77	10.09	5.09	3.8	1.77	10.66	090	Y	N	D	N	N	266.07	281.10
59830		A	6.59	3.58	2.27	12.44	6.59	3.58	2.27	12.44	090	Y	N	D	N	N	328.04	328.04

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
59840		A	3.01	1.84	0.97	5.82	3.01	2.04	0.97	6.02	010	Y	N	D	N	N	153.47	158.75
59841		A	5.65	2.75	1.95	10.35	5.65	3.24	1.95	10.84	010	Y	N	D	N	N	272.93	285.85
59850		A	5.9	2.95	0.49	9.34	5.9	2.95	0.49	9.34	090	Y	N	D	N	N	246.30	246.30
59851		A	5.92	3.37	2.03	11.32	5.92	3.37	2.03	11.32	090	Y	N	D	N	N	298.51	298.51
59852		A	8.23	4.67	0.7	13.6	8.23	4.67	0.7	13.6	090	Y	N	D	N	N	358.63	358.63
59855		A	6.43	3.24	2.22	11.89	6.43	3.24	2.22	11.89	090	Y	N	D	N	N	313.54	313.54
59856		A	7.79	3.58	2.68	14.05	7.79	3.58	2.68	14.05	090	Y	N	D	N	N	370.50	370.50
59857		A	9.33	4	0.78	14.11	9.33	4	0.78	14.11	090	Y	N	D	N	N	372.08	372.08
59866		NOT COVEI	3.99	1.61	0.35	5.95	3.99	1.61	0.35	5.95	000	Y	N	Y	D	N	156.90	156.90
59870		A	6.57	4.42	2.27	13.26	6.57	4.42	2.27	13.26	090	Y	N	Y	N	N	349.67	349.67
59871		A	2.13	1	0.73	3.86	2.13	1	0.73	3.86	000	Y	N	D	N	N	101.79	101.79
59897		C	0	0	0	0	0	0	0	0	YYY	Y	N	N	N	N	0.00	0.00
59898		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
59899		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
60000		A	1.81	1.99	0.29	4.09	1.81	2.4	0.29	4.5	010	Y	N	D	N	N	107.85	118.67
60100		A	1.56	0.47	0.19	2.22	1.56	1.25	0.19	3	000	Y	N	N	N	N	58.54	79.11
60200		A	10.02	6.04	2.05	18.11	10.02	6.04	2.05	18.11	090	Y	N	Y	D	N	477.56	477.56
60210		A	11.23	5.84	2.49	19.56	11.23	5.84	2.49	19.56	090	Y	N	Y	D	N	515.80	515.80
60212		A	16.43	7.89	3.68	28	16.43	7.89	3.68	28	090	Y	N	Y	D	N	738.36	738.36
60220		A	11.19	6.06	2.34	19.59	11.19	6.06	2.34	19.59	090	Y	N	Y	D	N	516.59	516.59
60225		A	14.79	7.78	3.17	25.74	14.79	7.78	3.17	25.74	090	Y	N	Y	D	N	678.76	678.76
60240		A	15.04	7.24	3.29	25.57	15.04	7.24	3.29	25.57	090	Y	N	Y	D	N	674.28	674.28
60252		A	22.01	10.04	4.66	36.71	22.01	10.04	4.66	36.71	090	Y	N	Y	D	N	968.04	968.04
60254		A	28.42	12.53	5.44	46.39	28.42	12.53	5.44	46.39	090	Y	N	Y	D	N	1,223.30	1,223.30
60260		A	18.26	8.43	3.76	30.45	18.26	8.43	3.76	30.45	090	Y	Y	Y	D	N	802.97	802.97
60270		A	23.2	9.82	5.26	38.28	23.2	9.82	5.26	38.28	090	Y	N	Y	D	N	1,009.44	1,009.44
60271		A	17.62	8.15	3.62	29.39	17.62	8.15	3.62	29.39	090	Y	N	Y	D	N	775.01	775.01
60280		A	6.16	4.79	1	11.95	6.16	4.79	1	11.95	090	Y	N	Y	D	N	315.12	315.12
60281		A	8.82	5.87	1.37	16.06	8.82	5.87	1.37	16.06	090	Y	N	Y	D	N	423.50	423.50
60300		A	0.97	0.3	0.14	1.41	0.97	1.87	0.14	2.98	000	Y	N	N	N	N	37.18	78.58
60500		A	15.6	7.6	3.62	26.82	15.6	7.6	3.62	26.82	090	Y	N	Y	D	N	707.24	707.24
60502		A	21.15	9.72	4.99	35.86	21.15	9.72	4.99	35.86	090	Y	N	Y	D	N	945.63	945.63
60505		A	23.06	10.39	5.2	38.65	23.06	10.39	5.2	38.65	090	Y	N	Y	D	N	1,019.20	1,019.20
60512		A	4.44	1.44	0.99	6.87	4.44	1.44	0.99	6.87	ZZZ	N	N	Y	D	N	181.16	181.16
60520		A	17.16	7.72	4.17	29.05	17.16	7.72	4.17	29.05	090	Y	N	Y	D	N	766.05	766.05
60521		A	19.18	7.47	5.44	32.09	19.18	7.47	5.44	32.09	090	Y	N	Y	D	N	846.21	846.21
60522		A	23.48	8.87	6.56	38.91	23.48	8.87	6.56	38.91	090	Y	N	Y	D	N	1,026.06	1,026.06
60540		A	18.02	7.66	3.65	29.33	18.02	7.66	3.65	29.33	090	Y	Y	Y	D	N	773.43	773.43
60545		A	20.93	8.5	4.43	33.86	20.93	8.5	4.43	33.86	090	Y	Y	Y	D	N	892.89	892.89
60600		A	25.09	8.99	6.38	40.46	25.09	8.99	6.38	40.46	090	Y	N	Y	D	N	1,066.93	1,066.93
60605		A	31.96	8	4.94	44.9	31.96	8	4.94	44.9	090	Y	N	Y	D	N	1,184.01	1,184.01
60650		A	20.73	8.03	4.5	33.26	20.73	8.03	4.5	33.26	090	Y	Y	Y	D	N	877.07	877.07
60659		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	N	N	0.00	0.00
60699		C	0	0	0	0	0	0	0	0	YYY	Y	N	Y	D	D	0.00	0.00
61000		A	1.58	0.69	0.16	2.43	1.58	0.69	0.16	2.43	000	Y	B	N	N	N	64.08	64.08
61001		A	1.49	0.91	0.64	3.04	1.49	0.91	0.64	3.04	000	Y	B	N	N	N	80.16	80.16
61020		A	1.51	0.86	0.6	2.97	1.51	0.86	0.6	2.97	000	Y	N	N	N	N	78.32	78.32
61026		A	1.69	0.85	0.45	2.99	1.69	0.85	0.45	2.99	000	Y	N	N	N	N	78.85	78.85
61050		A	1.51	0.7	0.14	2.35	1.51	0.7	0.14	2.35	000	Y	N	D	N	N	61.97	61.97
61055		A	2.1	0.84	0.35	3.29	2.1	0.84	0.35	3.29	000	N	N	N	N	N	86.76	86.76
61070		A	0.89	0.52	0.24	1.65	0.89	0.52	0.24	1.65	000	Y	N	N	N	N	43.51	43.51
61105		A	5.45	4.92	2.31	12.68	5.45	4.92	2.31	12.68	090	Y	N	D	N	N	334.37	334.37
61107		A	4.99	1.96	2.14	9.09	4.99	1.96	2.14	9.09	000	N	N	N	N	N	239.70	239.70
61108		A	11.64	8.59	4.97	25.2	11.64	8.59	4.97	25.2	090	Y	N	N	N	N	664.52	664.52

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
61120		A	9.6	7.02	4.16	20.78	9.6	7.02	4.16	20.78	090	Y	N	D	N	N	547.97	547.97
61140		A	17.23	10.8	7.34	35.37	17.23	10.8	7.34	35.37	090	Y	N	Y	N	N	932.71	932.71
61150		A	18.9	11.07	8.14	38.11	18.9	11.07	8.14	38.11	090	Y	N	N	D	N	1,004.96	1,004.96
61151		A	13.49	8.54	5.83	27.86	13.49	8.54	5.83	27.86	090	Y	N	N	N	N	734.67	734.67
61154		A	17.07	11.17	7.32	35.56	17.07	11.17	7.32	35.56	090	Y	Y	Y	D	N	937.72	937.72
61156		A	17.45	10.05	7.52	35.02	17.45	10.05	7.52	35.02	090	Y	N	Y	D	N	923.48	923.48
61210		A	5.83	2.28	2.5	10.61	5.83	2.28	2.5	10.61	000	Y	N	N	N	N	279.79	279.79
61215		A	5.85	5.46	2.49	13.8	5.85	5.46	2.49	13.8	090	Y	N	N	D	N	363.91	363.91
61250		A	11.49	7.76	4.95	24.2	11.49	7.76	4.95	24.2	090	Y	Y	Y	D	N	638.15	638.15
61253		A	13.49	7.03	2.06	22.58	13.49	7.03	2.06	22.58	090	Y	B	Y	N	N	595.43	595.43
61304		A	23.41	13.05	9.78	46.24	23.41	13.05	9.78	46.24	090	Y	N	Y	D	N	1,219.35	1,219.35
61305		A	28.64	15.77	12.35	56.76	28.64	15.77	12.35	56.76	090	Y	N	Y	D	N	1,496.76	1,496.76
61312		A	30.17	15.83	12.96	58.96	30.17	15.83	12.96	58.96	090	Y	N	Y	D	N	1,554.78	1,554.78
61313		A	28.09	15.85	12.05	55.99	28.09	15.85	12.05	55.99	090	Y	N	Y	D	N	1,476.46	1,476.46
61314		A	25.9	14.62	11.14	51.66	25.9	14.62	11.14	51.66	090	Y	N	Y	D	N	1,362.27	1,362.27
61315		A	29.65	16.12	12.8	58.57	29.65	16.12	12.8	58.57	090	Y	N	Y	D	N	1,544.49	1,544.49
61316		A	1.39	0.55	0.59	2.53	1.39	0.55	0.59	2.53	ZZZ	N	N	N	N	N	66.72	66.72
61320		A	27.42	14.77	11.64	53.83	27.42	14.77	11.64	53.83	090	Y	N	Y	D	N	1,419.50	1,419.50
61321		A	30.53	16.51	13.18	60.22	30.53	16.51	13.18	60.22	090	Y	N	Y	D	N	1,588.00	1,588.00
61322		A	34.26	18.25	14.71	67.22	34.26	18.25	14.71	67.22	090	Y	N	Y	D	N	1,772.59	1,772.59
61323		A	35.06	17.64	14.96	67.66	35.06	17.64	14.96	67.66	090	Y	N	N	D	N	1,784.19	1,784.19
61330		A	25.3	15.88	10.91	52.09	25.3	15.88	10.91	52.09	090	Y	Y	Y	D	N	1,373.61	1,373.61
61332		A	28.6	17.35	12.32	58.27	28.6	17.35	12.32	58.27	090	Y	Y	Y	D	N	1,536.58	1,536.58
61333		A	29.27	17.7	12.62	59.59	29.27	17.7	12.62	59.59	090	Y	Y	Y	D	N	1,571.39	1,571.39
61334		A	19.6	11.68	8.43	39.71	19.6	11.68	8.43	39.71	090	Y	Y	Y	D	N	1,047.15	1,047.15
61340		A	20.11	11.89	8.68	40.68	20.11	11.89	8.68	40.68	090	Y	Y	Y	D	N	1,072.73	1,072.73
61343		A	31.86	16.8	13.63	62.29	31.86	16.8	13.63	62.29	090	Y	N	Y	D	N	1,642.59	1,642.59
61345		A	29.23	15.82	12.6	57.65	29.23	15.82	12.6	57.65	090	Y	N	Y	D	N	1,520.23	1,520.23
61440		A	28.66	15.61	12.35	56.62	28.66	15.61	12.35	56.62	090	Y	N	Y	D	N	1,493.07	1,493.07
61450		A	27.69	14.77	11.94	54.4	27.69	14.77	11.94	54.4	090	Y	N	Y	D	N	1,434.53	1,434.53
61458		A	28.84	15.61	12.31	56.76	28.84	15.61	12.31	56.76	090	Y	N	Y	D	N	1,496.76	1,496.76
61460		A	30.24	16.22	13.04	59.5	30.24	16.22	13.04	59.5	090	Y	N	Y	Y	N	1,569.02	1,569.02
61470		A	27.62	14.74	11.91	54.27	27.62	14.74	11.91	54.27	090	Y	N	Y	D	N	1,431.10	1,431.10
61480		A	28.05	10.77	2.36	41.18	28.05	10.77	2.36	41.18	090	Y	N	Y	D	N	1,085.92	1,085.92
61490		A	27.22	14.58	11.76	53.56	27.22	14.58	11.76	53.56	090	Y	Y	Y	D	N	1,412.38	1,412.38
61500		A	19.18	11.2	6.95	37.33	19.18	11.2	6.95	37.33	090	Y	N	Y	D	N	984.39	984.39
61501		A	16.35	10.19	5.61	32.15	16.35	10.19	5.61	32.15	090	Y	N	Y	D	N	847.80	847.80
61510		A	30.83	17.63	13.23	61.69	30.83	17.63	13.23	61.69	090	Y	N	Y	D	N	1,626.77	1,626.77
61512		A	37.14	19.24	15.95	72.33	37.14	19.24	15.95	72.33	090	Y	N	Y	D	N	1,907.34	1,907.34
61514		A	27.23	15	11.68	53.91	27.23	15	11.68	53.91	090	Y	N	Y	D	N	1,421.61	1,421.61
61516		A	26.58	14.78	11.09	52.45	26.58	14.78	11.09	52.45	090	Y	N	Y	D	N	1,383.11	1,383.11
61517		A	1.38	0.54	0.59	2.51	1.38	0.54	0.59	2.51	ZZZ	N	N	N	N	N	66.19	66.19
61518		A	39.89	21.15	17.18	78.22	39.89	21.15	17.18	78.22	090	Y	N	Y	D	N	2,062.66	2,062.66
61519		A	43.43	21.77	18.6	83.8	43.43	21.77	18.6	83.8	090	Y	N	Y	D	N	2,209.81	2,209.81
61520		A	57.09	27.37	21.59	106.05	57.09	27.37	21.59	106.05	090	Y	N	Y	Y	N	2,796.54	2,796.54
61521		A	46.99	23.2	20.25	90.44	46.99	23.2	20.25	90.44	090	Y	N	Y	D	N	2,384.90	2,384.90
61522		A	31.54	16.74	13.6	61.88	31.54	16.74	13.6	61.88	090	Y	N	Y	D	N	1,631.78	1,631.78
61524		A	29.89	16.09	12.9	58.88	29.89	16.09	12.9	58.88	090	Y	N	Y	D	N	1,552.67	1,552.67
61526		A	54.08	26.37	23.31	103.76	54.08	26.37	23.31	103.76	090	Y	N	N	Y	N	2,736.15	2,736.15
61530		A	45.56	22.26	19.66	87.48	45.56	22.26	19.66	87.48	090	Y	N	N	Y	N	2,306.85	2,306.85
61531		A	16.41	10.7	7.07	34.18	16.41	10.7	7.07	34.18	090	Y	N	Y	Y	N	901.33	901.33
61533		A	21.46	12.23	9.23	42.92	21.46	12.23	9.23	42.92	090	Y	N	Y	D	N	1,131.80	1,131.80
61534		A	23.01	13.38	9.92	46.31	23.01	13.38	9.92	46.31	090	Y	N	Y	D	N	1,221.19	1,221.19
61535		A	13.15	9.05	5.66	27.86	13.15	9.05	5.66	27.86	090	Y	N	Y	D	N	734.67	734.67

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
61536		A	37.72	19.17	16.27	73.16	37.72	19.17	16.27	73.16	090	Y	N	Y	D	N	1,929.23	1,929.23
61537		A	36.45	17.96	15.62	70.03	36.45	17.96	15.62	70.03	090	Y	N	Y	D	N	1,846.69	1,846.69
61538		A	39.45	19.39	17.03	75.87	39.45	19.39	17.03	75.87	090	Y	N	Y	D	N	2,000.69	2,000.69
61539		A	34.28	17.82	14.77	66.87	34.28	17.82	14.77	66.87	090	Y	N	Y	D	N	1,763.36	1,763.36
61540		A	31.43	16.76	13.55	61.74	31.43	16.76	13.55	61.74	090	Y	N	Y	D	N	1,628.08	1,628.08
61541		A	30.94	16.5	13.34	60.78	30.94	16.5	13.34	60.78	090	Y	N	Y	D	N	1,602.77	1,602.77
61542		A	33.16	12.63	14.29	60.08	33.16	12.63	14.29	60.08	090	Y	N	Y	D	N	1,584.31	1,584.31
61543		A	31.31	16.65	13.49	61.45	31.31	16.65	13.49	61.45	090	Y	N	Y	D	N	1,620.44	1,620.44
61544		A	27.36	14.64	11.81	53.81	27.36	14.64	11.81	53.81	090	Y	N	Y	N	N	1,418.97	1,418.97
61545		A	46.43	23.83	20.01	90.27	46.43	23.83	20.01	90.27	090	Y	N	Y	D	N	2,380.42	2,380.42
61546		A	33.44	17.49	14.41	65.34	33.44	17.49	14.41	65.34	090	Y	N	Y	D	N	1,723.02	1,723.02
61548		A	23.37	12.31	8.01	43.69	23.37	12.31	8.01	43.69	090	Y	N	Y	Y	N	1,152.11	1,152.11
61550		A	15.59	7.21	1.32	24.12	15.59	7.21	1.32	24.12	090	Y	N	Y	D	N	636.04	636.04
61552		A	20.4	8.62	1.76	30.78	20.4	8.62	1.76	30.78	090	Y	N	Y	D	N	811.67	811.67
61556		A	24.09	13.57	10.4	48.06	24.09	13.57	10.4	48.06	090	Y	N	Y	N	N	1,267.34	1,267.34
61557		A	23.31	13.89	10.05	47.25	23.31	13.89	10.05	47.25	090	Y	N	Y	N	N	1,245.98	1,245.98
61558		A	26.5	10.69	11.42	48.61	26.5	10.69	11.42	48.61	090	Y	N	Y	N	N	1,281.85	1,281.85
61559		A	34.02	11.71	2.89	48.62	34.02	11.71	2.89	48.62	090	Y	N	Y	D	N	1,282.11	1,282.11
61563		A	28.44	15.28	12.26	55.98	28.44	15.28	12.26	55.98	090	Y	N	Y	D	N	1,476.19	1,476.19
61564		A	34.74	18.39	14.96	68.09	34.74	18.39	14.96	68.09	090	Y	Y	Y	D	N	1,795.53	1,795.53
61566		A	32.45	17.17	13.98	63.6	32.45	17.17	13.98	63.6	090	Y	N	Y	D	N	1,677.13	1,677.13
61567		A	37	19.57	15.98	72.55	37	19.57	15.98	72.55	090	Y	N	Y	D	N	1,913.14	1,913.14
61570		A	26.51	14.76	11.42	52.69	26.51	14.76	11.42	52.69	090	Y	N	Y	D	N	1,389.44	1,389.44
61571		A	28.42	15.52	12.23	56.17	28.42	15.52	12.23	56.17	090	Y	N	Y	D	N	1,481.20	1,481.20
61575		A	36.56	16.57	15.76	68.89	36.56	16.57	15.76	68.89	090	Y	N	Y	D	N	1,816.63	1,816.63
61576		A	55.31	30.38	8.53	94.22	55.31	30.38	8.53	94.22	090	Y	N	Y	D	N	2,484.58	2,484.58
61580		A	34.51	25.84	7.07	67.42	34.51	25.84	7.07	67.42	090	Y	Y	N	D	Y	1,777.87	1,777.87
61581		A	39.13	27.6	6.05	72.78	39.13	27.6	6.05	72.78	090	Y	Y	N	Y	Y	1,919.21	1,919.21
61582		A	35.14	30.66	15.16	80.96	35.14	30.66	15.16	80.96	090	Y	N	Y	D	Y	2,134.92	2,134.92
61583		A	38.5	26.72	15.54	80.76	38.5	26.72	15.54	80.76	090	Y	N	Y	D	Y	2,129.64	2,129.64
61584		A	37.7	26.39	15.26	79.35	37.7	26.39	15.26	79.35	090	Y	Y	Y	D	Y	2,092.46	2,092.46
61585		A	42.57	29.34	18.35	90.26	42.57	29.34	18.35	90.26	090	Y	Y	Y	D	Y	2,380.16	2,380.16
61586		A	27.48	27.33	11.86	66.67	27.48	27.33	11.86	66.67	090	Y	N	Y	D	Y	1,758.09	1,758.09
61590		A	47.04	27.07	10.15	84.26	47.04	27.07	10.15	84.26	090	Y	Y	Y	D	Y	2,221.94	2,221.94
61591		A	47.02	27.33	11.53	85.88	47.02	27.33	11.53	85.88	090	Y	Y	Y	D	Y	2,264.66	2,264.66
61592		A	43.08	28.16	17.43	88.67	43.08	28.16	17.43	88.67	090	Y	Y	Y	D	Y	2,338.23	2,338.23
61595		A	33.74	22.78	8.59	65.11	33.74	22.78	8.59	65.11	090	Y	Y	N	D	Y	1,716.95	1,716.95
61596		A	39.43	22.01	6.08	67.52	39.43	22.01	6.08	67.52	090	Y	Y	Y	D	Y	1,780.50	1,780.50
61597		A	40.82	22.17	17.61	80.6	40.82	22.17	17.61	80.6	090	Y	Y	Y	D	Y	2,125.42	2,125.42
61598		A	36.53	26.52	15.75	78.8	36.53	26.52	15.75	78.8	090	Y	N	Y	D	Y	2,077.96	2,077.96
61600		A	30.01	21.22	7.47	58.7	30.01	21.22	7.47	58.7	090	Y	N	Y	D	Y	1,547.92	1,547.92
61601		A	31.14	23.33	12.22	66.69	31.14	23.33	12.22	66.69	090	Y	N	Y	D	Y	1,758.62	1,758.62
61605		A	32.57	21.24	5.94	59.75	32.57	21.24	5.94	59.75	090	Y	N	Y	D	Y	1,575.61	1,575.61
61606		A	42.05	25.58	16.43	84.06	42.05	25.58	16.43	84.06	090	Y	N	Y	D	Y	2,216.66	2,216.66
61607		A	40.93	22.99	17.65	81.57	40.93	22.99	17.65	81.57	090	Y	N	Y	D	Y	2,151.00	2,151.00
61608		A	45.54	27.01	18.48	91.03	45.54	27.01	18.48	91.03	090	Y	N	Y	D	Y	2,400.46	2,400.46
61609		A	9.88	2.96	4.26	17.1	9.88	2.96	4.26	17.1	ZZZ	N	N	Y	D	Y	450.93	450.93
61610		A	29.63	8.89	12.79	51.31	29.63	8.89	12.79	51.31	ZZZ	N	N	Y	D	Y	1,353.04	1,353.04
61611		A	7.41	2.87	0.63	10.91	7.41	2.87	0.63	10.91	ZZZ	N	N	Y	D	Y	287.70	287.70
61612		A	27.84	8.88	2.35	39.07	27.84	8.88	2.35	39.07	ZZZ	N	N	Y	D	Y	1,030.28	1,030.28
61613		A	45.03	27.68	19.42	92.13	45.03	27.68	19.42	92.13	090	Y	Y	Y	D	Y	2,429.47	2,429.47
61615		A	35.77	20.73	5.53	62.03	35.77	20.73	5.53	62.03	090	Y	N	Y	D	Y	1,635.73	1,635.73
61616		A	46.74	28.82	17.31	92.87	46.74	28.82	17.31	92.87	090	Y	N	Y	D	Y	2,448.98	2,448.98
61618		A	18.69	10.92	6.92	36.53	18.69	10.92	6.92	36.53	090	Y	N	Y	D	Y	963.30	963.30

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
61619		A	22.1	11.87	7.6	41.57	22.1	11.87	7.6	41.57	090	Y	N	Y	D	Y	1,096.20	1,096.20
61623		A	9.95	3.49	2.22	15.66	9.95	3.49	2.22	15.66	000	Y	N	N	N	N	412.95	412.95
61624		A	20.12	6.71	4.53	31.36	20.12	6.71	4.53	31.36	000	Y	N	N	N	N	826.96	826.96
61626		A	16.6	5.02	2.57	24.19	16.6	5.02	2.57	24.19	000	Y	N	N	N	N	637.89	637.89
61630		NOT COVEI	22.07	8.74	5.02	35.83	22.07	8.74	5.02	35.83	XXX	Y	N	Y	D	N	944.84	944.84
61635		NOT COVEI	24.28	9.78	4.89	38.95	24.28	9.78	4.89	38.95	XXX	Y	N	Y	D	N	1,027.11	1,027.11
61640		NOT COVEI	12.32	3.94	1.04	17.3	12.32	3.94	1.04	17.3	000	N	N	N	N	N	456.20	456.20
61641		NOT COVEI	4.33	1.38	0.38	6.09	4.33	1.38	0.38	6.09	ZZZ	N	N	N	N	N	160.59	160.59
61642		NOT COVEI	8.66	2.76	0.73	12.15	8.66	2.76	0.73	12.15	ZZZ	N	N	N	N	N	320.40	320.40
61680		A	32.55	17.21	14.03	63.79	32.55	17.21	14.03	63.79	090	Y	N	Y	D	N	1,682.14	1,682.14
61682		A	63.41	28.64	27.34	119.39	63.41	28.64	27.34	119.39	090	Y	N	Y	D	N	3,148.31	3,148.31
61684		A	41.64	21.11	17.95	80.7	41.64	21.11	17.95	80.7	090	Y	N	Y	D	N	2,128.06	2,128.06
61686		A	67.5	31.64	29.11	128.25	67.5	31.64	29.11	128.25	090	Y	N	Y	D	N	3,381.95	3,381.95
61690		A	31.34	16.94	13.53	61.81	31.34	16.94	13.53	61.81	090	Y	N	Y	D	N	1,629.93	1,629.93
61692		A	54.59	26.09	23.54	104.22	54.59	26.09	23.54	104.22	090	Y	N	Y	D	N	2,748.28	2,748.28
61697		A	63.4	29.83	27.05	120.28	63.4	29.83	27.05	120.28	090	Y	N	Y	D	N	3,171.78	3,171.78
61698		A	69.63	32.48	30.02	132.13	69.63	32.48	30.02	132.13	090	Y	N	Y	D	N	3,484.27	3,484.27
61700		A	50.62	24.83	21.69	97.14	50.62	24.83	21.69	97.14	090	Y	N	Y	D	N	2,561.58	2,561.58
61702		A	60.04	28.71	25.87	114.62	60.04	28.71	25.87	114.62	090	Y	N	Y	D	N	3,022.53	3,022.53
61703		A	18.8	11.27	8.11	38.18	18.8	11.27	8.11	38.18	090	Y	N	Y	D	N	1,006.81	1,006.81
61705		A	38.1	19.32	16.43	73.85	38.1	19.32	16.43	73.85	090	Y	N	Y	D	N	1,947.42	1,947.42
61708		A	37.2	13.33	3.71	54.24	37.2	13.33	3.71	54.24	090	Y	N	Y	N	N	1,430.31	1,430.31
61710		A	31.29	16.18	7.84	55.31	31.29	16.18	7.84	55.31	090	Y	N	D	N	N	1,458.52	1,458.52
61711		A	38.23	19.3	16.48	74.01	38.23	19.3	16.48	74.01	090	Y	N	Y	D	N	1,951.64	1,951.64
61720		A	17.62	10.48	7.6	35.7	17.62	10.48	7.6	35.7	090	Y	N	N	N	N	941.41	941.41
61735		A	22.35	12.8	9.63	44.78	22.35	12.8	9.63	44.78	090	Y	N	N	D	N	1,180.85	1,180.85
61750		A	19.83	11.32	8.48	39.63	19.83	11.32	8.48	39.63	090	Y	N	N	D	N	1,045.04	1,045.04
61751		A	18.79	11.71	8.05	38.55	18.79	11.71	8.05	38.55	090	Y	N	N	D	N	1,016.56	1,016.56
61760		A	22.39	12.54	9.65	44.58	22.39	12.54	9.65	44.58	090	Y	N	N	Y	N	1,175.57	1,175.57
61770		A	23.19	12.68	9.83	45.7	23.19	12.68	9.83	45.7	090	Y	N	N	D	N	1,205.11	1,205.11
61781		A	3.75	1.46	1.51	6.72	3.75	1.46	1.51	6.72	ZZZ	N	N	D	N	N	177.21	177.21
61782		A	3.18	1.24	1.04	5.46	3.18	1.24	1.04	5.46	ZZZ	N	N	D	N	N	143.98	143.98
61783		A	3.75	1.48	1.51	6.74	3.75	1.48	1.51	6.74	ZZZ	N	N	D	N	N	177.73	177.73
61790		A	11.6	7.88	4.89	24.37	11.6	7.88	4.89	24.37	090	Y	Y	N	N	N	642.64	642.64
61791		A	15.41	9.49	6.24	31.14	15.41	9.49	6.24	31.14	090	Y	Y	D	N	N	821.16	821.16
61796		A	13.93	8.58	5.56	28.07	13.93	8.58	5.56	28.07	090	N	N	Y	N	N	740.21	740.21
61797		A	3.48	1.37	1.39	6.24	3.48	1.37	1.39	6.24	ZZZ	N	N	Y	N	N	164.55	164.55
61798		A	19.85	10.83	7.93	38.61	19.85	10.83	7.93	38.61	090	N	N	Y	N	N	1,018.15	1,018.15
61799		A	4.81	1.89	1.91	8.61	4.81	1.89	1.91	8.61	ZZZ	N	N	Y	N	N	227.05	227.05
61800		A	2.25	1.17	0.88	4.3	2.25	1.17	0.88	4.3	ZZZ	N	N	Y	N	N	113.39	113.39
61850		A	13.34	8.41	5.77	27.52	13.34	8.41	5.77	27.52	090	Y	N	Y	N	N	725.70	725.70
61860		A	22.26	12.31	9.6	44.17	22.26	12.31	9.6	44.17	090	Y	N	Y	N	N	1,164.76	1,164.76
61863		A	20.71	12.61	8.89	42.21	20.71	12.61	8.89	42.21	090	Y	Y	Y	D	N	1,113.08	1,113.08
61864		A	4.49	1.76	1.93	8.18	4.49	1.76	1.93	8.18	ZZZ	N	N	Y	D	N	215.71	215.71
61867		A	33.03	17.36	14.21	64.6	33.03	17.36	14.21	64.6	090	Y	Y	Y	D	N	1,703.50	1,703.50
61868		A	7.91	3.1	3.42	14.43	7.91	3.1	3.42	14.43	ZZZ	N	N	Y	D	N	380.52	380.52
61870		A	16.34	9.86	7.05	33.25	16.34	9.86	7.05	33.25	090	Y	N	Y	D	N	876.80	876.80
61875		A	16.46	6.92	1.41	24.79	16.46	6.92	1.41	24.79	090	Y	N	Y	N	N	653.71	653.71
61880		A	6.95	5.85	2.95	15.75	6.95	5.85	2.95	15.75	090	Y	Y	Y	D	N	415.33	415.33
61885		A	6.05	5.62	2.49	14.16	6.05	5.62	2.49	14.16	090	Y	Y	D	N	N	373.40	373.40
61886		A	9.93	9.02	4.23	23.18	9.93	9.02	4.23	23.18	090	Y	N	D	N	N	611.26	611.26
61888		A	5.23	3.59	2.06	10.88	5.23	3.59	2.06	10.88	010	Y	Y	N	N	N	286.91	286.91
62000		A	13.93	8.91	6.02	28.86	13.93	8.91	6.02	28.86	090	Y	N	N	N	N	761.04	761.04
62005		A	17.63	10.49	7.6	35.72	17.63	10.49	7.6	35.72	090	Y	N	Y	D	N	941.94	941.94

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
62010		A	21.43	12.45	9.23	43.11	21.43	12.45	9.23	43.11	090	Y	N	Y	D	N	1,136.81	1,136.81
62100		A	23.53	12.77	9.02	45.32	23.53	12.77	9.02	45.32	090	Y	N	Y	D	N	1,195.09	1,195.09
62115		A	22.91	9.8	1.95	34.66	22.91	9.8	1.95	34.66	090	Y	N	Y	D	N	913.98	913.98
62116		A	25.02	12.1	10.79	47.91	25.02	12.1	10.79	47.91	090	Y	N	Y	N	N	1,263.39	1,263.39
62117		A	28.35	10.9	4.4	43.65	28.35	10.9	4.4	43.65	090	Y	N	Y	D	N	1,151.05	1,151.05
62120		A	24.59	17	3.81	45.4	24.59	17	3.81	45.4	090	Y	N	Y	D	N	1,197.20	1,197.20
62121		A	23.03	14.83	9.93	47.79	23.03	14.83	9.93	47.79	090	Y	N	Y	D	N	1,260.22	1,260.22
62140		A	14.55	8.83	5.7	29.08	14.55	8.83	5.7	29.08	090	Y	N	Y	D	N	766.84	766.84
62141		A	16.07	9.59	6.38	32.04	16.07	9.59	6.38	32.04	090	Y	N	Y	D	N	844.89	844.89
62142		A	11.83	8.04	4.9	24.77	11.83	8.04	4.9	24.77	090	Y	N	Y	N	N	653.18	653.18
62143		A	14.15	9.02	6.02	29.19	14.15	9.02	6.02	29.19	090	Y	N	Y	D	N	769.74	769.74
62145		A	20.09	11.39	8.67	40.15	20.09	11.39	8.67	40.15	090	Y	N	Y	D	N	1,058.76	1,058.76
62146		A	17.28	10.35	7.46	35.09	17.28	10.35	7.46	35.09	090	Y	N	Y	D	N	925.32	925.32
62147		A	20.67	11.53	8.89	41.09	20.67	11.53	8.89	41.09	090	Y	N	Y	D	N	1,083.54	1,083.54
62148		A	2	0.79	0.85	3.64	2	0.79	0.85	3.64	ZZZ	N	N	N	N	N	95.99	95.99
62160		A	3	1.18	1.29	5.47	3	1.18	1.29	5.47	ZZZ	N	N	N	N	N	144.24	144.24
62161		A	21.23	12.35	9.16	42.74	21.23	12.35	9.16	42.74	090	Y	N	Y	D	N	1,127.05	1,127.05
62162		A	26.8	14.98	11.54	53.32	26.8	14.98	11.54	53.32	090	Y	N	Y	D	N	1,406.05	1,406.05
62163		A	16.53	10.61	7.11	34.25	16.53	10.61	7.11	34.25	090	Y	N	Y	D	N	903.17	903.17
62164		A	29.43	16.76	12.7	58.89	29.43	16.76	12.7	58.89	090	Y	N	Y	D	N	1,552.93	1,552.93
62165		A	23.23	12.52	7.65	43.4	23.23	12.52	7.65	43.4	090	Y	N	D	D	N	1,144.46	1,144.46
62180		A	22.58	12.81	9.75	45.14	22.58	12.81	9.75	45.14	090	Y	N	Y	N	N	1,190.34	1,190.34
62190		A	12.17	8.34	5.25	25.76	12.17	8.34	5.25	25.76	090	Y	N	N	D	N	679.29	679.29
62192		A	13.35	8.39	5.56	27.3	13.35	8.39	5.56	27.3	090	Y	N	Y	D	N	719.90	719.90
62194		A	5.78	5.08	0.54	11.4	5.78	5.08	0.54	11.4	010	Y	N	D	N	N	300.62	300.62
62200		A	19.29	11.14	8.33	38.76	19.29	11.14	8.33	38.76	090	Y	N	Y	D	N	1,022.10	1,022.10
62201		A	16.04	10.66	6.88	33.58	16.04	10.66	6.88	33.58	090	Y	N	N	N	N	885.50	885.50
62220		A	14.1	8.68	5.8	28.58	14.1	8.68	5.8	28.58	090	Y	N	Y	D	N	753.65	753.65
62223		A	14.05	9.5	5.83	29.38	14.05	9.5	5.83	29.38	090	Y	N	Y	D	N	774.75	774.75
62225		A	6.19	5.52	2.64	14.35	6.19	5.52	2.64	14.35	090	Y	N	N	N	N	378.41	378.41
62230		A	11.43	7.37	4.77	23.57	11.43	7.37	4.77	23.57	090	Y	N	Y	D	N	621.54	621.54
62252		NOT COVEI	0.74	1.19	0.3	2.23	0.74	1.19	0.3	2.23	XXX	N	N	D	N	N	58.81	58.81
62252	TC	NOT COVEI	0	0.9	0.01	0.91	0	0.9	0.01	0.91	XXX	N	N	D	N	N	24.00	24.00
62252	26	NOT COVEI	0.74	0.29	0.29	1.32	0.74	0.29	0.29	1.32	XXX	N	N	D	N	N	34.81	34.81
62256		A	7.38	6.02	3.17	16.57	7.38	6.02	3.17	16.57	090	Y	N	Y	N	N	436.95	436.95
62258		A	15.64	9.46	6.52	31.62	15.64	9.46	6.52	31.62	090	Y	N	Y	D	N	833.82	833.82
62263		A	5	3.9	0.48	9.38	5	11.81	0.48	17.29	010	Y	N	N	N	N	247.35	455.94
62264		A	4.42	1.76	0.41	6.59	4.42	6.02	0.41	10.85	010	Y	N	N	N	N	173.78	286.11
62267		A	3	1.11	0.36	4.47	3	3.14	0.36	6.5	000	Y	N	D	N	N	117.87	171.41
62268		A	4.73	1.97	0.54	7.24	4.73	1.97	0.54	7.24	000	Y	N	N	N	N	190.92	190.92
62269		A	5.01	1.81	0.68	7.5	5.01	1.81	0.68	7.5	000	Y	N	D	N	N	197.78	197.78
62270		A	1.37	0.57	0.28	2.22	1.37	2.45	0.28	4.1	000	Y	N	N	N	N	58.54	108.12
62272		A	1.35	0.65	0.4	2.4	1.35	3.39	0.4	5.14	000	Y	N	N	N	N	63.29	135.54
62273		A	2.15	0.77	0.24	3.16	2.15	2.15	0.24	4.54	000	Y	N	N	N	N	83.33	119.72
62280		A	2.63	1.53	0.6	4.76	2.63	4.96	0.6	8.19	010	Y	N	N	N	N	125.52	215.97
62281		A	2.66	1.39	0.33	4.38	2.66	3.32	0.33	6.31	010	Y	N	N	N	N	115.50	166.39
62282		A	2.33	1.29	0.35	3.97	2.33	4.61	0.35	7.29	010	Y	N	N	N	N	104.69	192.24
62284		A	1.54	0.65	0.21	2.4	1.54	3.14	0.21	4.89	000	Y	N	N	N	N	63.29	128.95
62287		A	9.03	5.27	0.98	15.28	9.03	5.27	0.98	15.28	090	Y	N	N	N	N	402.93	402.93
62290		A	3	1.43	0.36	4.79	3	5.18	0.36	8.54	000	Y	N	N	N	N	126.31	225.20
62291		A	2.91	1.44	0.33	4.68	2.91	4.98	0.33	8.22	000	Y	N	N	N	N	123.41	216.76
62292		A	9.24	5.67	0.9	15.81	9.24	5.67	0.9	15.81	090	Y	N	D	N	N	416.91	416.91
62294		A	12.87	5.62	1.23	19.72	12.87	5.62	1.23	19.72	090	Y	N	N	N	N	520.02	520.02
62310		A	1.18	0.66	0.13	1.97	1.18	1.51	0.13	2.82	000	Y	N	N	N	N	51.95	74.36

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
62311		A	1.17	0.64	0.11	1.92	1.17	1.48	0.11	2.76	000	Y	N	N	N	N	50.63	72.78
62318		A	1.54	0.47	0.14	2.15	1.54	1.21	0.14	2.89	000	Y	N	N	N	N	56.70	76.21
62319		A	1.5	0.54	0.15	2.19	1.5	1.32	0.15	2.97	000	Y	N	N	N	N	57.75	78.32
62350		A	6.05	3.74	1.26	11.05	6.05	3.74	1.26	11.05	010	Y	N	N	D	N	291.39	291.39
62351		A	11.66	8.49	4.07	24.22	11.66	8.49	4.07	24.22	090	Y	N	Y	Y	N	638.68	638.68
62355		A	3.55	2.91	0.72	7.18	3.55	2.91	0.72	7.18	010	Y	N	D	N	N	189.34	189.34
62360		A	4.33	3.15	1.04	8.52	4.33	3.15	1.04	8.52	010	Y	N	D	D	N	224.67	224.67
62361		A	5	3.39	1.17	9.56	5	3.39	1.17	9.56	010	Y	N	D	D	N	252.10	252.10
62362		A	5.6	3.67	1.34	10.61	5.6	3.67	1.34	10.61	010	Y	N	D	D	N	279.79	279.79
62365		A	3.93	3.11	0.89	7.93	3.93	3.11	0.89	7.93	010	Y	N	D	N	N	209.11	209.11
62367		A	0.48	0.17	0.06	0.71	0.48	0.54	0.06	1.08	XXX	N	N	N	N	N	18.72	28.48
62368		A	0.67	0.23	0.05	0.95	0.67	0.73	0.05	1.45	XXX	N	N	N	N	N	25.05	38.24
62369		A	0.67	0.25	0.05	0.97	0.67	2.23	0.05	2.95	XXX	N	N	N	N	N	25.58	77.79
62370		A	0.9	0.31	0.08	1.29	0.9	2.17	0.08	3.15	XXX	N	N	N	N	N	34.02	83.07
63001		A	17.61	10.29	6.83	34.73	17.61	10.29	6.83	34.73	090	Y	N	Y	Y	N	915.83	915.83
63003		A	17.74	10.21	6.76	34.71	17.74	10.21	6.76	34.71	090	Y	N	Y	Y	N	915.30	915.30
63005		A	16.43	10.47	6.1	33	16.43	10.47	6.1	33	090	Y	N	Y	Y	N	870.21	870.21
63011		A	15.91	9.62	4.81	30.34	15.91	9.62	4.81	30.34	090	Y	N	Y	Y	N	800.07	800.07
63012		A	16.85	10.33	6.13	33.31	16.85	10.33	6.13	33.31	090	Y	N	Y	Y	N	878.38	878.38
63015		A	20.85	12.41	8.42	41.68	20.85	12.41	8.42	41.68	090	Y	N	Y	Y	N	1,099.10	1,099.10
63016		A	22.03	12.42	8.14	42.59	22.03	12.42	8.14	42.59	090	Y	N	Y	Y	N	1,123.10	1,123.10
63017		A	17.33	10.91	6.69	34.93	17.33	10.91	6.69	34.93	090	Y	N	Y	Y	N	921.10	921.10
63020		A	16.2	10.38	6.08	32.66	16.2	10.38	6.08	32.66	090	Y	Y	Y	Y	N	861.24	861.24
63030		A	13.18	9.09	4.65	26.92	13.18	9.09	4.65	26.92	090	Y	Y	Y	Y	N	709.88	709.88
63035		A	3.15	1.28	1.06	5.49	3.15	1.28	1.06	5.49	ZZZ	N	Y	Y	Y	N	144.77	144.77
63040		A	20.31	11.66	7.54	39.51	20.31	11.66	7.54	39.51	090	Y	Y	Y	Y	N	1,041.88	1,041.88
63042		A	18.76	11.28	6.24	36.28	18.76	11.28	6.24	36.28	090	Y	Y	Y	Y	N	956.70	956.70
63043		C	0	0	0	0	0	0	0	0	ZZZ	N	Y	Y	Y	N	0.00	0.00
63044		C	0	0	0	0	0	0	0	0	ZZZ	N	Y	Y	Y	N	0.00	0.00
63045		A	17.95	10.83	6.88	35.66	17.95	10.83	6.88	35.66	090	Y	B	Y	Y	N	940.35	940.35
63046		A	17.25	10.43	6.18	33.86	17.25	10.43	6.18	33.86	090	Y	B	Y	Y	N	892.89	892.89
63047		A	15.37	9.99	5.3	30.66	15.37	9.99	5.3	30.66	090	Y	B	Y	Y	N	808.50	808.50
63048		A	3.47	1.41	1.22	6.1	3.47	1.41	1.22	6.1	ZZZ	N	N	Y	Y	N	160.86	160.86
63050		A	22.01	12.54	9.5	44.05	22.01	12.54	9.5	44.05	090	Y	N	Y	Y	N	1,161.60	1,161.60
63051		A	25.51	13.94	8.69	48.14	25.51	13.94	8.69	48.14	090	Y	N	Y	Y	N	1,269.45	1,269.45
63055		A	23.55	13.07	9.21	45.83	23.55	13.07	9.21	45.83	090	Y	N	Y	D	N	1,208.54	1,208.54
63056		A	21.86	12.21	7.44	41.51	21.86	12.21	7.44	41.51	090	Y	N	Y	D	N	1,094.62	1,094.62
63057		A	5.25	2.12	1.81	9.18	5.25	2.12	1.81	9.18	ZZZ	N	N	Y	D	N	242.08	242.08
63064		A	26.22	14.13	9.55	49.9	26.22	14.13	9.55	49.9	090	Y	N	Y	D	N	1,315.86	1,315.86
63066		A	3.26	1.29	1.41	5.96	3.26	1.29	1.41	5.96	ZZZ	N	N	Y	D	N	157.17	157.17
63075		A	19.6	11.44	7.34	38.38	19.6	11.44	7.34	38.38	090	Y	N	Y	Y	N	1,012.08	1,012.08
63076		A	4.04	1.6	1.51	7.15	4.04	1.6	1.51	7.15	ZZZ	N	N	Y	Y	N	188.55	188.55
63077		A	22.88	12	7.05	41.93	22.88	12	7.05	41.93	090	Y	N	Y	Y	N	1,105.69	1,105.69
63078		A	3.28	1.33	0.9	5.51	3.28	1.33	0.9	5.51	ZZZ	N	N	Y	Y	N	145.30	145.30
63081		A	26.1	14.24	9.48	49.82	26.1	14.24	9.48	49.82	090	Y	N	Y	D	Y	1,313.75	1,313.75
63082		A	4.36	1.75	1.57	7.68	4.36	1.75	1.57	7.68	ZZZ	N	N	Y	D	Y	202.52	202.52
63085		A	29.47	14.51	9.52	53.5	29.47	14.51	9.52	53.5	090	Y	N	Y	Y	Y	1,410.80	1,410.80
63086		A	3.19	1.21	1.04	5.44	3.19	1.21	1.04	5.44	ZZZ	N	N	Y	Y	Y	143.45	143.45
63087		A	37.53	18.1	11.69	67.32	37.53	18.1	11.69	67.32	090	Y	N	Y	Y	Y	1,775.23	1,775.23
63088		A	4.32	1.71	1.27	7.3	4.32	1.71	1.27	7.3	ZZZ	N	N	Y	Y	Y	192.50	192.50
63090		A	30.93	15.5	8.65	55.08	30.93	15.5	8.65	55.08	090	Y	N	Y	Y	Y	1,452.46	1,452.46
63091		A	3.03	1.21	0.82	5.06	3.03	1.21	0.82	5.06	ZZZ	N	N	Y	Y	Y	133.43	133.43
63101		A	34.1	18.46	12.77	65.33	34.1	18.46	12.77	65.33	090	Y	N	Y	D	N	1,722.75	1,722.75
63102		A	34.1	18.3	10.32	62.72	34.1	18.3	10.32	62.72	090	Y	N	Y	D	N	1,653.93	1,653.93

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
63103		A	4.82	1.94	1.54	8.3	4.82	1.94	1.54	8.3	ZZZ	N	N	Y	D	N	218.87	218.87
63170		A	22.21	13.02	9.58	44.81	22.21	13.02	9.58	44.81	090	Y	N	Y	D	N	1,181.64	1,181.64
63172		A	19.76	11.46	8.5	39.72	19.76	11.46	8.5	39.72	090	Y	N	Y	D	N	1,047.42	1,047.42
63173		A	24.31	13.85	10.51	48.67	24.31	13.85	10.51	48.67	090	Y	N	Y	D	N	1,283.43	1,283.43
63180		A	20.53	12.37	8.84	41.74	20.53	12.37	8.84	41.74	090	Y	N	Y	D	N	1,100.68	1,100.68
63182		A	22.82	9.37	9.83	42.02	22.82	9.37	9.83	42.02	090	Y	N	Y	D	N	1,108.07	1,108.07
63185		A	16.49	10.09	7.11	33.69	16.49	10.09	7.11	33.69	090	Y	N	Y	D	N	888.41	888.41
63190		A	18.89	11.07	5.15	35.11	18.89	11.07	5.15	35.11	090	Y	N	Y	D	N	925.85	925.85
63191		A	18.92	11.61	4.5	35.03	18.92	11.61	4.5	35.03	090	Y	Y	Y	D	N	923.74	923.74
63194		A	22.1	9.28	3.42	34.8	22.1	9.28	3.42	34.8	090	Y	N	Y	D	N	917.68	917.68
63195		A	21.64	12.35	9.33	43.32	21.64	12.35	9.33	43.32	090	Y	N	Y	D	N	1,142.35	1,142.35
63196		A	25.27	10.08	2.16	37.51	25.27	10.08	2.16	37.51	090	Y	N	Y	D	N	989.14	989.14
63197		A	24.08	9.78	10.4	44.26	24.08	9.78	10.4	44.26	090	Y	N	Y	D	N	1,167.14	1,167.14
63198		A	29.9	11.76	2.55	44.21	29.9	11.76	2.55	44.21	090	Y	N	Y	D	N	1,165.82	1,165.82
63199		A	31.47	12.26	2.68	46.41	31.47	12.26	2.68	46.41	090	Y	N	Y	D	N	1,223.83	1,223.83
63200		A	21.44	12.75	9.11	43.3	21.44	12.75	9.11	43.3	090	Y	N	Y	N	N	1,141.82	1,141.82
63250		A	43.86	21.58	18.92	84.36	43.86	21.58	18.92	84.36	090	Y	N	Y	D	N	2,224.57	2,224.57
63251		A	44.64	22.28	19.25	86.17	44.64	22.28	19.25	86.17	090	Y	N	Y	D	N	2,272.30	2,272.30
63252		A	44.63	22.27	19.25	86.15	44.63	22.27	19.25	86.15	090	Y	N	Y	D	N	2,271.78	2,271.78
63265		A	23.82	13.54	9.71	47.07	23.82	13.54	9.71	47.07	090	Y	N	Y	D	N	1,241.24	1,241.24
63266		A	24.68	13.85	10.09	48.62	24.68	13.85	10.09	48.62	090	Y	N	Y	D	N	1,282.11	1,282.11
63267		A	19.45	11.65	7.52	38.62	19.45	11.65	7.52	38.62	090	Y	N	Y	D	N	1,018.41	1,018.41
63268		A	20.02	12.21	8.64	40.87	20.02	12.21	8.64	40.87	090	Y	N	Y	D	N	1,077.74	1,077.74
63270		A	29.8	16.05	12.86	58.71	29.8	16.05	12.86	58.71	090	Y	N	Y	D	N	1,548.18	1,548.18
63271		A	29.92	16.02	12.7	58.64	29.92	16.02	12.7	58.64	090	Y	N	Y	D	N	1,546.34	1,546.34
63272		A	27.5	14.96	11.38	53.84	27.5	14.96	11.38	53.84	090	Y	N	Y	D	N	1,419.76	1,419.76
63273		A	26.47	14.74	11.42	52.63	26.47	14.74	11.42	52.63	090	Y	N	Y	N	N	1,387.85	1,387.85
63275		A	25.86	14.4	10.59	50.85	25.86	14.4	10.59	50.85	090	Y	N	Y	D	N	1,340.91	1,340.91
63276		A	25.69	14.22	10.46	50.37	25.69	14.22	10.46	50.37	090	Y	N	Y	D	N	1,328.26	1,328.26
63277		A	22.39	12.81	8.4	43.6	22.39	12.81	8.4	43.6	090	Y	N	Y	D	N	1,149.73	1,149.73
63278		A	22.12	13.03	9.55	44.7	22.12	13.03	9.55	44.7	090	Y	N	Y	D	N	1,178.74	1,178.74
63280		A	30.29	16.57	13.01	59.87	30.29	16.57	13.01	59.87	090	Y	N	Y	D	N	1,578.77	1,578.77
63281		A	29.99	16.32	12.81	59.12	29.99	16.32	12.81	59.12	090	Y	N	Y	D	N	1,558.99	1,558.99
63282		A	28.15	15.69	11.96	55.8	28.15	15.69	11.96	55.8	090	Y	N	Y	D	N	1,471.45	1,471.45
63283		A	26.76	15.25	11.53	53.54	26.76	15.25	11.53	53.54	090	Y	N	Y	D	N	1,411.85	1,411.85
63285		A	38.05	19.69	16.4	74.14	38.05	19.69	16.4	74.14	090	Y	N	Y	D	N	1,955.07	1,955.07
63286		A	37.62	19.47	15.85	72.94	37.62	19.47	15.85	72.94	090	Y	N	Y	D	N	1,923.43	1,923.43
63287		A	40.08	20.49	17.3	77.87	40.08	20.49	17.3	77.87	090	Y	N	Y	D	N	2,053.43	2,053.43
63290		A	40.82	20.67	17.61	79.1	40.82	20.67	17.61	79.1	090	Y	N	Y	D	N	2,085.87	2,085.87
63295		A	5.25	2.06	2.26	9.57	5.25	2.06	2.26	9.57	ZZZ	N	B	Y	Y	N	252.36	252.36
63300		A	26.8	14.59	10.42	51.81	26.8	14.59	10.42	51.81	090	Y	N	Y	D	N	1,366.23	1,366.23
63301		A	31.57	17.14	13.62	62.33	31.57	17.14	13.62	62.33	090	Y	N	Y	D	N	1,643.64	1,643.64
63302		A	31.15	16.97	13.41	61.53	31.15	16.97	13.41	61.53	090	Y	N	Y	D	N	1,622.55	1,622.55
63303		A	33.55	17.53	14.44	65.52	33.55	17.53	14.44	65.52	090	Y	N	Y	D	N	1,727.76	1,727.76
63304		A	33.85	18.04	14.58	66.47	33.85	18.04	14.58	66.47	090	Y	N	Y	D	N	1,752.81	1,752.81
63305		A	36.24	18.98	15.62	70.84	36.24	18.98	15.62	70.84	090	Y	N	Y	D	N	1,868.05	1,868.05
63306		A	35.55	11.91	15.34	62.8	35.55	11.91	15.34	62.8	090	Y	N	Y	D	N	1,656.04	1,656.04
63307		A	34.96	18.15	15.08	68.19	34.96	18.15	15.08	68.19	090	Y	N	Y	D	N	1,798.17	1,798.17
63308		A	5.24	2.06	1.88	9.18	5.24	2.06	1.88	9.18	ZZZ	N	N	Y	D	N	242.08	242.08
63600		A	15.12	7.96	1.9	24.98	15.12	7.96	1.9	24.98	090	Y	N	D	N	N	658.72	658.72
63610		A	8.72	1.56	0.82	11.1	8.72	1.56	0.82	11.1	000	Y	N	D	N	N	292.71	292.71
63615		A	17.32	10.05	7.46	34.83	17.32	10.05	7.46	34.83	090	Y	N	N	D	N	918.47	918.47
63620		A	15.6	9.2	6.23	31.03	15.6	9.2	6.23	31.03	090	N	N	Y	N	N	818.26	818.26
63621		A	4	1.57	1.58	7.15	4	1.57	1.58	7.15	ZZZ	N	N	Y	N	N	188.55	188.55

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
63650		A	7.15	3.47	0.77	11.39	7.15	24.89	0.77	32.81	010	Y	N	N	N	N	300.35	865.20
63655		A	10.92	7.87	4.11	22.9	10.92	7.87	4.11	22.9	090	Y	N	Y	D	N	603.87	603.87
63661		A	5.08	2.86	0.85	8.79	5.08	8.78	0.85	14.71	010	Y	N	Y	D	N	231.79	387.90
63662		A	11	8	1.86	20.86	11	8	1.86	20.86	090	Y	N	Y	D	N	550.08	550.08
63663		A	7.75	3.7	1.31	12.76	7.75	11.53	1.31	20.59	010	Y	N	Y	D	N	336.48	542.96
63664		A	11.52	8.17	1.93	21.62	11.52	8.17	1.93	21.62	090	Y	N	Y	D	N	570.12	570.12
63685		A	5.19	3.6	1.13	9.92	5.19	3.6	1.13	9.92	010	Y	N	Y	D	N	261.59	261.59
63688		A	5.3	3.54	1.22	10.06	5.3	3.54	1.22	10.06	010	Y	N	N	N	N	265.28	265.28
63700		A	17.47	10.57	7.52	35.56	17.47	10.57	7.52	35.56	090	Y	N	Y	D	N	937.72	937.72
63702		A	19.41	11.38	8.38	39.17	19.41	11.38	8.38	39.17	090	Y	N	Y	D	N	1,032.91	1,032.91
63704		A	22.43	14.11	9.66	46.2	22.43	14.11	9.66	46.2	090	Y	N	Y	D	N	1,218.29	1,218.29
63706		A	25.35	14.49	10.95	50.79	25.35	14.49	10.95	50.79	090	Y	N	Y	D	N	1,339.33	1,339.33
63707		A	12.65	8.5	4.21	25.36	12.65	8.5	4.21	25.36	090	Y	N	Y	D	N	668.74	668.74
63709		A	15.65	9.68	5.4	30.73	15.65	9.68	5.4	30.73	090	Y	N	Y	D	N	810.35	810.35
63710		A	15.4	9.65	5.84	30.89	15.4	9.65	5.84	30.89	090	Y	N	Y	D	N	814.57	814.57
63740		A	12.63	8.57	5.11	26.31	12.63	8.57	5.11	26.31	090	Y	N	Y	D	N	693.79	693.79
63741		A	9.12	6.19	2.63	17.94	9.12	6.19	2.63	17.94	090	Y	N	Y	D	N	473.08	473.08
63744		A	8.94	6.38	3.68	19	8.94	6.38	3.68	19	090	Y	N	Y	D	N	501.03	501.03
63746		A	7.33	6.05	3.17	16.55	7.33	6.05	3.17	16.55	090	Y	N	D	N	N	436.42	436.42
64400		A	1.11	0.58	0.21	1.9	1.11	1.86	0.21	3.18	000	Y	Y	N	N	N	50.10	83.86
64402		A	1.25	0.6	0.21	2.06	1.25	1.71	0.21	3.17	000	Y	Y	N	N	N	54.32	83.59
64405		A	0.94	0.57	0.23	1.74	0.94	1.44	0.23	2.61	000	Y	Y	N	N	N	45.88	68.83
64408		A	1.41	0.46	0.19	2.06	1.41	1.05	0.19	2.65	000	Y	Y	D	N	N	54.32	69.88
64410		A	1.43	0.36	0.4	2.19	1.43	1.56	0.4	3.39	000	Y	Y	D	N	N	57.75	89.39
64412		A	1.18	0.6	0.24	2.02	1.18	2.11	0.24	3.53	000	Y	Y	N	N	N	53.27	93.09
64413		A	1.4	0.61	0.24	2.25	1.4	1.61	0.24	3.25	000	Y	Y	N	N	N	59.33	85.70
64415		A	1.48	0.23	0.14	1.85	1.48	1.46	0.14	3.08	000	Y	Y	N	N	N	48.78	81.22
64416		A	1.81	0.27	0.16	2.24	1.81	0.27	0.16	2.24	000	Y	Y	N	N	N	59.07	59.07
64417		A	1.44	0.39	0.14	1.97	1.44	1.76	0.14	3.34	000	Y	Y	N	N	N	51.95	88.08
64418		A	1.32	0.61	0.14	2.07	1.32	2.16	0.14	3.62	000	Y	Y	N	N	N	54.59	95.46
64420		A	1.18	0.57	0.14	1.89	1.18	1.59	0.14	2.91	000	Y	N	N	N	N	49.84	76.74
64421		A	1.68	0.7	0.24	2.62	1.68	2.06	0.24	3.98	000	Y	Y	N	N	N	69.09	104.95
64425		A	1.75	0.65	0.24	2.64	1.75	1.54	0.24	3.53	000	Y	Y	N	N	N	69.62	93.09
64430		A	1.46	0.63	0.16	2.25	1.46	1.92	0.16	3.54	000	Y	Y	N	N	N	59.33	93.35
64435		A	1.45	0.63	0.29	2.37	1.45	1.81	0.29	3.55	000	Y	Y	N	N	N	62.50	93.61
64445		A	1.48	0.37	0.19	2.04	1.48	1.82	0.19	3.49	000	Y	Y	N	N	N	53.79	92.03
64446		A	1.81	0.27	0.16	2.24	1.81	0.27	0.16	2.24	000	Y	Y	N	N	N	59.07	59.07
64447		A	1.5	0.23	0.14	1.87	1.5	1.45	0.14	3.09	000	Y	Y	N	N	N	49.31	81.48
64448		A	1.63	0.24	0.14	2.01	1.63	0.24	0.14	2.01	000	Y	Y	N	N	N	53.00	53.00
64449		A	1.81	0.36	0.16	2.33	1.81	0.36	0.16	2.33	000	Y	Y	N	N	N	61.44	61.44
64450		A	0.75	0.42	0.08	1.25	0.75	1.21	0.08	2.04	000	Y	Y	N	N	N	32.96	53.79
64455		A	0.75	0.16	0.1	1.01	0.75	0.45	0.1	1.3	000	Y	Y	D	N	N	26.63	34.28
64479		A	2.29	1.11	0.33	3.73	2.29	3.55	0.33	6.17	000	Y	Y	N	N	N	98.36	162.70
64480		A	1.2	0.43	0.21	1.84	1.2	1.58	0.21	2.99	ZZZ	N	Y	N	N	N	48.52	78.85
64483		A	1.9	1	0.19	3.09	1.9	3.53	0.19	5.62	000	Y	Y	N	N	N	81.48	148.20
64484		A	1	0.36	0.1	1.46	1	1.18	0.1	2.28	ZZZ	N	Y	N	N	N	38.50	60.12
64490		A	1.82	0.92	0.24	2.98	1.82	2.89	0.24	4.95	000	Y	Y	Y	N	N	78.58	130.53
64491		A	1.16	0.41	0.14	1.71	1.16	1.18	0.14	2.48	ZZZ	N	Y	Y	N	N	45.09	65.40
64492		A	1.16	0.42	0.14	1.72	1.16	1.2	0.14	2.5	ZZZ	N	Y	Y	N	N	45.36	65.93
64493		A	1.52	0.82	0.16	2.5	1.52	2.75	0.16	4.43	000	Y	Y	Y	N	N	65.93	116.82
64494		A	1	0.35	0.1	1.45	1	1.16	0.1	2.26	ZZZ	N	Y	Y	N	N	38.24	59.60
64495		A	1	0.37	0.1	1.47	1	1.16	0.1	2.26	ZZZ	N	Y	Y	N	N	38.76	59.60
64505		A	1.36	0.83	0.13	2.32	1.36	1.23	0.13	2.72	000	Y	Y	N	N	N	61.18	71.73
64508		A	1.12	0.74	0.29	2.15	1.12	0.42	0.29	1.83	000	Y	Y	D	N	N	56.70	48.26

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
64510		A	1.22	0.67	0.13	2.02	1.22	1.9	0.13	3.25	000	Y	Y	N	N	N	53.27	85.70
64517		A	2.2	0.9	0.21	3.31	2.2	2.17	0.21	4.58	000	Y	N	N	N	N	87.28	120.77
64520		A	1.35	0.71	0.14	2.2	1.35	3.14	0.14	4.63	000	Y	Y	N	N	N	58.01	122.09
64530		A	1.58	0.79	0.16	2.53	1.58	3.09	0.16	4.83	000	Y	N	N	N	N	66.72	127.37
64550		A	0.18	0.06	0.01	0.25	0.18	0.22	0.01	0.41	000	N	N	N	N	N	6.59	10.81
64553		A	2.36	1.44	0.45	4.25	2.36	2.67	0.45	5.48	010	Y	N	D	N	N	112.07	144.51
64555		A	2.32	1.43	0.31	4.06	2.32	2.64	0.31	5.27	010	Y	N	N	N	N	107.06	138.97
64561		A	7.15	2.9	0.94	10.99	7.15	12.2	0.94	20.29	010	Y	Y	N	N	N	289.81	535.05
64565		A	1.81	1.41	0.29	3.51	1.81	2.67	0.29	4.77	010	Y	N	N	N	N	92.56	125.78
64566		NOT COVEI	0.6	0.17	0.06	0.83	0.6	2.26	0.06	2.92	000	Y	N	D	N	N	21.89	77.00
64568		A	9	6.1	1.51	16.61	9	6.1	1.51	16.61	090	Y	Y	D	N	N	438.01	438.01
64569		NOT COVEI	11	6.89	3.79	21.68	11	6.89	3.79	21.68	090	Y	Y	D	D	D	571.70	571.70
64570		NOT COVEI	9.1	6.28	3.93	19.31	9.1	6.28	3.93	19.31	090	Y	Y	D	D	D	509.20	509.20
64575		A	4.42	3.29	0.53	8.24	4.42	3.29	0.53	8.24	090	Y	N	N	N	N	217.29	217.29
64580		A	4.19	2.88	1.06	8.13	4.19	2.88	1.06	8.13	090	Y	N	Y	N	N	214.39	214.39
64581		A	12.2	4.48	1.9	18.58	12.2	4.48	1.9	18.58	090	Y	N	N	N	N	489.95	489.95
64585		A	2.11	1.44	0.33	3.88	2.11	3.79	0.33	6.23	010	Y	N	N	N	N	102.32	164.29
64590		A	2.45	1.52	0.35	4.32	2.45	3.91	0.35	6.71	010	Y	N	N	D	N	113.92	176.94
64595		A	1.78	1.34	0.26	3.38	1.78	4.08	0.26	6.12	010	Y	N	N	N	N	89.13	161.38
64600		A	3.49	1.79	0.64	5.92	3.49	5.73	0.64	9.86	010	Y	B	N	N	N	156.11	260.01
64605		A	5.65	3.64	0.53	9.82	5.65	12.36	0.53	18.54	010	Y	Y	D	N	N	258.95	488.90
64610		A	7.2	3.83	2.59	13.62	7.2	9.71	2.59	19.5	010	Y	Y	N	N	N	359.16	514.22
64611		A	1.03	1.24	0.35	2.62	1.03	1.56	0.35	2.94	010	Y	B	D	N	N	69.09	77.53
64612		A	1.41	1.38	0.55	3.34	1.41	1.71	0.55	3.67	010	Y	Y	N	N	N	88.08	96.78
64615		NOT COVEI	1.85	1	0.72	3.57	1.85	1.37	0.72	3.94	010	Y	B	N	N	N	94.14	103.90
64616		A	1.53	0.92	0.54	2.99	1.53	1.26	0.54	3.33	010	Y	Y	N	N	N	78.85	87.81
64617		A	1.9	0.94	0.29	3.13	1.9	2.72	0.29	4.91	010	Y	Y	N	N	N	82.54	129.48
64620		A	2.89	1.5	0.35	4.74	2.89	2.24	0.35	5.48	010	Y	N	N	N	N	124.99	144.51
64630		A	3.05	1.69	0.41	5.15	3.05	2.56	0.41	6.02	010	Y	N	D	N	N	135.81	158.75
64632		A	1.23	0.55	0.13	1.91	1.23	0.92	0.13	2.28	010	Y	Y	D	N	N	50.37	60.12
64633		A	3.84	2.01	0.4	6.25	3.84	6.77	0.4	11.01	010	Y	Y	N	N	N	164.81	290.33
64634		A	1.32	0.47	0.14	1.93	1.32	3.45	0.14	4.91	ZZZ	N	Y	N	N	N	50.89	129.48
64635		A	3.78	1.99	0.39	6.16	3.78	6.69	0.39	10.86	010	Y	Y	N	N	N	162.44	286.38
64636		A	1.16	0.41	0.11	1.68	1.16	3.15	0.11	4.42	ZZZ	N	Y	N	N	N	44.30	116.56
64640		A	1.23	1.11	0.14	2.48	1.23	2.03	0.14	3.4	010	Y	Y	N	N	N	65.40	89.66
64642		A	1.65	0.92	0.39	2.96	1.65	1.66	0.39	3.7	000	Y	N	N	N	N	78.06	97.57
64643		A	1.22	0.51	0.28	2.01	1.22	0.97	0.28	2.47	ZZZ	N	N	N	N	N	53.00	65.13
64644		A	1.82	0.99	0.41	3.22	1.82	1.96	0.41	4.19	000	Y	N	N	N	N	84.91	110.49
64645		A	1.39	0.58	0.33	2.3	1.39	1.27	0.33	2.99	ZZZ	N	N	N	N	N	60.65	78.85
64646		A	1.8	0.98	0.41	3.19	1.8	1.76	0.41	3.97	000	Y	N	N	N	N	84.12	104.69
64647		A	2.11	1.11	0.48	3.7	2.11	2.02	0.48	4.61	000	Y	N	N	N	N	97.57	121.57
64650		A	0.7	0.31	0.14	1.15	0.7	1.11	0.14	1.95	000	Y	N	D	N	N	30.33	51.42
64653		A	0.88	0.37	0.29	1.54	0.88	1.34	0.29	2.51	000	Y	N	D	N	N	40.61	66.19
64680		A	2.67	1.56	0.36	4.59	2.67	4.92	0.36	7.95	010	Y	N	N	N	N	121.04	209.64
64681		A	3.78	1.15	0.36	5.29	3.78	4.62	0.36	8.76	010	Y	N	N	N	N	139.50	231.00
64702		A	6.26	5.71	1.27	13.24	6.26	5.71	1.27	13.24	090	Y	N	N	N	N	349.14	349.14
64704		A	4.69	3.24	0.65	8.58	4.69	3.24	0.65	8.58	090	Y	N	Y	D	N	226.25	226.25
64708		A	6.36	5.52	1.39	13.27	6.36	5.52	1.39	13.27	090	Y	N	Y	D	N	349.93	349.93
64712		A	8.07	5.58	1.6	15.25	8.07	5.58	1.6	15.25	090	Y	Y	Y	D	N	402.14	402.14
64713		A	11.4	5.91	2.81	20.12	11.4	5.91	2.81	20.12	090	Y	Y	Y	D	N	530.56	530.56
64714		A	10.55	4.95	2.06	17.56	10.55	4.95	2.06	17.56	090	Y	Y	Y	D	N	463.06	463.06
64716		A	6.99	6.12	1.36	14.47	6.99	6.12	1.36	14.47	090	Y	N	Y	D	N	381.57	381.57
64718		A	7.26	6.81	1.78	15.85	7.26	6.81	1.78	15.85	090	Y	Y	D	N	N	417.96	417.96
64719		A	4.97	4.55	1.12	10.64	4.97	4.55	1.12	10.64	090	Y	Y	N	N	N	280.58	280.58

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
64721		A	4.97	5.14	1.18	11.29	4.97	5.21	1.18	11.36	090	Y	Y	N	N	N	297.72	299.56
64722		A	4.82	4.04	1	9.86	4.82	4.04	1	9.86	090	Y	N	Y	D	N	260.01	260.01
64726		A	4.27	2.6	0.46	7.33	4.27	2.6	0.46	7.33	090	Y	N	N	N	N	193.29	193.29
64727		A	3.1	1.32	0.72	5.14	3.1	1.32	0.72	5.14	ZZZ	N	N	N	N	N	135.54	135.54
64732		A	4.89	4.3	2.12	11.31	4.89	4.3	2.12	11.31	090	Y	Y	Y	N	N	298.24	298.24
64734		A	5.55	4.05	0.85	10.45	5.55	4.05	0.85	10.45	090	Y	Y	D	N	N	275.57	275.57
64736		A	5.23	4.51	2.26	12	5.23	4.51	2.26	12	090	Y	Y	Y	N	N	316.44	316.44
64738		A	6.36	4.36	2.73	13.45	6.36	4.36	2.73	13.45	090	Y	Y	Y	N	N	354.68	354.68
64740		A	6.22	5.12	0.97	12.31	6.22	5.12	0.97	12.31	090	Y	Y	Y	N	N	324.61	324.61
64742		A	6.85	5.59	1.04	13.48	6.85	5.59	1.04	13.48	090	Y	Y	Y	N	N	355.47	355.47
64744		A	5.72	5.28	2.45	13.45	5.72	5.28	2.45	13.45	090	Y	Y	D	N	N	354.68	354.68
64746		A	6.56	3.64	1.85	12.05	6.56	3.64	1.85	12.05	090	Y	Y	Y	D	N	317.76	317.76
64752		A	7.69	3.91	2.17	13.77	7.69	3.91	2.17	13.77	090	Y	N	Y	D	N	363.11	363.11
64755		A	15.05	6.64	3.86	25.55	15.05	6.64	3.86	25.55	090	Y	N	Y	D	N	673.75	673.75
64760		A	7.59	4.52	1.93	14.04	7.59	4.52	1.93	14.04	090	Y	N	Y	D	N	370.23	370.23
64761		A	7.04	4.28	1.22	12.54	7.04	4.28	1.22	12.54	090	Y	Y	Y	N	N	330.68	330.68
64763		A	7.56	4.43	1.93	13.92	7.56	4.43	1.93	13.92	090	Y	Y	Y	D	N	367.07	367.07
64766		A	9.47	4.75	1.09	15.31	9.47	4.75	1.09	15.31	090	Y	Y	Y	N	N	403.72	403.72
64771		A	8.15	6.29	1.26	15.7	8.15	6.29	1.26	15.7	090	Y	N	Y	N	N	414.01	414.01
64772		A	7.84	5.31	2.17	15.32	7.84	5.31	2.17	15.32	090	Y	N	Y	D	N	403.99	403.99
64774		A	5.8	4.23	1.26	11.29	5.8	4.23	1.26	11.29	090	Y	N	N	N	N	297.72	297.72
64776		A	5.6	3.98	1	10.58	5.6	3.98	1	10.58	090	Y	N	D	N	N	278.99	278.99
64778		A	3.11	0.63	0.73	4.47	3.11	0.63	0.73	4.47	ZZZ	N	N	N	N	N	117.87	117.87
64782		A	6.86	4.28	1.09	12.23	6.86	4.28	1.09	12.23	090	Y	N	N	D	N	322.51	322.51
64783		A	3.71	1.72	0.54	5.97	3.71	1.72	0.54	5.97	ZZZ	N	N	N	N	N	157.43	157.43
64784		A	10.62	7.09	2.4	20.11	10.62	7.09	2.4	20.11	090	Y	N	D	N	N	530.30	530.30
64786		A	16.25	9.65	3.86	29.76	16.25	9.65	3.86	29.76	090	Y	Y	Y	N	N	784.77	784.77
64787		A	4.29	1.69	0.82	6.8	4.29	1.69	0.82	6.8	ZZZ	N	N	D	N	N	179.32	179.32
64788		A	5.24	4.21	1.29	10.74	5.24	4.21	1.29	10.74	090	Y	N	N	N	N	283.21	283.21
64790		A	12.1	7.36	3.3	22.76	12.1	7.36	3.3	22.76	090	Y	N	D	D	N	600.18	600.18
64792		A	15.86	10.51	6.83	33.2	15.86	10.51	6.83	33.2	090	Y	N	Y	D	N	875.48	875.48
64795		A	3.01	1.47	0.98	5.46	3.01	1.47	0.98	5.46	000	Y	N	N	N	N	143.98	143.98
64802		A	10.37	6.83	0.98	18.18	10.37	6.83	0.98	18.18	090	Y	Y	Y	D	N	479.41	479.41
64804		A	15.91	10.27	1.52	27.7	15.91	10.27	1.52	27.7	090	Y	Y	Y	D	N	730.45	730.45
64809		A	14.71	3.91	1.41	20.03	14.71	3.91	1.41	20.03	090	Y	Y	Y	D	N	528.19	528.19
64818		A	11.34	4.29	2.49	18.12	11.34	4.29	2.49	18.12	090	Y	Y	Y	D	N	477.82	477.82
64820		A	10.74	6.83	2.3	19.87	10.74	6.83	2.3	19.87	090	Y	N	N	N	N	523.97	523.97
64821		A	9.33	7.36	2.21	18.9	9.33	7.36	2.21	18.9	090	Y	Y	N	N	N	498.39	498.39
64822		A	9.33	7.36	2.21	18.9	9.33	7.36	2.21	18.9	090	Y	Y	N	N	N	498.39	498.39
64823		A	10.94	8.11	2.59	21.64	10.94	8.11	2.59	21.64	090	Y	Y	N	N	N	570.65	570.65
64831		A	9.16	7.32	1.96	18.44	9.16	7.32	1.96	18.44	090	Y	Y	N	N	N	486.26	486.26
64832		A	5.65	2.57	1.22	9.44	5.65	2.57	1.22	9.44	ZZZ	N	N	D	N	N	248.93	248.93
64834		A	10.81	7.17	2.22	20.2	10.81	7.17	2.22	20.2	090	Y	Y	D	N	N	532.67	532.67
64835		A	11.73	7.75	2.76	22.24	11.73	7.75	2.76	22.24	090	Y	Y	Y	N	N	586.47	586.47
64836		A	11.73	7.75	2.76	22.24	11.73	7.75	2.76	22.24	090	Y	Y	Y	N	N	586.47	586.47
64837		A	6.25	2.9	0.92	10.07	6.25	2.9	0.92	10.07	ZZZ	N	N	Y	N	N	265.55	265.55
64840		A	14.02	9.53	1.29	24.84	14.02	9.53	1.29	24.84	090	Y	Y	Y	N	N	655.03	655.03
64856		A	15.07	9.23	3.42	27.72	15.07	9.23	3.42	27.72	090	Y	N	N	D	N	730.98	730.98
64857		A	15.82	9.68	3.49	28.99	15.82	9.68	3.49	28.99	090	Y	N	Y	D	N	764.47	764.47
64858		A	17.82	7.88	4.22	29.92	17.82	7.88	4.22	29.92	090	Y	Y	Y	D	N	788.99	788.99
64859		A	4.25	1.97	0.99	7.21	4.25	1.97	0.99	7.21	ZZZ	N	N	Y	D	N	190.13	190.13
64861		A	20.89	11.97	4.95	37.81	20.89	11.97	4.95	37.81	090	Y	Y	Y	D	N	997.05	997.05
64862		A	21.09	8.81	9.09	38.99	21.09	8.81	9.09	38.99	090	Y	Y	Y	N	N	1,028.17	1,028.17
64864		A	13.41	8.34	2.05	23.8	13.41	8.34	2.05	23.8	090	Y	N	Y	D	N	627.61	627.61

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
64865		A	16.09	11.6	2.45	30.14	16.09	11.6	2.45	30.14	090	Y	N	Y	D	N	794.79	794.79
64866		A	16.83	11.88	2.6	31.31	16.83	11.88	2.6	31.31	090	Y	N	Y	D	N	825.64	825.64
64868		A	14.9	10.46	2.3	27.66	14.9	10.46	2.3	27.66	090	Y	N	Y	D	N	729.39	729.39
64870		A	17.08	7.34	4.81	29.23	17.08	7.34	4.81	29.23	090	Y	N	Y	D	N	770.80	770.80
64872		A	1.99	0.98	0.31	3.28	1.99	0.98	0.31	3.28	ZZZ	N	N	Y	D	N	86.49	86.49
64874		A	2.98	1.26	0.44	4.68	2.98	1.26	0.44	4.68	ZZZ	N	N	Y	D	N	123.41	123.41
64876		A	3.37	1.08	0.78	5.23	3.37	1.08	0.78	5.23	ZZZ	N	N	Y	D	N	137.92	137.92
64885		A	17.6	10.82	2.7	31.12	17.6	10.82	2.7	31.12	090	Y	N	Y	D	N	820.63	820.63
64886		A	20.82	11.61	3.2	35.63	20.82	11.61	3.2	35.63	090	Y	N	Y	D	N	939.56	939.56
64890		A	16.24	10.39	3.84	30.47	16.24	10.39	3.84	30.47	090	Y	N	Y	N	N	803.49	803.49
64891		A	17.35	11.02	4.12	32.49	17.35	11.02	4.12	32.49	090	Y	N	Y	N	N	856.76	856.76
64892		A	15.74	10.15	3.74	29.63	15.74	10.15	3.74	29.63	090	Y	N	Y	D	N	781.34	781.34
64893		A	16.87	10.78	4.02	31.67	16.87	10.78	4.02	31.67	090	Y	N	Y	N	N	835.14	835.14
64895		A	20.39	12.18	4.81	37.38	20.39	12.18	4.81	37.38	090	Y	N	Y	D	N	985.71	985.71
64896		A	21.96	13.16	9.48	44.6	21.96	13.16	9.48	44.6	090	Y	N	Y	D	N	1,176.10	1,176.10
64897		A	19.38	12.02	4.58	35.98	19.38	12.02	4.58	35.98	090	Y	N	Y	N	N	948.79	948.79
64898		A	20.97	12.01	4.97	37.95	20.97	12.01	4.97	37.95	090	Y	N	Y	D	N	1,000.74	1,000.74
64901		A	10.2	3.95	2.4	16.55	10.2	3.95	2.4	16.55	ZZZ	N	N	Y	D	N	436.42	436.42
64902		A	11.81	4.57	2.78	19.16	11.81	4.57	2.78	19.16	ZZZ	N	N	Y	N	N	505.25	505.25
64905		A	15.11	9.84	3.58	28.53	15.11	9.84	3.58	28.53	090	Y	N	Y	D	N	752.34	752.34
64907		A	20.03	11.23	1.71	32.97	20.03	11.23	1.71	32.97	090	Y	N	Y	D	N	869.42	869.42
64910		A	11.39	8.54	2.36	22.29	11.39	8.54	2.36	22.29	090	Y	N	Y	D	N	587.79	587.79
64911		A	14.39	10.28	3.42	28.09	14.39	10.28	3.42	28.09	090	Y	N	Y	D	N	740.73	740.73
64999		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
65091		A	7.26	8.44	1.73	17.43	7.26	8.44	1.73	17.43	090	Y	Y	D	D	N	459.63	459.63
65093		A	7.04	8.45	1.67	17.16	7.04	8.45	1.67	17.16	090	Y	Y	N	D	N	452.51	452.51
65101		A	8.3	9.9	1.96	20.16	8.3	9.9	1.96	20.16	090	Y	Y	N	N	N	531.62	531.62
65103		A	8.84	10.18	2.08	21.1	8.84	10.18	2.08	21.1	090	Y	Y	N	D	N	556.41	556.41
65105		A	9.93	11.08	2.34	23.35	9.93	11.08	2.34	23.35	090	Y	Y	Y	D	N	615.74	615.74
65110		A	15.7	14.73	2.4	32.83	15.7	14.73	2.4	32.83	090	Y	Y	Y	D	N	865.73	865.73
65112		A	18.51	16.83	2.83	38.17	18.51	16.83	2.83	38.17	090	Y	Y	Y	D	N	1,006.54	1,006.54
65114		A	19.65	17.43	3.03	40.11	19.65	17.43	3.03	40.11	090	Y	Y	Y	D	N	1,057.70	1,057.70
65125		A	3.27	3.96	0.77	8	3.27	7.75	0.77	11.79	090	Y	Y	N	D	N	210.96	310.90
65130		A	8.42	9.68	1.98	20.08	8.42	9.68	1.98	20.08	090	Y	Y	N	D	N	529.51	529.51
65135		A	8.6	9.78	2.01	20.39	8.6	9.78	2.01	20.39	090	Y	Y	N	N	N	537.68	537.68
65140		A	9.46	10.52	1.47	21.45	9.46	10.52	1.47	21.45	090	Y	Y	N	N	N	565.64	565.64
65150		A	6.43	7.82	0.54	14.79	6.43	7.82	0.54	14.79	090	Y	Y	D	N	N	390.01	390.01
65155		A	10.1	10.87	2.36	23.33	10.1	10.87	2.36	23.33	090	Y	Y	N	N	N	615.21	615.21
65175		A	7.4	8.83	1.14	17.37	7.4	8.83	1.14	17.37	090	Y	Y	N	D	N	458.05	458.05
65205		A	0.71	0.42	0.13	1.26	0.71	0.69	0.13	1.53	000	Y	Y	N	N	N	33.23	40.35
65210		A	0.84	0.52	0.14	1.5	0.84	0.87	0.14	1.85	000	Y	Y	N	N	N	39.56	48.78
65220		A	0.71	0.34	0.14	1.19	0.71	0.7	0.14	1.55	000	Y	Y	N	N	N	31.38	40.87
65222		A	0.84	0.5	0.15	1.49	0.84	0.83	0.15	1.82	000	Y	Y	N	N	N	39.29	47.99
65235		A	9.01	8.63	1.49	19.13	9.01	8.63	1.49	19.13	090	Y	Y	D	N	N	504.46	504.46
65260		A	12.54	11.38	1.06	24.98	12.54	11.38	1.06	24.98	090	Y	Y	Y	N	N	658.72	658.72
65265		A	14.34	12.65	3.71	30.7	14.34	12.65	3.71	30.7	090	Y	Y	Y	D	N	809.56	809.56
65270		A	1.95	1.58	0.33	3.86	1.95	4.48	0.33	6.76	010	Y	Y	D	N	N	101.79	178.26
65272		A	4.62	4.16	0.4	9.18	4.62	7.65	0.4	12.67	090	Y	Y	N	N	N	242.08	334.11
65273		A	5.16	4.38	0.44	9.98	5.16	4.38	0.44	9.98	090	Y	Y	N	D	N	263.17	263.17
65275		A	6.29	5.29	1.03	12.61	6.29	7.95	1.03	15.27	090	Y	Y	D	N	N	332.53	402.67
65280		A	9.1	7.72	2.16	18.98	9.1	7.72	2.16	18.98	090	Y	Y	D	N	N	500.50	500.50
65285		A	15.36	12.46	3.25	31.07	15.36	12.46	3.25	31.07	090	Y	Y	N	N	N	819.32	819.32
65286		A	6.63	5.78	1.08	13.49	6.63	10.59	1.08	18.3	090	Y	Y	N	N	N	355.73	482.57
65290		A	6.53	5.73	1.53	13.79	6.53	5.73	1.53	13.79	090	Y	Y	N	D	N	363.64	363.64

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
65400		A	7.5	7.51	1.24	16.25	7.5	9.28	1.24	18.02	090	Y	Y	N	N	N	428.51	475.19
65410		A	1.47	1.16	0.38	3.01	1.47	2.04	0.38	3.89	000	Y	Y	D	N	N	79.37	102.58
65420		A	4.36	4.9	0.68	9.94	4.36	8.05	0.68	13.09	090	Y	Y	N	N	N	262.12	345.18
65426		A	6.05	5.88	0.99	12.92	6.05	9.88	0.99	16.92	090	Y	Y	N	N	N	340.70	446.18
65430		A	1.47	1.14	0.26	2.87	1.47	1.39	0.26	3.12	000	Y	Y	N	N	N	75.68	82.27
65435		A	0.92	0.82	0.19	1.93	0.92	1.06	0.19	2.17	000	Y	Y	N	N	N	50.89	57.22
65436		A	4.82	4.46	1	10.28	4.82	4.82	1	10.64	090	Y	Y	N	N	N	271.08	280.58
65450		A	3.47	4.47	0.58	8.52	3.47	4.53	0.58	8.58	090	Y	Y	N	N	N	224.67	226.25
65600		A	4.2	4.35	0.72	9.27	4.2	5.51	0.72	10.43	090	Y	Y	N	N	N	244.45	275.04
65710		A	14.45	13.17	2.36	29.98	14.45	13.17	2.36	29.98	090	Y	Y	Y	D	N	790.57	790.57
65730		A	16.35	14.34	2.68	33.37	16.35	14.34	2.68	33.37	090	Y	Y	Y	D	N	879.97	879.97
65750		A	16.9	14.03	2.6	33.53	16.9	14.03	2.6	33.53	090	Y	Y	Y	D	N	884.19	884.19
65755		A	16.79	13.96	2.75	33.5	16.79	13.96	2.75	33.5	090	Y	Y	Y	D	N	883.40	883.40
65756		A	16.84	12.93	1.44	31.21	16.84	12.93	1.44	31.21	090	Y	Y	Y	D	N	823.01	823.01
65757		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
65760		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
65765		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
65767		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
65770		A	19.74	15.57	8.5	43.81	19.74	15.57	8.5	43.81	090	Y	Y	Y	N	N	1,155.27	1,155.27
65771		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
65772		A	5.09	5.03	0.78	10.9	5.09	6.06	0.78	11.93	090	Y	Y	N	N	N	287.43	314.59
65775		A	6.91	6.82	0.59	14.32	6.91	6.82	0.59	14.32	090	Y	Y	N	N	N	377.62	377.62
65778		NOT COVEI	1.19	0.62	0.21	2.02	1.19	31.13	0.21	32.53	010	Y	Y	D	N	N	53.27	857.82
65779		NOT COVEI	3.92	3.2	0.68	7.8	3.92	25.03	0.68	29.63	010	Y	Y	D	N	N	205.69	781.34
65780		A	10.73	11.37	1.67	23.77	10.73	11.37	1.67	23.77	090	Y	Y	N	D	N	626.81	626.81
65781		A	18.14	15.27	1.53	34.94	18.14	15.27	1.53	34.94	090	Y	Y	Y	D	N	921.37	921.37
65782		A	15.43	13.36	3.68	32.47	15.43	13.36	3.68	32.47	090	Y	Y	N	D	N	856.23	856.23
65800		A	1.53	0.81	0.26	2.6	1.53	1.44	0.26	3.23	000	Y	Y	N	N	N	68.56	85.18
65810		A	5.82	5.76	1	12.58	5.82	5.76	1	12.58	090	Y	Y	N	N	N	331.73	331.73
65815		A	6	5.9	1.27	13.17	6	9.6	1.27	16.87	090	Y	Y	N	N	N	347.29	444.86
65820		A	8.91	9.68	0.75	19.34	8.91	9.68	0.75	19.34	090	Y	Y	D	N	N	510.00	510.00
65850		A	11.39	9.65	2.39	23.43	11.39	9.65	2.39	23.43	090	Y	Y	N	D	N	617.85	617.85
65855		A	3.99	3.46	0.75	8.2	3.99	4.38	0.75	9.12	010	Y	Y	N	N	N	216.23	240.49
65860		A	3.59	2.78	1.58	7.95	3.59	4.06	1.58	9.23	090	Y	Y	D	N	N	209.64	243.40
65865		A	5.77	5.98	0.46	12.21	5.77	5.98	0.46	12.21	090	Y	Y	N	D	N	321.98	321.98
65870		A	7.39	7.33	1.54	16.26	7.39	7.33	1.54	16.26	090	Y	Y	N	D	N	428.78	428.78
65875		A	7.81	7.86	1.29	16.96	7.81	7.86	1.29	16.96	090	Y	Y	N	D	N	447.24	447.24
65880		A	8.36	8.16	0.72	17.24	8.36	8.16	0.72	17.24	090	Y	Y	N	N	N	454.62	454.62
65900		A	12.51	11.54	1.06	25.11	12.51	11.54	1.06	25.11	090	Y	Y	Y	N	N	662.15	662.15
65920		A	9.99	9.66	1.54	21.19	9.99	9.66	1.54	21.19	090	Y	Y	N	D	N	558.78	558.78
65930		A	8.39	7.53	1.78	17.7	8.39	7.53	1.78	17.7	090	Y	Y	N	D	N	466.75	466.75
66020		A	1.64	1.63	0.14	3.41	1.64	2.9	0.14	4.68	010	Y	Y	N	N	N	89.92	123.41
66030		A	1.3	1.44	0.21	2.95	1.3	2.71	0.21	4.22	010	Y	Y	N	N	N	77.79	111.28
66130		A	7.83	6.44	2	16.27	7.83	9.37	2	19.2	090	Y	Y	D	N	N	429.04	506.30
66150		A	10.53	11.23	0.88	22.64	10.53	11.23	0.88	22.64	090	Y	Y	N	D	N	597.02	597.02
66155		A	10.52	11.22	0.88	22.62	10.52	11.22	0.88	22.62	090	Y	Y	N	N	N	596.49	596.49
66160		A	12.39	12.21	1.04	25.64	12.39	12.21	1.04	25.64	090	Y	Y	N	D	N	676.13	676.13
66165		A	10.24	8.04	0.87	19.15	10.24	8.04	0.87	19.15	090	Y	Y	Y	N	N	504.99	504.99
66170		A	15.02	14.88	2.31	32.21	15.02	14.88	2.31	32.21	090	Y	Y	Y	D	N	849.38	849.38
66172		A	18.86	18.84	2.89	40.59	18.86	18.84	2.89	40.59	090	Y	Y	Y	D	N	1,070.36	1,070.36
66174		NOT COVEI	12.85	10.87	2.73	26.45	12.85	10.87	2.73	26.45	090	Y	Y	Y	D	N	697.49	697.49
66175		NOT COVEI	13.6	11.27	5.85	30.72	13.6	11.27	5.85	30.72	090	Y	Y	Y	D	N	810.09	810.09
66180		A	16.3	12.95	2.55	31.8	16.3	12.95	2.55	31.8	090	Y	Y	Y	D	N	838.57	838.57
66183		A	13.2	12.49	2.78	28.47	13.2	12.49	2.78	28.47	090	Y	Y	Y	D	N	750.75	750.75

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
66185		A	9.58	9.13	2.01	20.72	9.58	9.13	2.01	20.72	090	Y	Y	Y	N	N	546.39	546.39
66220		A	9.21	9.31	1.52	20.04	9.21	9.31	1.52	20.04	090	Y	Y	Y	D	N	528.45	528.45
66225		A	12.63	10.71	2.98	26.32	12.63	10.71	2.98	26.32	090	Y	Y	N	D	N	694.06	694.06
66250		A	7.1	6.81	1.68	15.59	7.1	11.22	1.68	20	090	Y	Y	N	N	N	411.11	527.40
66500		A	3.83	4.9	0.33	9.06	3.83	4.9	0.33	9.06	090	Y	Y	N	D	N	238.91	238.91
66505		A	4.22	5.35	0.36	9.93	4.22	5.35	0.36	9.93	090	Y	Y	N	N	N	261.85	261.85
66600		A	10.12	10.57	0.92	21.61	10.12	10.57	0.92	21.61	090	Y	Y	N	N	N	569.86	569.86
66605		A	14.22	12.21	1.23	27.66	14.22	12.21	1.23	27.66	090	Y	Y	N	N	N	729.39	729.39
66625		A	5.3	5.38	0.87	11.55	5.3	5.38	0.87	11.55	090	Y	Y	N	N	N	304.57	304.57
66630		A	7.28	6.92	1.47	15.67	7.28	6.92	1.47	15.67	090	Y	Y	N	N	N	413.22	413.22
66635		A	7.37	6.97	0.63	14.97	7.37	6.97	0.63	14.97	090	Y	Y	N	N	N	394.76	394.76
66680		A	6.39	6.48	1.63	14.5	6.39	6.48	1.63	14.5	090	Y	Y	N	D	N	382.37	382.37
66682		A	7.33	8.45	1.76	17.54	7.33	8.45	1.76	17.54	090	Y	Y	N	N	N	462.53	462.53
66700		A	5.14	4.68	0.59	10.41	5.14	5.99	0.59	11.72	090	Y	Y	D	N	N	274.51	309.06
66710		A	5.14	4.68	1.23	11.05	5.14	5.76	1.23	12.13	090	Y	Y	N	N	N	291.39	319.87
66711		A	7.93	8.05	0.68	16.66	7.93	8.05	0.68	16.66	090	Y	Y	N	N	N	439.32	439.32
66720		A	5	5.44	0.82	11.26	5	6.6	0.82	12.42	090	Y	Y	N	N	N	296.93	327.52
66740		A	5.14	4.68	0.41	10.23	5.14	5.7	0.41	11.25	090	Y	Y	N	N	N	269.77	296.66
66761		A	3	2.88	0.54	6.42	3	4.28	0.54	7.82	010	Y	Y	N	N	N	169.30	206.21
66762		A	5.38	5.23	0.82	11.43	5.38	6.35	0.82	12.55	090	Y	Y	N	N	N	301.41	330.94
66770		A	6.13	5.93	0.5	12.56	6.13	6.95	0.5	13.58	090	Y	Y	N	N	N	331.21	358.10
66820		A	4.01	5.66	0.8	10.47	4.01	5.66	0.8	10.47	090	Y	Y	N	N	N	276.09	276.09
66821		A	3.42	4.27	0.64	8.33	3.42	4.68	0.64	8.74	090	Y	Y	N	N	N	219.66	230.47
66825		A	9.01	9.84	1.41	20.26	9.01	9.84	1.41	20.26	090	Y	Y	D	N	N	534.26	534.26
66830		A	9.47	8.35	0.8	18.62	9.47	8.35	0.8	18.62	090	Y	Y	N	N	N	491.01	491.01
66840		A	9.18	8.24	2.17	19.59	9.18	8.24	2.17	19.59	090	Y	Y	N	N	N	516.59	516.59
66850		A	10.55	9.28	1.76	21.59	10.55	9.28	1.76	21.59	090	Y	Y	N	N	N	569.33	569.33
66852		A	11.41	9.74	2.4	23.55	11.41	9.74	2.4	23.55	090	Y	Y	D	D	N	621.01	621.01
66920		A	10.13	8.74	0.85	19.72	10.13	8.74	0.85	19.72	090	Y	Y	D	D	N	520.02	520.02
66930		A	11.61	9.85	0.98	22.44	11.61	9.85	0.98	22.44	090	Y	Y	D	N	N	591.74	591.74
66940		A	10.37	9.19	2.08	21.64	10.37	9.19	2.08	21.64	090	Y	Y	D	D	N	570.65	570.65
66982		A	11.08	8.88	2.06	22.02	11.08	8.88	2.06	22.02	090	Y	Y	N	N	N	580.67	580.67
66983		A	10.43	8.3	0.99	19.72	10.43	8.3	0.99	19.72	090	Y	Y	N	N	N	520.02	520.02
66984		A	8.52	7.48	1.61	17.61	8.52	7.48	1.61	17.61	090	Y	Y	N	N	N	464.38	464.38
66985		A	9.98	9.26	1.54	20.78	9.98	9.26	1.54	20.78	090	Y	Y	N	D	N	547.97	547.97
66986		A	12.26	10.48	1.88	24.62	12.26	10.48	1.88	24.62	090	Y	Y	N	D	N	649.23	649.23
66990		A	1.51	0.8	0.13	2.44	1.51	0.8	0.13	2.44	ZZZ	N	N	N	N	N	64.34	64.34
66999		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
67005		A	5.89	5.87	1.51	13.27	5.89	5.87	1.51	13.27	090	Y	Y	N	D	N	349.93	349.93
67010		A	7.06	6.49	1.18	14.73	7.06	6.49	1.18	14.73	090	Y	Y	N	D	N	388.43	388.43
67015		A	7.14	7.29	1.19	15.62	7.14	7.29	1.19	15.62	090	Y	Y	N	D	N	411.90	411.90
67025		A	8.11	7.67	1.73	17.51	8.11	9.83	1.73	19.67	090	Y	Y	N	D	N	461.74	518.70
67027		A	11.62	9.73	2.44	23.79	11.62	9.73	2.44	23.79	090	Y	Y	Y	D	N	627.34	627.34
67028		A	1.44	1.08	0.24	2.76	1.44	1.11	0.24	2.79	000	Y	Y	N	N	N	72.78	73.57
67030		A	6.11	7.07	0.5	13.68	6.11	7.07	0.5	13.68	090	Y	Y	N	D	N	360.74	360.74
67031		A	4.47	4.41	0.7	9.58	4.47	5.14	0.7	10.31	090	Y	Y	N	N	N	252.62	271.87
67036		A	13.32	10.73	2.19	26.24	13.32	10.73	2.19	26.24	090	Y	Y	Y	D	N	691.95	691.95
67039		A	16.74	14.15	3.57	34.46	16.74	14.15	3.57	34.46	090	Y	Y	Y	D	N	908.71	908.71
67040		A	19.61	15.97	3.23	38.81	19.61	15.97	3.23	38.81	090	Y	Y	Y	D	N	1,023.42	1,023.42
67041		A	19.25	14.09	3.17	36.51	19.25	14.09	3.17	36.51	090	Y	Y	Y	D	N	962.77	962.77
67042		A	22.38	15.74	3.72	41.84	22.38	15.74	3.72	41.84	090	Y	Y	Y	D	N	1,103.32	1,103.32
67043		A	23.24	16.82	4.92	44.98	23.24	16.82	4.92	44.98	090	Y	Y	Y	D	N	1,186.12	1,186.12
67101		A	8.8	8.04	1.86	18.7	8.8	10.56	1.86	21.22	090	Y	Y	N	N	N	493.12	559.57
67105		A	8.53	7.58	1.41	17.52	8.53	9.31	1.41	19.25	090	Y	Y	N	N	N	462.00	507.62

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
67107		A	16.71	13.75	3.54	34	16.71	13.75	3.54	34	090	Y	Y	Y	D	N	896.58	896.58
67108		A	22.89	17.45	3.77	44.11	22.89	17.45	3.77	44.11	090	Y	Y	Y	D	N	1,163.18	1,163.18
67110		A	10.25	9.13	1.57	20.95	10.25	11.28	1.57	23.1	090	Y	Y	N	N	N	552.45	609.15
67112		A	18.75	14.56	3.09	36.4	18.75	14.56	3.09	36.4	090	Y	Y	Y	D	N	959.87	959.87
67113		A	25.35	18.56	4.18	48.09	25.35	18.56	4.18	48.09	090	Y	Y	Y	D	N	1,268.13	1,268.13
67115		A	6.11	6.31	0.94	13.36	6.11	6.31	0.94	13.36	090	Y	Y	N	N	N	352.30	352.30
67120		A	7.1	6.83	1.68	15.61	7.1	9.11	1.68	17.89	090	Y	Y	N	D	N	411.64	471.76
67121		A	12.25	10.49	2.6	25.34	12.25	10.49	2.6	25.34	090	Y	Y	Y	D	N	668.22	668.22
67141		A	6.15	6.01	1.31	13.47	6.15	6.83	1.31	14.29	090	Y	Y	N	N	N	355.20	376.83
67145		A	6.32	6.1	1.03	13.45	6.32	6.76	1.03	14.11	090	Y	Y	N	N	N	354.68	372.08
67208		A	7.65	6.81	0.64	15.1	7.65	7.29	0.64	15.58	090	Y	Y	N	N	N	398.19	410.84
67210		A	6.36	6.12	1.13	13.61	6.36	6.52	1.13	14.01	090	Y	Y	N	N	N	358.90	369.44
67218		A	20.36	14.49	1.76	36.61	20.36	14.49	1.76	36.61	090	Y	Y	N	N	N	965.41	965.41
67220		A	6.36	6.12	1.36	13.84	6.36	6.9	1.36	14.62	090	Y	Y	N	N	N	364.96	385.53
67221		A	3.45	1.98	0.58	6.01	3.45	3.67	0.58	7.7	000	Y	N	N	N	N	158.48	203.05
67225		A	0.47	0.25	0.04	0.76	0.47	0.28	0.04	0.79	ZZZ	N	N	N	N	N	20.04	20.83
67227		A	7.53	6.75	0.64	14.92	7.53	7.65	0.64	15.82	090	Y	Y	N	N	N	393.44	417.17
67228		A	13.82	10.04	2.52	26.38	13.82	11.25	2.52	27.59	090	Y	Y	N	N	N	695.64	727.55
67229		A	16.3	11.64	1.41	29.35	16.3	11.64	1.41	29.35	090	Y	Y	N	N	N	773.96	773.96
67250		A	9.61	9.81	1.95	21.37	9.61	9.81	1.95	21.37	090	Y	Y	N	D	N	563.53	563.53
67255		A	10.17	10.73	2.39	23.29	10.17	10.73	2.39	23.29	090	Y	Y	Y	D	N	614.16	614.16
67299		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
67311		A	7.77	7.17	1.57	16.51	7.77	7.17	1.57	16.51	090	Y	Y	N	N	N	435.37	435.37
67312		A	9.66	8.18	2.3	20.14	9.66	8.18	2.3	20.14	090	Y	Y	N	D	N	531.09	531.09
67314		A	8.79	8.02	1.78	18.59	8.79	8.02	1.78	18.59	090	Y	Y	N	N	N	490.22	490.22
67316		A	10.93	9.14	2.59	22.66	10.93	9.14	2.59	22.66	090	Y	Y	D	N	N	597.54	597.54
67318		A	9.12	8.49	0.77	18.38	9.12	8.49	0.77	18.38	090	Y	Y	N	D	N	484.68	484.68
67320		A	5.4	2.82	0.45	8.67	5.4	2.82	0.45	8.67	ZZZ	N	N	N	N	N	228.63	228.63
67331		A	5.13	2.68	1.03	8.84	5.13	2.68	1.03	8.84	ZZZ	N	Y	N	D	N	233.11	233.11
67332		A	5.56	2.92	1.12	9.6	5.56	2.92	1.12	9.6	ZZZ	N	Y	N	D	N	253.15	253.15
67334		A	5.05	2.65	0.41	8.11	5.05	2.65	0.41	8.11	ZZZ	N	Y	N	D	N	213.86	213.86
67335		A	2.49	1.31	0.49	4.29	2.49	1.31	0.49	4.29	ZZZ	N	Y	N	D	N	113.13	113.13
67340		A	6	3.15	0.5	9.65	6	3.15	0.5	9.65	ZZZ	N	N	Y	N	N	254.47	254.47
67343		A	8.47	7.84	2	18.31	8.47	7.84	2	18.31	090	Y	Y	N	D	N	482.83	482.83
67345		A	3.01	2.31	0.97	6.29	3.01	2.88	0.97	6.86	010	Y	Y	N	N	N	165.87	180.90
67346		A	2.87	2.03	0.73	5.63	2.87	2.03	0.73	5.63	000	Y	Y	D	N	N	148.46	148.46
67399		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
67400		A	11.2	11.86	2.49	25.55	11.2	11.86	2.49	25.55	090	Y	Y	N	D	N	673.75	673.75
67405		A	9.2	10.38	1.42	21	9.2	10.38	1.42	21	090	Y	Y	N	N	N	553.77	553.77
67412		A	10.3	10.8	2.24	23.34	10.3	10.8	2.24	23.34	090	Y	Y	N	D	N	615.48	615.48
67413		A	10.24	10.89	2.4	23.53	10.24	10.89	2.4	23.53	090	Y	Y	Y	N	N	620.49	620.49
67414		A	17.94	15.19	2.75	35.88	17.94	15.19	2.75	35.88	090	Y	Y	Y	D	N	946.16	946.16
67415		A	1.76	0.91	0.29	2.96	1.76	0.91	0.29	2.96	000	Y	Y	D	N	N	78.06	78.06
67420		A	21.87	18.37	5.17	45.41	21.87	18.37	5.17	45.41	090	Y	Y	Y	D	N	1,197.46	1,197.46
67430		A	15.29	15.7	1.31	32.3	15.29	15.7	1.31	32.3	090	Y	Y	Y	N	N	851.75	851.75
67440		A	14.84	15.13	2.3	32.27	14.84	15.13	2.3	32.27	090	Y	Y	Y	D	N	850.96	850.96
67445		A	19.12	15.87	4.53	39.52	19.12	15.87	4.53	39.52	090	Y	Y	Y	D	N	1,042.14	1,042.14
67450		A	15.41	15.59	2.36	33.36	15.41	15.59	2.36	33.36	090	Y	Y	Y	D	N	879.70	879.70
67500		A	1.44	0.42	0.14	2	1.44	0.57	0.14	2.15	000	Y	Y	N	N	N	52.74	56.70
67505		A	1.27	0.8	0.31	2.38	1.27	0.97	0.31	2.55	000	Y	Y	N	N	N	62.76	67.24
67515		A	1.4	0.87	0.31	2.58	1.4	1.04	0.31	2.75	000	Y	Y	N	N	N	68.03	72.52
67550		A	11.77	12.06	2.76	26.59	11.77	12.06	2.76	26.59	090	Y	Y	N	D	N	701.18	701.18
67560		A	12.18	12.35	1.88	26.41	12.18	12.35	1.88	26.41	090	Y	Y	D	N	N	696.43	696.43
67570		A	14.4	13.96	6.19	34.55	14.4	13.96	6.19	34.55	090	Y	Y	Y	D	N	911.08	911.08

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
67599		C	0	0	0	0	0	0	0	0	YYY	Y	Y	Y	D	D	0.00	0.00
67700		A	1.4	1.48	0.28	3.16	1.4	4.98	0.28	6.66	010	Y	Y	N	N	N	83.33	175.62
67710		A	1.07	1.34	0.26	2.67	1.07	4.25	0.26	5.58	010	Y	Y	N	N	N	70.41	147.14
67715		A	1.27	1.41	0.31	2.99	1.27	4.38	0.31	5.96	010	Y	Y	N	N	N	78.85	157.17
67800		A	1.41	1.19	0.29	2.89	1.41	1.72	0.29	3.42	010	Y	N	N	N	N	76.21	90.19
67801		A	1.91	1.45	0.44	3.8	1.91	2.1	0.44	4.45	010	Y	N	N	N	N	100.21	117.35
67805		A	2.27	1.86	0.53	4.66	2.27	2.7	0.53	5.5	010	Y	N	N	N	N	122.88	145.04
67808		A	4.6	4.56	1.08	10.24	4.6	4.56	1.08	10.24	090	Y	N	N	N	N	270.03	270.03
67810		A	1.18	0.59	0.21	1.98	1.18	2.86	0.21	4.25	000	Y	Y	N	N	N	52.21	112.07
67820		A	0.71	0.63	0.14	1.48	0.71	0.55	0.14	1.4	000	Y	Y	N	N	N	39.03	36.92
67825		A	1.43	1.58	0.33	3.34	1.43	1.74	0.33	3.5	010	Y	Y	N	N	N	88.08	92.30
67830		A	1.75	1.68	0.41	3.84	1.75	4.63	0.41	6.79	010	Y	Y	N	N	N	101.26	179.05
67835		A	5.7	5.26	1.36	12.32	5.7	5.26	1.36	12.32	090	Y	Y	D	N	N	324.88	324.88
67840		A	2.09	1.86	0.41	4.36	2.09	4.54	0.41	7.04	010	Y	Y	N	N	N	114.97	185.64
67850		A	1.74	1.59	0.29	3.62	1.74	3.39	0.29	5.42	010	Y	Y	N	N	N	95.46	142.93
67875		A	1.35	1.09	0.29	2.73	1.35	2.79	0.29	4.43	000	Y	Y	N	N	N	71.99	116.82
67880		A	4.6	4.56	0.98	10.14	4.6	6.63	0.98	12.21	090	Y	Y	N	N	N	267.39	321.98
67882		A	6.02	5.75	1.42	13.19	6.02	7.85	1.42	15.29	090	Y	Y	N	N	N	347.82	403.20
67900		A	6.82	5.86	1.47	14.15	6.82	8.85	1.47	17.14	090	Y	Y	N	N	N	373.14	451.98
67901		A	7.59	6.79	1.8	16.18	7.59	10.91	1.8	20.3	090	Y	Y	N	N	N	426.67	535.31
67902		A	9.82	8.25	2.32	20.39	9.82	8.25	2.32	20.39	090	Y	Y	N	D	N	537.68	537.68
67903		A	6.51	5.57	1.52	13.6	6.51	8.08	1.52	16.11	090	Y	Y	N	D	N	358.63	424.82
67904		A	7.97	6.95	1.82	16.74	7.97	10.03	1.82	19.82	090	Y	Y	N	D	N	441.43	522.65
67906		A	6.93	5.81	0.59	13.33	6.93	5.81	0.59	13.33	090	Y	Y	N	N	N	351.51	351.51
67908		A	5.3	5.27	1.26	11.83	5.3	6.85	1.26	13.41	090	Y	Y	N	N	N	311.96	353.62
67909		A	5.57	5.3	1.32	12.19	5.57	7.53	1.32	14.42	090	Y	Y	N	N	N	321.45	380.26
67911		A	7.5	6.55	1.68	15.73	7.5	6.55	1.68	15.73	090	Y	Y	N	N	N	414.80	414.80
67912		A	6.36	5.81	1.12	13.29	6.36	14.86	1.12	22.34	090	Y	Y	N	N	N	350.46	589.11
67914		A	3.75	4.34	0.82	8.91	3.75	7.6	0.82	12.17	090	Y	Y	N	N	N	234.96	320.92
67915		A	2.03	2.84	0.34	5.21	2.03	5.01	0.34	7.38	090	Y	Y	N	N	N	137.39	194.61
67916		A	5.48	5.24	1.14	11.86	5.48	8.94	1.14	15.56	090	Y	Y	N	N	N	312.75	410.32
67917		A	5.93	5.49	1.33	12.75	5.93	8.8	1.33	16.06	090	Y	Y	N	N	N	336.22	423.50
67921		A	3.47	4.21	0.82	8.5	3.47	7.65	0.82	11.94	090	Y	Y	N	N	N	224.15	314.86
67922		A	2.03	2.84	0.33	5.2	2.03	4.96	0.33	7.32	090	Y	Y	N	N	N	137.12	193.03
67923		A	5.48	5.25	1.23	11.96	5.48	8.94	1.23	15.65	090	Y	Y	N	N	N	315.39	412.69
67924		A	5.93	5.49	1.36	12.78	5.93	9.45	1.36	16.74	090	Y	Y	N	N	N	337.01	441.43
67930		A	3.65	2.37	0.85	6.87	3.65	5.22	0.85	9.72	010	Y	Y	N	N	N	181.16	256.32
67935		A	6.36	4.69	1.51	12.56	6.36	8.18	1.51	16.05	090	Y	Y	N	N	N	331.21	423.24
67938		A	1.38	1.49	0.26	3.13	1.38	4.4	0.26	6.04	010	Y	Y	N	N	N	82.54	159.27
67950		A	5.99	5.53	1.32	12.84	5.99	8.02	1.32	15.33	090	Y	Y	N	D	N	338.59	404.25
67961		A	5.86	5.47	1.32	12.65	5.86	8.22	1.32	15.4	090	Y	Y	D	N	N	333.58	406.10
67966		A	8.97	7.47	2.05	18.49	8.97	10	2.05	21.02	090	Y	Y	N	N	N	487.58	554.30
67971		A	10.01	8.11	2.35	20.47	10.01	8.11	2.35	20.47	090	Y	Y	N	D	N	539.79	539.79
67973		A	13.13	10.21	3.11	26.45	13.13	10.21	3.11	26.45	090	Y	Y	Y	D	N	697.49	697.49
67974		A	13.1	10.21	3.11	26.42	13.1	10.21	3.11	26.42	090	Y	Y	Y	D	N	696.70	696.70
67975		A	9.35	7.76	2.21	19.32	9.35	7.76	2.21	19.32	090	Y	Y	N	N	N	509.47	509.47
67999		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
68020		A	1.42	1.35	0.24	3.01	1.42	1.54	0.24	3.2	010	Y	Y	N	N	N	79.37	84.38
68040		A	0.85	0.48	0.19	1.52	0.85	0.76	0.19	1.8	000	Y	Y	N	N	N	40.08	47.47
68100		A	1.35	1.09	0.24	2.68	1.35	2.75	0.24	4.34	000	Y	Y	N	N	N	70.67	114.45
68110		A	1.82	1.88	0.41	4.11	1.82	3.64	0.41	5.87	010	Y	Y	N	N	N	108.38	154.79
68115		A	2.41	2.19	0.38	4.98	2.41	5.12	0.38	7.91	010	Y	Y	N	N	N	131.32	208.59
68130		A	5.1	5.16	0.41	10.67	5.1	8.06	0.41	13.57	090	Y	Y	N	N	N	281.37	357.84
68135		A	1.89	1.87	0.31	4.07	1.89	2	0.31	4.2	010	Y	Y	N	N	N	107.33	110.75

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
68200		A	0.49	0.38	0.1	0.97	0.49	0.53	0.1	1.12	000	Y	Y	N	N	N	25.58	29.53
68320		A	6.64	6.77	1.54	14.95	6.64	11.02	1.54	19.2	090	Y	Y	N	D	N	394.23	506.30
68325		A	8.63	7.8	2.03	18.46	8.63	7.8	2.03	18.46	090	Y	Y	N	D	N	486.79	486.79
68326		A	8.42	7.7	1.98	18.1	8.42	7.7	1.98	18.1	090	Y	Y	N	N	N	477.30	477.30
68328		A	9.45	8.24	2.24	19.93	9.45	8.24	2.24	19.93	090	Y	Y	D	N	N	525.55	525.55
68330		A	5.78	5.7	1.37	12.85	5.78	8.98	1.37	16.13	090	Y	Y	D	N	N	338.85	425.35
68335		A	8.46	7.72	2	18.18	8.46	7.72	2	18.18	090	Y	Y	N	D	N	479.41	479.41
68340		A	4.97	4.97	1.19	11.13	4.97	8.31	1.19	14.47	090	Y	Y	D	N	N	293.50	381.57
68360		A	5.17	5.08	1.23	11.48	5.17	7.83	1.23	14.23	090	Y	Y	N	N	N	302.73	375.25
68362		A	8.61	7.8	2.03	18.44	8.61	7.8	2.03	18.44	090	Y	Y	N	D	N	486.26	486.26
68371		A	5.09	5.18	0.41	10.68	5.09	5.18	0.41	10.68	010	Y	Y	N	N	N	281.63	281.63
68399		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
68400		A	1.74	1.55	0.41	3.7	1.74	5.06	0.41	7.21	010	Y	Y	N	N	N	97.57	190.13
68420		A	2.35	1.87	0.36	4.58	2.35	5.38	0.36	8.09	010	Y	Y	N	N	N	120.77	213.33
68440		A	0.99	1.44	0.24	2.67	0.99	1.51	0.24	2.74	010	Y	Y	N	N	N	70.41	72.25
68500		A	12.77	11.6	3.59	27.96	12.77	11.6	3.59	27.96	090	Y	Y	N	N	N	737.31	737.31
68505		A	12.69	11.56	2.98	27.23	12.69	11.56	2.98	27.23	090	Y	Y	N	N	N	718.06	718.06
68510		A	4.6	2.85	1.08	8.53	4.6	6.37	1.08	12.05	000	Y	Y	D	N	N	224.94	317.76
68520		A	8.78	8.34	1.37	18.49	8.78	8.34	1.37	18.49	090	Y	Y	D	N	N	487.58	487.58
68525		A	4.42	2.3	1.03	7.75	4.42	2.3	1.03	7.75	000	Y	Y	N	D	N	204.37	204.37
68530		A	3.7	2.78	0.87	7.35	3.7	6.69	0.87	11.26	010	Y	Y	N	N	N	193.82	296.93
68540		A	12.18	11.03	1.88	25.09	12.18	11.03	1.88	25.09	090	Y	Y	N	D	N	661.62	661.62
68550		A	15.16	13.32	2.32	30.8	15.16	13.32	2.32	30.8	090	Y	Y	N	N	N	812.20	812.20
68700		A	7.87	7.21	1.85	16.93	7.87	7.21	1.85	16.93	090	Y	Y	N	N	N	446.44	446.44
68705		A	2.11	2.03	0.49	4.63	2.11	3.64	0.49	6.24	010	Y	Y	N	N	N	122.09	164.55
68720		A	9.96	8.93	2	20.89	9.96	8.93	2	20.89	090	Y	Y	Y	D	N	550.87	550.87
68745		A	9.9	9.09	2.34	21.33	9.9	9.09	2.34	21.33	090	Y	Y	Y	D	N	562.47	562.47
68750		A	10.1	9.48	2.36	21.94	10.1	9.48	2.36	21.94	090	Y	Y	Y	D	N	578.56	578.56
68760		A	1.78	1.86	0.41	4.05	1.78	3.12	0.41	5.31	010	Y	Y	N	N	N	106.80	140.02
68761		A	1.41	1.56	0.26	3.23	1.41	2.2	0.26	3.87	010	Y	Y	D	N	N	85.18	102.05
68770		A	8.29	7.43	1.95	17.67	8.29	7.43	1.95	17.67	090	Y	Y	D	N	N	465.96	465.96
68801		A	1	1.63	0.19	2.82	1	2.02	0.19	3.21	010	Y	Y	N	N	N	74.36	84.65
68810		A	2.15	2.49	0.46	5.1	2.15	3.74	0.46	6.35	010	Y	Y	N	N	N	134.49	167.45
68811		A	2.45	2.66	0.58	5.69	2.45	2.66	0.58	5.69	010	Y	Y	N	N	N	150.05	150.05
68815		A	3.3	3.12	0.7	7.12	3.3	7.52	0.7	11.52	010	Y	Y	N	N	N	187.75	303.78
68816		A	3.06	3.15	0.72	6.93	3.06	14.49	0.72	18.27	010	Y	Y	N	N	N	182.74	481.78
68840		A	1.3	1.6	0.29	3.19	1.3	1.85	0.29	3.44	010	Y	Y	N	N	N	84.12	90.71
68850		A	0.8	0.58	0.09	1.47	0.8	0.69	0.09	1.58	000	Y	Y	N	N	N	38.76	41.66
68899		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
69000		A	1.5	1.44	0.26	3.2	1.5	3.04	0.26	4.8	010	Y	Y	N	N	N	84.38	126.58
69005		A	2.16	1.73	0.35	4.24	2.16	3.09	0.35	5.6	010	Y	Y	N	N	N	111.81	147.67
69020		A	1.53	1.97	0.24	3.74	1.53	4.11	0.24	5.88	010	Y	Y	N	N	N	98.62	155.06
69090		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
69100		A	0.81	0.4	0.14	1.35	0.81	1.56	0.14	2.51	000	Y	N	N	N	N	35.60	66.19
69105		A	0.85	0.73	0.13	1.71	0.85	2.55	0.13	3.53	000	Y	Y	N	N	N	45.09	93.09
69110		A	3.53	4.33	0.64	8.5	3.53	7.45	0.64	11.62	090	Y	Y	N	N	N	224.15	306.42
69120		A	4.14	5.77	0.72	10.63	4.14	5.77	0.72	10.63	090	Y	N	N	N	N	280.31	280.31
69140		A	8.14	13.29	1.26	22.69	8.14	13.29	1.26	22.69	090	Y	Y	D	N	N	598.34	598.34
69145		A	2.7	3.46	0.41	6.57	2.7	6.96	0.41	10.07	090	Y	Y	N	N	N	173.25	265.55
69150		A	13.61	12.21	2.34	28.16	13.61	12.21	2.34	28.16	090	Y	N	N	D	N	742.58	742.58
69155		A	23.35	18.11	3.62	45.08	23.35	18.11	3.62	45.08	090	Y	N	Y	D	N	1,188.76	1,188.76
69200		A	0.77	0.67	0.13	1.57	0.77	2.19	0.13	3.09	000	Y	Y	N	N	N	41.40	81.48
69205		A	1.21	1.3	0.19	2.7	1.21	1.3	0.19	2.7	010	Y	Y	N	N	N	71.20	71.20
69210		A	0.61	0.22	0.09	0.92	0.61	0.6	0.09	1.3	000	Y	B	N	N	N	24.26	34.28

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
69220		A	0.83	0.72	0.13	1.68	0.83	2.5	0.13	3.46	000	Y	Y	N	N	N	44.30	91.24
69222		A	1.45	1.92	0.21	3.58	1.45	3.89	0.21	5.55	010	Y	Y	N	N	N	94.40	146.35
69300		NOT COVEI	6.69	5.14	1.03	12.86	6.69	11.22	1.03	18.94	YYY	Y	Y	D	N	N	339.12	499.45
69310		A	10.97	15.72	1.73	28.42	10.97	15.72	1.73	28.42	090	Y	Y	N	N	N	749.44	749.44
69320		A	17.18	20.38	2.64	40.2	17.18	20.38	2.64	40.2	090	Y	Y	Y	N	N	1,060.07	1,060.07
69399		C	0	0	0	0	0	0	0	0	YYY	Y	N	D	D	D	0.00	0.00
69400		A	0.83	0.72	0.13	1.68	0.83	2.75	0.13	3.71	000	Y	Y	N	N	N	44.30	97.83
69401		A	0.63	0.62	0.09	1.34	0.63	1.52	0.09	2.24	000	Y	Y	N	N	N	35.34	59.07
69405		A	2.68	2.1	0.41	5.19	2.68	3.74	0.41	6.83	010	Y	Y	D	N	N	136.86	180.11
69420		A	1.38	1.6	0.21	3.19	1.38	3.28	0.21	4.87	010	Y	Y	N	N	N	84.12	128.42
69421		A	1.78	1.9	0.28	3.96	1.78	1.9	0.28	3.96	010	Y	Y	N	N	N	104.43	104.43
69424		A	0.85	0.7	0.13	1.68	0.85	2.25	0.13	3.23	000	Y	Y	N	N	N	44.30	85.18
69433		A	1.57	1.71	0.26	3.54	1.57	3.36	0.26	5.19	010	Y	Y	N	N	N	93.35	136.86
69436		A	2.01	1.96	0.31	4.28	2.01	1.96	0.31	4.28	010	Y	Y	N	N	N	112.86	112.86
69440		A	7.71	9.34	1.19	18.24	7.71	9.34	1.19	18.24	090	Y	Y	N	N	N	480.99	480.99
69450		A	5.69	7.74	0.87	14.3	5.69	7.74	0.87	14.3	090	Y	Y	D	N	N	377.09	377.09
69501		A	9.21	8.95	1.42	19.58	9.21	8.95	1.42	19.58	090	Y	Y	N	N	N	516.32	516.32
69502		A	12.56	11.53	2.03	26.12	12.56	11.53	2.03	26.12	090	Y	Y	D	N	N	688.78	688.78
69505		A	13.17	16.4	2.05	31.62	13.17	16.4	2.05	31.62	090	Y	Y	D	N	N	833.82	833.82
69511		A	13.7	16.61	2.12	32.43	13.7	16.61	2.12	32.43	090	Y	Y	D	N	N	855.18	855.18
69530		A	20.38	20.42	3.14	43.94	20.38	20.42	3.14	43.94	090	Y	Y	Y	N	N	1,158.70	1,158.70
69535		A	37.42	28.87	6.28	72.57	37.42	28.87	6.28	72.57	090	Y	Y	N	D	N	1,913.67	1,913.67
69540		A	1.25	1.87	0.19	3.31	1.25	3.82	0.19	5.26	010	Y	Y	N	N	N	87.28	138.71
69550		A	11.15	14.41	1.73	27.29	11.15	14.41	1.73	27.29	090	Y	Y	Y	N	N	719.64	719.64
69552		A	19.81	18.97	3.06	41.84	19.81	18.97	3.06	41.84	090	Y	Y	Y	N	N	1,103.32	1,103.32
69554		A	35.97	26.69	5.54	68.2	35.97	26.69	5.54	68.2	090	Y	Y	Y	D	N	1,798.43	1,798.43
69601		A	13.45	12.55	2.06	28.06	13.45	12.55	2.06	28.06	090	Y	Y	D	N	N	739.94	739.94
69602		A	13.76	13.25	2.12	29.13	13.76	13.25	2.12	29.13	090	Y	Y	D	N	N	768.16	768.16
69603		A	14.2	16.8	2.19	33.19	14.2	16.8	2.19	33.19	090	Y	Y	D	N	N	875.22	875.22
69604		A	14.2	13.42	2.19	29.81	14.2	13.42	2.19	29.81	090	Y	Y	N	N	N	786.09	786.09
69605		A	18.69	19.76	2.89	41.34	18.69	19.76	2.89	41.34	090	Y	Y	Y	N	N	1,090.14	1,090.14
69610		A	4.47	2.8	0.7	7.97	4.47	5	0.7	10.17	010	Y	Y	N	N	N	210.17	268.18
69620		A	6.03	6.04	0.92	12.99	6.03	10.84	0.92	17.79	090	Y	Y	N	N	N	342.55	469.12
69631		A	10.05	11.81	1.54	23.4	10.05	11.81	1.54	23.4	090	Y	Y	N	N	N	617.06	617.06
69632		A	12.96	13.76	2	28.72	12.96	13.76	2	28.72	090	Y	Y	N	N	N	757.35	757.35
69633		A	12.31	13.51	1.91	27.73	12.31	13.51	1.91	27.73	090	Y	Y	N	N	N	731.24	731.24
69635		A	13.51	16.78	2.08	32.37	13.51	16.78	2.08	32.37	090	Y	Y	N	N	N	853.60	853.60
69636		A	15.43	18.5	2.36	36.29	15.43	18.5	2.36	36.29	090	Y	Y	D	N	N	956.97	956.97
69637		A	15.32	18.46	2.4	36.18	15.32	18.46	2.4	36.18	090	Y	Y	D	N	N	954.07	954.07
69641		A	12.89	12.93	2.01	27.83	12.89	12.93	2.01	27.83	090	Y	Y	N	N	N	733.88	733.88
69642		A	17.06	16.14	2.63	35.83	17.06	16.14	2.63	35.83	090	Y	Y	N	N	N	944.84	944.84
69643		A	15.59	14.8	2.4	32.79	15.59	14.8	2.4	32.79	090	Y	Y	N	N	N	864.67	864.67
69644		A	17.23	19.17	2.66	39.06	17.23	19.17	2.66	39.06	090	Y	Y	N	N	N	1,030.01	1,030.01
69645		A	16.71	19.05	2.61	38.37	16.71	19.05	2.61	38.37	090	Y	Y	N	N	N	1,011.82	1,011.82
69646		A	18.37	19.65	2.83	40.85	18.37	19.65	2.83	40.85	090	Y	Y	D	N	N	1,077.21	1,077.21
69650		A	9.8	10.13	1.51	21.44	9.8	10.13	1.51	21.44	090	Y	Y	N	N	N	565.37	565.37
69660		A	12.03	10.98	1.86	24.87	12.03	10.98	1.86	24.87	090	Y	Y	N	N	N	655.82	655.82
69661		A	15.92	14.11	2.4	32.43	15.92	14.11	2.4	32.43	090	Y	Y	D	N	N	855.18	855.18
69662		A	15.6	13.15	2.4	31.15	15.6	13.15	2.4	31.15	090	Y	Y	N	N	N	821.43	821.43
69666		A	9.89	10.15	1.53	21.57	9.89	10.15	1.53	21.57	090	Y	Y	D	N	N	568.80	568.80
69667		A	9.9	10.18	1.53	21.61	9.9	10.18	1.53	21.61	090	Y	Y	D	N	N	569.86	569.86
69670		A	11.73	11.68	1.81	25.22	11.73	11.68	1.81	25.22	090	Y	Y	Y	N	N	665.05	665.05
69676		A	9.69	10.89	1.49	22.07	9.69	10.89	1.49	22.07	090	Y	Y	N	N	N	581.99	581.99
69700		A	8.37	8.63	1.29	18.29	8.37	8.63	1.29	18.29	090	Y	Y	N	N	N	482.31	482.31

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
69710		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
69711		A	10.62	10.77	1.63	23.02	10.62	10.77	1.63	23.02	090	Y	Y	Y	N	N	607.04	607.04
69714		A	14.45	12.31	2.24	29	14.45	12.31	2.24	29	090	Y	Y	N	N	N	764.73	764.73
69715		A	18.96	14.18	2.9	36.04	18.96	14.18	2.9	36.04	090	Y	Y	N	N	N	950.37	950.37
69717		A	15.43	12.69	2.36	30.48	15.43	12.69	2.36	30.48	090	Y	Y	N	N	N	803.76	803.76
69718		A	19.21	14.28	2.94	36.43	19.21	14.28	2.94	36.43	090	Y	Y	N	N	N	960.66	960.66
69720		A	14.71	14.88	2.27	31.86	14.71	14.88	2.27	31.86	090	Y	Y	D	D	N	840.15	840.15
69725		A	27.64	19.31	4.26	51.21	27.64	19.31	4.26	51.21	090	Y	Y	Y	N	N	1,350.41	1,350.41
69740		A	16.27	12.82	2.5	31.59	16.27	12.82	2.5	31.59	090	Y	Y	Y	N	N	833.03	833.03
69745		A	17.02	13.9	2.61	33.53	17.02	13.9	2.61	33.53	090	Y	Y	Y	N	N	884.19	884.19
69799		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
69801		A	2.06	1.1	0.33	3.49	2.06	2.75	0.33	5.14	000	Y	Y	D	N	N	92.03	135.54
69805		A	14.71	11.56	2.27	28.54	14.71	11.56	2.27	28.54	090	Y	Y	Y	N	N	752.60	752.60
69806		A	12.63	10.92	1.96	25.51	12.63	10.92	1.96	25.51	090	Y	Y	N	N	N	672.70	672.70
69820		A	10.52	10.73	1.63	22.88	10.52	10.73	1.63	22.88	090	Y	Y	Y	N	N	603.35	603.35
69840		A	10.44	11.97	0.88	23.29	10.44	11.97	0.88	23.29	090	Y	Y	Y	N	N	614.16	614.16
69905		A	11.26	11.5	1.76	24.52	11.26	11.5	1.76	24.52	090	Y	Y	N	N	N	646.59	646.59
69910		A	13.91	11.42	2.16	27.49	13.91	11.42	2.16	27.49	090	Y	Y	D	N	N	724.91	724.91
69915		A	22.77	15.66	3.57	42	22.77	15.66	3.57	42	090	Y	Y	Y	D	N	1,107.54	1,107.54
69930		A	17.73	12.83	2.73	33.29	17.73	12.83	2.73	33.29	090	Y	Y	D	N	N	877.86	877.86
69949		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
69950		A	27.63	16.97	4.26	48.86	27.63	16.97	4.26	48.86	090	Y	Y	Y	D	N	1,288.44	1,288.44
69955		A	29.42	20.01	4.53	53.96	29.42	20.01	4.53	53.96	090	Y	Y	Y	D	N	1,422.93	1,422.93
69960		NOT COVEI	29.42	18.72	4.53	52.67	29.42	18.72	4.53	52.67	090	Y	Y	Y	D	N	1,388.91	1,388.91
69970		A	32.41	21.16	5	58.57	32.41	21.16	5	58.57	090	Y	Y	Y	D	N	1,544.49	1,544.49
69979		C	0	0	0	0	0	0	0	0	YYY	Y	Y	D	D	D	0.00	0.00
69990		A	3.46	1.36	1.39	6.21	3.46	1.36	1.39	6.21	ZZZ	N	N	Y	N	N	163.76	163.76
70010		A	1.19	0.37	0.26	1.82	1.19	0.37	0.26	1.82	XXX	N	N	D	N	N	47.99	47.99
70015		A	1.19	2.54	0.1	3.83	1.19	2.54	0.1	3.83	XXX	N	N	D	N	N	101.00	101.00
70015	TC	A	0	2.17	0.01	2.18	0	2.17	0.01	2.18	XXX	N	N	D	N	N	57.49	57.49
70015	26	A	1.19	0.37	0.09	1.65	1.19	0.37	0.09	1.65	XXX	N	N	D	N	N	43.51	43.51
70030		A	0.17	0.54	0.03	0.74	0.17	0.54	0.03	0.74	XXX	N	N	D	N	N	19.51	19.51
70030	TC	A	0	0.49	0.01	0.5	0	0.49	0.01	0.5	XXX	N	N	D	N	N	13.19	13.19
70030	26	A	0.17	0.05	0.01	0.23	0.17	0.05	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
70100		A	0.18	0.66	0.03	0.87	0.18	0.66	0.03	0.87	XXX	N	N	D	N	N	22.94	22.94
70100	TC	A	0	0.6	0.01	0.61	0	0.6	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
70100	26	A	0.18	0.06	0.01	0.25	0.18	0.06	0.01	0.25	XXX	N	N	D	N	N	6.59	6.59
70110		A	0.25	0.72	0.03	1	0.25	0.72	0.03	1	XXX	N	N	D	N	N	26.37	26.37
70110	TC	A	0	0.64	0.01	0.65	0	0.64	0.01	0.65	XXX	N	N	D	N	N	17.14	17.14
70110	26	A	0.25	0.08	0.01	0.34	0.25	0.08	0.01	0.34	XXX	N	N	D	N	N	8.97	8.97
70120		A	0.18	0.69	0.03	0.9	0.18	0.69	0.03	0.9	XXX	N	N	D	N	N	23.73	23.73
70120	TC	A	0	0.63	0.01	0.64	0	0.63	0.01	0.64	XXX	N	N	D	N	N	16.88	16.88
70120	26	A	0.18	0.06	0.01	0.25	0.18	0.06	0.01	0.25	XXX	N	N	D	N	N	6.59	6.59
70130		A	0.34	1.07	0.03	1.44	0.34	1.07	0.03	1.44	XXX	N	N	D	N	N	37.97	37.97
70130	TC	A	0	0.97	0.01	0.98	0	0.97	0.01	0.98	XXX	N	N	D	N	N	25.84	25.84
70130	26	A	0.34	0.11	0.01	0.46	0.34	0.11	0.01	0.46	XXX	N	N	D	N	N	12.13	12.13
70134		A	0.34	1.02	0.03	1.39	0.34	1.02	0.03	1.39	XXX	N	N	D	N	N	36.65	36.65
70134	TC	A	0	0.88	0.01	0.89	0	0.88	0.01	0.89	XXX	N	N	D	N	N	23.47	23.47
70134	26	A	0.34	0.13	0.01	0.48	0.34	0.13	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
70140		A	0.19	0.54	0.03	0.76	0.19	0.54	0.03	0.76	XXX	N	N	D	N	N	20.04	20.04
70140	TC	A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
70140	26	A	0.19	0.07	0.01	0.27	0.19	0.07	0.01	0.27	XXX	N	N	D	N	N	7.12	7.12
70150		A	0.26	0.78	0.03	1.07	0.26	0.78	0.03	1.07	XXX	N	N	D	N	N	28.22	28.22
70150	TC	A	0	0.7	0.01	0.71	0	0.7	0.01	0.71	XXX	N	N	D	N	N	18.72	18.72

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
70150	26	A	0.26	0.08	0.01	0.35	0.26	0.08	0.01	0.35	XXX	N	N	D	N	N	9.23	9.23
70160		A	0.17	0.65	0.03	0.85	0.17	0.65	0.03	0.85	XXX	N	N	D	N	N	22.41	22.41
70160	TC	A	0	0.59	0.01	0.6	0	0.59	0.01	0.6	XXX	N	N	D	N	N	15.82	15.82
70160	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
70170		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
70170	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
70170	26	C	0.3	0.09	0.04	0.43	0.3	0.09	0.04	0.43	XXX	N	N	D	N	N	11.34	11.34
70190		A	0.21	0.67	0.03	0.91	0.21	0.67	0.03	0.91	XXX	N	N	D	N	N	24.00	24.00
70190	TC	A	0	0.6	0.01	0.61	0	0.6	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
70190	26	A	0.21	0.07	0.01	0.29	0.21	0.07	0.01	0.29	XXX	N	N	D	N	N	7.65	7.65
70200		A	0.28	0.79	0.03	1.1	0.28	0.79	0.03	1.1	XXX	N	N	D	N	N	29.01	29.01
70200	TC	A	0	0.7	0.01	0.71	0	0.7	0.01	0.71	XXX	N	N	D	N	N	18.72	18.72
70200	26	A	0.28	0.09	0.01	0.38	0.28	0.09	0.01	0.38	XXX	N	N	D	N	N	10.02	10.02
70210		A	0.17	0.57	0.03	0.77	0.17	0.57	0.03	0.77	XXX	N	N	D	N	N	20.30	20.30
70210	TC	A	0	0.52	0.01	0.53	0	0.52	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
70210	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
70220		A	0.25	0.7	0.03	0.98	0.25	0.7	0.03	0.98	XXX	N	N	D	N	N	25.84	25.84
70220	TC	A	0	0.62	0.01	0.63	0	0.62	0.01	0.63	XXX	N	N	D	N	N	16.61	16.61
70220	26	A	0.25	0.08	0.01	0.34	0.25	0.08	0.01	0.34	XXX	N	N	D	N	N	8.97	8.97
70240		A	0.19	0.56	0.03	0.78	0.19	0.56	0.03	0.78	XXX	N	N	D	N	N	20.57	20.57
70240	TC	A	0	0.49	0.01	0.5	0	0.49	0.01	0.5	XXX	N	N	D	N	N	13.19	13.19
70240	26	A	0.19	0.07	0.01	0.27	0.19	0.07	0.01	0.27	XXX	N	N	D	N	N	7.12	7.12
70250		A	0.24	0.67	0.03	0.94	0.24	0.67	0.03	0.94	XXX	N	N	D	N	N	24.79	24.79
70250	TC	A	0	0.58	0.01	0.59	0	0.58	0.01	0.59	XXX	N	N	D	N	N	15.56	15.56
70250	26	A	0.24	0.09	0.01	0.34	0.24	0.09	0.01	0.34	XXX	N	N	D	N	N	8.97	8.97
70260		A	0.34	0.83	0.03	1.2	0.34	0.83	0.03	1.2	XXX	N	N	D	N	N	31.64	31.64
70260	TC	A	0	0.72	0.01	0.73	0	0.72	0.01	0.73	XXX	N	N	D	N	N	19.25	19.25
70260	26	A	0.34	0.12	0.01	0.47	0.34	0.12	0.01	0.47	XXX	N	N	D	N	N	12.39	12.39
70300		A	0.1	0.26	0.03	0.39	0.1	0.26	0.03	0.39	XXX	N	N	D	N	N	10.28	10.28
70300	TC	A	0	0.21	0.01	0.22	0	0.21	0.01	0.22	XXX	N	N	D	N	N	5.80	5.80
70300	26	A	0.1	0.05	0.01	0.16	0.1	0.05	0.01	0.16	XXX	N	N	D	N	N	4.22	4.22
70310		A	0.16	0.76	0.03	0.95	0.16	0.76	0.03	0.95	XXX	N	N	D	N	N	25.05	25.05
70310	TC	A	0	0.71	0.01	0.72	0	0.71	0.01	0.72	XXX	N	N	D	N	N	18.99	18.99
70310	26	A	0.16	0.05	0.01	0.22	0.16	0.05	0.01	0.22	XXX	N	N	D	N	N	5.80	5.80
70320		A	0.22	1.06	0.03	1.31	0.22	1.06	0.03	1.31	XXX	N	N	D	N	N	34.54	34.54
70320	TC	A	0	0.97	0.01	0.98	0	0.97	0.01	0.98	XXX	N	N	D	N	N	25.84	25.84
70320	26	A	0.22	0.09	0.01	0.32	0.22	0.09	0.01	0.32	XXX	N	N	D	N	N	8.44	8.44
70328		A	0.18	0.59	0.03	0.8	0.18	0.59	0.03	0.8	XXX	N	N	D	N	N	21.10	21.10
70328	TC	A	0	0.52	0.01	0.53	0	0.52	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
70328	26	A	0.18	0.07	0.01	0.26	0.18	0.07	0.01	0.26	XXX	N	N	D	N	N	6.86	6.86
70330		A	0.24	0.95	0.03	1.22	0.24	0.95	0.03	1.22	XXX	N	B	D	N	N	32.17	32.17
70330	TC	A	0	0.86	0.01	0.87	0	0.86	0.01	0.87	XXX	N	B	D	N	N	22.94	22.94
70330	26	A	0.24	0.09	0.01	0.34	0.24	0.09	0.01	0.34	XXX	N	B	D	N	N	8.97	8.97
70332		A	0.54	1.49	0.05	2.08	0.54	1.49	0.05	2.08	XXX	N	N	D	N	N	54.85	54.85
70332	TC	A	0	1.23	0.01	1.24	0	1.23	0.01	1.24	XXX	N	N	D	N	N	32.70	32.70
70332	26	A	0.54	0.26	0.04	0.84	0.54	0.26	0.04	0.84	XXX	N	N	D	N	N	22.15	22.15
70336		A	1.48	6.3	0.11	7.89	1.48	6.3	0.11	7.89	XXX	B	N	D	N	N	208.06	208.06
70336	TC	A	0	5.86	0.01	5.87	0	5.86	0.01	5.87	XXX	B	N	D	N	N	154.79	154.79
70336	26	A	1.48	0.44	0.1	2.02	1.48	0.44	0.1	2.02	XXX	B	N	D	N	N	53.27	53.27
70350		A	0.17	0.35	0.03	0.55	0.17	0.35	0.03	0.55	XXX	N	N	D	N	N	14.50	14.50
70350	TC	A	0	0.27	0.01	0.28	0	0.27	0.01	0.28	XXX	N	N	D	N	N	7.38	7.38
70350	26	A	0.17	0.08	0.01	0.26	0.17	0.08	0.01	0.26	XXX	N	N	D	N	N	6.86	6.86
70355		A	0.2	0.31	0.03	0.54	0.2	0.31	0.03	0.54	XXX	N	N	D	N	N	14.24	14.24
70355	TC	A	0	0.22	0.01	0.23	0	0.22	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
70355	26	A	0.2	0.08	0.01	0.29	0.2	0.08	0.01	0.29	XXX	N	N	D	N	N	7.65	7.65
70360		A	0.17	0.53	0.03	0.73	0.17	0.53	0.03	0.73	XXX	N	N	D	N	N	19.25	19.25
70360	TC	A	0	0.48	0.01	0.49	0	0.48	0.01	0.49	XXX	N	N	D	N	N	12.92	12.92
70360	26	A	0.17	0.05	0.01	0.23	0.17	0.05	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
70370		A	0.32	1.62	0.03	1.97	0.32	1.62	0.03	1.97	XXX	N	N	D	N	N	51.95	51.95
70370	TC	A	0	1.53	0.01	1.54	0	1.53	0.01	1.54	XXX	N	N	D	N	N	40.61	40.61
70370	26	A	0.32	0.09	0.01	0.42	0.32	0.09	0.01	0.42	XXX	N	N	D	N	N	11.08	11.08
70371		A	0.84	1.46	0.05	2.35	0.84	1.46	0.05	2.35	XXX	N	N	D	N	N	61.97	61.97
70371	TC	A	0	1.17	0.01	1.18	0	1.17	0.01	1.18	XXX	N	N	D	N	N	31.12	31.12
70371	26	A	0.84	0.28	0.04	1.16	0.84	0.28	0.04	1.16	XXX	N	N	D	N	N	30.59	30.59
70373		A	0.44	1.67	0.03	2.14	0.44	1.67	0.03	2.14	XXX	N	N	D	N	N	56.43	56.43
70373	TC	A	0	1.52	0.01	1.53	0	1.52	0.01	1.53	XXX	N	N	D	N	N	40.35	40.35
70373	26	A	0.44	0.15	0.01	0.6	0.44	0.15	0.01	0.6	XXX	N	N	D	N	N	15.82	15.82
70380		A	0.17	0.75	0.03	0.95	0.17	0.75	0.03	0.95	XXX	N	N	D	N	N	25.05	25.05
70380	TC	A	0	0.68	0.01	0.69	0	0.68	0.01	0.69	XXX	N	N	D	N	N	18.20	18.20
70380	26	A	0.17	0.07	0.01	0.25	0.17	0.07	0.01	0.25	XXX	N	N	D	N	N	6.59	6.59
70390		A	0.38	2.05	0.05	2.48	0.38	2.05	0.05	2.48	XXX	N	N	D	N	N	65.40	65.40
70390	TC	A	0	1.93	0.01	1.94	0	1.93	0.01	1.94	XXX	N	N	D	N	N	51.16	51.16
70390	26	A	0.38	0.12	0.04	0.54	0.38	0.12	0.04	0.54	XXX	N	N	D	N	N	14.24	14.24
70450		A	0.85	2.15	0.06	3.06	0.85	2.15	0.06	3.06	XXX	B	N	D	N	N	80.69	80.69
70450	TC	A	0	1.9	0.01	1.91	0	1.9	0.01	1.91	XXX	B	N	D	N	N	50.37	50.37
70450	26	A	0.85	0.26	0.05	1.16	0.85	0.26	0.05	1.16	XXX	B	N	D	N	N	30.59	30.59
70460		A	1.13	2.98	0.08	4.19	1.13	2.98	0.08	4.19	XXX	B	N	D	N	N	110.49	110.49
70460	TC	A	0	2.63	0.01	2.64	0	2.63	0.01	2.64	XXX	B	N	D	N	N	69.62	69.62
70460	26	A	1.13	0.35	0.06	1.54	1.13	0.35	0.06	1.54	XXX	B	N	D	N	N	40.61	40.61
70470		A	1.27	3.64	0.1	5.01	1.27	3.64	0.1	5.01	XXX	B	N	D	N	N	132.11	132.11
70470	TC	A	0	3.25	0.01	3.26	0	3.25	0.01	3.26	XXX	B	N	D	N	N	85.97	85.97
70470	26	A	1.27	0.39	0.09	1.75	1.27	0.39	0.09	1.75	XXX	B	N	D	N	N	46.15	46.15
70480		A	1.28	4.76	0.1	6.14	1.28	4.76	0.1	6.14	XXX	B	N	D	N	N	161.91	161.91
70480	TC	A	0	4.37	0.01	4.38	0	4.37	0.01	4.38	XXX	B	N	D	N	N	115.50	115.50
70480	26	A	1.28	0.39	0.09	1.76	1.28	0.39	0.09	1.76	XXX	B	N	D	N	N	46.41	46.41
70481		A	1.38	5.64	0.11	7.13	1.38	5.64	0.11	7.13	XXX	B	N	D	N	N	188.02	188.02
70481	TC	A	0	5.22	0.01	5.23	0	5.22	0.01	5.23	XXX	B	N	D	N	N	137.92	137.92
70481	26	A	1.38	0.42	0.1	1.9	1.38	0.42	0.1	1.9	XXX	B	N	D	N	N	50.10	50.10
70482		A	1.45	6.31	0.11	7.87	1.45	6.31	0.11	7.87	XXX	B	N	D	N	N	207.53	207.53
70482	TC	A	0	5.87	0.01	5.88	0	5.87	0.01	5.88	XXX	B	N	D	N	N	155.06	155.06
70482	26	A	1.45	0.44	0.1	1.99	1.45	0.44	0.1	1.99	XXX	B	N	D	N	N	52.48	52.48
70486		A	1.14	3.85	0.08	5.07	1.14	3.85	0.08	5.07	XXX	B	N	D	N	N	133.70	133.70
70486	TC	A	0	3.49	0.01	3.5	0	3.49	0.01	3.5	XXX	B	N	D	N	N	92.30	92.30
70486	26	A	1.14	0.36	0.06	1.56	1.14	0.36	0.06	1.56	XXX	B	N	D	N	N	41.14	41.14
70487		A	1.3	4.73	0.1	6.13	1.3	4.73	0.1	6.13	XXX	B	N	D	N	N	161.65	161.65
70487	TC	A	0	4.33	0.01	4.34	0	4.33	0.01	4.34	XXX	B	N	D	N	N	114.45	114.45
70487	26	A	1.3	0.4	0.09	1.79	1.3	0.4	0.09	1.79	XXX	B	N	D	N	N	47.20	47.20
70488		A	1.42	5.77	0.11	7.3	1.42	5.77	0.11	7.3	XXX	B	N	D	N	N	192.50	192.50
70488	TC	A	0	5.34	0.01	5.35	0	5.34	0.01	5.35	XXX	B	N	D	N	N	141.08	141.08
70488	26	A	1.42	0.43	0.1	1.95	1.42	0.43	0.1	1.95	XXX	B	N	D	N	N	51.42	51.42
70490		A	1.28	3.67	0.1	5.05	1.28	3.67	0.1	5.05	XXX	B	N	D	N	N	133.17	133.17
70490	TC	A	0	3.28	0.01	3.29	0	3.28	0.01	3.29	XXX	B	N	D	N	N	86.76	86.76
70490	26	A	1.28	0.39	0.09	1.76	1.28	0.39	0.09	1.76	XXX	B	N	D	N	N	46.41	46.41
70491		A	1.38	4.54	0.1	6.02	1.38	4.54	0.1	6.02	XXX	B	N	D	N	N	158.75	158.75
70491	TC	A	0	4.12	0.01	4.13	0	4.12	0.01	4.13	XXX	B	N	D	N	N	108.91	108.91
70491	26	A	1.38	0.42	0.09	1.89	1.38	0.42	0.09	1.89	XXX	B	N	D	N	N	49.84	49.84
70492		A	1.45	5.56	0.11	7.12	1.45	5.56	0.11	7.12	XXX	B	N	D	N	N	187.75	187.75
70492	TC	A	0	5.12	0.01	5.13	0	5.12	0.01	5.13	XXX	B	N	D	N	N	135.28	135.28

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
70492	26	A	1.45	0.44	0.1	1.99	1.45	0.44	0.1	1.99	XXX	B	N	D	N	N	52.48	52.48
70496		A	1.75	8.93	0.14	10.82	1.75	8.93	0.14	10.82	XXX	B	N	D	N	N	285.32	285.32
70496	TC	A	0	8.39	0.01	8.4	0	8.39	0.01	8.4	XXX	B	N	D	N	N	221.51	221.51
70496	26	A	1.75	0.53	0.13	2.41	1.75	0.53	0.13	2.41	XXX	B	N	D	N	N	63.55	63.55
70498		A	1.75	9.33	0.14	11.22	1.75	9.33	0.14	11.22	XXX	B	N	D	N	N	295.87	295.87
70498	TC	A	0	8.8	0.01	8.81	0	8.8	0.01	8.81	XXX	B	N	D	N	N	232.32	232.32
70498	26	A	1.75	0.52	0.13	2.4	1.75	0.52	0.13	2.4	XXX	B	N	D	N	N	63.29	63.29
70540		A	1.35	7.28	0.11	8.74	1.35	7.28	0.11	8.74	XXX	B	N	D	N	N	230.47	230.47
70540	TC	A	0	6.87	0.01	6.88	0	6.87	0.01	6.88	XXX	B	N	D	N	N	181.43	181.43
70540	26	A	1.35	0.41	0.1	1.86	1.35	0.41	0.1	1.86	XXX	B	N	D	N	N	49.05	49.05
70542		A	1.62	8.25	0.14	10.01	1.62	8.25	0.14	10.01	XXX	B	N	D	N	N	263.96	263.96
70542	TC	A	0	7.75	0.01	7.76	0	7.75	0.01	7.76	XXX	B	N	D	N	N	204.63	204.63
70542	26	A	1.62	0.49	0.13	2.24	1.62	0.49	0.13	2.24	XXX	B	N	D	N	N	59.07	59.07
70543		A	2.15	9.97	0.15	12.27	2.15	9.97	0.15	12.27	XXX	B	N	D	N	N	323.56	323.56
70543	TC	A	0	9.32	0.01	9.33	0	9.32	0.01	9.33	XXX	B	N	D	N	N	246.03	246.03
70543	26	A	2.15	0.65	0.14	2.94	2.15	0.65	0.14	2.94	XXX	B	N	D	N	N	77.53	77.53
70544		A	1.2	8.44	0.1	9.74	1.2	8.44	0.1	9.74	XXX	B	N	D	N	N	256.84	256.84
70544	TC	A	0	8.07	0.01	8.08	0	8.07	0.01	8.08	XXX	B	N	D	N	N	213.07	213.07
70544	26	A	1.2	0.37	0.09	1.66	1.2	0.37	0.09	1.66	XXX	B	N	D	N	N	43.77	43.77
70545		A	1.2	8.3	0.1	9.6	1.2	8.3	0.1	9.6	XXX	B	N	D	N	N	253.15	253.15
70545	TC	A	0	7.94	0.01	7.95	0	7.94	0.01	7.95	XXX	B	N	D	N	N	209.64	209.64
70545	26	A	1.2	0.37	0.09	1.66	1.2	0.37	0.09	1.66	XXX	B	N	D	N	N	43.77	43.77
70546		A	1.8	12.69	0.15	14.64	1.8	12.69	0.15	14.64	XXX	B	N	D	N	N	386.06	386.06
70546	TC	A	0	12.14	0.01	12.15	0	12.14	0.01	12.15	XXX	B	N	D	N	N	320.40	320.40
70546	26	A	1.8	0.55	0.14	2.49	1.8	0.55	0.14	2.49	XXX	B	N	D	N	N	65.66	65.66
70547		A	1.2	8.46	0.1	9.76	1.2	8.46	0.1	9.76	XXX	B	N	D	N	N	257.37	257.37
70547	TC	A	0	8.1	0.01	8.11	0	8.1	0.01	8.11	XXX	B	N	D	N	N	213.86	213.86
70547	26	A	1.2	0.37	0.09	1.66	1.2	0.37	0.09	1.66	XXX	B	N	D	N	N	43.77	43.77
70548		A	1.2	8.94	0.1	10.24	1.2	8.94	0.1	10.24	XXX	B	N	D	N	N	270.03	270.03
70548	TC	A	0	8.57	0.01	8.58	0	8.57	0.01	8.58	XXX	B	N	D	N	N	226.25	226.25
70548	26	A	1.2	0.37	0.09	1.66	1.2	0.37	0.09	1.66	XXX	B	N	D	N	N	43.77	43.77
70549		A	1.8	12.79	0.14	14.73	1.8	12.79	0.14	14.73	XXX	B	N	D	N	N	388.43	388.43
70549	TC	A	0	12.24	0.01	12.25	0	12.24	0.01	12.25	XXX	B	N	D	N	N	323.03	323.03
70549	26	A	1.8	0.55	0.13	2.48	1.8	0.55	0.13	2.48	XXX	B	N	D	N	N	65.40	65.40
70551		A	1.48	4.44	0.11	6.03	1.48	4.44	0.11	6.03	XXX	B	N	D	N	N	159.01	159.01
70551	TC	A	0	3.99	0.01	4	0	3.99	0.01	4	XXX	B	N	D	N	N	105.48	105.48
70551	26	A	1.48	0.45	0.1	2.03	1.48	0.45	0.1	2.03	XXX	B	N	D	N	N	53.53	53.53
70552		A	1.78	6.24	0.15	8.17	1.78	6.24	0.15	8.17	XXX	B	N	D	N	N	215.44	215.44
70552	TC	A	0	5.69	0.01	5.7	0	5.69	0.01	5.7	XXX	B	N	D	N	N	150.31	150.31
70552	26	A	1.78	0.55	0.14	2.47	1.78	0.55	0.14	2.47	XXX	B	N	D	N	N	65.13	65.13
70553		A	2.29	7.21	0.18	9.68	2.29	7.21	0.18	9.68	XXX	B	N	D	N	N	255.26	255.26
70553	TC	A	0	6.51	0.01	6.52	0	6.51	0.01	6.52	XXX	B	N	D	N	N	171.93	171.93
70553	26	A	2.29	0.7	0.16	3.15	2.29	0.7	0.16	3.15	XXX	B	N	D	N	N	83.07	83.07
70554		NOT COVEI	2.11	8.76	0.15	11.02	2.11	8.76	0.15	11.02	XXX	B	N	D	N	N	290.60	290.60
70554	TC	NOT COVEI	0	8.11	0.01	8.12	0	8.11	0.01	8.12	XXX	B	N	D	N	N	214.12	214.12
70554	26	NOT COVEI	2.11	0.65	0.14	2.9	2.11	0.65	0.14	2.9	XXX	B	N	D	N	N	76.47	76.47
70555		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
70555	TC	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
70555	26	NOT COVEI	2.54	0.77	0.29	3.6	2.54	0.77	0.29	3.6	XXX	N	N	D	N	N	94.93	94.93
70557		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
70557	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
70557	26	C	2.9	0.89	1.26	5.05	2.9	0.89	1.26	5.05	XXX	N	N	D	N	N	133.17	133.17
70558		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
70558	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
70558	26	C	3.2	0.98	0.36	4.54	3.2	0.98	0.36	4.54	XXX	N	N	D	N	N	119.72	119.72
70559		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
70559	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
70559	26	C	3.2	0.99	0.36	4.55	3.2	0.99	0.36	4.55	XXX	N	N	D	N	N	119.98	119.98
71010		A	0.18	0.39	0.03	0.6	0.18	0.39	0.03	0.6	XXX	N	N	D	N	N	15.82	15.82
71010	TC	A	0	0.33	0.01	0.34	0	0.33	0.01	0.34	XXX	N	N	D	N	N	8.97	8.97
71010	26	A	0.18	0.06	0.01	0.25	0.18	0.06	0.01	0.25	XXX	N	N	D	N	N	6.59	6.59
71015		A	0.21	0.52	0.03	0.76	0.21	0.52	0.03	0.76	XXX	N	N	D	N	N	20.04	20.04
71015	TC	A	0	0.46	0.01	0.47	0	0.46	0.01	0.47	XXX	N	N	D	N	N	12.39	12.39
71015	26	A	0.21	0.07	0.01	0.29	0.21	0.07	0.01	0.29	XXX	N	N	D	N	N	7.65	7.65
71020		A	0.22	0.52	0.03	0.77	0.22	0.52	0.03	0.77	XXX	N	N	D	N	N	20.30	20.30
71020	TC	A	0	0.46	0.01	0.47	0	0.46	0.01	0.47	XXX	N	N	D	N	N	12.39	12.39
71020	26	A	0.22	0.07	0.01	0.3	0.22	0.07	0.01	0.3	XXX	N	N	D	N	N	7.91	7.91
71021		A	0.27	0.65	0.03	0.95	0.27	0.65	0.03	0.95	XXX	N	N	D	N	N	25.05	25.05
71021	TC	A	0	0.56	0.01	0.57	0	0.56	0.01	0.57	XXX	N	N	D	N	N	15.03	15.03
71021	26	A	0.27	0.09	0.01	0.37	0.27	0.09	0.01	0.37	XXX	N	N	D	N	N	9.76	9.76
71022		A	0.31	0.83	0.03	1.17	0.31	0.83	0.03	1.17	XXX	N	N	D	N	N	30.85	30.85
71022	TC	A	0	0.71	0.01	0.72	0	0.71	0.01	0.72	XXX	N	N	D	N	N	18.99	18.99
71022	26	A	0.31	0.12	0.01	0.44	0.31	0.12	0.01	0.44	XXX	N	N	D	N	N	11.60	11.60
71023		A	0.38	1.23	0.03	1.64	0.38	1.23	0.03	1.64	XXX	N	N	D	N	N	43.25	43.25
71023	TC	A	0	1.11	0.01	1.12	0	1.11	0.01	1.12	XXX	N	N	D	N	N	29.53	29.53
71023	26	A	0.38	0.12	0.01	0.51	0.38	0.12	0.01	0.51	XXX	N	N	D	N	N	13.45	13.45
71030		A	0.31	0.82	0.03	1.16	0.31	0.82	0.03	1.16	XXX	N	N	D	N	N	30.59	30.59
71030	TC	A	0	0.73	0.01	0.74	0	0.73	0.01	0.74	XXX	N	N	D	N	N	19.51	19.51
71030	26	A	0.31	0.09	0.01	0.41	0.31	0.09	0.01	0.41	XXX	N	N	D	N	N	10.81	10.81
71034		A	0.46	1.66	0.03	2.15	0.46	1.66	0.03	2.15	XXX	N	N	D	N	N	56.70	56.70
71034	TC	A	0	1.52	0.01	1.53	0	1.52	0.01	1.53	XXX	N	N	D	N	N	40.35	40.35
71034	26	A	0.46	0.14	0.01	0.61	0.46	0.14	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
71035		A	0.18	0.7	0.03	0.91	0.18	0.7	0.03	0.91	XXX	N	N	D	N	N	24.00	24.00
71035	TC	A	0	0.64	0.01	0.65	0	0.64	0.01	0.65	XXX	N	N	D	N	N	17.14	17.14
71035	26	A	0.18	0.06	0.01	0.25	0.18	0.06	0.01	0.25	XXX	N	N	D	N	N	6.59	6.59
71100		A	0.22	0.58	0.03	0.83	0.22	0.58	0.03	0.83	XXX	N	N	D	N	N	21.89	21.89
71100	TC	A	0	0.51	0.01	0.52	0	0.51	0.01	0.52	XXX	N	N	D	N	N	13.71	13.71
71100	26	A	0.22	0.07	0.01	0.3	0.22	0.07	0.01	0.3	XXX	N	N	D	N	N	7.91	7.91
71101		A	0.27	0.71	0.03	1.01	0.27	0.71	0.03	1.01	XXX	N	N	D	N	N	26.63	26.63
71101	TC	A	0	0.62	0.01	0.63	0	0.62	0.01	0.63	XXX	N	N	D	N	N	16.61	16.61
71101	26	A	0.27	0.08	0.01	0.36	0.27	0.08	0.01	0.36	XXX	N	N	D	N	N	9.49	9.49
71110		A	0.27	0.73	0.03	1.03	0.27	0.73	0.03	1.03	XXX	N	B	D	N	N	27.16	27.16
71110	TC	A	0	0.64	0.01	0.65	0	0.64	0.01	0.65	XXX	N	B	D	N	N	17.14	17.14
71110	26	A	0.27	0.09	0.01	0.37	0.27	0.09	0.01	0.37	XXX	N	B	D	N	N	9.76	9.76
71111		A	0.32	0.99	0.03	1.34	0.32	0.99	0.03	1.34	XXX	N	B	D	N	N	35.34	35.34
71111	TC	A	0	0.88	0.01	0.89	0	0.88	0.01	0.89	XXX	N	B	D	N	N	23.47	23.47
71111	26	A	0.32	0.11	0.01	0.44	0.32	0.11	0.01	0.44	XXX	N	B	D	N	N	11.60	11.60
71120		A	0.2	0.57	0.03	0.8	0.2	0.57	0.03	0.8	XXX	N	N	D	N	N	21.10	21.10
71120	TC	A	0	0.51	0.01	0.52	0	0.51	0.01	0.52	XXX	N	N	D	N	N	13.71	13.71
71120	26	A	0.2	0.07	0.01	0.28	0.2	0.07	0.01	0.28	XXX	N	N	D	N	N	7.38	7.38
71130		A	0.22	0.69	0.03	0.94	0.22	0.69	0.03	0.94	XXX	N	N	D	N	N	24.79	24.79
71130	TC	A	0	0.62	0.01	0.63	0	0.62	0.01	0.63	XXX	N	N	D	N	N	16.61	16.61
71130	26	A	0.22	0.07	0.01	0.3	0.22	0.07	0.01	0.3	XXX	N	N	D	N	N	7.91	7.91
71250		A	1.02	3.59	0.08	4.69	1.02	3.59	0.08	4.69	XXX	B	N	D	N	N	123.68	123.68
71250	TC	A	0	3.28	0.01	3.29	0	3.28	0.01	3.29	XXX	B	N	D	N	N	86.76	86.76
71250	26	A	1.02	0.31	0.06	1.39	1.02	0.31	0.06	1.39	XXX	B	N	D	N	N	36.65	36.65
71260		A	1.24	4.52	0.1	5.86	1.24	4.52	0.1	5.86	XXX	B	N	D	N	N	154.53	154.53
71260	TC	A	0	4.14	0.01	4.15	0	4.14	0.01	4.15	XXX	B	N	D	N	N	109.44	109.44

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
71260	26	A	1.24	0.38	0.09	1.71	1.24	0.38	0.09	1.71	XXX	B	N	D	N	N	45.09	45.09
71270		A	1.38	5.56	0.1	7.04	1.38	5.56	0.1	7.04	XXX	B	N	D	N	N	185.64	185.64
71270	TC	A	0	5.14	0.01	5.15	0	5.14	0.01	5.15	XXX	B	N	D	N	N	135.81	135.81
71270	26	A	1.38	0.42	0.09	1.89	1.38	0.42	0.09	1.89	XXX	B	N	D	N	N	49.84	49.84
71275		A	1.92	7.06	0.15	9.13	1.92	7.06	0.15	9.13	XXX	B	N	D	N	N	240.76	240.76
71275	TC	A	0	6.48	0.01	6.49	0	6.48	0.01	6.49	XXX	B	N	D	N	N	171.14	171.14
71275	26	A	1.92	0.58	0.14	2.64	1.92	0.58	0.14	2.64	XXX	B	N	D	N	N	69.62	69.62
71550		A	1.46	8.47	0.11	10.04	1.46	8.47	0.11	10.04	XXX	B	N	D	N	N	264.75	264.75
71550	TC	A	0	8.03	0.01	8.04	0	8.03	0.01	8.04	XXX	B	N	D	N	N	212.01	212.01
71550	26	A	1.46	0.44	0.1	2	1.46	0.44	0.1	2	XXX	B	N	D	N	N	52.74	52.74
71551		A	1.73	9.51	0.14	11.38	1.73	9.51	0.14	11.38	XXX	B	N	D	N	N	300.09	300.09
71551	TC	A	0	8.99	0.01	9	0	8.99	0.01	9	XXX	B	N	D	N	N	237.33	237.33
71551	26	A	1.73	0.52	0.13	2.38	1.73	0.52	0.13	2.38	XXX	B	N	D	N	N	62.76	62.76
71552		A	2.26	11.91	0.15	14.32	2.26	11.91	0.15	14.32	XXX	B	N	D	N	N	377.62	377.62
71552	TC	A	0	11.22	0.01	11.23	0	11.22	0.01	11.23	XXX	B	N	D	N	N	296.14	296.14
71552	26	A	2.26	0.69	0.14	3.09	2.26	0.69	0.14	3.09	XXX	B	N	D	N	N	81.48	81.48
71555		A	1.81	8.15	0.14	10.1	1.81	8.15	0.14	10.1	XXX	B	N	D	N	N	266.34	266.34
71555	TC	A	0	7.6	0.01	7.61	0	7.6	0.01	7.61	XXX	B	N	D	N	N	200.68	200.68
71555	26	A	1.81	0.54	0.13	2.48	1.81	0.54	0.13	2.48	XXX	B	N	D	N	N	65.40	65.40
72010		A	0.45	1.47	0.05	1.97	0.45	1.47	0.05	1.97	XXX	N	N	D	N	N	51.95	51.95
72010	TC	A	0	1.31	0.01	1.32	0	1.31	0.01	1.32	XXX	N	N	D	N	N	34.81	34.81
72010	26	A	0.45	0.16	0.04	0.65	0.45	0.16	0.04	0.65	XXX	N	N	D	N	N	17.14	17.14
72020		A	0.15	0.41	0.03	0.59	0.15	0.41	0.03	0.59	XXX	N	N	D	N	N	15.56	15.56
72020	TC	A	0	0.36	0.01	0.37	0	0.36	0.01	0.37	XXX	N	N	D	N	N	9.76	9.76
72020	26	A	0.15	0.05	0.01	0.21	0.15	0.05	0.01	0.21	XXX	N	N	D	N	N	5.54	5.54
72040		A	0.22	0.64	0.05	0.91	0.22	0.64	0.05	0.91	XXX	N	N	D	N	N	24.00	24.00
72040	TC	A	0	0.57	0.01	0.58	0	0.57	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29
72040	26	A	0.22	0.07	0.04	0.33	0.22	0.07	0.04	0.33	XXX	N	N	D	N	N	8.70	8.70
72050		A	0.31	0.87	0.05	1.23	0.31	0.87	0.05	1.23	XXX	N	N	D	N	N	32.44	32.44
72050	TC	A	0	0.77	0.01	0.78	0	0.77	0.01	0.78	XXX	N	N	D	N	N	20.57	20.57
72050	26	A	0.31	0.1	0.04	0.45	0.31	0.1	0.04	0.45	XXX	N	N	D	N	N	11.87	11.87
72052		A	0.36	1.15	0.05	1.56	0.36	1.15	0.05	1.56	XXX	N	N	D	N	N	41.14	41.14
72052	TC	A	0	1.03	0.01	1.04	0	1.03	0.01	1.04	XXX	N	N	D	N	N	27.42	27.42
72052	26	A	0.36	0.12	0.04	0.52	0.36	0.12	0.04	0.52	XXX	N	N	D	N	N	13.71	13.71
72069		A	0.22	0.7	0.05	0.97	0.22	0.7	0.05	0.97	XXX	N	N	D	N	N	25.58	25.58
72069	TC	A	0	0.62	0.01	0.63	0	0.62	0.01	0.63	XXX	N	N	D	N	N	16.61	16.61
72069	26	A	0.22	0.07	0.04	0.33	0.22	0.07	0.04	0.33	XXX	N	N	D	N	N	8.70	8.70
72070		A	0.22	0.6	0.03	0.85	0.22	0.6	0.03	0.85	XXX	N	N	D	N	N	22.41	22.41
72070	TC	A	0	0.52	0.01	0.53	0	0.52	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
72070	26	A	0.22	0.07	0.01	0.3	0.22	0.07	0.01	0.3	XXX	N	N	D	N	N	7.91	7.91
72072		A	0.22	0.69	0.03	0.94	0.22	0.69	0.03	0.94	XXX	N	N	D	N	N	24.79	24.79
72072	TC	A	0	0.62	0.01	0.63	0	0.62	0.01	0.63	XXX	N	N	D	N	N	16.61	16.61
72072	26	A	0.22	0.07	0.01	0.3	0.22	0.07	0.01	0.3	XXX	N	N	D	N	N	7.91	7.91
72074		A	0.22	0.86	0.03	1.11	0.22	0.86	0.03	1.11	XXX	N	N	D	N	N	29.27	29.27
72074	TC	A	0	0.79	0.01	0.8	0	0.79	0.01	0.8	XXX	N	N	D	N	N	21.10	21.10
72074	26	A	0.22	0.07	0.01	0.3	0.22	0.07	0.01	0.3	XXX	N	N	D	N	N	7.91	7.91
72080		A	0.22	0.65	0.05	0.92	0.22	0.65	0.05	0.92	XXX	N	N	D	N	N	24.26	24.26
72080	TC	A	0	0.57	0.01	0.58	0	0.57	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29
72080	26	A	0.22	0.07	0.04	0.33	0.22	0.07	0.04	0.33	XXX	N	N	D	N	N	8.70	8.70
72090		A	0.28	0.97	0.06	1.31	0.28	0.97	0.06	1.31	XXX	N	N	D	N	N	34.54	34.54
72090	TC	A	0	0.87	0.01	0.88	0	0.87	0.01	0.88	XXX	N	N	D	N	N	23.21	23.21
72090	26	A	0.28	0.1	0.05	0.43	0.28	0.1	0.05	0.43	XXX	N	N	D	N	N	11.34	11.34
72100		A	0.22	0.64	0.05	0.91	0.22	0.64	0.05	0.91	XXX	N	N	D	N	N	24.00	24.00
72100	TC	A	0	0.57	0.01	0.58	0	0.57	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	Conversion Factors $ 37.56 OB/GYN Non- Facility
72100	26	A	0.22	0.07	0.04	0.33	0.22	0.07	0.04	0.33	XXX	N	N	D	N	N	8.70	8.70
72110		A	0.31	0.88	0.05	1.24	0.31	0.88	0.05	1.24	XXX	N	N	D	N	N	32.70	32.70
72110	TC	A	0	0.78	0.01	0.79	0	0.78	0.01	0.79	XXX	N	N	D	N	N	20.83	20.83
72110	26	A	0.31	0.1	0.04	0.45	0.31	0.1	0.04	0.45	XXX	N	N	D	N	N	11.87	11.87
72114		A	0.32	1.22	0.06	1.6	0.32	1.22	0.06	1.6	XXX	N	N	D	N	N	42.19	42.19
72114	TC	A	0	1.11	0.01	1.12	0	1.11	0.01	1.12	XXX	N	N	D	N	N	29.53	29.53
72114	26	A	0.32	0.11	0.05	0.48	0.32	0.11	0.05	0.48	XXX	N	N	D	N	N	12.66	12.66
72120		A	0.22	0.75	0.05	1.02	0.22	0.75	0.05	1.02	XXX	N	N	D	N	N	26.90	26.90
72120	TC	A	0	0.67	0.01	0.68	0	0.67	0.01	0.68	XXX	N	N	D	N	N	17.93	17.93
72120	26	A	0.22	0.07	0.04	0.33	0.22	0.07	0.04	0.33	XXX	N	N	D	N	N	8.70	8.70
72125		A	1.07	3.64	0.08	4.79	1.07	3.64	0.08	4.79	XXX	B	N	D	N	N	126.31	126.31
72125	TC	A	0	3.32	0.01	3.33	0	3.32	0.01	3.33	XXX	B	N	D	N	N	87.81	87.81
72125	26	A	1.07	0.32	0.06	1.45	1.07	0.32	0.06	1.45	XXX	B	N	D	N	N	38.24	38.24
72126		A	1.22	4.53	0.1	5.85	1.22	4.53	0.1	5.85	XXX	B	N	D	N	N	154.26	154.26
72126	TC	A	0	4.16	0.01	4.17	0	4.16	0.01	4.17	XXX	B	N	D	N	N	109.96	109.96
72126	26	A	1.22	0.37	0.09	1.68	1.22	0.37	0.09	1.68	XXX	B	N	D	N	N	44.30	44.30
72127		A	1.27	5.56	0.1	6.93	1.27	5.56	0.1	6.93	XXX	B	N	D	N	N	182.74	182.74
72127	TC	A	0	5.18	0.01	5.19	0	5.18	0.01	5.19	XXX	B	N	D	N	N	136.86	136.86
72127	26	A	1.27	0.38	0.09	1.74	1.27	0.38	0.09	1.74	XXX	B	N	D	N	N	45.88	45.88
72128		A	1	3.61	0.08	4.69	1	3.61	0.08	4.69	XXX	B	N	D	N	N	123.68	123.68
72128	TC	A	0	3.3	0.01	3.31	0	3.3	0.01	3.31	XXX	B	N	D	N	N	87.28	87.28
72128	26	A	1	0.31	0.06	1.37	1	0.31	0.06	1.37	XXX	B	N	D	N	N	36.13	36.13
72129		A	1.22	4.53	0.1	5.85	1.22	4.53	0.1	5.85	XXX	B	N	D	N	N	154.26	154.26
72129	TC	A	0	4.16	0.01	4.17	0	4.16	0.01	4.17	XXX	B	N	D	N	N	109.96	109.96
72129	26	A	1.22	0.37	0.09	1.68	1.22	0.37	0.09	1.68	XXX	B	N	D	N	N	44.30	44.30
72130		A	1.27	5.63	0.1	7	1.27	5.63	0.1	7	XXX	B	N	D	N	N	184.59	184.59
72130	TC	A	0	5.25	0.01	5.26	0	5.25	0.01	5.26	XXX	B	N	D	N	N	138.71	138.71
72130	26	A	1.27	0.38	0.09	1.74	1.27	0.38	0.09	1.74	XXX	B	N	D	N	N	45.88	45.88
72131		A	1	3.59	0.08	4.67	1	3.59	0.08	4.67	XXX	B	N	D	N	N	123.15	123.15
72131	TC	A	0	3.29	0.01	3.3	0	3.29	0.01	3.3	XXX	B	N	D	N	N	87.02	87.02
72131	26	A	1	0.31	0.06	1.37	1	0.31	0.06	1.37	XXX	B	N	D	N	N	36.13	36.13
72132		A	1.22	4.52	0.1	5.84	1.22	4.52	0.1	5.84	XXX	B	N	D	N	N	154.00	154.00
72132	TC	A	0	4.14	0.01	4.15	0	4.14	0.01	4.15	XXX	B	N	D	N	N	109.44	109.44
72132	26	A	1.22	0.37	0.09	1.68	1.22	0.37	0.09	1.68	XXX	B	N	D	N	N	44.30	44.30
72133		A	1.27	5.57	0.1	6.94	1.27	5.57	0.1	6.94	XXX	B	N	D	N	N	183.01	183.01
72133	TC	A	0	5.18	0.01	5.19	0	5.18	0.01	5.19	XXX	B	N	D	N	N	136.86	136.86
72133	26	A	1.27	0.38	0.09	1.74	1.27	0.38	0.09	1.74	XXX	B	N	D	N	N	45.88	45.88
72141		A	1.48	4.39	0.13	6	1.48	4.39	0.13	6	XXX	B	N	D	N	N	158.22	158.22
72141	TC	A	0	3.94	0.01	3.95	0	3.94	0.01	3.95	XXX	B	N	D	N	N	104.16	104.16
72141	26	A	1.48	0.46	0.11	2.05	1.48	0.46	0.11	2.05	XXX	B	N	D	N	N	54.06	54.06
72142		A	1.78	6.27	0.14	8.19	1.78	6.27	0.14	8.19	XXX	B	N	D	N	N	215.97	215.97
72142	TC	A	0	5.72	0.01	5.73	0	5.72	0.01	5.73	XXX	B	N	D	N	N	151.10	151.10
72142	26	A	1.78	0.55	0.13	2.46	1.78	0.55	0.13	2.46	XXX	B	N	D	N	N	64.87	64.87
72146		A	1.48	4.39	0.13	6	1.48	4.39	0.13	6	XXX	B	N	D	N	N	158.22	158.22
72146	TC	A	0	3.94	0.01	3.95	0	3.94	0.01	3.95	XXX	B	N	D	N	N	104.16	104.16
72146	26	A	1.48	0.46	0.11	2.05	1.48	0.46	0.11	2.05	XXX	B	N	D	N	N	54.06	54.06
72147		A	1.78	6.2	0.14	8.12	1.78	6.2	0.14	8.12	XXX	B	N	D	N	N	214.12	214.12
72147	TC	A	0	5.65	0.01	5.66	0	5.65	0.01	5.66	XXX	B	N	D	N	N	149.25	149.25
72147	26	A	1.78	0.55	0.13	2.46	1.78	0.55	0.13	2.46	XXX	B	N	D	N	N	64.87	64.87
72148		A	1.48	4.39	0.14	6.01	1.48	4.39	0.14	6.01	XXX	B	N	D	N	N	158.48	158.48
72148	TC	A	0	3.94	0.01	3.95	0	3.94	0.01	3.95	XXX	B	N	D	N	N	104.16	104.16
72148	26	A	1.48	0.46	0.13	2.07	1.48	0.46	0.13	2.07	XXX	B	N	D	N	N	54.59	54.59
72149		A	1.78	6.17	0.15	8.1	1.78	6.17	0.15	8.1	XXX	B	N	D	N	N	213.60	213.60
72149	TC	A	0	5.62	0.01	5.63	0	5.62	0.01	5.63	XXX	B	N	D	N	N	148.46	148.46

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
72149	26	A	1.78	0.55	0.14	2.47	1.78	0.55	0.14	2.47	XXX	B	N	D	N	N	65.13	65.13
72156		A	2.29	7.21	0.18	9.68	2.29	7.21	0.18	9.68	XXX	B	N	D	N	N	255.26	255.26
72156	TC	A	0	6.51	0.01	6.52	0	6.51	0.01	6.52	XXX	B	N	D	N	N	171.93	171.93
72156	26	A	2.29	0.7	0.16	3.15	2.29	0.7	0.16	3.15	XXX	B	N	D	N	N	83.07	83.07
72157		A	2.29	7.22	0.18	9.69	2.29	7.22	0.18	9.69	XXX	B	N	D	N	N	255.53	255.53
72157	TC	A	0	6.52	0.01	6.53	0	6.52	0.01	6.53	XXX	B	N	D	N	N	172.20	172.20
72157	26	A	2.29	0.7	0.16	3.15	2.29	0.7	0.16	3.15	XXX	B	N	D	N	N	83.07	83.07
72158		A	2.29	7.17	0.2	9.66	2.29	7.17	0.2	9.66	XXX	B	N	D	N	N	254.73	254.73
72158	TC	A	0	6.47	0.01	6.48	0	6.47	0.01	6.48	XXX	B	N	D	N	N	170.88	170.88
72158	26	A	2.29	0.7	0.19	3.18	2.29	0.7	0.19	3.18	XXX	B	N	D	N	N	83.86	83.86
72159		NOT COVEI	1.8	8.59	0.1	10.49	1.8	8.59	0.1	10.49	XXX	B	N	D	N	N	276.62	276.62
72159	TC	NOT COVEI	0	8.03	0.01	8.04	0	8.03	0.01	8.04	XXX	B	N	N	N	N	212.01	212.01
72159	26	NOT COVEI	1.8	0.56	0.09	2.45	1.8	0.56	0.09	2.45	XXX	B	N	D	N	N	64.61	64.61
72170		A	0.17	0.52	0.05	0.74	0.17	0.52	0.05	0.74	XXX	N	N	D	N	N	19.51	19.51
72170	TC	A	0	0.46	0.01	0.47	0	0.46	0.01	0.47	XXX	N	N	D	N	N	12.39	12.39
72170	26	A	0.17	0.06	0.04	0.27	0.17	0.06	0.04	0.27	XXX	N	N	D	N	N	7.12	7.12
72190		A	0.21	0.82	0.05	1.08	0.21	0.82	0.05	1.08	XXX	N	N	D	N	N	28.48	28.48
72190	TC	A	0	0.74	0.01	0.75	0	0.74	0.01	0.75	XXX	N	N	D	N	N	19.78	19.78
72190	26	A	0.21	0.07	0.04	0.32	0.21	0.07	0.04	0.32	XXX	N	N	D	N	N	8.44	8.44
72191		A	1.81	7.5	0.15	9.46	1.81	7.5	0.15	9.46	XXX	B	N	D	N	N	249.46	249.46
72191	TC	A	0	6.96	0.01	6.97	0	6.96	0.01	6.97	XXX	B	N	D	N	N	183.80	183.80
72191	26	A	1.81	0.54	0.14	2.49	1.81	0.54	0.14	2.49	XXX	B	N	D	N	N	65.66	65.66
72192		A	1.09	2.59	0.08	3.76	1.09	2.59	0.08	3.76	XXX	B	N	D	N	N	99.15	99.15
72192	TC	A	0	2.25	0.01	2.26	0	2.25	0.01	2.26	XXX	B	N	D	N	N	59.60	59.60
72192	26	A	1.09	0.33	0.06	1.48	1.09	0.33	0.06	1.48	XXX	B	N	D	N	N	39.03	39.03
72193		A	1.16	4.49	0.1	5.75	1.16	4.49	0.1	5.75	XXX	B	N	D	N	N	151.63	151.63
72193	TC	A	0	4.14	0.01	4.15	0	4.14	0.01	4.15	XXX	B	N	D	N	N	109.44	109.44
72193	26	A	1.16	0.36	0.09	1.61	1.16	0.36	0.09	1.61	XXX	B	N	D	N	N	42.46	42.46
72194		A	1.22	5.38	0.1	6.7	1.22	5.38	0.1	6.7	XXX	B	N	D	N	N	176.68	176.68
72194	TC	A	0	5.02	0.01	5.03	0	5.02	0.01	5.03	XXX	B	N	D	N	N	132.64	132.64
72194	26	A	1.22	0.37	0.09	1.68	1.22	0.37	0.09	1.68	XXX	B	N	D	N	N	44.30	44.30
72195		A	1.46	7.56	0.14	9.16	1.46	7.56	0.14	9.16	XXX	B	N	D	N	N	241.55	241.55
72195	TC	A	0	7.11	0.01	7.12	0	7.11	0.01	7.12	XXX	B	N	D	N	N	187.75	187.75
72195	26	A	1.46	0.45	0.13	2.04	1.46	0.45	0.13	2.04	XXX	B	N	D	N	N	53.79	53.79
72196		A	1.73	8.42	0.14	10.29	1.73	8.42	0.14	10.29	XXX	B	N	D	N	N	271.35	271.35
72196	TC	A	0	7.89	0.01	7.9	0	7.89	0.01	7.9	XXX	B	N	D	N	N	208.32	208.32
72196	26	A	1.73	0.53	0.13	2.39	1.73	0.53	0.13	2.39	XXX	B	N	D	N	N	63.02	63.02
72197		A	2.26	10.17	0.15	12.58	2.26	10.17	0.15	12.58	XXX	B	N	D	N	N	331.73	331.73
72197	TC	A	0	9.48	0.01	9.49	0	9.48	0.01	9.49	XXX	B	N	D	N	N	250.25	250.25
72197	26	A	2.26	0.69	0.14	3.09	2.26	0.69	0.14	3.09	XXX	B	N	D	N	N	81.48	81.48
72198		A	1.8	8.27	0.14	10.21	1.8	8.27	0.14	10.21	XXX	B	N	D	N	N	269.24	269.24
72198	TC	A	0	7.74	0.01	7.75	0	7.74	0.01	7.75	XXX	B	N	D	N	N	204.37	204.37
72198	26	A	1.8	0.53	0.13	2.46	1.8	0.53	0.13	2.46	XXX	B	N	D	N	N	64.87	64.87
72200		A	0.17	0.55	0.03	0.75	0.17	0.55	0.03	0.75	XXX	N	N	D	N	N	19.78	19.78
72200	TC	A	0	0.49	0.01	0.5	0	0.49	0.01	0.5	XXX	N	N	D	N	N	13.19	13.19
72200	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
72202		A	0.19	0.66	0.03	0.88	0.19	0.66	0.03	0.88	XXX	N	N	D	N	N	23.21	23.21
72202	TC	A	0	0.6	0.01	0.61	0	0.6	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
72202	26	A	0.19	0.06	0.01	0.26	0.19	0.06	0.01	0.26	XXX	N	N	D	N	N	6.86	6.86
72220		A	0.17	0.53	0.03	0.73	0.17	0.53	0.03	0.73	XXX	N	N	D	N	N	19.25	19.25
72220	TC	A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
72220	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
72240		A	0.91	2.25	0.08	3.24	0.91	2.25	0.08	3.24	XXX	N	N	D	N	N	85.44	85.44
72240	TC	A	0	1.98	0.01	1.99	0	1.98	0.01	1.99	XXX	N	N	D	N	N	52.48	52.48

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
			Transitioned				Transitioned											
72240	26	A	0.91	0.27	0.06	1.24	0.91	0.27	0.06	1.24	XXX	N	N	D	N	N	32.70	32.70
72255		A	0.91	2.11	0.06	3.08	0.91	2.11	0.06	3.08	XXX	N	N	D	N	N	81.22	81.22
72255	TC	A	0	1.82	0.01	1.83	0	1.82	0.01	1.83	XXX	N	N	D	N	N	48.26	48.26
72255	26	A	0.91	0.29	0.05	1.25	0.91	0.29	0.05	1.25	XXX	N	N	D	N	N	32.96	32.96
72265		A	0.83	2.25	0.06	3.14	0.83	2.25	0.06	3.14	XXX	N	N	D	N	N	82.80	82.80
72265	TC	A	0	2	0.01	2.01	0	2	0.01	2.01	XXX	N	N	D	N	N	53.00	53.00
72265	26	A	0.83	0.26	0.05	1.14	0.83	0.26	0.05	1.14	XXX	N	N	D	N	N	30.06	30.06
72270		A	1.33	3.47	0.1	4.9	1.33	3.47	0.1	4.9	XXX	N	N	D	N	N	129.21	129.21
72270	TC	A	0	3.06	0.01	3.07	0	3.06	0.01	3.07	XXX	N	N	D	N	N	80.96	80.96
72270	26	A	1.33	0.41	0.09	1.83	1.33	0.41	0.09	1.83	XXX	N	N	D	N	N	48.26	48.26
72275		A	0.76	2.07	0.06	2.89	0.76	2.07	0.06	2.89	XXX	N	N	N	N	N	76.21	76.21
72275	TC	A	0	1.8	0.01	1.81	0	1.8	0.01	1.81	XXX	N	N	N	N	N	47.73	47.73
72275	26	A	0.76	0.27	0.05	1.08	0.76	0.27	0.05	1.08	XXX	N	N	N	N	N	28.48	28.48
72285		A	1.16	1.7	0.08	2.94	1.16	1.7	0.08	2.94	XXX	N	N	D	N	N	77.53	77.53
72285	TC	A	0	1.26	0.01	1.27	0	1.26	0.01	1.27	XXX	N	N	D	N	N	33.49	33.49
72285	26	A	1.16	0.43	0.06	1.65	1.16	0.43	0.06	1.65	XXX	N	N	D	N	N	43.51	43.51
72291		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
72291	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
72291	26	C	1.31	0.44	0.26	2.01	1.31	0.44	0.26	2.01	XXX	N	N	D	N	N	53.00	53.00
72292		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
72292	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
72292	26	C	1.38	0.44	0.24	2.06	1.38	0.44	0.24	2.06	XXX	N	N	D	N	N	54.32	54.32
72295		A	0.83	1.61	0.06	2.5	0.83	1.61	0.06	2.5	XXX	N	N	D	N	N	65.93	65.93
72295	TC	A	0	1.31	0.01	1.32	0	1.31	0.01	1.32	XXX	N	N	D	N	N	34.81	34.81
72295	26	A	0.83	0.3	0.05	1.18	0.83	0.3	0.05	1.18	XXX	N	N	D	N	N	31.12	31.12
73000		A	0.16	0.54	0.03	0.73	0.16	0.54	0.03	0.73	XXX	N	N	D	N	N	19.25	19.25
73000	TC	A	0	0.48	0.01	0.49	0	0.48	0.01	0.49	XXX	N	N	D	N	N	12.92	12.92
73000	26	A	0.16	0.06	0.01	0.23	0.16	0.06	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
73010		A	0.17	0.59	0.05	0.81	0.17	0.59	0.05	0.81	XXX	N	N	D	N	N	21.36	21.36
73010	TC	A	0	0.52	0.01	0.53	0	0.52	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
73010	26	A	0.17	0.07	0.04	0.28	0.17	0.07	0.04	0.28	XXX	N	N	D	N	N	7.38	7.38
73020		A	0.15	0.42	0.03	0.6	0.15	0.42	0.03	0.6	XXX	N	N	D	N	N	15.82	15.82
73020	TC	A	0	0.37	0.01	0.38	0	0.37	0.01	0.38	XXX	N	N	D	N	N	10.02	10.02
73020	26	A	0.15	0.05	0.01	0.21	0.15	0.05	0.01	0.21	XXX	N	N	D	N	N	5.54	5.54
73030		A	0.18	0.56	0.05	0.79	0.18	0.56	0.05	0.79	XXX	N	N	D	N	N	20.83	20.83
73030	TC	A	0	0.49	0.01	0.5	0	0.49	0.01	0.5	XXX	N	N	D	N	N	13.19	13.19
73030	26	A	0.18	0.07	0.04	0.29	0.18	0.07	0.04	0.29	XXX	N	N	D	N	N	7.65	7.65
73040		A	0.54	2.01	0.06	2.61	0.54	2.01	0.06	2.61	XXX	N	N	D	N	N	68.83	68.83
73040	TC	A	0	1.83	0.01	1.84	0	1.83	0.01	1.84	XXX	N	N	D	N	N	48.52	48.52
73040	26	A	0.54	0.17	0.05	0.76	0.54	0.17	0.05	0.76	XXX	N	N	D	N	N	20.04	20.04
73050		A	0.2	0.75	0.05	1	0.2	0.75	0.05	1	XXX	N	B	D	N	N	26.37	26.37
73050	TC	A	0	0.67	0.01	0.68	0	0.67	0.01	0.68	XXX	N	B	D	N	N	17.93	17.93
73050	26	A	0.2	0.07	0.04	0.31	0.2	0.07	0.04	0.31	XXX	N	B	D	N	N	8.17	8.17
73060		A	0.17	0.53	0.03	0.73	0.17	0.53	0.03	0.73	XXX	N	N	D	N	N	19.25	19.25
73060	TC	A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
73060	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
73070		A	0.15	0.53	0.03	0.71	0.15	0.53	0.03	0.71	XXX	N	N	D	N	N	18.72	18.72
73070	TC	A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
73070	26	A	0.15	0.06	0.01	0.22	0.15	0.06	0.01	0.22	XXX	N	N	D	N	N	5.80	5.80
73080		A	0.17	0.64	0.03	0.84	0.17	0.64	0.03	0.84	XXX	N	N	D	N	N	22.15	22.15
73080	TC	A	0	0.58	0.01	0.59	0	0.58	0.01	0.59	XXX	N	N	D	N	N	15.56	15.56
73080	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
73085		A	0.54	1.93	0.05	2.52	0.54	1.93	0.05	2.52	XXX	N	N	D	N	N	66.45	66.45
73085	TC	A	0	1.72	0.01	1.73	0	1.72	0.01	1.73	XXX	N	N	D	N	N	45.62	45.62

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
73085	26	A	0.54	0.21	0.04	0.79	0.54	0.21	0.04	0.79	XXX	N	N	D	N	N	20.83	20.83
73090		A	0.16	0.52	0.03	0.71	0.16	0.52	0.03	0.71	XXX	N	N	D	N	N	18.72	18.72
73090	TC	A	0	0.46	0.01	0.47	0	0.46	0.01	0.47	XXX	N	N	D	N	N	12.39	12.39
73090	26	A	0.16	0.06	0.01	0.23	0.16	0.06	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
73092		A	0.16	0.52	0.03	0.71	0.16	0.52	0.03	0.71	XXX	N	N	D	N	N	18.72	18.72
73092	TC	A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
73092	26	A	0.16	0.05	0.01	0.22	0.16	0.05	0.01	0.22	XXX	N	N	D	N	N	5.80	5.80
73100		A	0.16	0.58	0.05	0.79	0.16	0.58	0.05	0.79	XXX	N	N	D	N	N	20.83	20.83
73100	TC	A	0	0.52	0.01	0.53	0	0.52	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
73100	26	A	0.16	0.06	0.04	0.26	0.16	0.06	0.04	0.26	XXX	N	N	D	N	N	6.86	6.86
73110		A	0.17	0.74	0.03	0.94	0.17	0.74	0.03	0.94	XXX	N	N	D	N	N	24.79	24.79
73110	TC	A	0	0.68	0.01	0.69	0	0.68	0.01	0.69	XXX	N	N	D	N	N	18.20	18.20
73110	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
73115		A	0.54	2.14	0.06	2.74	0.54	2.14	0.06	2.74	XXX	N	N	D	N	N	72.25	72.25
73115	TC	A	0	1.95	0.01	1.96	0	1.95	0.01	1.96	XXX	N	N	D	N	N	51.69	51.69
73115	26	A	0.54	0.19	0.05	0.78	0.54	0.19	0.05	0.78	XXX	N	N	D	N	N	20.57	20.57
73120		A	0.16	0.51	0.03	0.7	0.16	0.51	0.03	0.7	XXX	N	N	D	N	N	18.46	18.46
73120	TC	A	0	0.45	0.01	0.46	0	0.45	0.01	0.46	XXX	N	N	D	N	N	12.13	12.13
73120	26	A	0.16	0.06	0.01	0.23	0.16	0.06	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
73130		A	0.17	0.62	0.03	0.82	0.17	0.62	0.03	0.82	XXX	N	N	D	N	N	21.62	21.62
73130	TC	A	0	0.57	0.01	0.58	0	0.57	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29
73130	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
73140		A	0.13	0.67	0.03	0.83	0.13	0.67	0.03	0.83	XXX	N	N	D	N	N	21.89	21.89
73140	TC	A	0	0.62	0.01	0.63	0	0.62	0.01	0.63	XXX	N	N	D	N	N	16.61	16.61
73140	26	A	0.13	0.05	0.01	0.19	0.13	0.05	0.01	0.19	XXX	N	N	D	N	N	5.01	5.01
73200		A	1	3.59	0.1	4.69	1	3.59	0.1	4.69	XXX	B	N	D	N	N	123.68	123.68
73200	TC	A	0	3.28	0.01	3.29	0	3.28	0.01	3.29	XXX	B	N	D	N	N	86.76	86.76
73200	26	A	1	0.31	0.09	1.4	1	0.31	0.09	1.4	XXX	B	N	D	N	N	36.92	36.92
73201		A	1.16	4.45	0.1	5.71	1.16	4.45	0.1	5.71	XXX	B	N	D	N	N	150.57	150.57
73201	TC	A	0	4.09	0.01	4.1	0	4.09	0.01	4.1	XXX	B	N	D	N	N	108.12	108.12
73201	26	A	1.16	0.36	0.09	1.61	1.16	0.36	0.09	1.61	XXX	B	N	D	N	N	42.46	42.46
73202		A	1.22	5.91	0.1	7.23	1.22	5.91	0.1	7.23	XXX	B	N	D	N	N	190.66	190.66
73202	TC	A	0	5.54	0.01	5.55	0	5.54	0.01	5.55	XXX	B	N	D	N	N	146.35	146.35
73202	26	A	1.22	0.37	0.09	1.68	1.22	0.37	0.09	1.68	XXX	B	N	D	N	N	44.30	44.30
73206		A	1.81	6.28	0.11	8.2	1.81	6.28	0.11	8.2	XXX	B	N	D	N	N	216.23	216.23
73206	TC	A	0	5.74	0.01	5.75	0	5.74	0.01	5.75	XXX	B	N	D	N	N	151.63	151.63
73206	26	A	1.81	0.54	0.1	2.45	1.81	0.54	0.1	2.45	XXX	B	N	D	N	N	64.61	64.61
73218		A	1.35	7.43	0.1	8.88	1.35	7.43	0.1	8.88	XXX	B	N	D	N	N	234.17	234.17
73218	TC	A	0	7.01	0.01	7.02	0	7.01	0.01	7.02	XXX	B	N	D	N	N	185.12	185.12
73218	26	A	1.35	0.42	0.09	1.86	1.35	0.42	0.09	1.86	XXX	B	N	D	N	N	49.05	49.05
73219		A	1.62	8.36	0.14	10.12	1.62	8.36	0.14	10.12	XXX	B	N	D	N	N	266.86	266.86
73219	TC	A	0	7.86	0.01	7.87	0	7.86	0.01	7.87	XXX	B	N	D	N	N	207.53	207.53
73219	26	A	1.62	0.5	0.13	2.25	1.62	0.5	0.13	2.25	XXX	B	N	D	N	N	59.33	59.33
73220		A	2.15	10.13	0.15	12.43	2.15	10.13	0.15	12.43	XXX	B	N	D	N	N	327.78	327.78
73220	TC	A	0	9.48	0.01	9.49	0	9.48	0.01	9.49	XXX	B	N	D	N	N	250.25	250.25
73220	26	A	2.15	0.66	0.14	2.95	2.15	0.66	0.14	2.95	XXX	B	N	D	N	N	77.79	77.79
73221		A	1.35	4.76	0.14	6.25	1.35	4.76	0.14	6.25	XXX	B	N	D	N	N	164.81	164.81
73221	TC	A	0	4.33	0.01	4.34	0	4.33	0.01	4.34	XXX	B	N	D	N	N	114.45	114.45
73221	26	A	1.35	0.42	0.13	1.9	1.35	0.42	0.13	1.9	XXX	B	N	D	N	N	50.10	50.10
73222		A	1.62	7.71	0.14	9.47	1.62	7.71	0.14	9.47	XXX	B	N	D	N	N	249.72	249.72
73222	TC	A	0	7.21	0.01	7.22	0	7.21	0.01	7.22	XXX	B	N	D	N	N	190.39	190.39
73222	26	A	1.62	0.5	0.13	2.25	1.62	0.5	0.13	2.25	XXX	B	N	D	N	N	59.33	59.33
73223		A	2.15	9.45	0.15	11.75	2.15	9.45	0.15	11.75	XXX	B	N	D	N	N	309.85	309.85
73223	TC	A	0	8.79	0.01	8.8	0	8.79	0.01	8.8	XXX	B	N	D	N	N	232.06	232.06

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
73223	26	A	2.15	0.66	0.14	2.95	2.15	0.66	0.14	2.95	XXX	B	N	D	N	N	77.79	77.79
73225		NOT COVEI	1.73	8.5	0.1	10.33	1.73	8.5	0.1	10.33	XXX	B	N	D	N	N	272.40	272.40
73225	TC	NOT COVEI	0	7.98	0.01	7.99	0	7.98	0.01	7.99	XXX	B	N	N	N	N	210.70	210.70
73225	26	NOT COVEI	1.73	0.52	0.09	2.34	1.73	0.52	0.09	2.34	XXX	B	N	D	N	N	61.71	61.71
73500		A	0.17	0.47	0.05	0.69	0.17	0.47	0.05	0.69	XXX	N	N	D	N	N	18.20	18.20
73500	TC	A	0	0.42	0.01	0.43	0	0.42	0.01	0.43	XXX	N	N	D	N	N	11.34	11.34
73500	26	A	0.17	0.06	0.04	0.27	0.17	0.06	0.04	0.27	XXX	N	N	D	N	N	7.12	7.12
73510		A	0.21	0.73	0.05	0.99	0.21	0.73	0.05	0.99	XXX	N	N	D	N	N	26.11	26.11
73510	TC	A	0	0.66	0.01	0.67	0	0.66	0.01	0.67	XXX	N	N	D	N	N	17.67	17.67
73510	26	A	0.21	0.07	0.04	0.32	0.21	0.07	0.04	0.32	XXX	N	N	D	N	N	8.44	8.44
73520		A	0.26	0.74	0.05	1.05	0.26	0.74	0.05	1.05	XXX	N	B	D	N	N	27.69	27.69
73520	TC	A	0	0.65	0.01	0.66	0	0.65	0.01	0.66	XXX	N	B	D	N	N	17.40	17.40
73520	26	A	0.26	0.09	0.04	0.39	0.26	0.09	0.04	0.39	XXX	N	B	D	N	N	10.28	10.28
73525		A	0.54	1.96	0.06	2.56	0.54	1.96	0.06	2.56	XXX	N	N	D	N	N	67.51	67.51
73525	TC	A	0	1.76	0.01	1.77	0	1.76	0.01	1.77	XXX	N	N	D	N	N	46.67	46.67
73525	26	A	0.54	0.2	0.05	0.79	0.54	0.2	0.05	0.79	XXX	N	N	D	N	N	20.83	20.83
73530		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
73530	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
73530	26	C	0.29	0.09	0.04	0.42	0.29	0.09	0.04	0.42	XXX	N	N	D	N	N	11.08	11.08
73540		A	0.2	0.83	0.05	1.08	0.2	0.83	0.05	1.08	XXX	N	N	D	N	N	28.48	28.48
73540	TC	A	0	0.77	0.01	0.78	0	0.77	0.01	0.78	XXX	N	N	D	N	N	20.57	20.57
73540	26	A	0.2	0.07	0.04	0.31	0.2	0.07	0.04	0.31	XXX	N	N	D	N	N	8.17	8.17
73550		A	0.17	0.51	0.05	0.73	0.17	0.51	0.05	0.73	XXX	N	N	D	N	N	19.25	19.25
73550	TC	A	0	0.45	0.01	0.46	0	0.45	0.01	0.46	XXX	N	N	D	N	N	12.13	12.13
73550	26	A	0.17	0.06	0.04	0.27	0.17	0.06	0.04	0.27	XXX	N	N	D	N	N	7.12	7.12
73560		A	0.17	0.56	0.05	0.78	0.17	0.56	0.05	0.78	XXX	N	N	D	N	N	20.57	20.57
73560	TC	A	0	0.5	0.01	0.51	0	0.5	0.01	0.51	XXX	N	N	D	N	N	13.45	13.45
73560	26	A	0.17	0.06	0.04	0.27	0.17	0.06	0.04	0.27	XXX	N	N	D	N	N	7.12	7.12
73562		A	0.18	0.71	0.05	0.94	0.18	0.71	0.05	0.94	XXX	N	N	D	N	N	24.79	24.79
73562	TC	A	0	0.64	0.01	0.65	0	0.64	0.01	0.65	XXX	N	N	D	N	N	17.14	17.14
73562	26	A	0.18	0.07	0.04	0.29	0.18	0.07	0.04	0.29	XXX	N	N	D	N	N	7.65	7.65
73564		A	0.22	0.82	0.05	1.09	0.22	0.82	0.05	1.09	XXX	N	N	D	N	N	28.74	28.74
73564	TC	A	0	0.74	0.01	0.75	0	0.74	0.01	0.75	XXX	N	N	D	N	N	19.78	19.78
73564	26	A	0.22	0.07	0.04	0.33	0.22	0.07	0.04	0.33	XXX	N	N	D	N	N	8.70	8.70
73565		A	0.17	0.67	0.05	0.89	0.17	0.67	0.05	0.89	XXX	N	B	D	N	N	23.47	23.47
73565	TC	A	0	0.61	0.01	0.62	0	0.61	0.01	0.62	XXX	N	B	D	N	N	16.35	16.35
73565	26	A	0.17	0.07	0.04	0.28	0.17	0.07	0.04	0.28	XXX	N	B	D	N	N	7.38	7.38
73580		A	0.54	2.5	0.08	3.12	0.54	2.5	0.08	3.12	XXX	N	N	D	N	N	82.27	82.27
73580	TC	A	0	2.3	0.01	2.31	0	2.3	0.01	2.31	XXX	N	N	D	N	N	60.91	60.91
73580	26	A	0.54	0.2	0.06	0.8	0.54	0.2	0.06	0.8	XXX	N	N	D	N	N	21.10	21.10
73590		A	0.17	0.5	0.03	0.7	0.17	0.5	0.03	0.7	XXX	N	N	D	N	N	18.46	18.46
73590	TC	A	0	0.44	0.01	0.45	0	0.44	0.01	0.45	XXX	N	N	D	N	N	11.87	11.87
73590	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
73592		A	0.16	0.52	0.03	0.71	0.16	0.52	0.03	0.71	XXX	N	N	D	N	N	18.72	18.72
73592	TC	A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
73592	26	A	0.16	0.05	0.01	0.22	0.16	0.05	0.01	0.22	XXX	N	N	D	N	N	5.80	5.80
73600		A	0.16	0.53	0.03	0.72	0.16	0.53	0.03	0.72	XXX	N	N	D	N	N	18.99	18.99
73600	TC	A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
73600	26	A	0.16	0.06	0.01	0.23	0.16	0.06	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
73610		A	0.17	0.64	0.03	0.84	0.17	0.64	0.03	0.84	XXX	N	N	D	N	N	22.15	22.15
73610	TC	A	0	0.58	0.01	0.59	0	0.58	0.01	0.59	XXX	N	N	D	N	N	15.56	15.56
73610	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
73615		A	0.54	1.96	0.06	2.56	0.54	1.96	0.06	2.56	XXX	N	N	D	N	N	67.51	67.51
73615	TC	A	0	1.76	0.01	1.77	0	1.76	0.01	1.77	XXX	N	N	D	N	N	46.67	46.67

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
73615	26	A	0.54	0.2	0.05	0.79	0.54	0.2	0.05	0.79	XXX	N	N	D	N	N	20.83	20.83
73620		A	0.16	0.5	0.03	0.69	0.16	0.5	0.03	0.69	XXX	N	N	D	N	N	18.20	18.20
73620	TC	A	0	0.46	0.01	0.47	0	0.46	0.01	0.47	XXX	N	N	D	N	N	12.39	12.39
73620	26	A	0.16	0.04	0.01	0.21	0.16	0.04	0.01	0.21	XXX	N	N	D	N	N	5.54	5.54
73630		A	0.17	0.59	0.03	0.79	0.17	0.59	0.03	0.79	XXX	N	N	D	N	N	20.83	20.83
73630	TC	A	0	0.54	0.01	0.55	0	0.54	0.01	0.55	XXX	N	N	D	N	N	14.50	14.50
73630	26	A	0.17	0.05	0.01	0.23	0.17	0.05	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
73650		A	0.16	0.52	0.03	0.71	0.16	0.52	0.03	0.71	XXX	N	N	D	N	N	18.72	18.72
73650	TC	A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
73650	26	A	0.16	0.05	0.01	0.22	0.16	0.05	0.01	0.22	XXX	N	N	D	N	N	5.80	5.80
73660		A	0.13	0.6	0.03	0.76	0.13	0.6	0.03	0.76	XXX	N	N	D	N	N	20.04	20.04
73660	TC	A	0	0.56	0.01	0.57	0	0.56	0.01	0.57	XXX	N	N	D	N	N	15.03	15.03
73660	26	A	0.13	0.04	0.01	0.18	0.13	0.04	0.01	0.18	XXX	N	N	D	N	N	4.75	4.75
73700		A	1	3.59	0.1	4.69	1	3.59	0.1	4.69	XXX	B	N	D	N	N	123.68	123.68
73700	TC	A	0	3.28	0.01	3.29	0	3.28	0.01	3.29	XXX	B	N	D	N	N	86.76	86.76
73700	26	A	1	0.31	0.09	1.4	1	0.31	0.09	1.4	XXX	B	N	D	N	N	36.92	36.92
73701		A	1.16	4.52	0.1	5.78	1.16	4.52	0.1	5.78	XXX	B	N	D	N	N	152.42	152.42
73701	TC	A	0	4.16	0.01	4.17	0	4.16	0.01	4.17	XXX	B	N	D	N	N	109.96	109.96
73701	26	A	1.16	0.36	0.09	1.61	1.16	0.36	0.09	1.61	XXX	B	N	D	N	N	42.46	42.46
73702		A	1.22	5.85	0.1	7.17	1.22	5.85	0.1	7.17	XXX	B	N	D	N	N	189.07	189.07
73702	TC	A	0	5.48	0.01	5.49	0	5.48	0.01	5.49	XXX	B	N	D	N	N	144.77	144.77
73702	26	A	1.22	0.37	0.09	1.68	1.22	0.37	0.09	1.68	XXX	B	N	D	N	N	44.30	44.30
73706		A	1.9	7.06	0.15	9.11	1.9	7.06	0.15	9.11	XXX	B	N	D	N	N	240.23	240.23
73706	TC	A	0	6.5	0.01	6.51	0	6.5	0.01	6.51	XXX	B	N	D	N	N	171.67	171.67
73706	26	A	1.9	0.57	0.14	2.61	1.9	0.57	0.14	2.61	XXX	B	N	D	N	N	68.83	68.83
73718		A	1.35	7.42	0.11	8.88	1.35	7.42	0.11	8.88	XXX	B	N	D	N	N	234.17	234.17
73718	TC	A	0	7.01	0.01	7.02	0	7.01	0.01	7.02	XXX	B	N	D	N	N	185.12	185.12
73718	26	A	1.35	0.41	0.1	1.86	1.35	0.41	0.1	1.86	XXX	B	N	D	N	N	49.05	49.05
73719		A	1.62	8.39	0.14	10.15	1.62	8.39	0.14	10.15	XXX	B	N	D	N	N	267.66	267.66
73719	TC	A	0	7.9	0.01	7.91	0	7.9	0.01	7.91	XXX	B	N	D	N	N	208.59	208.59
73719	26	A	1.62	0.5	0.13	2.25	1.62	0.5	0.13	2.25	XXX	B	N	D	N	N	59.33	59.33
73720		A	2.15	10.2	0.15	12.5	2.15	10.2	0.15	12.5	XXX	B	N	D	N	N	329.63	329.63
73720	TC	A	0	9.55	0.01	9.56	0	9.55	0.01	9.56	XXX	B	N	D	N	N	252.10	252.10
73720	26	A	2.15	0.65	0.14	2.94	2.15	0.65	0.14	2.94	XXX	B	N	D	N	N	77.53	77.53
73721		A	1.35	4.77	0.14	6.26	1.35	4.77	0.14	6.26	XXX	B	N	D	N	N	165.08	165.08
73721	TC	A	0	4.34	0.01	4.35	0	4.34	0.01	4.35	XXX	B	N	D	N	N	114.71	114.71
73721	26	A	1.35	0.42	0.13	1.9	1.35	0.42	0.13	1.9	XXX	B	N	D	N	N	50.10	50.10
73722		A	1.62	7.83	0.15	9.6	1.62	7.83	0.15	9.6	XXX	B	N	D	N	N	253.15	253.15
73722	TC	A	0	7.33	0.01	7.34	0	7.33	0.01	7.34	XXX	B	N	D	N	N	193.56	193.56
73722	26	A	1.62	0.5	0.14	2.26	1.62	0.5	0.14	2.26	XXX	B	N	D	N	N	59.60	59.60
73723		A	2.15	9.48	0.15	11.78	2.15	9.48	0.15	11.78	XXX	B	N	D	N	N	310.64	310.64
73723	TC	A	0	8.83	0.01	8.84	0	8.83	0.01	8.84	XXX	B	N	D	N	N	233.11	233.11
73723	26	A	2.15	0.66	0.14	2.95	2.15	0.66	0.14	2.95	XXX	B	N	D	N	N	77.79	77.79
73725		A	1.82	8.28	0.14	10.24	1.82	8.28	0.14	10.24	XXX	B	N	D	N	N	270.03	270.03
73725	TC	A	0	7.74	0.01	7.75	0	7.74	0.01	7.75	XXX	B	N	D	N	N	204.37	204.37
73725	26	A	1.82	0.54	0.13	2.49	1.82	0.54	0.13	2.49	XXX	B	N	D	N	N	65.66	65.66
74000		A	0.18	0.42	0.03	0.63	0.18	0.42	0.03	0.63	XXX	N	N	D	N	N	16.61	16.61
74000	TC	A	0	0.36	0.01	0.37	0	0.36	0.01	0.37	XXX	N	N	D	N	N	9.76	9.76
74000	26	A	0.18	0.06	0.01	0.25	0.18	0.06	0.01	0.25	XXX	N	N	D	N	N	6.59	6.59
74010		A	0.23	0.72	0.03	0.98	0.23	0.72	0.03	0.98	XXX	N	N	D	N	N	25.84	25.84
74010	TC	A	0	0.64	0.01	0.65	0	0.64	0.01	0.65	XXX	N	N	D	N	N	17.14	17.14
74010	26	A	0.23	0.07	0.01	0.31	0.23	0.07	0.01	0.31	XXX	N	N	D	N	N	8.17	8.17
74020		A	0.27	0.72	0.03	1.02	0.27	0.72	0.03	1.02	XXX	N	N	D	N	N	26.90	26.90
74020	TC	A	0	0.64	0.01	0.65	0	0.64	0.01	0.65	XXX	N	N	D	N	N	17.14	17.14

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
74020	26	A	0.27	0.08	0.01	0.36	0.27	0.08	0.01	0.36	XXX	N	N	D	N	N	9.49	9.49
74022		A	0.32	0.88	0.03	1.23	0.32	0.88	0.03	1.23	XXX	N	N	D	N	N	32.44	32.44
74022	TC	A	0	0.78	0.01	0.79	0	0.78	0.01	0.79	XXX	N	N	D	N	N	20.83	20.83
74022	26	A	0.32	0.1	0.01	0.43	0.32	0.1	0.01	0.43	XXX	N	N	D	N	N	11.34	11.34
74150		A	1.19	2.57	0.1	3.86	1.19	2.57	0.1	3.86	XXX	B	N	D	N	N	101.79	101.79
74150	TC	A	0	2.2	0.01	2.21	0	2.2	0.01	2.21	XXX	B	N	D	N	N	58.28	58.28
74150	26	A	1.19	0.37	0.09	1.65	1.19	0.37	0.09	1.65	XXX	B	N	D	N	N	43.51	43.51
74160		A	1.27	4.51	0.1	5.88	1.27	4.51	0.1	5.88	XXX	B	N	D	N	N	155.06	155.06
74160	TC	A	0	4.12	0.01	4.13	0	4.12	0.01	4.13	XXX	B	N	D	N	N	108.91	108.91
74160	26	A	1.27	0.39	0.09	1.75	1.27	0.39	0.09	1.75	XXX	B	N	D	N	N	46.15	46.15
74170		A	1.4	5.27	0.11	6.78	1.4	5.27	0.11	6.78	XXX	B	N	D	N	N	178.79	178.79
74170	TC	A	0	4.84	0.01	4.85	0	4.84	0.01	4.85	XXX	B	N	D	N	N	127.89	127.89
74170	26	A	1.4	0.42	0.1	1.92	1.4	0.42	0.1	1.92	XXX	B	N	D	N	N	50.63	50.63
74174		A	2.2	10.79	0.18	13.17	2.2	10.79	0.18	13.17	XXX	B	N	D	N	N	347.29	347.29
74174	TC	A	0	10.13	0.01	10.14	0	10.13	0.01	10.14	XXX	B	N	D	N	N	267.39	267.39
74174	26	A	2.2	0.66	0.16	3.02	2.2	0.66	0.16	3.02	XXX	B	N	D	N	N	79.64	79.64
74175		A	1.9	7.39	0.15	9.44	1.9	7.39	0.15	9.44	XXX	B	N	D	N	N	248.93	248.93
74175	TC	A	0	6.81	0.01	6.82	0	6.81	0.01	6.82	XXX	B	N	D	N	N	179.84	179.84
74175	26	A	1.9	0.57	0.14	2.61	1.9	0.57	0.14	2.61	XXX	B	N	D	N	N	68.83	68.83
74176		A	1.74	3.54	0.14	5.42	1.74	3.54	0.14	5.42	XXX	B	N	N	N	N	142.93	142.93
74176	TC	A	0	3.01	0.01	3.02	0	3.01	0.01	3.02	XXX	B	N	N	N	N	79.64	79.64
74176	26	A	1.74	0.53	0.13	2.4	1.74	0.53	0.13	2.4	XXX	B	N	N	N	N	63.29	63.29
74177		A	1.82	6	0.14	7.96	1.82	6	0.14	7.96	XXX	B	N	N	N	N	209.91	209.91
74177	TC	A	0	5.44	0.01	5.45	0	5.44	0.01	5.45	XXX	B	N	N	N	N	143.72	143.72
74177	26	A	1.82	0.56	0.13	2.51	1.82	0.56	0.13	2.51	XXX	B	N	N	N	N	66.19	66.19
74178		A	2.01	7.08	0.15	9.24	2.01	7.08	0.15	9.24	XXX	B	N	N	N	N	243.66	243.66
74178	TC	A	0	6.46	0.01	6.47	0	6.46	0.01	6.47	XXX	B	N	N	N	N	170.61	170.61
74178	26	A	2.01	0.62	0.14	2.77	2.01	0.62	0.14	2.77	XXX	B	N	N	N	N	73.04	73.04
74181		A	1.46	6.61	0.11	8.18	1.46	6.61	0.11	8.18	XXX	B	N	D	N	N	215.71	215.71
74181	TC	A	0	6.17	0.01	6.18	0	6.17	0.01	6.18	XXX	B	N	D	N	N	162.97	162.97
74181	26	A	1.46	0.44	0.1	2	1.46	0.44	0.1	2	XXX	B	N	D	N	N	52.74	52.74
74182		A	1.73	9.36	0.14	11.23	1.73	9.36	0.14	11.23	XXX	B	N	D	N	N	296.14	296.14
74182	TC	A	0	8.84	0.01	8.85	0	8.84	0.01	8.85	XXX	B	N	D	N	N	233.37	233.37
74182	26	A	1.73	0.52	0.13	2.38	1.73	0.52	0.13	2.38	XXX	B	N	D	N	N	62.76	62.76
74183		A	2.26	10.21	0.15	12.62	2.26	10.21	0.15	12.62	XXX	B	N	D	N	N	332.79	332.79
74183	TC	A	0	9.52	0.01	9.53	0	9.52	0.01	9.53	XXX	B	N	D	N	N	251.31	251.31
74183	26	A	2.26	0.69	0.14	3.09	2.26	0.69	0.14	3.09	XXX	B	N	D	N	N	81.48	81.48
74185		A	1.8	8.3	0.14	10.24	1.8	8.3	0.14	10.24	XXX	B	N	D	N	N	270.03	270.03
74185	TC	A	0	7.75	0.01	7.76	0	7.75	0.01	7.76	XXX	B	N	D	N	N	204.63	204.63
74185	26	A	1.8	0.54	0.13	2.47	1.8	0.54	0.13	2.47	XXX	B	N	D	N	N	65.13	65.13
74190		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74190	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74190	26	C	0.48	0.13	0.05	0.66	0.48	0.13	0.05	0.66	XXX	N	N	D	N	N	17.40	17.40
74210		A	0.36	1.55	0.03	1.94	0.36	1.55	0.03	1.94	XXX	N	N	D	N	N	51.16	51.16
74210	TC	A	0	1.44	0.01	1.45	0	1.44	0.01	1.45	XXX	N	N	D	N	N	38.24	38.24
74210	26	A	0.36	0.11	0.01	0.48	0.36	0.11	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
74220		A	0.46	1.76	0.05	2.27	0.46	1.76	0.05	2.27	XXX	N	N	D	N	N	59.86	59.86
74220	TC	A	0	1.62	0.01	1.63	0	1.62	0.01	1.63	XXX	N	N	D	N	N	42.98	42.98
74220	26	A	0.46	0.14	0.04	0.64	0.46	0.14	0.04	0.64	XXX	N	N	D	N	N	16.88	16.88
74230		A	0.53	1.71	0.05	2.29	0.53	1.71	0.05	2.29	XXX	N	N	D	N	N	60.39	60.39
74230	TC	A	0	1.54	0.01	1.55	0	1.54	0.01	1.55	XXX	N	N	D	N	N	40.87	40.87
74230	26	A	0.53	0.17	0.04	0.74	0.53	0.17	0.04	0.74	XXX	N	N	D	N	N	19.51	19.51
74235		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74235	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
74235	26	C	1.19	0.29	0.13	1.61	1.19	0.29	0.13	1.61	XXX	N	N	D	N	N	42.46	42.46
74240		A	0.69	2.11	0.06	2.86	0.69	2.11	0.06	2.86	XXX	N	N	D	N	N	75.42	75.42
74240	TC	A	0	1.9	0.01	1.91	0	1.9	0.01	1.91	XXX	N	N	D	N	N	50.37	50.37
74240	26	A	0.69	0.22	0.05	0.96	0.69	0.22	0.05	0.96	XXX	N	N	D	N	N	25.32	25.32
74241		A	0.69	2.23	0.05	2.97	0.69	2.23	0.05	2.97	XXX	N	N	D	N	N	78.32	78.32
74241	TC	A	0	2.02	0.01	2.03	0	2.02	0.01	2.03	XXX	N	N	D	N	N	53.53	53.53
74241	26	A	0.69	0.21	0.04	0.94	0.69	0.21	0.04	0.94	XXX	N	N	D	N	N	24.79	24.79
74245		A	0.91	3.44	0.08	4.43	0.91	3.44	0.08	4.43	XXX	N	N	D	N	N	116.82	116.82
74245	TC	A	0	3.16	0.01	3.17	0	3.16	0.01	3.17	XXX	N	N	D	N	N	83.59	83.59
74245	26	A	0.91	0.27	0.06	1.24	0.91	0.27	0.06	1.24	XXX	N	N	D	N	N	32.70	32.70
74246		A	0.69	2.45	0.06	3.2	0.69	2.45	0.06	3.2	XXX	N	N	D	N	N	84.38	84.38
74246	TC	A	0	2.25	0.01	2.26	0	2.25	0.01	2.26	XXX	N	N	D	N	N	59.60	59.60
74246	26	A	0.69	0.21	0.05	0.95	0.69	0.21	0.05	0.95	XXX	N	N	D	N	N	25.05	25.05
74247		A	0.69	2.8	0.06	3.55	0.69	2.8	0.06	3.55	XXX	N	N	D	N	N	93.61	93.61
74247	TC	A	0	2.59	0.01	2.6	0	2.59	0.01	2.6	XXX	N	N	D	N	N	68.56	68.56
74247	26	A	0.69	0.21	0.05	0.95	0.69	0.21	0.05	0.95	XXX	N	N	D	N	N	25.05	25.05
74249		A	0.91	3.77	0.08	4.76	0.91	3.77	0.08	4.76	XXX	N	N	D	N	N	125.52	125.52
74249	TC	A	0	3.49	0.01	3.5	0	3.49	0.01	3.5	XXX	N	N	D	N	N	92.30	92.30
74249	26	A	0.91	0.27	0.06	1.24	0.91	0.27	0.06	1.24	XXX	N	N	D	N	N	32.70	32.70
74250		A	0.47	2.15	0.05	2.67	0.47	2.15	0.05	2.67	XXX	N	N	D	N	N	70.41	70.41
74250	TC	A	0	2.01	0.01	2.02	0	2.01	0.01	2.02	XXX	N	N	D	N	N	53.27	53.27
74250	26	A	0.47	0.14	0.04	0.65	0.47	0.14	0.04	0.65	XXX	N	N	D	N	N	17.14	17.14
74251		A	0.69	9.23	0.06	9.98	0.69	9.23	0.06	9.98	XXX	N	N	D	N	N	263.17	263.17
74251	TC	A	0	9.02	0.01	9.03	0	9.02	0.01	9.03	XXX	N	N	D	N	N	238.12	238.12
74251	26	A	0.69	0.21	0.05	0.95	0.69	0.21	0.05	0.95	XXX	N	N	D	N	N	25.05	25.05
74260		A	0.5	7.71	0.05	8.26	0.5	7.71	0.05	8.26	XXX	N	N	D	N	N	217.82	217.82
74260	TC	A	0	7.56	0.01	7.57	0	7.56	0.01	7.57	XXX	N	N	D	N	N	199.62	199.62
74260	26	A	0.5	0.15	0.04	0.69	0.5	0.15	0.04	0.69	XXX	N	N	D	N	N	18.20	18.20
74261		A	2.4	9.18	0.15	11.73	2.4	9.18	0.15	11.73	XXX	B	N	D	N	N	309.32	309.32
74261	TC	A	0	8.44	0.01	8.45	0	8.44	0.01	8.45	XXX	B	N	D	N	N	222.83	222.83
74261	26	A	2.4	0.74	0.14	3.28	2.4	0.74	0.14	3.28	XXX	B	N	D	N	N	86.49	86.49
74262		A	2.5	10.18	0.18	12.86	2.5	10.18	0.18	12.86	XXX	B	N	D	N	N	339.12	339.12
74262	TC	A	0	9.43	0.01	9.44	0	9.43	0.01	9.44	XXX	B	N	D	N	N	248.93	248.93
74262	26	A	2.5	0.76	0.16	3.42	2.5	0.76	0.16	3.42	XXX	B	N	D	N	N	90.19	90.19
74263		NOT COVEI	2.28	15.58	0.15	18.01	2.28	15.58	0.15	18.01	XXX	N	N	N	N	N	474.92	474.92
74263	TC	NOT COVEI	0	14.84	0.01	14.85	0	14.84	0.01	14.85	XXX	N	N	N	N	N	391.59	391.59
74263	26	NOT COVEI	2.28	0.73	0.14	3.15	2.28	0.73	0.14	3.15	XXX	N	N	N	N	N	83.07	83.07
74270		A	0.69	3.14	0.06	3.89	0.69	3.14	0.06	3.89	XXX	N	N	D	N	N	102.58	102.58
74270	TC	A	0	2.93	0.01	2.94	0	2.93	0.01	2.94	XXX	N	N	D	N	N	77.53	77.53
74270	26	A	0.69	0.21	0.05	0.95	0.69	0.21	0.05	0.95	XXX	N	N	D	N	N	25.05	25.05
74280		A	0.99	4.37	0.08	5.44	0.99	4.37	0.08	5.44	XXX	N	N	D	N	N	143.45	143.45
74280	TC	A	0	4.07	0.01	4.08	0	4.07	0.01	4.08	XXX	N	N	D	N	N	107.59	107.59
74280	26	A	0.99	0.3	0.06	1.35	0.99	0.3	0.06	1.35	XXX	N	N	D	N	N	35.60	35.60
74283		A	2.02	3.1	0.08	5.2	2.02	3.1	0.08	5.2	XXX	N	N	D	N	N	137.12	137.12
74283	TC	A	0	2.48	0.01	2.49	0	2.48	0.01	2.49	XXX	N	N	D	N	N	65.66	65.66
74283	26	A	2.02	0.62	0.06	2.7	2.02	0.62	0.06	2.7	XXX	N	N	D	N	N	71.20	71.20
74290		A	0.32	1.38	0.03	1.73	0.32	1.38	0.03	1.73	XXX	N	N	D	N	N	45.62	45.62
74290	TC	A	0	1.28	0.01	1.29	0	1.28	0.01	1.29	XXX	N	N	D	N	N	34.02	34.02
74290	26	A	0.32	0.1	0.01	0.43	0.32	0.1	0.01	0.43	XXX	N	N	D	N	N	11.34	11.34
74291		A	0.2	1.42	0.03	1.65	0.2	1.42	0.03	1.65	XXX	N	N	D	N	N	43.51	43.51
74291	TC	A	0	1.36	0.01	1.37	0	1.36	0.01	1.37	XXX	N	N	D	N	N	36.13	36.13
74291	26	A	0.2	0.07	0.01	0.28	0.2	0.07	0.01	0.28	XXX	N	N	D	N	N	7.38	7.38
74300		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74300	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
74300	26	C	0.36	0.11	0.04	0.51	0.36	0.11	0.04	0.51	XXX	N	N	D	N	N	13.45	13.45
74301		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
74301	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
74301	26	C	0.21	0.06	0.04	0.31	0.21	0.06	0.04	0.31	ZZZ	N	N	D	N	N	8.17	8.17
74305		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74305	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74305	26	C	0.42	0.12	0.05	0.59	0.42	0.12	0.05	0.59	XXX	N	N	D	N	N	15.56	15.56
74320		A	0.54	1.82	0.05	2.41	0.54	1.82	0.05	2.41	XXX	N	N	D	N	N	63.55	63.55
74320	TC	A	0	1.67	0.01	1.68	0	1.67	0.01	1.68	XXX	N	N	D	N	N	44.30	44.30
74320	26	A	0.54	0.15	0.04	0.73	0.54	0.15	0.04	0.73	XXX	N	N	D	N	N	19.25	19.25
74327		A	0.7	2.63	0.15	3.48	0.7	2.63	0.15	3.48	XXX	N	N	D	N	N	91.77	91.77
74327	TC	A	0	2.43	0.01	2.44	0	2.43	0.01	2.44	XXX	N	N	D	N	N	64.34	64.34
74327	26	A	0.7	0.2	0.14	1.04	0.7	0.2	0.14	1.04	XXX	N	N	D	N	N	27.42	27.42
74328		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74328	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74328	26	C	0.7	0.22	0.06	0.98	0.7	0.22	0.06	0.98	XXX	N	N	D	N	N	25.84	25.84
74329		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74329	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74329	26	C	0.7	0.23	0.06	0.99	0.7	0.23	0.06	0.99	XXX	N	N	D	N	N	26.11	26.11
74330		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74330	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74330	26	C	0.9	0.29	0.09	1.28	0.9	0.29	0.09	1.28	XXX	N	N	D	N	N	33.75	33.75
74340		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74340	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74340	26	C	0.54	0.17	0.05	0.76	0.54	0.17	0.05	0.76	XXX	N	N	D	N	N	20.04	20.04
74355		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74355	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74355	26	C	0.76	0.22	0.09	1.07	0.76	0.22	0.09	1.07	XXX	N	N	D	N	N	28.22	28.22
74360		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74360	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74360	26	C	0.54	0.18	0.05	0.77	0.54	0.18	0.05	0.77	XXX	N	N	D	N	N	20.30	20.30
74363		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74363	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74363	26	C	0.88	0.25	0.1	1.23	0.88	0.25	0.1	1.23	XXX	N	N	D	N	N	32.44	32.44
74400		A	0.49	2.25	0.05	2.79	0.49	2.25	0.05	2.79	XXX	N	N	D	N	N	73.57	73.57
74400	TC	A	0	2.1	0.01	2.11	0	2.1	0.01	2.11	XXX	N	N	D	N	N	55.64	55.64
74400	26	A	0.49	0.15	0.04	0.68	0.49	0.15	0.04	0.68	XXX	N	N	D	N	N	17.93	17.93
74410		A	0.49	2.2	0.05	2.74	0.49	2.2	0.05	2.74	XXX	N	N	D	N	N	72.25	72.25
74410	TC	A	0	2.06	0.01	2.07	0	2.06	0.01	2.07	XXX	N	N	D	N	N	54.59	54.59
74410	26	A	0.49	0.14	0.04	0.67	0.49	0.14	0.04	0.67	XXX	N	N	D	N	N	17.67	17.67
74415		A	0.49	2.84	0.05	3.38	0.49	2.84	0.05	3.38	XXX	N	N	D	N	N	89.13	89.13
74415	TC	A	0	2.69	0.01	2.7	0	2.69	0.01	2.7	XXX	N	N	D	N	N	71.20	71.20
74415	26	A	0.49	0.15	0.04	0.68	0.49	0.15	0.04	0.68	XXX	N	N	D	N	N	17.93	17.93
74420		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74420	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74420	26	C	0.36	0.11	0.04	0.51	0.36	0.11	0.04	0.51	XXX	N	N	D	N	N	13.45	13.45
74425		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74425	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74425	26	C	0.36	0.1	0.04	0.5	0.36	0.1	0.04	0.5	XXX	N	N	D	N	N	13.19	13.19
74430		A	0.32	0.69	0.03	1.04	0.32	0.69	0.03	1.04	XXX	N	N	D	N	N	27.42	27.42
74430	TC	A	0	0.6	0.01	0.61	0	0.6	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
74430	26	A	0.32	0.09	0.01	0.42	0.32	0.09	0.01	0.42	XXX	N	N	D	N	N	11.08	11.08
74440		A	0.38	1.6	0.05	2.03	0.38	1.6	0.05	2.03	XXX	N	N	D	N	N	53.53	53.53
74440	TC	A	0	1.49	0.01	1.5	0	1.49	0.01	1.5	XXX	N	N	D	N	N	39.56	39.56

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
74440	26	A	0.38	0.11	0.04	0.53	0.38	0.11	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
74445		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74445	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74445	26	C	1.14	0.32	0.13	1.59	1.14	0.32	0.13	1.59	XXX	N	N	D	N	N	41.93	41.93
74450		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74450	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74450	26	C	0.33	0.1	0.04	0.47	0.33	0.1	0.04	0.47	XXX	N	N	D	N	N	12.39	12.39
74455		A	0.33	1.69	0.03	2.05	0.33	1.69	0.03	2.05	XXX	N	N	D	N	N	54.06	54.06
74455	TC	A	0	1.59	0.01	1.6	0	1.59	0.01	1.6	XXX	N	N	D	N	N	42.19	42.19
74455	26	A	0.33	0.1	0.01	0.44	0.33	0.1	0.01	0.44	XXX	N	N	D	N	N	11.60	11.60
74470		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74470	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74470	26	C	0.54	0.15	0.05	0.74	0.54	0.15	0.05	0.74	XXX	N	N	D	N	N	19.51	19.51
74475		A	0.54	1.81	0.05	2.4	0.54	1.81	0.05	2.4	XXX	N	N	D	N	N	63.29	63.29
74475	TC	A	0	1.65	0.01	1.66	0	1.65	0.01	1.66	XXX	N	N	D	N	N	43.77	43.77
74475	26	A	0.54	0.16	0.04	0.74	0.54	0.16	0.04	0.74	XXX	N	N	D	N	N	19.51	19.51
74480		A	0.54	1.81	0.05	2.4	0.54	1.81	0.05	2.4	XXX	N	N	D	N	N	63.29	63.29
74480	TC	A	0	1.65	0.01	1.66	0	1.65	0.01	1.66	XXX	N	N	D	N	N	43.77	43.77
74480	26	A	0.54	0.16	0.04	0.74	0.54	0.16	0.04	0.74	XXX	N	N	D	N	N	19.51	19.51
74485		A	0.54	1.8	0.05	2.39	0.54	1.8	0.05	2.39	XXX	N	N	D	N	N	63.02	63.02
74485	TC	A	0	1.65	0.01	1.66	0	1.65	0.01	1.66	XXX	N	N	D	N	N	43.77	43.77
74485	26	A	0.54	0.15	0.04	0.73	0.54	0.15	0.04	0.73	XXX	N	N	D	N	N	19.25	19.25
74710		A	0.34	0.58	0.03	0.95	0.34	0.58	0.03	0.95	XXX	N	N	D	N	N	25.05	25.05
74710	TC	A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
74710	26	A	0.34	0.11	0.01	0.46	0.34	0.11	0.01	0.46	XXX	N	N	D	N	N	12.13	12.13
74740		A	0.38	1.5	0.03	1.91	0.38	1.5	0.03	1.91	XXX	N	N	D	N	N	50.37	50.37
74740	TC	A	0	1.38	0.01	1.39	0	1.38	0.01	1.39	XXX	N	N	D	N	N	36.65	36.65
74740	26	A	0.38	0.12	0.01	0.51	0.38	0.12	0.01	0.51	XXX	N	N	D	N	N	13.45	13.45
74742		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74742	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74742	26	C	0.61	0.19	0.06	0.86	0.61	0.19	0.06	0.86	XXX	N	N	D	N	N	22.68	22.68
74775		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74775	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
74775	26	C	0.62	0.18	0.06	0.86	0.62	0.18	0.06	0.86	XXX	N	N	D	N	N	22.68	22.68
75557		A	2.35	5.66	0.14	8.15	2.35	5.66	0.14	8.15	XXX	B	N	D	N	N	214.92	214.92
75557	TC	A	0	4.96	0.01	4.97	0	4.96	0.01	4.97	XXX	B	N	D	N	N	131.06	131.06
75557	26	A	2.35	0.7	0.13	3.18	2.35	0.7	0.13	3.18	XXX	B	N	D	N	N	83.86	83.86
75559		A	2.95	7.86	0.15	10.96	2.95	7.86	0.15	10.96	XXX	B	N	D	N	N	289.02	289.02
75559	TC	A	0	7.02	0.01	7.03	0	7.02	0.01	7.03	XXX	B	N	D	N	N	185.38	185.38
75559	26	A	2.95	0.84	0.14	3.93	2.95	0.84	0.14	3.93	XXX	B	N	D	N	N	103.63	103.63
75561		A	2.6	7.89	0.15	10.64	2.6	7.89	0.15	10.64	XXX	B	N	D	N	N	280.58	280.58
75561	TC	A	0	7.12	0.01	7.13	0	7.12	0.01	7.13	XXX	B	N	D	N	N	188.02	188.02
75561	26	A	2.6	0.77	0.14	3.51	2.6	0.77	0.14	3.51	XXX	B	N	D	N	N	92.56	92.56
75563		A	3	9.38	0.15	12.53	3	9.38	0.15	12.53	XXX	B	N	D	N	N	330.42	330.42
75563	TC	A	0	8.5	0.01	8.51	0	8.5	0.01	8.51	XXX	B	N	D	N	N	224.41	224.41
75563	26	A	3	0.87	0.14	4.01	3	0.87	0.14	4.01	XXX	B	N	D	N	N	105.74	105.74
75565		A	0.25	1.08	0.03	1.36	0.25	1.08	0.03	1.36	ZZZ	N	N	D	N	N	35.86	35.86
75565	TC	A	0	1.01	0.01	1.02	0	1.01	0.01	1.02	ZZZ	N	N	D	N	N	26.90	26.90
75565	26	A	0.25	0.07	0.01	0.33	0.25	0.07	0.01	0.33	ZZZ	N	N	D	N	N	8.70	8.70
75571		NOT COVEI	0.58	1.97	0.03	2.58	0.58	1.97	0.03	2.58	XXX	B	N	D	N	N	68.03	68.03
75571	TC	NOT COVEI	0	1.81	0.01	1.82	0	1.81	0.01	1.82	XXX	B	N	D	N	N	47.99	47.99
75571	26	NOT COVEI	0.58	0.17	0.01	0.76	0.58	0.17	0.01	0.76	XXX	B	N	D	N	N	20.04	20.04
75572		A	1.75	5.24	0.08	7.07	1.75	5.24	0.08	7.07	XXX	B	N	D	N	N	186.44	186.44
75572	TC	A	0	4.73	0.01	4.74	0	4.73	0.01	4.74	XXX	B	N	D	N	N	124.99	124.99

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
75572	26	A	1.75	0.52	0.06	2.33	1.75	0.52	0.06	2.33	XXX	B	N	D	N	N	61.44	61.44
75573		A	2.55	7.07	0.11	9.73	2.55	7.07	0.11	9.73	XXX	B	N	D	N	N	256.58	256.58
75573	TC	A	0	6.32	0.01	6.33	0	6.32	0.01	6.33	XXX	B	N	D	N	N	166.92	166.92
75573	26	A	2.55	0.75	0.1	3.4	2.55	0.75	0.1	3.4	XXX	B	N	D	N	N	89.66	89.66
75574		A	2.4	7.77	0.11	10.28	2.4	7.77	0.11	10.28	XXX	B	N	D	N	N	271.08	271.08
75574	TC	A	0	7.06	0.01	7.07	0	7.06	0.01	7.07	XXX	B	N	D	N	N	186.44	186.44
75574	26	A	2.4	0.71	0.1	3.21	2.4	0.71	0.1	3.21	XXX	B	N	D	N	N	84.65	84.65
75600		A	0.49	4.48	0.05	5.02	0.49	4.48	0.05	5.02	XXX	D	N	D	N	N	132.38	132.38
75600	TC	A	0	4.35	0.01	4.36	0	4.35	0.01	4.36	XXX	D	N	D	N	N	114.97	114.97
75600	26	A	0.49	0.13	0.04	0.66	0.49	0.13	0.04	0.66	XXX	D	N	D	N	N	17.40	17.40
75605		A	1.14	2.55	0.1	3.79	1.14	2.55	0.1	3.79	XXX	D	N	D	N	N	99.94	99.94
75605	TC	A	0	2.25	0.01	2.26	0	2.25	0.01	2.26	XXX	D	N	D	N	N	59.60	59.60
75605	26	A	1.14	0.3	0.09	1.53	1.14	0.3	0.09	1.53	XXX	D	N	D	N	N	40.35	40.35
75625		A	1.14	2.51	0.14	3.79	1.14	2.51	0.14	3.79	XXX	D	N	D	N	N	99.94	99.94
75625	TC	A	0	2.23	0.01	2.24	0	2.23	0.01	2.24	XXX	D	N	D	N	N	59.07	59.07
75625	26	A	1.14	0.28	0.13	1.55	1.14	0.28	0.13	1.55	XXX	D	N	D	N	N	40.87	40.87
75630		A	1.79	2.68	0.14	4.61	1.79	2.68	0.14	4.61	XXX	D	N	D	N	N	121.57	121.57
75630	TC	A	0	2.21	0.01	2.22	0	2.21	0.01	2.22	XXX	D	N	D	N	N	58.54	58.54
75630	26	A	1.79	0.47	0.13	2.39	1.79	0.47	0.13	2.39	XXX	D	N	D	N	N	63.02	63.02
75635		A	2.4	7.69	0.18	10.27	2.4	7.69	0.18	10.27	XXX	B	N	D	N	N	270.82	270.82
75635	TC	A	0	6.98	0.04	7.02	0	6.98	0.04	7.02	XXX	B	N	D	N	N	185.12	185.12
75635	26	A	2.4	0.71	0.14	3.25	2.4	0.71	0.14	3.25	XXX	B	N	D	N	N	85.70	85.70
75658		A	1.31	2.97	0.11	4.39	1.31	2.97	0.11	4.39	XXX	D	N	D	N	N	115.76	115.76
75658	TC	A	0	2.66	0.01	2.67	0	2.66	0.01	2.67	XXX	D	N	D	N	N	70.41	70.41
75658	26	A	1.31	0.31	0.1	1.72	1.31	0.31	0.1	1.72	XXX	D	N	D	N	N	45.36	45.36
75705		A	2.18	3.92	0.1	6.2	2.18	3.92	0.1	6.2	XXX	D	N	D	N	N	163.49	163.49
75705	TC	A	0	3.24	0.01	3.25	0	3.24	0.01	3.25	XXX	D	N	D	N	N	85.70	85.70
75705	26	A	2.18	0.67	0.09	2.94	2.18	0.67	0.09	2.94	XXX	D	N	D	N	N	77.53	77.53
75710		A	1.14	3.1	0.08	4.32	1.14	3.1	0.08	4.32	XXX	D	N	D	N	N	113.92	113.92
75710	TC	A	0	2.81	0.01	2.82	0	2.81	0.01	2.82	XXX	D	N	D	N	N	74.36	74.36
75710	26	A	1.14	0.29	0.06	1.49	1.14	0.29	0.06	1.49	XXX	D	N	D	N	N	39.29	39.29
75716		A	1.31	3.71	0.16	5.18	1.31	3.71	0.16	5.18	XXX	D	B	D	N	N	136.60	136.60
75716	TC	A	0	3.38	0.04	3.42	0	3.38	0.04	3.42	XXX	D	B	D	N	N	90.19	90.19
75716	26	A	1.31	0.33	0.13	1.77	1.31	0.33	0.13	1.77	XXX	D	B	D	N	N	46.67	46.67
75726		A	1.14	2.81	0.11	4.06	1.14	2.81	0.11	4.06	XXX	D	N	D	N	N	107.06	107.06
75726	TC	A	0	2.5	0.01	2.51	0	2.5	0.01	2.51	XXX	D	N	D	N	N	66.19	66.19
75726	26	A	1.14	0.31	0.1	1.55	1.14	0.31	0.1	1.55	XXX	D	N	D	N	N	40.87	40.87
75731		A	1.14	3.26	0.06	4.46	1.14	3.26	0.06	4.46	XXX	D	N	D	N	N	117.61	117.61
75731	TC	A	0	2.91	0.01	2.92	0	2.91	0.01	2.92	XXX	D	N	D	N	N	77.00	77.00
75731	26	A	1.14	0.35	0.05	1.54	1.14	0.35	0.05	1.54	XXX	D	N	D	N	N	40.61	40.61
75733		A	1.31	3.61	0.09	5.01	1.31	3.61	0.09	5.01	XXX	D	B	D	N	N	132.11	132.11
75733	TC	A	0	3.24	0.04	3.28	0	3.24	0.04	3.28	XXX	D	B	D	N	N	86.49	86.49
75733	26	A	1.31	0.37	0.05	1.73	1.31	0.37	0.05	1.73	XXX	D	B	D	N	N	45.62	45.62
75736		A	1.14	3.04	0.08	4.26	1.14	3.04	0.08	4.26	XXX	D	N	D	N	N	112.34	112.34
75736	TC	A	0	2.75	0.01	2.76	0	2.75	0.01	2.76	XXX	D	N	D	N	N	72.78	72.78
75736	26	A	1.14	0.29	0.06	1.49	1.14	0.29	0.06	1.49	XXX	D	N	D	N	N	39.29	39.29
75741		A	1.31	2.64	0.11	4.06	1.31	2.64	0.11	4.06	XXX	D	N	D	N	N	107.06	107.06
75741	TC	A	0	2.28	0.01	2.29	0	2.28	0.01	2.29	XXX	D	N	D	N	N	60.39	60.39
75741	26	A	1.31	0.36	0.1	1.77	1.31	0.36	0.1	1.77	XXX	D	N	D	N	N	46.67	46.67
75743		A	1.66	2.93	0.14	4.73	1.66	2.93	0.14	4.73	XXX	D	B	D	N	N	124.73	124.73
75743	TC	A	0	2.49	0.01	2.5	0	2.49	0.01	2.5	XXX	D	B	D	N	N	65.93	65.93
75743	26	A	1.66	0.44	0.13	2.23	1.66	0.44	0.13	2.23	XXX	D	B	D	N	N	58.81	58.81
75746		A	1.14	2.93	0.1	4.17	1.14	2.93	0.1	4.17	XXX	D	N	D	N	N	109.96	109.96
75746	TC	A	0	2.6	0.01	2.61	0	2.6	0.01	2.61	XXX	D	N	D	N	N	68.83	68.83

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	Conversion Factors $ 37.56 OB/GYN Non- Facility
75746	26	A	1.14	0.33	0.09	1.56	1.14	0.33	0.09	1.56	XXX	D	N	D	N	N	41.14	41.14
75756		A	1.14	3.17	0.28	4.59	1.14	3.17	0.28	4.59	XXX	D	N	D	N	N	121.04	121.04
75756	TC	A	0	2.9	0.01	2.91	0	2.9	0.01	2.91	XXX	D	N	D	N	N	76.74	76.74
75756	26	A	1.14	0.27	0.26	1.67	1.14	0.27	0.26	1.67	XXX	D	N	D	N	N	44.04	44.04
75774		A	0.36	1.97	0.05	2.38	0.36	1.97	0.05	2.38	ZZZ	N	N	D	N	N	62.76	62.76
75774	TC	A	0	1.88	0.01	1.89	0	1.88	0.01	1.89	ZZZ	N	N	D	N	N	49.84	49.84
75774	26	A	0.36	0.09	0.04	0.49	0.36	0.09	0.04	0.49	ZZZ	N	N	D	N	N	12.92	12.92
75791		A	1.71	6.18	0.14	8.03	1.71	6.18	0.14	8.03	XXX	D	N	D	N	N	211.75	211.75
75791	TC	A	0	5.75	0.01	5.76	0	5.75	0.01	5.76	XXX	D	N	D	N	N	151.89	151.89
75791	26	A	1.71	0.43	0.13	2.27	1.71	0.43	0.13	2.27	XXX	D	N	D	N	N	59.86	59.86
75801		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75801	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75801	26	C	0.81	0.24	0.21	1.26	0.81	0.24	0.21	1.26	XXX	N	N	D	N	N	33.23	33.23
75803		C	0	0	0	0	0	0	0	0	XXX	N	B	D	N	N	0.00	0.00
75803	TC	C	0	0	0	0	0	0	0	0	XXX	N	B	D	N	N	0.00	0.00
75803	26	C	1.17	0.36	0.13	1.66	1.17	0.36	0.13	1.66	XXX	N	B	D	N	N	43.77	43.77
75805		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75805	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75805	26	C	0.81	0.25	0.09	1.15	0.81	0.25	0.09	1.15	XXX	N	N	D	N	N	30.33	30.33
75807		C	0	0	0	0	0	0	0	0	XXX	N	B	D	N	N	0.00	0.00
75807	TC	C	0	0	0	0	0	0	0	0	XXX	N	B	D	N	N	0.00	0.00
75807	26	C	1.17	0.36	0.13	1.66	1.17	0.36	0.13	1.66	XXX	N	B	D	N	N	43.77	43.77
75809		A	0.47	2.01	0.05	2.53	0.47	2.01	0.05	2.53	XXX	D	N	D	N	N	66.72	66.72
75809	TC	A	0	1.86	0.01	1.87	0	1.86	0.01	1.87	XXX	D	N	D	N	N	49.31	49.31
75809	26	A	0.47	0.15	0.04	0.66	0.47	0.15	0.04	0.66	XXX	D	N	D	N	N	17.40	17.40
75810		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75810	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75810	26	C	1.14	0.35	0.13	1.62	1.14	0.35	0.13	1.62	XXX	N	N	D	N	N	42.72	42.72
75820		A	0.7	2.3	0.06	3.06	0.7	2.3	0.06	3.06	XXX	D	N	D	N	N	80.69	80.69
75820	TC	A	0	2.1	0.01	2.11	0	2.1	0.01	2.11	XXX	D	N	D	N	N	55.64	55.64
75820	26	A	0.7	0.2	0.05	0.95	0.7	0.2	0.05	0.95	XXX	D	N	D	N	N	25.05	25.05
75822		A	1.06	2.7	0.1	3.86	1.06	2.7	0.1	3.86	XXX	D	B	D	N	N	101.79	101.79
75822	TC	A	0	2.41	0.01	2.42	0	2.41	0.01	2.42	XXX	D	B	D	N	N	63.82	63.82
75822	26	A	1.06	0.29	0.09	1.44	1.06	0.29	0.09	1.44	XXX	D	B	D	N	N	37.97	37.97
75825		A	1.14	2.4	0.11	3.65	1.14	2.4	0.11	3.65	XXX	D	N	D	N	N	96.25	96.25
75825	TC	A	0	2.11	0.01	2.12	0	2.11	0.01	2.12	XXX	D	N	D	N	N	55.90	55.90
75825	26	A	1.14	0.29	0.1	1.53	1.14	0.29	0.1	1.53	XXX	D	N	D	N	N	40.35	40.35
75827		A	1.14	2.45	0.1	3.69	1.14	2.45	0.1	3.69	XXX	D	N	D	N	N	97.31	97.31
75827	TC	A	0	2.17	0.01	2.18	0	2.17	0.01	2.18	XXX	D	N	D	N	N	57.49	57.49
75827	26	A	1.14	0.28	0.09	1.51	1.14	0.28	0.09	1.51	XXX	D	N	D	N	N	39.82	39.82
75831		A	1.14	2.55	0.3	3.99	1.14	2.55	0.3	3.99	XXX	D	N	D	N	N	105.22	105.22
75831	TC	A	0	2.26	0.01	2.27	0	2.26	0.01	2.27	XXX	D	N	D	N	N	59.86	59.86
75831	26	A	1.14	0.29	0.29	1.72	1.14	0.29	0.29	1.72	XXX	D	N	D	N	N	45.36	45.36
75833		A	1.49	2.9	0.11	4.5	1.49	2.9	0.11	4.5	XXX	D	B	D	N	N	118.67	118.67
75833	TC	A	0	2.55	0.01	2.56	0	2.55	0.01	2.56	XXX	D	B	D	N	N	67.51	67.51
75833	26	A	1.49	0.34	0.1	1.93	1.49	0.34	0.1	1.93	XXX	D	B	D	N	N	50.89	50.89
75840		A	1.14	2.69	0.3	4.13	1.14	2.69	0.3	4.13	XXX	D	N	D	N	N	108.91	108.91
75840	TC	A	0	2.34	0.01	2.35	0	2.34	0.01	2.35	XXX	D	N	D	N	N	61.97	61.97
75840	26	A	1.14	0.35	0.29	1.78	1.14	0.35	0.29	1.78	XXX	D	N	D	N	N	46.94	46.94
75842		A	1.49	3.27	0.11	4.87	1.49	3.27	0.11	4.87	XXX	D	B	D	N	N	128.42	128.42
75842	TC	A	0	2.81	0.01	2.82	0	2.81	0.01	2.82	XXX	D	B	D	N	N	74.36	74.36
75842	26	A	1.49	0.46	0.1	2.05	1.49	0.46	0.1	2.05	XXX	D	B	D	N	N	54.06	54.06
75860		A	1.14	2.58	0.11	3.83	1.14	2.58	0.11	3.83	XXX	D	N	D	N	N	101.00	101.00
75860	TC	A	0	2.27	0.01	2.28	0	2.27	0.01	2.28	XXX	D	N	D	N	N	60.12	60.12

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
75860	26	A	1.14	0.31	0.1	1.55	1.14	0.31	0.1	1.55	XXX	D	N	D	N	N	40.87	40.87
75870		A	1.14	2.67	0.1	3.91	1.14	2.67	0.1	3.91	XXX	D	N	D	N	N	103.11	103.11
75870	TC	A	0	2.32	0.01	2.33	0	2.32	0.01	2.33	XXX	D	N	D	N	N	61.44	61.44
75870	26	A	1.14	0.35	0.09	1.58	1.14	0.35	0.09	1.58	XXX	D	N	D	N	N	41.66	41.66
75872		A	1.14	2.52	0.1	3.76	1.14	2.52	0.1	3.76	XXX	D	N	D	N	N	99.15	99.15
75872	TC	A	0	2.31	0.01	2.32	0	2.31	0.01	2.32	XXX	D	N	D	N	N	61.18	61.18
75872	26	A	1.14	0.21	0.09	1.44	1.14	0.21	0.09	1.44	XXX	D	N	D	N	N	37.97	37.97
75880		A	0.7	2.56	0.06	3.32	0.7	2.56	0.06	3.32	XXX	D	N	D	N	N	87.55	87.55
75880	TC	A	0	2.35	0.01	2.36	0	2.35	0.01	2.36	XXX	D	N	D	N	N	62.23	62.23
75880	26	A	0.7	0.22	0.05	0.97	0.7	0.22	0.05	0.97	XXX	D	N	D	N	N	25.58	25.58
75885		A	1.44	2.7	0.11	4.25	1.44	2.7	0.11	4.25	XXX	D	N	D	N	N	112.07	112.07
75885	TC	A	0	2.3	0.01	2.31	0	2.3	0.01	2.31	XXX	D	N	D	N	N	60.91	60.91
75885	26	A	1.44	0.4	0.1	1.94	1.44	0.4	0.1	1.94	XXX	D	N	D	N	N	51.16	51.16
75887		A	1.44	2.7	0.08	4.22	1.44	2.7	0.08	4.22	XXX	D	N	D	N	N	111.28	111.28
75887	TC	A	0	2.3	0.01	2.31	0	2.3	0.01	2.31	XXX	D	N	D	N	N	60.91	60.91
75887	26	A	1.44	0.4	0.06	1.9	1.44	0.4	0.06	1.9	XXX	D	N	D	N	N	50.10	50.10
75889		A	1.14	2.63	0.1	3.87	1.14	2.63	0.1	3.87	XXX	D	N	D	N	N	102.05	102.05
75889	TC	A	0	2.31	0.01	2.32	0	2.31	0.01	2.32	XXX	D	N	D	N	N	61.18	61.18
75889	26	A	1.14	0.32	0.09	1.55	1.14	0.32	0.09	1.55	XXX	D	N	D	N	N	40.87	40.87
75891		A	1.14	2.65	0.1	3.89	1.14	2.65	0.1	3.89	XXX	D	N	D	N	N	102.58	102.58
75891	TC	A	0	2.32	0.01	2.33	0	2.32	0.01	2.33	XXX	D	N	D	N	N	61.44	61.44
75891	26	A	1.14	0.33	0.09	1.56	1.14	0.33	0.09	1.56	XXX	D	N	D	N	N	41.14	41.14
75893		A	0.54	2.5	0.03	3.07	0.54	2.5	0.03	3.07	XXX	D	N	D	N	N	80.96	80.96
75893	TC	A	0	2.34	0.01	2.35	0	2.34	0.01	2.35	XXX	D	N	D	N	N	61.97	61.97
75893	26	A	0.54	0.17	0.01	0.72	0.54	0.17	0.01	0.72	XXX	D	N	D	N	N	18.99	18.99
75894		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75894	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75894	26	C	1.31	0.36	0.19	1.86	1.31	0.36	0.19	1.86	XXX	N	N	D	N	N	49.05	49.05
75896		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75896	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75896	26	C	1.31	0.34	0.19	1.84	1.31	0.34	0.19	1.84	XXX	N	N	D	N	N	48.52	48.52
75898		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75898	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75898	26	C	1.65	0.47	0.24	2.36	1.65	0.47	0.24	2.36	XXX	N	N	D	N	N	62.23	62.23
75901		A	0.49	3.72	0.05	4.26	0.49	3.72	0.05	4.26	XXX	N	N	D	N	N	112.34	112.34
75901	TC	A	0	3.59	0.01	3.6	0	3.59	0.01	3.6	XXX	N	N	D	N	N	94.93	94.93
75901	26	A	0.49	0.13	0.04	0.66	0.49	0.13	0.04	0.66	XXX	N	N	D	N	N	17.40	17.40
75902		A	0.39	1.4	0.06	1.85	0.39	1.4	0.06	1.85	XXX	N	N	D	N	N	48.78	48.78
75902	TC	A	0	1.3	0.01	1.31	0	1.3	0.01	1.31	XXX	N	N	D	N	N	34.54	34.54
75902	26	A	0.39	0.1	0.05	0.54	0.39	0.1	0.05	0.54	XXX	N	N	D	N	N	14.24	14.24
75945		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75945	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75945	26	C	0.4	0.09	0.06	0.55	0.4	0.09	0.06	0.55	XXX	N	N	D	N	N	14.50	14.50
75946		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
75946	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
75946	26	C	0.4	0.08	0.09	0.57	0.4	0.08	0.09	0.57	ZZZ	N	N	D	N	N	15.03	15.03
75952		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75952	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75952	26	C	4.49	1	1.03	6.52	4.49	1	1.03	6.52	XXX	N	N	D	N	N	171.93	171.93
75953		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75953	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75953	26	C	1.36	0.3	0.33	1.99	1.36	0.3	0.33	1.99	XXX	N	N	D	N	N	52.48	52.48
75954		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75954	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
75954	26	C	2.25	0.49	0.49	3.23	2.25	0.49	0.49	3.23	XXX	N	N	D	N	N	85.18	85.18
75956		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75956	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75956	26	C	7	1.51	1.73	10.24	7	1.51	1.73	10.24	XXX	N	N	D	N	N	270.03	270.03
75957		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75957	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75957	26	C	6	1.31	1.46	8.77	6	1.31	1.46	8.77	XXX	N	N	D	N	N	231.26	231.26
75958		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75958	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75958	26	C	4	0.86	0.98	5.84	4	0.86	0.98	5.84	XXX	N	N	D	N	N	154.00	154.00
75959		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75959	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75959	26	C	3.5	0.73	0.99	5.22	3.5	0.73	0.99	5.22	XXX	N	N	D	N	N	137.65	137.65
75962		A	0.54	2.94	0.05	3.53	0.54	2.94	0.05	3.53	XXX	N	N	D	N	N	93.09	93.09
75962	TC	A	0	2.8	0.01	2.81	0	2.8	0.01	2.81	XXX	N	N	D	N	N	74.10	74.10
75962	26	A	0.54	0.14	0.04	0.72	0.54	0.14	0.04	0.72	XXX	N	N	D	N	N	18.99	18.99
75964		A	0.36	1.86	0.06	2.28	0.36	1.86	0.06	2.28	ZZZ	N	N	D	N	N	60.12	60.12
75964	TC	A	0	1.76	0.01	1.77	0	1.76	0.01	1.77	ZZZ	N	N	D	N	N	46.67	46.67
75964	26	A	0.36	0.09	0.05	0.5	0.36	0.09	0.05	0.5	ZZZ	N	N	D	N	N	13.19	13.19
75966		A	1.31	2.92	0.1	4.33	1.31	2.92	0.1	4.33	XXX	N	N	D	N	N	114.18	114.18
75966	TC	A	0	2.59	0.01	2.6	0	2.59	0.01	2.6	XXX	N	N	D	N	N	68.56	68.56
75966	26	A	1.31	0.33	0.09	1.73	1.31	0.33	0.09	1.73	XXX	N	N	D	N	N	45.62	45.62
75968		A	0.36	1.74	0.03	2.13	0.36	1.74	0.03	2.13	ZZZ	N	N	D	N	N	56.17	56.17
75968	TC	A	0	1.64	0.01	1.65	0	1.64	0.01	1.65	ZZZ	N	N	D	N	N	43.51	43.51
75968	26	A	0.36	0.1	0.01	0.47	0.36	0.1	0.01	0.47	ZZZ	N	N	D	N	N	12.39	12.39
75970		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75970	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75970	26	C	0.83	0.22	0.09	1.14	0.83	0.22	0.09	1.14	XXX	N	N	D	N	N	30.06	30.06
75978		A	0.54	2.9	0.05	3.49	0.54	2.9	0.05	3.49	XXX	N	N	D	N	N	92.03	92.03
75978	TC	A	0	2.75	0.01	2.76	0	2.75	0.01	2.76	XXX	N	N	D	N	N	72.78	72.78
75978	26	A	0.54	0.14	0.04	0.72	0.54	0.14	0.04	0.72	XXX	N	N	D	N	N	18.99	18.99
75980		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75980	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75980	26	C	1.44	0.41	0.14	1.99	1.44	0.41	0.14	1.99	XXX	N	N	D	N	N	52.48	52.48
75982		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75982	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
75982	26	C	1.44	0.4	0.14	1.98	1.44	0.4	0.14	1.98	XXX	N	N	D	N	N	52.21	52.21
75984		A	0.72	1.97	0.06	2.75	0.72	1.97	0.06	2.75	XXX	N	N	D	N	N	72.52	72.52
75984	TC	A	0	1.77	0.01	1.78	0	1.77	0.01	1.78	XXX	N	N	D	N	N	46.94	46.94
75984	26	A	0.72	0.2	0.05	0.97	0.72	0.2	0.05	0.97	XXX	N	N	D	N	N	25.58	25.58
75989		A	1.19	1.91	0.08	3.18	1.19	1.91	0.08	3.18	XXX	N	N	D	N	N	83.86	83.86
75989	TC	A	0	1.56	0.01	1.57	0	1.56	0.01	1.57	XXX	N	N	D	N	N	41.40	41.40
75989	26	A	1.19	0.34	0.06	1.59	1.19	0.34	0.06	1.59	XXX	N	N	D	N	N	41.93	41.93
76000		A	0.17	1.03	0.03	1.23	0.17	1.03	0.03	1.23	XXX	N	N	D	N	N	32.44	32.44
76000	TC	A	0	0.98	0.01	0.99	0	0.98	0.01	0.99	XXX	N	N	D	N	N	26.11	26.11
76000	26	A	0.17	0.05	0.01	0.23	0.17	0.05	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
76001		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76001	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76001	26	C	0.67	0.22	0.1	0.99	0.67	0.22	0.1	0.99	XXX	N	N	D	N	N	26.11	26.11
76010		A	0.18	0.48	0.03	0.69	0.18	0.48	0.03	0.69	XXX	N	N	D	N	N	18.20	18.20
76010	TC	A	0	0.42	0.01	0.43	0	0.42	0.01	0.43	XXX	N	N	D	N	N	11.34	11.34
76010	26	A	0.18	0.06	0.01	0.25	0.18	0.06	0.01	0.25	XXX	N	N	D	N	N	6.59	6.59
76080		A	0.54	0.95	0.05	1.54	0.54	0.95	0.05	1.54	XXX	N	N	D	N	N	40.61	40.61
76080	TC	A	0	0.8	0.01	0.81	0	0.8	0.01	0.81	XXX	N	N	D	N	N	21.36	21.36

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
76080	26	A	0.54	0.15	0.04	0.73	0.54	0.15	0.04	0.73	XXX	N	N	D	N	N	19.25	19.25
76098		A	0.16	0.3	0.03	0.49	0.16	0.3	0.03	0.49	XXX	N	N	D	N	N	12.92	12.92
76098	TC	A	0	0.25	0.01	0.26	0	0.25	0.01	0.26	XXX	N	N	D	N	N	6.86	6.86
76098	26	A	0.16	0.05	0.01	0.22	0.16	0.05	0.01	0.22	XXX	N	N	D	N	N	5.80	5.80
76100		A	0.58	1.85	0.08	2.51	0.58	1.85	0.08	2.51	XXX	N	N	D	N	N	66.19	66.19
76100	TC	A	0	1.62	0.01	1.63	0	1.62	0.01	1.63	XXX	N	N	D	N	N	42.98	42.98
76100	26	A	0.58	0.22	0.06	0.86	0.58	0.22	0.06	0.86	XXX	N	N	D	N	N	22.68	22.68
76101		A	0.58	2.98	0.11	3.67	0.58	2.98	0.11	3.67	XXX	N	N	D	N	N	96.78	96.78
76101	TC	A	0	2.68	0.01	2.69	0	2.68	0.01	2.69	XXX	N	N	D	N	N	70.94	70.94
76101	26	A	0.58	0.3	0.1	0.98	0.58	0.3	0.1	0.98	XXX	N	N	D	N	N	25.84	25.84
76102		A	0.58	4.16	0.14	4.88	0.58	4.16	0.14	4.88	XXX	N	B	D	N	N	128.69	128.69
76102	TC	A	0	3.86	0.01	3.87	0	3.86	0.01	3.87	XXX	N	B	D	N	N	102.05	102.05
76102	26	A	0.58	0.3	0.13	1.01	0.58	0.3	0.13	1.01	XXX	N	B	D	N	N	26.63	26.63
76120		A	0.38	1.84	0.05	2.27	0.38	1.84	0.05	2.27	XXX	N	N	D	N	N	59.86	59.86
76120	TC	A	0	1.71	0.01	1.72	0	1.71	0.01	1.72	XXX	N	N	D	N	N	45.36	45.36
76120	26	A	0.38	0.12	0.04	0.54	0.38	0.12	0.04	0.54	XXX	N	N	D	N	N	14.24	14.24
76125		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
76125	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
76125	26	C	0.27	0.09	0.04	0.4	0.27	0.09	0.04	0.4	ZZZ	N	N	D	N	N	10.55	10.55
76140		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
76376		NOT COVEI	0.2	0.49	0.03	0.72	0.2	0.49	0.03	0.72	XXX	N	N	D	N	N	18.99	18.99
76376	TC	NOT COVEI	0	0.43	0.01	0.44	0	0.43	0.01	0.44	XXX	N	N	D	N	N	11.60	11.60
76376	26	NOT COVEI	0.2	0.06	0.01	0.27	0.2	0.06	0.01	0.27	XXX	N	N	D	N	N	7.12	7.12
76377		NOT COVEI	0.79	1.26	0.06	2.11	0.79	1.26	0.06	2.11	XXX	N	N	D	N	N	55.64	55.64
76377	TC	NOT COVEI	0	1.02	0.01	1.03	0	1.02	0.01	1.03	XXX	N	N	D	N	N	27.16	27.16
76377	26	NOT COVEI	0.79	0.24	0.05	1.08	0.79	0.24	0.05	1.08	XXX	N	N	D	N	N	28.48	28.48
76380		A	0.98	2.7	0.06	3.74	0.98	2.7	0.06	3.74	XXX	N	N	D	N	N	98.62	98.62
76380	TC	A	0	2.4	0.01	2.41	0	2.4	0.01	2.41	XXX	N	N	D	N	N	63.55	63.55
76380	26	A	0.98	0.3	0.05	1.33	0.98	0.3	0.05	1.33	XXX	N	N	D	N	N	35.07	35.07
76390		A	1.4	9.19	0.08	10.67	1.4	9.19	0.08	10.67	XXX	N	N	N	N	N	281.37	281.37
76390	TC	A	0	8.74	0.01	8.75	0	8.74	0.01	8.75	XXX	N	N	N	N	N	230.74	230.74
76390	26	A	1.4	0.45	0.06	1.91	1.4	0.45	0.06	1.91	XXX	N	N	N	N	N	50.37	50.37
76496		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76496	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76496	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76497		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76497	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76497	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76498		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76498	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76498	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76499		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76499	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76499	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76506		A	0.63	2.34	0.06	3.03	0.63	2.34	0.06	3.03	XXX	N	N	D	N	N	79.90	79.90
76506	TC	A	0	2.15	0.01	2.16	0	2.15	0.01	2.16	XXX	N	N	D	N	N	56.96	56.96
76506	26	A	0.63	0.19	0.05	0.87	0.63	0.19	0.05	0.87	XXX	N	N	D	N	N	22.94	22.94
76510		A	1.55	2.68	0.33	4.56	1.55	2.68	0.33	4.56	XXX	D	N	D	N	N	120.25	120.25
76510	TC	A	0	1.87	0.01	1.88	0	1.87	0.01	1.88	XXX	D	N	D	N	N	49.58	49.58
76510	26	A	1.55	0.81	0.31	2.67	1.55	0.81	0.31	2.67	XXX	D	N	D	N	N	70.41	70.41
76511		A	0.94	1.61	0.03	2.58	0.94	1.61	0.03	2.58	XXX	D	N	D	N	N	68.03	68.03
76511	TC	A	0	1.13	0.01	1.14	0	1.13	0.01	1.14	XXX	D	N	D	N	N	30.06	30.06
76511	26	A	0.94	0.47	0.01	1.42	0.94	0.47	0.01	1.42	XXX	D	N	D	N	N	37.45	37.45
76512		A	0.94	1.38	0.06	2.38	0.94	1.38	0.06	2.38	XXX	D	N	D	N	N	62.76	62.76

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
76512	TC	A	0	0.92	0.01	0.93	0	0.92	0.01	0.93	XXX	D	N	D	N	N	24.52	24.52
76512	26	A	0.94	0.47	0.05	1.46	0.94	0.47	0.05	1.46	XXX	D	N	D	N	N	38.50	38.50
76513		A	0.66	1.69	0.03	2.38	0.66	1.69	0.03	2.38	XXX	D	N	D	N	N	62.76	62.76
76513	TC	A	0	1.39	0.01	1.4	0	1.39	0.01	1.4	XXX	D	N	D	N	N	36.92	36.92
76513	26	A	0.66	0.3	0.01	0.97	0.66	0.3	0.01	0.97	XXX	D	N	D	N	N	25.58	25.58
76514		A	0.17	0.2	0.03	0.4	0.17	0.2	0.03	0.4	XXX	D	B	D	N	N	10.55	10.55
76514	TC	A	0	0.12	0.01	0.13	0	0.12	0.01	0.13	XXX	D	B	D	N	N	3.43	3.43
76514	26	A	0.17	0.08	0.01	0.26	0.17	0.08	0.01	0.26	XXX	D	B	D	N	N	6.86	6.86
76516		A	0.54	1.37	0.03	1.94	0.54	1.37	0.03	1.94	XXX	D	B	D	N	N	51.16	51.16
76516	TC	A	0	1.1	0.01	1.11	0	1.1	0.01	1.11	XXX	D	B	D	N	N	29.27	29.27
76516	26	A	0.54	0.27	0.01	0.82	0.54	0.27	0.01	0.82	XXX	D	B	D	N	N	21.62	21.62
76519		A	0.54	1.51	0.05	2.1	0.54	1.51	0.05	2.1	XXX	D	B	D	N	N	55.38	55.38
76519	TC	A	0	1.22	0.01	1.23	0	1.22	0.01	1.23	XXX	D	B	D	N	N	32.44	32.44
76519	26	A	0.54	0.28	0.04	0.86	0.54	0.28	0.04	0.86	XXX	D	N	D	N	N	22.68	22.68
76529		A	0.57	1.37	0.05	1.99	0.57	1.37	0.05	1.99	XXX	N	N	D	N	N	52.48	52.48
76529	TC	A	0	1.08	0.01	1.09	0	1.08	0.01	1.09	XXX	N	N	D	N	N	28.74	28.74
76529	26	A	0.57	0.29	0.04	0.9	0.57	0.29	0.04	0.9	XXX	N	N	D	N	N	23.73	23.73
76536		A	0.56	2.37	0.05	2.98	0.56	2.37	0.05	2.98	XXX	N	N	D	N	N	78.58	78.58
76536	TC	A	0	2.2	0.01	2.21	0	2.2	0.01	2.21	XXX	N	N	D	N	N	58.28	58.28
76536	26	A	0.56	0.17	0.04	0.77	0.56	0.17	0.04	0.77	XXX	N	N	D	N	N	20.30	20.30
76604		A	0.55	1.59	0.05	2.19	0.55	1.59	0.05	2.19	XXX	B	N	D	N	N	57.75	57.75
76604	TC	A	0	1.43	0.01	1.44	0	1.43	0.01	1.44	XXX	B	N	D	N	N	37.97	37.97
76604	26	A	0.55	0.16	0.04	0.75	0.55	0.16	0.04	0.75	XXX	B	N	D	N	N	19.78	19.78
76645		A	0.54	1.83	0.06	2.43	0.54	1.83	0.06	2.43	XXX	N	B	D	N	N	64.08	64.08
76645	TC	A	0	1.66	0.01	1.67	0	1.66	0.01	1.67	XXX	N	B	D	N	N	44.04	44.04
76645	26	A	0.54	0.17	0.05	0.76	0.54	0.17	0.05	0.76	XXX	N	B	D	N	N	20.04	20.04
76700		A	0.81	2.6	0.06	3.47	0.81	2.6	0.06	3.47	XXX	B	N	D	N	N	91.50	91.50
76700	TC	A	0	2.35	0.01	2.36	0	2.35	0.01	2.36	XXX	B	N	D	N	N	62.23	62.23
76700	26	A	0.81	0.25	0.05	1.11	0.81	0.25	0.05	1.11	XXX	B	N	D	N	N	29.27	29.27
76705		A	0.59	2.03	0.05	2.67	0.59	2.03	0.05	2.67	XXX	B	N	D	N	N	70.41	70.41
76705	TC	A	0	1.86	0.01	1.87	0	1.86	0.01	1.87	XXX	B	N	D	N	N	49.31	49.31
76705	26	A	0.59	0.17	0.04	0.8	0.59	0.17	0.04	0.8	XXX	B	N	D	N	N	21.10	21.10
76770		A	0.74	2.47	0.06	3.27	0.74	2.47	0.06	3.27	XXX	B	N	D	N	N	86.23	86.23
76770	TC	A	0	2.25	0.01	2.26	0	2.25	0.01	2.26	XXX	B	N	D	N	N	59.60	59.60
76770	26	A	0.74	0.22	0.05	1.01	0.74	0.22	0.05	1.01	XXX	B	N	D	N	N	26.63	26.63
76775		A	0.58	1.02	0.05	1.65	0.58	1.02	0.05	1.65	XXX	B	N	D	N	N	43.51	43.51
76775	TC	A	0	0.85	0.01	0.86	0	0.85	0.01	0.86	XXX	B	N	D	N	N	22.68	22.68
76775	26	A	0.58	0.17	0.04	0.79	0.58	0.17	0.04	0.79	XXX	B	N	D	N	N	20.83	20.83
76776		A	0.76	2.96	0.06	3.78	0.76	2.96	0.06	3.78	XXX	B	N	D	N	N	99.68	99.68
76776	TC	A	0	2.73	0.01	2.74	0	2.73	0.01	2.74	XXX	B	N	D	N	N	72.25	72.25
76776	26	A	0.76	0.23	0.05	1.04	0.76	0.23	0.05	1.04	XXX	B	N	D	N	N	27.42	27.42
76800		A	1.13	2.28	0.06	3.47	1.13	2.28	0.06	3.47	XXX	N	N	D	N	N	91.50	91.50
76800	TC	A	0	1.92	0.01	1.93	0	1.92	0.01	1.93	XXX	N	N	D	N	N	50.89	50.89
76800	26	A	1.13	0.36	0.05	1.54	1.13	0.36	0.05	1.54	XXX	N	N	D	N	N	40.61	40.61
76801		A	0.99	2.11	0.05	3.15	0.99	2.11	0.05	3.15	XXX	N	N	D	N	N	83.07	83.07
76801	TC	A	0	1.81	0.01	1.82	0	1.81	0.01	1.82	XXX	N	N	D	N	N	47.99	47.99
76801	26	A	0.99	0.31	0.04	1.34	0.99	0.31	0.04	1.34	XXX	N	N	D	N	N	35.34	35.34
76802		A	0.83	0.86	0.05	1.74	0.83	0.86	0.05	1.74	ZZZ	N	N	D	N	N	45.88	45.88
76802	TC	A	0	0.59	0.01	0.6	0	0.59	0.01	0.6	ZZZ	N	N	D	N	N	15.82	15.82
76802	26	A	0.83	0.27	0.04	1.14	0.83	0.27	0.04	1.14	ZZZ	N	N	D	N	N	30.06	30.06
76805		A	0.99	2.58	0.05	3.62	0.99	2.58	0.05	3.62	XXX	N	N	D	N	N	95.46	95.46
76805	TC	A	0	2.26	0.01	2.27	0	2.26	0.01	2.27	XXX	N	N	D	N	N	59.86	59.86
76805	26	A	0.99	0.32	0.04	1.35	0.99	0.32	0.04	1.35	XXX	N	N	D	N	N	35.60	35.60
76810		A	0.98	1.43	0.05	2.46	0.98	1.43	0.05	2.46	ZZZ	N	N	D	N	N	64.87	64.87

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
76810	TC	A	0	1.11	0.01	1.12	0	1.11	0.01	1.12	ZZZ	N	N	D	N	N	29.53	29.53
76810	26	A	0.98	0.32	0.04	1.34	0.98	0.32	0.04	1.34	ZZZ	N	N	D	N	N	35.34	35.34
76811		A	1.9	2.72	0.08	4.7	1.9	2.72	0.08	4.7	XXX	N	N	D	N	N	123.94	123.94
76811	TC	A	0	2.1	0.01	2.11	0	2.1	0.01	2.11	XXX	N	N	D	N	N	55.64	55.64
76811	26	A	1.9	0.62	0.06	2.58	1.9	0.62	0.06	2.58	XXX	N	N	D	N	N	68.03	68.03
76812		A	1.78	3.4	0.08	5.26	1.78	3.4	0.08	5.26	ZZZ	N	N	D	N	N	138.71	138.71
76812	TC	A	0	2.81	0.01	2.82	0	2.81	0.01	2.82	ZZZ	N	N	D	N	N	74.36	74.36
76812	26	A	1.78	0.59	0.06	2.43	1.78	0.59	0.06	2.43	ZZZ	N	N	D	N	N	64.08	64.08
76813		A	1.18	1.82	0.06	3.06	1.18	1.82	0.06	3.06	XXX	N	N	D	N	N	80.69	80.69
76813	TC	A	0	1.44	0.01	1.45	0	1.44	0.01	1.45	XXX	N	N	D	N	N	38.24	38.24
76813	26	A	1.18	0.38	0.05	1.61	1.18	0.38	0.05	1.61	XXX	N	N	D	N	N	42.46	42.46
76814		A	0.99	1.02	0.05	2.06	0.99	1.02	0.05	2.06	XXX	N	N	D	N	N	54.32	54.32
76814	TC	A	0	0.69	0.01	0.7	0	0.69	0.01	0.7	XXX	N	N	D	N	N	18.46	18.46
76814	26	A	0.99	0.32	0.04	1.35	0.99	0.32	0.04	1.35	XXX	N	N	D	N	N	35.60	35.60
76815		A	0.65	1.56	0.03	2.24	0.65	1.56	0.03	2.24	XXX	N	N	D	N	N	59.07	59.07
76815	TC	A	0	1.36	0.01	1.37	0	1.36	0.01	1.37	XXX	N	N	D	N	N	36.13	36.13
76815	26	A	0.65	0.21	0.01	0.87	0.65	0.21	0.01	0.87	XXX	N	N	D	N	N	22.94	22.94
76816		A	0.85	2	0.05	2.9	0.85	2	0.05	2.9	XXX	N	N	D	N	N	76.47	76.47
76816	TC	A	0	1.72	0.01	1.73	0	1.72	0.01	1.73	XXX	N	N	D	N	N	45.62	45.62
76816	26	A	0.85	0.27	0.04	1.16	0.85	0.27	0.04	1.16	XXX	N	N	D	N	N	30.59	30.59
76817		A	0.75	1.73	0.05	2.53	0.75	1.73	0.05	2.53	XXX	N	N	D	N	N	66.72	66.72
76817	TC	A	0	1.49	0.01	1.5	0	1.49	0.01	1.5	XXX	N	N	D	N	N	39.56	39.56
76817	26	A	0.75	0.24	0.04	1.03	0.75	0.24	0.04	1.03	XXX	N	N	D	N	N	27.16	27.16
76818		A	1.05	1.96	0.05	3.06	1.05	1.96	0.05	3.06	XXX	N	N	D	N	N	80.69	80.69
76818	TC	A	0	1.61	0.01	1.62	0	1.61	0.01	1.62	XXX	N	N	D	N	N	42.72	42.72
76818	26	A	1.05	0.35	0.04	1.44	1.05	0.35	0.04	1.44	XXX	N	N	D	N	N	37.97	37.97
76819		A	0.77	1.43	0.05	2.25	0.77	1.43	0.05	2.25	XXX	N	N	D	N	N	59.33	59.33
76819	TC	A	0	1.18	0.01	1.19	0	1.18	0.01	1.19	XXX	N	N	D	N	N	31.38	31.38
76819	26	A	0.77	0.25	0.04	1.06	0.77	0.25	0.04	1.06	XXX	N	N	D	N	N	27.95	27.95
76820		A	0.5	0.72	0.03	1.25	0.5	0.72	0.03	1.25	XXX	N	N	D	N	N	32.96	32.96
76820	TC	A	0	0.55	0.01	0.56	0	0.55	0.01	0.56	XXX	N	N	D	N	N	14.77	14.77
76820	26	A	0.5	0.17	0.01	0.68	0.5	0.17	0.01	0.68	XXX	N	N	D	N	N	17.93	17.93
76821		A	0.7	1.6	0.05	2.35	0.7	1.6	0.05	2.35	XXX	N	N	D	N	N	61.97	61.97
76821	TC	A	0	1.36	0.01	1.37	0	1.36	0.01	1.37	XXX	N	N	D	N	N	36.13	36.13
76821	26	A	0.7	0.23	0.04	0.97	0.7	0.23	0.04	0.97	XXX	N	N	D	N	N	25.58	25.58
76825		A	1.67	5	0.06	6.73	1.67	5	0.06	6.73	XXX	N	N	D	N	N	177.47	177.47
76825	TC	A	0	4.48	0.01	4.49	0	4.48	0.01	4.49	XXX	N	N	D	N	N	118.40	118.40
76825	26	A	1.67	0.52	0.05	2.24	1.67	0.52	0.05	2.24	XXX	N	N	D	N	N	59.07	59.07
76826		A	0.83	3.13	0.05	4.01	0.83	3.13	0.05	4.01	XXX	N	N	D	N	N	105.74	105.74
76826	TC	A	0	2.87	0.01	2.88	0	2.87	0.01	2.88	XXX	N	N	D	N	N	75.95	75.95
76826	26	A	0.83	0.26	0.04	1.13	0.83	0.26	0.04	1.13	XXX	N	N	D	N	N	29.80	29.80
76827		A	0.58	1.27	0.03	1.88	0.58	1.27	0.03	1.88	XXX	N	N	D	N	N	49.58	49.58
76827	TC	A	0	1.09	0.01	1.1	0	1.09	0.01	1.1	XXX	N	N	D	N	N	29.01	29.01
76827	26	A	0.58	0.18	0.01	0.77	0.58	0.18	0.01	0.77	XXX	N	N	D	N	N	20.30	20.30
76828		A	0.56	0.76	0.03	1.35	0.56	0.76	0.03	1.35	XXX	N	N	D	N	N	35.60	35.60
76828	TC	A	0	0.57	0.01	0.58	0	0.57	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29
76828	26	A	0.56	0.18	0.01	0.75	0.56	0.18	0.01	0.75	XXX	N	N	D	N	N	19.78	19.78
76830		A	0.69	2.36	0.05	3.1	0.69	2.36	0.05	3.1	XXX	N	N	D	N	N	81.75	81.75
76830	TC	A	0	2.15	0.01	2.16	0	2.15	0.01	2.16	XXX	N	N	D	N	N	56.96	56.96
76830	26	A	0.69	0.22	0.04	0.95	0.69	0.22	0.04	0.95	XXX	N	N	D	N	N	25.05	25.05
76831		A	0.72	2.28	0.05	3.05	0.72	2.28	0.05	3.05	XXX	B	N	D	N	N	80.43	80.43
76831	TC	A	0	2.05	0.01	2.06	0	2.05	0.01	2.06	XXX	B	N	D	N	N	54.32	54.32
76831	26	A	0.72	0.23	0.04	0.99	0.72	0.23	0.04	0.99	XXX	B	N	D	N	N	26.11	26.11
76856		A	0.69	2.31	0.05	3.05	0.69	2.31	0.05	3.05	XXX	B	N	D	N	N	80.43	80.43

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
76856	TC	A	0	2.1	0.01	2.11	0	2.1	0.01	2.11	XXX	B	N	D	N	N	55.64	55.64
76856	26	A	0.69	0.21	0.04	0.94	0.69	0.21	0.04	0.94	XXX	B	N	D	N	N	24.79	24.79
76857		A	0.38	0.92	0.05	1.35	0.38	0.92	0.05	1.35	XXX	B	N	D	N	N	35.60	35.60
76857	TC	A	0	0.81	0.01	0.82	0	0.81	0.01	0.82	XXX	B	N	D	N	N	21.62	21.62
76857	26	A	0.38	0.11	0.04	0.53	0.38	0.11	0.04	0.53	XXX	B	N	D	N	N	13.98	13.98
76870		A	0.64	1.16	0.06	1.86	0.64	1.16	0.06	1.86	XXX	B	N	D	N	N	49.05	49.05
76870	TC	A	0	0.97	0.01	0.98	0	0.97	0.01	0.98	XXX	B	N	D	N	N	25.84	25.84
76870	26	A	0.64	0.19	0.05	0.88	0.64	0.19	0.05	0.88	XXX	B	N	D	N	N	23.21	23.21
76872		A	0.69	1.56	0.06	2.31	0.69	1.56	0.06	2.31	XXX	N	N	D	N	N	60.91	60.91
76872	TC	A	0	1.36	0.01	1.37	0	1.36	0.01	1.37	XXX	N	N	D	N	N	36.13	36.13
76872	26	A	0.69	0.2	0.05	0.94	0.69	0.2	0.05	0.94	XXX	N	N	D	N	N	24.79	24.79
76873		A	1.55	2.67	0.11	4.33	1.55	2.67	0.11	4.33	XXX	N	N	N	N	N	114.18	114.18
76873	TC	A	0	2.18	0.01	2.19	0	2.18	0.01	2.19	XXX	N	N	N	N	N	57.75	57.75
76873	26	A	1.55	0.49	0.1	2.14	1.55	0.49	0.1	2.14	XXX	N	N	N	N	N	56.43	56.43
76881		A	0.63	2.22	0.06	2.91	0.63	2.22	0.06	2.91	XXX	N	N	N	N	N	76.74	76.74
76881	TC	A	0	2.03	0.01	2.04	0	2.03	0.01	2.04	XXX	N	N	N	N	N	53.79	53.79
76881	26	A	0.63	0.19	0.05	0.87	0.63	0.19	0.05	0.87	XXX	N	N	N	N	N	22.94	22.94
76882		A	0.49	0.39	0.06	0.94	0.49	0.39	0.06	0.94	XXX	N	N	N	N	N	24.79	24.79
76882	TC	A	0	0.25	0.01	0.26	0	0.25	0.01	0.26	XXX	N	N	N	N	N	6.86	6.86
76882	26	A	0.49	0.14	0.05	0.68	0.49	0.14	0.05	0.68	XXX	N	N	N	N	N	17.93	17.93
76885		A	0.74	2.84	0.06	3.64	0.74	2.84	0.06	3.64	XXX	N	N	D	N	N	95.99	95.99
76885	TC	A	0	2.61	0.01	2.62	0	2.61	0.01	2.62	XXX	N	N	D	N	N	69.09	69.09
76885	26	A	0.74	0.22	0.05	1.01	0.74	0.22	0.05	1.01	XXX	N	N	D	N	N	26.63	26.63
76886		A	0.62	1.98	0.03	2.63	0.62	1.98	0.03	2.63	XXX	N	N	D	N	N	69.35	69.35
76886	TC	A	0	1.79	0.01	1.8	0	1.79	0.01	1.8	XXX	N	N	D	N	N	47.47	47.47
76886	26	A	0.62	0.19	0.01	0.82	0.62	0.19	0.01	0.82	XXX	N	N	D	N	N	21.62	21.62
76930		A	0.67	1.39	0.03	2.09	0.67	1.39	0.03	2.09	XXX	N	N	D	N	N	55.11	55.11
76930	TC	A	0	1.2	0.01	1.21	0	1.2	0.01	1.21	XXX	N	N	D	N	N	31.91	31.91
76930	26	A	0.67	0.19	0.01	0.87	0.67	0.19	0.01	0.87	XXX	N	N	D	N	N	22.94	22.94
76932		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76932	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76932	26	C	0.67	0.19	0.05	0.91	0.67	0.19	0.05	0.91	XXX	N	N	D	N	N	24.00	24.00
76936		A	1.99	4.54	0.29	6.82	1.99	4.54	0.29	6.82	XXX	N	N	D	N	N	179.84	179.84
76936	TC	A	0	4.09	0.01	4.1	0	4.09	0.01	4.1	XXX	N	N	D	N	N	108.12	108.12
76936	26	A	1.99	0.46	0.28	2.73	1.99	0.46	0.28	2.73	XXX	N	N	D	N	N	71.99	71.99
76937		A	0.3	0.57	0.05	0.92	0.3	0.57	0.05	0.92	ZZZ	N	N	D	N	N	24.26	24.26
76937	TC	A	0	0.48	0.01	0.49	0	0.48	0.01	0.49	ZZZ	N	N	D	N	N	12.92	12.92
76937	26	A	0.3	0.08	0.04	0.42	0.3	0.08	0.04	0.42	ZZZ	N	N	D	N	N	11.08	11.08
76940		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76940	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76940	26	C	2	0.57	0.35	2.92	2	0.57	0.35	2.92	XXX	N	N	D	N	N	77.00	77.00
76941		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76941	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76941	26	C	1.34	0.44	0.14	1.92	1.34	0.44	0.14	1.92	XXX	N	N	D	N	N	50.63	50.63
76942		A	0.67	1.12	0.06	1.85	0.67	1.12	0.06	1.85	XXX	N	N	D	N	N	48.78	48.78
76942	TC	A	0	0.92	0.01	0.93	0	0.92	0.01	0.93	XXX	N	N	D	N	N	24.52	24.52
76942	26	A	0.67	0.2	0.05	0.92	0.67	0.2	0.05	0.92	XXX	N	N	D	N	N	24.26	24.26
76945		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76945	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76945	26	C	0.67	0.22	0.05	0.94	0.67	0.22	0.05	0.94	XXX	N	N	D	N	N	24.79	24.79
76946		A	0.38	0.42	0.03	0.83	0.38	0.42	0.03	0.83	XXX	N	N	D	N	N	21.89	21.89
76946	TC	A	0	0.3	0.01	0.31	0	0.3	0.01	0.31	XXX	N	N	D	N	N	8.17	8.17
76946	26	A	0.38	0.12	0.01	0.51	0.38	0.12	0.01	0.51	XXX	N	N	D	N	N	13.45	13.45
76948		A	0.38	0.42	0.05	0.85	0.38	0.42	0.05	0.85	XXX	N	N	D	N	N	22.41	22.41

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
76948	TC	A	0	0.3	0.01	0.31	0	0.3	0.01	0.31	XXX	N	N	D	N	N	8.17	8.17
76948	26	A	0.38	0.12	0.04	0.54	0.38	0.12	0.04	0.54	XXX	N	N	D	N	N	14.24	14.24
76950		A	0.58	0.68	0.05	1.31	0.58	0.68	0.05	1.31	XXX	N	N	D	N	N	34.54	34.54
76950	TC	A	0	0.49	0.01	0.5	0	0.49	0.01	0.5	XXX	N	N	D	N	N	13.19	13.19
76950	26	A	0.58	0.19	0.04	0.81	0.58	0.19	0.04	0.81	XXX	N	N	D	N	N	21.36	21.36
76965		A	1.34	0.95	0.11	2.4	1.34	0.95	0.11	2.4	XXX	N	N	D	N	N	63.29	63.29
76965	TC	A	0	0.54	0.01	0.55	0	0.54	0.01	0.55	XXX	N	N	D	N	N	14.50	14.50
76965	26	A	1.34	0.41	0.1	1.85	1.34	0.41	0.1	1.85	XXX	N	N	D	N	N	48.78	48.78
76970		A	0.4	1.85	0.06	2.31	0.4	1.85	0.06	2.31	XXX	N	N	D	N	N	60.91	60.91
76970	TC	A	0	1.73	0.01	1.74	0	1.73	0.01	1.74	XXX	N	N	D	N	N	45.88	45.88
76970	26	A	0.4	0.12	0.05	0.57	0.4	0.12	0.05	0.57	XXX	N	N	D	N	N	15.03	15.03
76975		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76975	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76975	26	C	0.81	0.28	0.1	1.19	0.81	0.28	0.1	1.19	XXX	N	N	D	N	N	31.38	31.38
76977		A	0.05	0.11	0.03	0.19	0.05	0.11	0.03	0.19	XXX	N	N	D	N	N	5.01	5.01
76977	TC	A	0	0.09	0.01	0.1	0	0.09	0.01	0.1	XXX	N	N	D	N	N	2.64	2.64
76977	26	A	0.05	0.02	0.01	0.08	0.05	0.02	0.01	0.08	XXX	N	N	D	N	N	2.11	2.11
76998		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76998	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76998	26	C	1.2	0.32	0.31	1.83	1.2	0.32	0.31	1.83	XXX	N	N	D	N	N	48.26	48.26
76999		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76999	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
76999	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77001		A	0.38	1.51	0.05	1.94	0.38	1.51	0.05	1.94	ZZZ	N	N	N	N	N	51.16	51.16
77001	TC	A	0	1.4	0.01	1.41	0	1.4	0.01	1.41	ZZZ	N	N	N	N	N	37.18	37.18
77001	26	A	0.38	0.11	0.04	0.53	0.38	0.11	0.04	0.53	ZZZ	N	N	N	N	N	13.98	13.98
77002		A	0.54	1.91	0.05	2.5	0.54	1.91	0.05	2.5	XXX	N	N	N	N	N	65.93	65.93
77002	TC	A	0	1.73	0.01	1.74	0	1.73	0.01	1.74	XXX	N	N	N	N	N	45.88	45.88
77002	26	A	0.54	0.18	0.04	0.76	0.54	0.18	0.04	0.76	XXX	N	N	N	N	N	20.04	20.04
77003		A	0.6	1.58	0.05	2.23	0.6	1.58	0.05	2.23	XXX	N	N	N	N	N	58.81	58.81
77003	TC	A	0	1.39	0.01	1.4	0	1.39	0.01	1.4	XXX	N	N	N	N	N	36.92	36.92
77003	26	A	0.6	0.19	0.04	0.83	0.6	0.19	0.04	0.83	XXX	N	N	N	N	N	21.89	21.89
77011		A	1.21	4.2	0.06	5.47	1.21	4.2	0.06	5.47	XXX	N	N	N	N	N	144.24	144.24
77011	TC	A	0	3.79	0.01	3.8	0	3.79	0.01	3.8	XXX	N	N	N	N	N	100.21	100.21
77011	26	A	1.21	0.41	0.05	1.67	1.21	0.41	0.05	1.67	XXX	N	N	N	N	N	44.04	44.04
77012		A	1.16	2	0.06	3.22	1.16	2	0.06	3.22	XXX	N	N	N	N	N	84.91	84.91
77012	TC	A	0	1.66	0.01	1.67	0	1.66	0.01	1.67	XXX	N	N	N	N	N	44.04	44.04
77012	26	A	1.16	0.34	0.05	1.55	1.16	0.34	0.05	1.55	XXX	N	N	N	N	N	40.87	40.87
77013		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77013	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77013	26	C	3.99	1.13	0.44	5.56	3.99	1.13	0.44	5.56	XXX	N	N	N	N	N	146.62	146.62
77014		A	0.85	2.13	0.06	3.04	0.85	2.13	0.06	3.04	XXX	N	N	N	N	N	80.16	80.16
77014	TC	A	0	1.85	0.01	1.86	0	1.85	0.01	1.86	XXX	N	N	N	N	N	49.05	49.05
77014	26	A	0.85	0.28	0.05	1.18	0.85	0.28	0.05	1.18	XXX	N	N	N	N	N	31.12	31.12
77021		A	1.5	7.93	0.15	9.58	1.5	7.93	0.15	9.58	XXX	N	N	N	N	N	252.62	252.62
77021	TC	A	0	7.47	0.01	7.48	0	7.47	0.01	7.48	XXX	N	N	N	N	N	197.25	197.25
77021	26	A	1.5	0.46	0.14	2.1	1.5	0.46	0.14	2.1	XXX	N	N	N	N	N	55.38	55.38
77022		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77022	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77022	26	C	4.24	1.21	0.45	5.9	4.24	1.21	0.45	5.9	XXX	N	N	N	N	N	155.58	155.58
77051		A	0.06	0.17	0.03	0.26	0.06	0.17	0.03	0.26	ZZZ	N	N	N	N	N	6.86	6.86
77051	TC	A	0	0.16	0.01	0.17	0	0.16	0.01	0.17	ZZZ	N	N	N	N	N	4.48	4.48
77051	26	A	0.06	0.02	0.01	0.09	0.06	0.02	0.01	0.09	ZZZ	N	N	N	N	N	2.37	2.37
77052		A	0.06	0.17	0.03	0.26	0.06	0.17	0.03	0.26	ZZZ	N	N	N	N	N	6.86	6.86

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
77052	TC	A	0	0.16	0.01	0.17	0	0.16	0.01	0.17	ZZZ	N	N	N	N	N	4.48	4.48
77052	26	A	0.06	0.02	0.01	0.09	0.06	0.02	0.01	0.09	ZZZ	N	N	N	N	N	2.37	2.37
77053		A	0.36	1.08	0.03	1.47	0.36	1.08	0.03	1.47	XXX	N	N	N	N	N	38.76	38.76
77053	TC	A	0	0.97	0.01	0.98	0	0.97	0.01	0.98	XXX	N	N	N	N	N	25.84	25.84
77053	26	A	0.36	0.11	0.01	0.48	0.36	0.11	0.01	0.48	XXX	N	N	N	N	N	12.66	12.66
77054		A	0.45	1.48	0.05	1.98	0.45	1.48	0.05	1.98	XXX	N	N	N	N	N	52.21	52.21
77054	TC	A	0	1.34	0.01	1.35	0	1.34	0.01	1.35	XXX	N	N	N	N	N	35.60	35.60
77054	26	A	0.45	0.14	0.04	0.63	0.45	0.14	0.04	0.63	XXX	N	N	N	N	N	16.61	16.61
77055		A	0.7	1.47	0.06	2.23	0.7	1.47	0.06	2.23	XXX	N	N	N	N	N	58.81	58.81
77055	TC	A	0	1.26	0.01	1.27	0	1.26	0.01	1.27	XXX	N	N	N	N	N	33.49	33.49
77055	26	A	0.7	0.22	0.05	0.97	0.7	0.22	0.05	0.97	XXX	N	N	N	N	N	25.58	25.58
77056		A	0.87	1.92	0.08	2.87	0.87	1.92	0.08	2.87	XXX	N	N	N	N	N	75.68	75.68
77056	TC	A	0	1.66	0.01	1.67	0	1.66	0.01	1.67	XXX	N	N	N	N	N	44.04	44.04
77056	26	A	0.87	0.27	0.06	1.2	0.87	0.27	0.06	1.2	XXX	N	N	N	N	N	31.64	31.64
77057		A	0.7	1.3	0.06	2.06	0.7	1.3	0.06	2.06	XXX	N	B	N	N	N	54.32	54.32
77057	TC	A	0	1.08	0.01	1.09	0	1.08	0.01	1.09	XXX	N	B	N	N	N	28.74	28.74
77057	26	A	0.7	0.22	0.05	0.97	0.7	0.22	0.05	0.97	XXX	N	B	N	N	N	25.58	25.58
77058		A	1.63	11.42	0.14	13.19	1.63	11.42	0.14	13.19	XXX	B	N	N	N	N	347.82	347.82
77058	TC	A	0	10.92	0.01	10.93	0	10.92	0.01	10.93	XXX	B	N	N	N	N	288.22	288.22
77058	26	A	1.63	0.49	0.13	2.25	1.63	0.49	0.13	2.25	XXX	B	N	N	N	N	59.33	59.33
77059		A	1.63	11.37	0.14	13.14	1.63	11.37	0.14	13.14	XXX	B	B	N	N	N	346.50	346.50
77059	TC	A	0	10.87	0.01	10.88	0	10.87	0.01	10.88	XXX	B	B	N	N	N	286.91	286.91
77059	26	A	1.63	0.49	0.13	2.25	1.63	0.49	0.13	2.25	XXX	B	B	N	N	N	59.33	59.33
77071		A	0.41	0.8	0.09	1.3	0.41	0.8	0.09	1.3	XXX	N	B	D	N	N	34.28	34.28
77072		A	0.19	0.38	0.03	0.6	0.19	0.38	0.03	0.6	XXX	N	N	D	N	N	15.82	15.82
77072	TC	A	0	0.32	0.01	0.33	0	0.32	0.01	0.33	XXX	N	N	D	N	N	8.70	8.70
77072	26	A	0.19	0.06	0.01	0.26	0.19	0.06	0.01	0.26	XXX	N	N	D	N	N	6.86	6.86
77073		A	0.27	0.63	0.06	0.96	0.27	0.63	0.06	0.96	XXX	N	N	D	N	N	25.32	25.32
77073	TC	A	0	0.53	0.01	0.54	0	0.53	0.01	0.54	XXX	N	N	D	N	N	14.24	14.24
77073	26	A	0.27	0.1	0.05	0.42	0.27	0.1	0.05	0.42	XXX	N	N	D	N	N	11.08	11.08
77074		A	0.45	1.27	0.05	1.77	0.45	1.27	0.05	1.77	XXX	N	N	D	N	N	46.67	46.67
77074	TC	A	0	1.13	0.01	1.14	0	1.13	0.01	1.14	XXX	N	N	D	N	N	30.06	30.06
77074	26	A	0.45	0.14	0.04	0.63	0.45	0.14	0.04	0.63	XXX	N	N	D	N	N	16.61	16.61
77075		A	0.54	2.03	0.05	2.62	0.54	2.03	0.05	2.62	XXX	N	N	D	N	N	69.09	69.09
77075	TC	A	0	1.86	0.01	1.87	0	1.86	0.01	1.87	XXX	N	N	D	N	N	49.31	49.31
77075	26	A	0.54	0.17	0.04	0.75	0.54	0.17	0.04	0.75	XXX	N	N	D	N	N	19.78	19.78
77076		A	0.7	1.91	0.06	2.67	0.7	1.91	0.06	2.67	XXX	N	N	D	N	N	70.41	70.41
77076	TC	A	0	1.69	0.01	1.7	0	1.69	0.01	1.7	XXX	N	N	D	N	N	44.83	44.83
77076	26	A	0.7	0.22	0.05	0.97	0.7	0.22	0.05	0.97	XXX	N	N	D	N	N	25.58	25.58
77077		A	0.31	0.65	0.06	1.02	0.31	0.65	0.06	1.02	XXX	N	N	D	N	N	26.90	26.90
77077	TC	A	0	0.54	0.01	0.55	0	0.54	0.01	0.55	XXX	N	N	D	N	N	14.50	14.50
77077	26	A	0.31	0.11	0.05	0.47	0.31	0.11	0.05	0.47	XXX	N	N	D	N	N	12.39	12.39
77078		A	0.25	2.43	0.03	2.71	0.25	2.43	0.03	2.71	XXX	N	N	D	N	N	71.46	71.46
77078	TC	A	0	2.35	0.01	2.36	0	2.35	0.01	2.36	XXX	N	N	D	N	N	62.23	62.23
77078	26	A	0.25	0.07	0.01	0.33	0.25	0.07	0.01	0.33	XXX	N	N	D	N	N	8.70	8.70
77080		A	0.2	0.97	0.03	1.2	0.2	0.97	0.03	1.2	XXX	N	N	D	N	N	31.64	31.64
77080	TC	A	0	0.9	0.01	0.91	0	0.9	0.01	0.91	XXX	N	N	D	N	N	24.00	24.00
77080	26	A	0.2	0.07	0.01	0.28	0.2	0.07	0.01	0.28	XXX	N	N	D	N	N	7.38	7.38
77081		A	0.22	0.45	0.03	0.7	0.22	0.45	0.03	0.7	XXX	N	N	D	N	N	18.46	18.46
77081	TC	A	0	0.38	0.01	0.39	0	0.38	0.01	0.39	XXX	N	N	D	N	N	10.28	10.28
77081	26	A	0.22	0.07	0.01	0.3	0.22	0.07	0.01	0.3	XXX	N	N	D	N	N	7.91	7.91
77082		A	0.17	0.49	0.03	0.69	0.17	0.49	0.03	0.69	XXX	N	N	D	N	N	18.20	18.20
77082	TC	A	0	0.43	0.01	0.44	0	0.43	0.01	0.44	XXX	N	N	D	N	N	11.60	11.60
77082	26	A	0.17	0.06	0.01	0.24	0.17	0.06	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
77084		A	1.6	7.81	0.14	9.55	1.6	7.81	0.14	9.55	XXX	N	N	D	N	N	251.83	251.83
77084	TC	A	0	7.32	0.01	7.33	0	7.32	0.01	7.33	XXX	N	N	D	N	N	193.29	193.29
77084	26	A	1.6	0.49	0.13	2.22	1.6	0.49	0.13	2.22	XXX	N	N	D	N	N	58.54	58.54
77261		A	1.39	0.51	0.13	2.03	1.39	0.51	0.13	2.03	XXX	N	N	D	N	N	53.53	53.53
77262		A	2.11	0.72	0.21	3.04	2.11	0.72	0.21	3.04	XXX	N	N	D	N	N	80.16	80.16
77263		A	3.14	1.05	0.31	4.5	3.14	1.05	0.31	4.5	XXX	N	N	D	N	N	118.67	118.67
77280		A	0.7	5.69	0.05	6.44	0.7	5.69	0.05	6.44	XXX	N	N	D	N	N	169.82	169.82
77280	TC	A	0	5.46	0.01	5.47	0	5.46	0.01	5.47	XXX	N	N	D	N	N	144.24	144.24
77280	26	A	0.7	0.23	0.04	0.97	0.7	0.23	0.04	0.97	XXX	N	N	D	N	N	25.58	25.58
77285		A	1.05	8.9	0.08	10.03	1.05	8.9	0.08	10.03	XXX	N	N	D	N	N	264.49	264.49
77285	TC	A	0	8.55	0.01	8.56	0	8.55	0.01	8.56	XXX	N	N	D	N	N	225.73	225.73
77285	26	A	1.05	0.35	0.06	1.46	1.05	0.35	0.06	1.46	XXX	N	N	D	N	N	38.50	38.50
77290		A	1.56	10.42	0.1	12.08	1.56	10.42	0.1	12.08	XXX	N	N	D	N	N	318.55	318.55
77290	TC	A	0	9.89	0.01	9.9	0	9.89	0.01	9.9	XXX	N	N	D	N	N	261.06	261.06
77290	26	A	1.56	0.52	0.09	2.17	1.56	0.52	0.09	2.17	XXX	N	N	D	N	N	57.22	57.22
77293		A	2	8.29	0.14	10.43	2	8.29	0.14	10.43	ZZZ	N	N	D	N	N	275.04	275.04
77293	TC	A	0	7.62	0.01	7.63	0	7.62	0.01	7.63	ZZZ	N	N	D	N	N	201.20	201.20
77293	26	A	2	0.67	0.13	2.8	2	0.67	0.13	2.8	ZZZ	N	N	D	N	N	73.84	73.84
77295		A	4.29	7.49	0.31	12.09	4.29	7.49	0.31	12.09	XXX	N	N	D	N	N	318.81	318.81
77295	TC	A	0	6.06	0.05	6.11	0	6.06	0.05	6.11	XXX	N	N	D	N	N	161.12	161.12
77295	26	A	4.29	1.43	0.26	5.98	4.29	1.43	0.26	5.98	XXX	N	N	D	N	N	157.69	157.69
77299		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77299	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77299	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77300		A	0.62	1.02	0.05	1.69	0.62	1.02	0.05	1.69	XXX	N	N	D	N	N	44.57	44.57
77300	TC	A	0	0.81	0.01	0.82	0	0.81	0.01	0.82	XXX	N	N	D	N	N	21.62	21.62
77300	26	A	0.62	0.21	0.04	0.87	0.62	0.21	0.04	0.87	XXX	N	N	D	N	N	22.94	22.94
77301		A	7.99	38.37	0.75	47.11	7.99	38.37	0.75	47.11	XXX	N	N	D	N	N	1,242.29	1,242.29
77301	TC	A	0	35.71	0.26	35.97	0	35.71	0.26	35.97	XXX	N	N	D	N	N	948.53	948.53
77301	26	A	7.99	2.66	0.49	11.14	7.99	2.66	0.49	11.14	XXX	N	N	D	N	N	293.76	293.76
77305		A	0.7	0.77	0.05	1.52	0.7	0.77	0.05	1.52	XXX	N	N	D	N	N	40.08	40.08
77305	TC	A	0	0.54	0.01	0.55	0	0.54	0.01	0.55	XXX	N	N	D	N	N	14.50	14.50
77305	26	A	0.7	0.23	0.04	0.97	0.7	0.23	0.04	0.97	XXX	N	N	D	N	N	25.58	25.58
77310		A	1.05	1.08	0.08	2.21	1.05	1.08	0.08	2.21	XXX	N	N	D	N	N	58.28	58.28
77310	TC	A	0	0.73	0.01	0.74	0	0.73	0.01	0.74	XXX	N	N	D	N	N	19.51	19.51
77310	26	A	1.05	0.35	0.06	1.46	1.05	0.35	0.06	1.46	XXX	N	N	D	N	N	38.50	38.50
77315		A	1.56	1.8	0.1	3.46	1.56	1.8	0.1	3.46	XXX	N	N	D	N	N	91.24	91.24
77315	TC	A	0	1.27	0.01	1.28	0	1.27	0.01	1.28	XXX	N	N	D	N	N	33.75	33.75
77315	26	A	1.56	0.52	0.09	2.17	1.56	0.52	0.09	2.17	XXX	N	N	D	N	N	57.22	57.22
77321		A	0.95	1.3	0.06	2.31	0.95	1.3	0.06	2.31	XXX	N	N	D	N	N	60.91	60.91
77321	TC	A	0	0.98	0.01	0.99	0	0.98	0.01	0.99	XXX	N	N	D	N	N	26.11	26.11
77321	26	A	0.95	0.32	0.05	1.32	0.95	0.32	0.05	1.32	XXX	N	N	D	N	N	34.81	34.81
77326		A	0.93	2.54	0.09	3.56	0.93	2.54	0.09	3.56	XXX	N	N	D	N	N	93.88	93.88
77326	TC	A	0	2.23	0.04	2.27	0	2.23	0.04	2.27	XXX	N	N	D	N	N	59.86	59.86
77326	26	A	0.93	0.31	0.05	1.29	0.93	0.31	0.05	1.29	XXX	N	N	D	N	N	34.02	34.02
77327		A	1.39	3.49	0.13	5.01	1.39	3.49	0.13	5.01	XXX	N	N	D	N	N	132.11	132.11
77327	TC	A	0	3.03	0.04	3.07	0	3.03	0.04	3.07	XXX	N	N	D	N	N	80.96	80.96
77327	26	A	1.39	0.47	0.09	1.95	1.39	0.47	0.09	1.95	XXX	N	N	D	N	N	51.42	51.42
77328		A	2.09	4.48	0.18	6.75	2.09	4.48	0.18	6.75	XXX	N	N	D	N	N	178.00	178.00
77328	TC	A	0	3.78	0.05	3.83	0	3.78	0.05	3.83	XXX	N	N	D	N	N	101.00	101.00
77328	26	A	2.09	0.7	0.13	2.92	2.09	0.7	0.13	2.92	XXX	N	N	D	N	N	77.00	77.00
77331		A	0.87	0.72	0.06	1.65	0.87	0.72	0.06	1.65	XXX	N	N	D	N	N	43.51	43.51
77331	TC	A	0	0.42	0.01	0.43	0	0.42	0.01	0.43	XXX	N	N	D	N	N	11.34	11.34
77331	26	A	0.87	0.29	0.05	1.21	0.87	0.29	0.05	1.21	XXX	N	N	D	N	N	31.91	31.91

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
77332		A	0.54	1.39	0.05	1.98	0.54	1.39	0.05	1.98	XXX	N	N	D	N	N	52.21	52.21
77332	TC	A	0	1.21	0.01	1.22	0	1.21	0.01	1.22	XXX	N	N	D	N	N	32.17	32.17
77332	26	A	0.54	0.18	0.04	0.76	0.54	0.18	0.04	0.76	XXX	N	N	D	N	N	20.04	20.04
77333		A	0.84	0.49	0.06	1.39	0.84	0.49	0.06	1.39	XXX	N	N	D	N	N	36.65	36.65
77333	TC	A	0	0.21	0.01	0.22	0	0.21	0.01	0.22	XXX	N	N	D	N	N	5.80	5.80
77333	26	A	0.84	0.28	0.05	1.17	0.84	0.28	0.05	1.17	XXX	N	N	D	N	N	30.85	30.85
77334		A	1.24	2.41	0.08	3.73	1.24	2.41	0.08	3.73	XXX	N	N	D	N	N	98.36	98.36
77334	TC	A	0	2	0.01	2.01	0	2	0.01	2.01	XXX	N	N	D	N	N	53.00	53.00
77334	26	A	1.24	0.42	0.06	1.72	1.24	0.42	0.06	1.72	XXX	N	N	D	N	N	45.36	45.36
77336		A	0	1.73	0.01	1.74	0	1.73	0.01	1.74	XXX	N	N	D	N	N	45.88	45.88
77338		A	4.29	7.87	0.33	12.49	4.29	7.87	0.33	12.49	XXX	N	N	D	N	N	329.36	329.36
77338	TC	A	0	6.44	0.05	6.49	0	6.44	0.05	6.49	XXX	N	N	D	N	N	171.14	171.14
77338	26	A	4.29	1.43	0.28	6	4.29	1.43	0.28	6	XXX	N	N	D	N	N	158.22	158.22
77370		A	0	2.63	0.05	2.68	0	2.63	0.05	2.68	XXX	N	N	D	N	N	70.67	70.67
77371		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77372		A	0	24.24	0.06	24.3	0	24.24	0.06	24.3	XXX	N	N	D	N	N	640.79	640.79
77373		A	0	29.01	0.09	29.1	0	29.01	0.09	29.1	XXX	N	N	D	N	N	767.37	767.37
77399		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77399	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77399	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77401		A	0	0.46	0.01	0.47	0	0.46	0.01	0.47	XXX	N	N	D	N	N	12.39	12.39
77402		A	0	3.24	0.01	3.25	0	3.24	0.01	3.25	XXX	N	N	D	N	N	85.70	85.70
77403		A	0	2.87	0.01	2.88	0	2.87	0.01	2.88	XXX	N	N	D	N	N	75.95	75.95
77404		A	0	3.2	0.01	3.21	0	3.2	0.01	3.21	XXX	N	N	D	N	N	84.65	84.65
77406		A	0	3.19	0.01	3.2	0	3.19	0.01	3.2	XXX	N	N	D	N	N	84.38	84.38
77407		A	0	5.9	0.01	5.91	0	5.9	0.01	5.91	XXX	N	N	D	N	N	155.85	155.85
77408		A	0	3.95	0.01	3.96	0	3.95	0.01	3.96	XXX	N	N	D	N	N	104.43	104.43
77409		A	0	4.39	0.01	4.4	0	4.39	0.01	4.4	XXX	N	N	D	N	N	116.03	116.03
77411		A	0	4.37	0.01	4.38	0	4.37	0.01	4.38	XXX	N	N	D	N	N	115.50	115.50
77412		A	0	5.6	0.01	5.61	0	5.6	0.01	5.61	XXX	N	N	D	N	N	147.94	147.94
77413		A	0	5.2	0.01	5.21	0	5.2	0.01	5.21	XXX	N	N	D	N	N	137.39	137.39
77414		A	0	5.86	0.01	5.87	0	5.86	0.01	5.87	XXX	N	N	D	N	N	154.79	154.79
77416		A	0	5.86	0.01	5.87	0	5.86	0.01	5.87	XXX	N	N	D	N	N	154.79	154.79
77417		A	0	0.32	0.01	0.33	0	0.32	0.01	0.33	XXX	N	N	D	N	N	8.70	8.70
77418		A	0	9.17	0.01	9.18	0	9.17	0.01	9.18	XXX	N	N	D	N	N	242.08	242.08
77421		A	0.39	1.38	0.03	1.8	0.39	1.38	0.03	1.8	XXX	N	N	D	N	N	47.47	47.47
77421	TC	A	0	1.25	0.01	1.26	0	1.25	0.01	1.26	XXX	N	N	D	N	N	33.23	33.23
77421	26	A	0.39	0.13	0.01	0.53	0.39	0.13	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
77422		A	0	0.97	0.01	0.98	0	0.97	0.01	0.98	XXX	N	N	D	N	N	25.84	25.84
77423		A	0	1.15	0.01	1.16	0	1.15	0.01	1.16	XXX	N	N	D	N	N	30.59	30.59
77424		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
77425		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
77427		A	3.37	1.31	0.33	5.01	3.37	1.31	0.33	5.01	XXX	N	N	N	N	N	132.11	132.11
77431		A	1.81	0.76	0.16	2.73	1.81	0.76	0.16	2.73	XXX	N	N	D	N	N	71.99	71.99
77432		A	7.92	2.64	0.78	11.34	7.92	2.64	0.78	11.34	XXX	N	N	D	N	N	299.04	299.04
77435		A	11.87	4.05	1.19	17.11	11.87	4.05	1.19	17.11	XXX	N	N	D	N	N	451.19	451.19
77469		A	5.75	2.12	0.57	8.44	5.75	2.12	0.57	8.44	XXX	N	N	D	N	N	222.56	222.56
77470		A	2.09	1.77	0.14	4	2.09	1.77	0.14	4	XXX	N	N	D	N	N	105.48	105.48
77470	TC	A	0	1.07	0.01	1.08	0	1.07	0.01	1.08	XXX	N	N	D	N	N	28.48	28.48
77470	26	A	2.09	0.7	0.13	2.92	2.09	0.7	0.13	2.92	XXX	N	N	D	N	N	77.00	77.00
77499		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77499	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77499	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77520		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
77522		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77523		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77525		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77600		A	1.56	7.86	0.13	9.55	1.56	7.86	0.13	9.55	XXX	N	N	D	N	N	251.83	251.83
77600	TC	A	0	7.34	0.04	7.38	0	7.34	0.04	7.38	XXX	N	N	D	N	N	194.61	194.61
77600	26	A	1.56	0.52	0.09	2.17	1.56	0.52	0.09	2.17	XXX	N	N	D	N	N	57.22	57.22
77605		A	2.09	14.72	0.49	17.3	2.09	14.72	0.49	17.3	XXX	N	N	D	N	N	456.20	456.20
77605	TC	A	0	14.04	0.04	14.08	0	14.04	0.04	14.08	XXX	N	N	D	N	N	371.29	371.29
77605	26	A	2.09	0.68	0.45	3.22	2.09	0.68	0.45	3.22	XXX	N	N	D	N	N	84.91	84.91
77610		A	1.56	21.79	0.13	23.48	1.56	21.79	0.13	23.48	XXX	N	N	D	N	N	619.17	619.17
77610	TC	A	0	21.32	0.04	21.36	0	21.32	0.04	21.36	XXX	N	N	D	N	N	563.26	563.26
77610	26	A	1.56	0.47	0.09	2.12	1.56	0.47	0.09	2.12	XXX	N	N	D	N	N	55.90	55.90
77615		A	2.09	21.3	0.21	23.6	2.09	21.3	0.21	23.6	XXX	N	N	D	N	N	622.33	622.33
77615	TC	A	0	20.6	0.09	20.69	0	20.6	0.09	20.69	XXX	N	N	D	N	N	545.60	545.60
77615	26	A	2.09	0.7	0.13	2.92	2.09	0.7	0.13	2.92	XXX	N	N	D	N	N	77.00	77.00
77620		A	1.56	7.12	0.1	8.78	1.56	7.12	0.1	8.78	XXX	N	N	D	N	N	231.53	231.53
77620	TC	A	0	6.6	0.05	6.65	0	6.6	0.05	6.65	XXX	N	N	D	N	N	175.36	175.36
77620	26	A	1.56	0.52	0.05	2.13	1.56	0.52	0.05	2.13	XXX	N	N	D	N	N	56.17	56.17
77750		A	5	4.18	0.35	9.53	5	4.18	0.35	9.53	090	N	N	D	N	N	251.31	251.31
77750	TC	A	0	2.52	0.04	2.56	0	2.52	0.04	2.56	090	N	N	D	N	N	67.51	67.51
77750	26	A	5	1.66	0.31	6.97	5	1.66	0.31	6.97	090	N	N	D	N	N	183.80	183.80
77761		A	3.85	5.6	0.29	9.74	3.85	5.6	0.29	9.74	090	N	N	D	N	N	256.84	256.84
77761	TC	A	0	4.36	0.05	4.41	0	4.36	0.05	4.41	090	N	N	D	N	N	116.29	116.29
77761	26	A	3.85	1.24	0.24	5.33	3.85	1.24	0.24	5.33	090	N	N	D	N	N	140.55	140.55
77762		A	5.76	6.83	0.43	13.02	5.76	6.83	0.43	13.02	090	N	N	D	N	N	343.34	343.34
77762	TC	A	0	4.94	0.06	5	0	4.94	0.06	5	090	N	N	D	N	N	131.85	131.85
77762	26	A	5.76	1.89	0.36	8.01	5.76	1.89	0.36	8.01	090	N	N	D	N	N	211.22	211.22
77763		A	8.66	9.28	0.62	18.56	8.66	9.28	0.62	18.56	090	N	N	D	N	N	489.43	489.43
77763	TC	A	0	6.39	0.09	6.48	0	6.39	0.09	6.48	090	N	N	D	N	N	170.88	170.88
77763	26	A	8.66	2.89	0.53	12.08	8.66	2.89	0.53	12.08	090	N	N	D	N	N	318.55	318.55
77776		A	4.7	5.9	0.44	11.04	4.7	5.9	0.44	11.04	090	N	N	D	N	N	291.12	291.12
77776	TC	A	0	4.33	0.06	4.39	0	4.33	0.06	4.39	090	N	N	D	N	N	115.76	115.76
77776	26	A	4.7	1.56	0.38	6.64	4.7	1.56	0.38	6.64	090	N	N	D	Y	N	175.10	175.10
77777		A	7.52	6.94	0.65	15.11	7.52	6.94	0.65	15.11	090	N	N	D	N	N	398.45	398.45
77777	TC	A	0	4.43	0.06	4.49	0	4.43	0.06	4.49	090	N	N	D	N	N	118.40	118.40
77777	26	A	7.52	2.5	0.59	10.61	7.52	2.5	0.59	10.61	090	N	N	D	Y	N	279.79	279.79
77778		A	11.32	10.28	0.82	22.42	11.32	10.28	0.82	22.42	090	N	N	D	N	N	591.22	591.22
77778	TC	A	0	6.55	0.1	6.65	0	6.55	0.1	6.65	090	N	N	D	N	N	175.36	175.36
77778	26	A	11.32	3.74	0.72	15.78	11.32	3.74	0.72	15.78	090	N	N	D	Y	N	416.12	416.12
77785		A	1.42	4.25	0.13	5.8	1.42	4.25	0.13	5.8	XXX	N	N	D	N	N	152.95	152.95
77785	TC	A	0	3.78	0.04	3.82	0	3.78	0.04	3.82	XXX	N	N	D	N	N	100.73	100.73
77785	26	A	1.42	0.47	0.09	1.98	1.42	0.47	0.09	1.98	XXX	N	N	D	N	N	52.21	52.21
77786		A	3.25	8.39	0.25	11.89	3.25	8.39	0.25	11.89	XXX	N	N	D	N	N	313.54	313.54
77786	TC	A	0	7.3	0.06	7.36	0	7.3	0.06	7.36	XXX	N	N	D	N	N	194.08	194.08
77786	26	A	3.25	1.09	0.19	4.53	3.25	1.09	0.19	4.53	XXX	N	N	D	N	N	119.46	119.46
77787		A	4.89	13.59	0.41	18.89	4.89	13.59	0.41	18.89	XXX	N	N	D	N	N	498.13	498.13
77787	TC	A	0	11.96	0.1	12.06	0	11.96	0.1	12.06	XXX	N	N	D	N	N	318.02	318.02
77787	26	A	4.89	1.63	0.31	6.83	4.89	1.63	0.31	6.83	XXX	N	N	D	N	N	180.11	180.11
77789		A	1.14	1.75	0.08	2.97	1.14	1.75	0.08	2.97	000	N	N	D	N	N	78.32	78.32
77789	TC	A	0	1.36	0.01	1.37	0	1.36	0.01	1.37	000	N	N	D	N	N	36.13	36.13
77789	26	A	1.14	0.38	0.06	1.58	1.14	0.38	0.06	1.58	000	N	N	D	N	N	41.66	41.66
77790		A	1.05	1.31	0.06	2.42	1.05	1.31	0.06	2.42	XXX	N	N	D	N	N	63.82	63.82
77790	TC	A	0	0.97	0.01	0.98	0	0.97	0.01	0.98	XXX	N	N	D	N	N	25.84	25.84
77790	26	A	1.05	0.34	0.05	1.44	1.05	0.34	0.05	1.44	XXX	N	N	D	N	N	37.97	37.97

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
77799		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77799	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
77799	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78012		A	0.19	1.65	0.03	1.87	0.19	1.65	0.03	1.87	XXX	N	N	D	N	N	49.31	49.31
78012	TC	A	0	1.6	0.01	1.61	0	1.6	0.01	1.61	XXX	N	N	D	N	N	42.46	42.46
78012	26	A	0.19	0.05	0.01	0.25	0.19	0.05	0.01	0.25	XXX	N	N	D	N	N	6.59	6.59
78013		A	0.37	4.25	0.05	4.67	0.37	4.25	0.05	4.67	XXX	N	N	D	N	N	123.15	123.15
78013	TC	A	0	4.14	0.04	4.18	0	4.14	0.04	4.18	XXX	N	N	D	N	N	110.23	110.23
78013	26	A	0.37	0.11	0.01	0.49	0.37	0.11	0.01	0.49	XXX	N	N	D	N	N	12.92	12.92
78014		A	0.5	5.1	0.08	5.68	0.5	5.1	0.08	5.68	XXX	N	N	D	N	N	149.78	149.78
78014	TC	A	0	4.96	0.04	5	0	4.96	0.04	5	XXX	N	N	D	N	N	131.85	131.85
78014	26	A	0.5	0.14	0.04	0.68	0.5	0.14	0.04	0.68	XXX	N	N	D	N	N	17.93	17.93
78015		A	0.67	4.55	0.09	5.31	0.67	4.55	0.09	5.31	XXX	N	N	D	N	N	140.02	140.02
78015	TC	A	0	4.36	0.04	4.4	0	4.36	0.04	4.4	XXX	N	N	D	N	N	116.03	116.03
78015	26	A	0.67	0.19	0.05	0.91	0.67	0.19	0.05	0.91	XXX	N	N	D	N	N	24.00	24.00
78016		A	0.82	5.92	0.08	6.82	0.82	5.92	0.08	6.82	XXX	N	N	D	N	N	179.84	179.84
78016	TC	A	0	5.81	0.04	5.85	0	5.81	0.04	5.85	XXX	N	N	D	N	N	154.26	154.26
78016	26	A	0.82	0.12	0.04	0.98	0.82	0.12	0.04	0.98	XXX	N	N	D	N	N	25.84	25.84
78018		A	0.86	6.65	0.09	7.6	0.86	6.65	0.09	7.6	XXX	N	N	D	N	N	200.41	200.41
78018	TC	A	0	6.42	0.04	6.46	0	6.42	0.04	6.46	XXX	N	N	D	N	N	170.35	170.35
78018	26	A	0.86	0.22	0.05	1.13	0.86	0.22	0.05	1.13	XXX	N	N	D	N	N	29.80	29.80
78020		A	0.6	1.43	0.05	2.08	0.6	1.43	0.05	2.08	ZZZ	N	N	D	N	N	54.85	54.85
78020	TC	A	0	1.3	0.01	1.31	0	1.3	0.01	1.31	ZZZ	N	N	D	N	N	34.54	34.54
78020	26	A	0.6	0.13	0.04	0.77	0.6	0.13	0.04	0.77	ZZZ	N	N	D	N	N	20.30	20.30
78070		A	0.8	6.34	0.09	7.23	0.8	6.34	0.09	7.23	XXX	N	N	D	N	N	190.66	190.66
78070	TC	A	0	6.12	0.04	6.16	0	6.12	0.04	6.16	XXX	N	N	D	N	N	162.44	162.44
78070	26	A	0.8	0.22	0.05	1.07	0.8	0.22	0.05	1.07	XXX	N	N	D	N	N	28.22	28.22
78071		A	1.2	7.22	0.11	8.53	1.2	7.22	0.11	8.53	XXX	N	N	D	N	N	224.94	224.94
78071	TC	A	0	6.89	0.04	6.93	0	6.89	0.04	6.93	XXX	N	N	D	N	N	182.74	182.74
78071	26	A	1.2	0.33	0.08	1.61	1.2	0.33	0.08	1.61	XXX	N	N	D	N	N	42.46	42.46
78072		A	1.6	8.98	0.09	10.67	1.6	8.98	0.09	10.67	XXX	N	N	D	N	N	281.37	281.37
78072	TC	A	0	8.48	0.04	8.52	0	8.48	0.04	8.52	XXX	N	N	D	N	N	224.67	224.67
78072	26	A	1.6	0.5	0.05	2.15	1.6	0.5	0.05	2.15	XXX	N	N	D	N	N	56.70	56.70
78075		A	0.74	9.4	0.1	10.24	0.74	9.4	0.1	10.24	XXX	N	N	D	N	N	270.03	270.03
78075	TC	A	0	9.22	0.05	9.27	0	9.22	0.05	9.27	XXX	N	N	D	N	N	244.45	244.45
78075	26	A	0.74	0.18	0.05	0.97	0.74	0.18	0.05	0.97	XXX	N	N	D	N	N	25.58	25.58
78099		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78099	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78099	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78102		A	0.55	3.5	0.08	4.13	0.55	3.5	0.08	4.13	XXX	N	N	D	N	N	108.91	108.91
78102	TC	A	0	3.36	0.04	3.4	0	3.36	0.04	3.4	XXX	N	N	D	N	N	89.66	89.66
78102	26	A	0.55	0.14	0.04	0.73	0.55	0.14	0.04	0.73	XXX	N	N	D	N	N	19.25	19.25
78103		A	0.75	4.64	0.09	5.48	0.75	4.64	0.09	5.48	XXX	N	N	D	N	N	144.51	144.51
78103	TC	A	0	4.43	0.04	4.47	0	4.43	0.04	4.47	XXX	N	N	D	N	N	117.87	117.87
78103	26	A	0.75	0.21	0.05	1.01	0.75	0.21	0.05	1.01	XXX	N	N	D	N	N	26.63	26.63
78104		A	0.8	5.03	0.09	5.92	0.8	5.03	0.09	5.92	XXX	N	N	D	N	N	156.11	156.11
78104	TC	A	0	4.83	0.04	4.87	0	4.83	0.04	4.87	XXX	N	N	D	N	N	128.42	128.42
78104	26	A	0.8	0.2	0.05	1.05	0.8	0.2	0.05	1.05	XXX	N	N	D	N	N	27.69	27.69
78110		A	0.19	2.04	0.05	2.28	0.19	2.04	0.05	2.28	XXX	N	N	D	N	N	60.12	60.12
78110	TC	A	0	1.98	0.04	2.02	0	1.98	0.04	2.02	XXX	N	N	D	N	N	53.27	53.27
78110	26	A	0.19	0.06	0.01	0.26	0.19	0.06	0.01	0.26	XXX	N	N	D	N	N	6.86	6.86
78111		A	0.22	2.12	0.05	2.39	0.22	2.12	0.05	2.39	XXX	N	N	D	N	N	63.02	63.02
78111	TC	A	0	2.06	0.04	2.1	0	2.06	0.04	2.1	XXX	N	N	D	N	N	55.38	55.38
78111	26	A	0.22	0.07	0.01	0.3	0.22	0.07	0.01	0.3	XXX	N	N	D	N	N	7.91	7.91

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
78120		A	0.23	2.03	0.05	2.31	0.23	2.03	0.05	2.31	XXX	N	N	D	N	N	60.91	60.91
78120	TC	A	0	1.96	0.04	2	0	1.96	0.04	2	XXX	N	N	D	N	N	52.74	52.74
78120	26	A	0.23	0.07	0.01	0.31	0.23	0.07	0.01	0.31	XXX	N	N	D	N	N	8.17	8.17
78121		A	0.32	2.08	0.05	2.45	0.32	2.08	0.05	2.45	XXX	N	N	D	N	N	64.61	64.61
78121	TC	A	0	1.98	0.04	2.02	0	1.98	0.04	2.02	XXX	N	N	D	N	N	53.27	53.27
78121	26	A	0.32	0.1	0.01	0.43	0.32	0.1	0.01	0.43	XXX	N	N	D	N	N	11.34	11.34
78122		A	0.45	1.92	0.05	2.42	0.45	1.92	0.05	2.42	XXX	N	N	D	N	N	63.82	63.82
78122	TC	A	0	1.81	0.04	1.85	0	1.81	0.04	1.85	XXX	N	N	D	N	N	48.78	48.78
78122	26	A	0.45	0.12	0.01	0.58	0.45	0.12	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29
78130		A	0.61	3.46	0.1	4.17	0.61	3.46	0.1	4.17	XXX	N	N	D	N	N	109.96	109.96
78130	TC	A	0	3.27	0.05	3.32	0	3.27	0.05	3.32	XXX	N	N	D	N	N	87.55	87.55
78130	26	A	0.61	0.19	0.05	0.85	0.61	0.19	0.05	0.85	XXX	N	N	D	N	N	22.41	22.41
78135		A	0.64	7.71	0.09	8.44	0.64	7.71	0.09	8.44	XXX	N	N	D	N	N	222.56	222.56
78135	TC	A	0	7.51	0.04	7.55	0	7.51	0.04	7.55	XXX	N	N	D	N	N	199.09	199.09
78135	26	A	0.64	0.2	0.05	0.89	0.64	0.2	0.05	0.89	XXX	N	N	D	N	N	23.47	23.47
78140		A	0.61	2.65	0.09	3.35	0.61	2.65	0.09	3.35	XXX	N	N	D	N	N	88.34	88.34
78140	TC	A	0	2.46	0.04	2.5	0	2.46	0.04	2.5	XXX	N	N	D	N	N	65.93	65.93
78140	26	A	0.61	0.19	0.05	0.85	0.61	0.19	0.05	0.85	XXX	N	N	D	N	N	22.41	22.41
78185		A	0.4	4.63	0.05	5.08	0.4	4.63	0.05	5.08	XXX	N	N	D	N	N	133.96	133.96
78185	TC	A	0	4.5	0.04	4.54	0	4.5	0.04	4.54	XXX	N	N	D	N	N	119.72	119.72
78185	26	A	0.4	0.12	0.01	0.53	0.4	0.12	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
78190		A	1.09	8.44	0.09	9.62	1.09	8.44	0.09	9.62	XXX	N	N	D	N	N	253.68	253.68
78190	TC	A	0	8.09	0.04	8.13	0	8.09	0.04	8.13	XXX	N	N	D	N	N	214.39	214.39
78190	26	A	1.09	0.35	0.05	1.49	1.09	0.35	0.05	1.49	XXX	N	N	D	N	N	39.29	39.29
78191		A	0.61	3.46	0.1	4.17	0.61	3.46	0.1	4.17	XXX	N	N	D	N	N	109.96	109.96
78191	TC	A	0	3.27	0.05	3.32	0	3.27	0.05	3.32	XXX	N	N	D	N	N	87.55	87.55
78191	26	A	0.61	0.19	0.05	0.85	0.61	0.19	0.05	0.85	XXX	N	N	D	N	N	22.41	22.41
78195		A	1.2	7.38	0.13	8.71	1.2	7.38	0.13	8.71	XXX	N	N	D	N	N	229.68	229.68
78195	TC	A	0	7.05	0.04	7.09	0	7.05	0.04	7.09	XXX	N	N	D	N	N	186.96	186.96
78195	26	A	1.2	0.33	0.09	1.62	1.2	0.33	0.09	1.62	XXX	N	N	D	N	N	42.72	42.72
78199		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78199	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78199	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78201		A	0.44	4.01	0.09	4.54	0.44	4.01	0.09	4.54	XXX	N	N	D	N	N	119.72	119.72
78201	TC	A	0	3.9	0.04	3.94	0	3.9	0.04	3.94	XXX	N	N	D	N	N	103.90	103.90
78201	26	A	0.44	0.11	0.05	0.6	0.44	0.11	0.05	0.6	XXX	N	N	D	N	N	15.82	15.82
78202		A	0.51	4.35	0.05	4.91	0.51	4.35	0.05	4.91	XXX	N	N	D	N	N	129.48	129.48
78202	TC	A	0	4.23	0.04	4.27	0	4.23	0.04	4.27	XXX	N	N	D	N	N	112.60	112.60
78202	26	A	0.51	0.12	0.01	0.64	0.51	0.12	0.01	0.64	XXX	N	N	D	N	N	16.88	16.88
78205		A	0.71	4.41	0.09	5.21	0.71	4.41	0.09	5.21	XXX	N	N	D	N	N	137.39	137.39
78205	TC	A	0	4.23	0.04	4.27	0	4.23	0.04	4.27	XXX	N	N	D	N	N	112.60	112.60
78205	26	A	0.71	0.18	0.05	0.94	0.71	0.18	0.05	0.94	XXX	N	N	D	N	N	24.79	24.79
78206		A	0.96	7.19	0.09	8.24	0.96	7.19	0.09	8.24	XXX	N	N	D	N	N	217.29	217.29
78206	TC	A	0	6.93	0.04	6.97	0	6.93	0.04	6.97	XXX	N	N	D	N	N	183.80	183.80
78206	26	A	0.96	0.26	0.05	1.27	0.96	0.26	0.05	1.27	XXX	N	N	D	N	N	33.49	33.49
78215		A	0.49	4.16	0.08	4.73	0.49	4.16	0.08	4.73	XXX	N	N	D	N	N	124.73	124.73
78215	TC	A	0	4.02	0.04	4.06	0	4.02	0.04	4.06	XXX	N	N	D	N	N	107.06	107.06
78215	26	A	0.49	0.14	0.04	0.67	0.49	0.14	0.04	0.67	XXX	N	N	D	N	N	17.67	17.67
78216		A	0.57	2.39	0.08	3.04	0.57	2.39	0.08	3.04	XXX	N	N	D	N	N	80.16	80.16
78216	TC	A	0	2.25	0.04	2.29	0	2.25	0.04	2.29	XXX	N	N	D	N	N	60.39	60.39
78216	26	A	0.57	0.14	0.04	0.75	0.57	0.14	0.04	0.75	XXX	N	N	D	N	N	19.78	19.78
78226		A	0.74	7.19	0.09	8.02	0.74	7.19	0.09	8.02	XXX	N	N	D	N	N	211.49	211.49
78226	TC	A	0	6.97	0.04	7.01	0	6.97	0.04	7.01	XXX	N	N	D	N	N	184.85	184.85
78226	26	A	0.74	0.22	0.05	1.01	0.74	0.22	0.05	1.01	XXX	N	N	D	N	N	26.63	26.63

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
78227		A	0.9	9.83	0.1	10.83	0.9	9.83	0.1	10.83	XXX	N	N	D	N	N	285.59	285.59
78227	TC	A	0	9.57	0.05	9.62	0	9.57	0.05	9.62	XXX	N	N	D	N	N	253.68	253.68
78227	26	A	0.9	0.27	0.05	1.22	0.9	0.27	0.05	1.22	XXX	N	N	D	N	N	32.17	32.17
78230		A	0.45	2.82	0.08	3.35	0.45	2.82	0.08	3.35	XXX	N	N	D	N	N	88.34	88.34
78230	TC	A	0	2.76	0.04	2.8	0	2.76	0.04	2.8	XXX	N	N	D	N	N	73.84	73.84
78230	26	A	0.45	0.06	0.04	0.55	0.45	0.06	0.04	0.55	XXX	N	N	D	N	N	14.50	14.50
78231		A	0.52	2.6	0.05	3.17	0.52	2.6	0.05	3.17	XXX	N	N	D	N	N	83.59	83.59
78231	TC	A	0	2.44	0.04	2.48	0	2.44	0.04	2.48	XXX	N	N	D	N	N	65.40	65.40
78231	26	A	0.52	0.16	0.01	0.69	0.52	0.16	0.01	0.69	XXX	N	N	D	N	N	18.20	18.20
78232		A	0.47	1.91	0.08	2.46	0.47	1.91	0.08	2.46	XXX	N	N	D	N	N	64.87	64.87
78232	TC	A	0	1.85	0.04	1.89	0	1.85	0.04	1.89	XXX	N	N	D	N	N	49.84	49.84
78232	26	A	0.47	0.07	0.04	0.58	0.47	0.07	0.04	0.58	XXX	N	N	D	N	N	15.29	15.29
78258		A	0.74	4.58	0.08	5.4	0.74	4.58	0.08	5.4	XXX	N	N	D	N	N	142.40	142.40
78258	TC	A	0	4.37	0.04	4.41	0	4.37	0.04	4.41	XXX	N	N	D	N	N	116.29	116.29
78258	26	A	0.74	0.21	0.04	0.99	0.74	0.21	0.04	0.99	XXX	N	N	D	N	N	26.11	26.11
78261		A	0.69	5.37	0.09	6.15	0.69	5.37	0.09	6.15	XXX	N	N	D	N	N	162.18	162.18
78261	TC	A	0	5.15	0.04	5.19	0	5.15	0.04	5.19	XXX	N	N	D	N	N	136.86	136.86
78261	26	A	0.69	0.22	0.05	0.96	0.69	0.22	0.05	0.96	XXX	N	N	D	N	N	25.32	25.32
78262		A	0.68	5.18	0.05	5.91	0.68	5.18	0.05	5.91	XXX	N	N	D	N	N	155.85	155.85
78262	TC	A	0	4.99	0.04	5.03	0	4.99	0.04	5.03	XXX	N	N	D	N	N	132.64	132.64
78262	26	A	0.68	0.19	0.01	0.88	0.68	0.19	0.01	0.88	XXX	N	N	D	N	N	23.21	23.21
78264		A	0.8	6.11	0.09	7	0.8	6.11	0.09	7	XXX	N	N	D	N	N	184.59	184.59
78264	TC	A	0	5.87	0.04	5.91	0	5.87	0.04	5.91	XXX	N	N	D	N	N	155.85	155.85
78264	26	A	0.8	0.23	0.05	1.08	0.8	0.23	0.05	1.08	XXX	N	N	D	N	N	28.48	28.48
78267		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
78268		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
78270		A	0.2	1.95	0.03	2.18	0.2	1.95	0.03	2.18	XXX	N	N	D	N	N	57.49	57.49
78270	TC	A	0	1.88	0.01	1.89	0	1.88	0.01	1.89	XXX	N	N	D	N	N	49.84	49.84
78270	26	A	0.2	0.07	0.01	0.28	0.2	0.07	0.01	0.28	XXX	N	N	D	N	N	7.38	7.38
78271		A	0.2	1.95	0.03	2.18	0.2	1.95	0.03	2.18	XXX	N	N	D	N	N	57.49	57.49
78271	TC	A	0	1.88	0.01	1.89	0	1.88	0.01	1.89	XXX	N	N	D	N	N	49.84	49.84
78271	26	A	0.2	0.07	0.01	0.28	0.2	0.07	0.01	0.28	XXX	N	N	D	N	N	7.38	7.38
78272		A	0.27	2.16	0.05	2.48	0.27	2.16	0.05	2.48	XXX	N	N	D	N	N	65.40	65.40
78272	TC	A	0	2.07	0.04	2.11	0	2.07	0.04	2.11	XXX	N	N	D	N	N	55.64	55.64
78272	26	A	0.27	0.09	0.01	0.37	0.27	0.09	0.01	0.37	XXX	N	N	D	N	N	9.76	9.76
78278		A	0.99	7.39	0.1	8.48	0.99	7.39	0.1	8.48	XXX	N	N	D	N	N	223.62	223.62
78278	TC	A	0	7.11	0.04	7.15	0	7.11	0.04	7.15	XXX	N	N	D	N	N	188.55	188.55
78278	26	A	0.99	0.28	0.06	1.33	0.99	0.28	0.06	1.33	XXX	N	N	D	N	N	35.07	35.07
78282		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78282	TC	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78282	26	NOT COVEI	0.38	0.12	0.04	0.54	0.38	0.12	0.04	0.54	XXX	N	N	D	N	N	14.24	14.24
78290		A	0.68	7.3	0.09	8.07	0.68	7.3	0.09	8.07	XXX	N	N	D	N	N	212.81	212.81
78290	TC	A	0	7.11	0.04	7.15	0	7.11	0.04	7.15	XXX	N	N	D	N	N	188.55	188.55
78290	26	A	0.68	0.2	0.05	0.93	0.68	0.2	0.05	0.93	XXX	N	N	D	N	N	24.52	24.52
78291		A	0.88	5.16	0.1	6.14	0.88	5.16	0.1	6.14	XXX	N	N	D	N	N	161.91	161.91
78291	TC	A	0	4.93	0.04	4.97	0	4.93	0.04	4.97	XXX	N	N	D	N	N	131.06	131.06
78291	26	A	0.88	0.23	0.06	1.17	0.88	0.23	0.06	1.17	XXX	N	N	D	N	N	30.85	30.85
78299		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78299	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78299	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78300		A	0.62	3.73	0.08	4.43	0.62	3.73	0.08	4.43	XXX	N	N	D	N	N	116.82	116.82
78300	TC	A	0	3.54	0.04	3.58	0	3.54	0.04	3.58	XXX	N	N	D	N	N	94.40	94.40
78300	26	A	0.62	0.19	0.04	0.85	0.62	0.19	0.04	0.85	XXX	N	N	D	N	N	22.41	22.41
78305		A	0.83	4.73	0.09	5.65	0.83	4.73	0.09	5.65	XXX	N	N	D	N	N	148.99	148.99

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
78305	TC	A	0	4.48	0.04	4.52	0	4.48	0.04	4.52	XXX	N	N	D	N	N	119.19	119.19
78305	26	A	0.83	0.24	0.05	1.12	0.83	0.24	0.05	1.12	XXX	N	N	D	N	N	29.53	29.53
78306		A	0.86	5.18	0.09	6.13	0.86	5.18	0.09	6.13	XXX	Y	N	D	N	N	161.65	161.65
78306	TC	A	0	4.93	0.04	4.97	0	4.93	0.04	4.97	XXX	Y	N	D	N	N	131.06	131.06
78306	26	A	0.86	0.25	0.05	1.16	0.86	0.25	0.05	1.16	XXX	Y	N	D	N	N	30.59	30.59
78315		A	1.02	7.35	0.1	8.47	1.02	7.35	0.1	8.47	XXX	N	N	D	N	N	223.35	223.35
78315	TC	A	0	7.06	0.04	7.1	0	7.06	0.04	7.1	XXX	N	N	D	N	N	187.23	187.23
78315	26	A	1.02	0.29	0.06	1.37	1.02	0.29	0.06	1.37	XXX	N	N	D	N	N	36.13	36.13
78320		A	1.04	4.47	0.1	5.61	1.04	4.47	0.1	5.61	XXX	Y	N	D	N	N	147.94	147.94
78320	TC	A	0	4.19	0.04	4.23	0	4.19	0.04	4.23	XXX	Y	N	D	N	N	111.55	111.55
78320	26	A	1.04	0.27	0.06	1.37	1.04	0.27	0.06	1.37	XXX	Y	N	D	N	N	36.13	36.13
78350		A	0.22	0.57	0.03	0.82	0.22	0.57	0.03	0.82	XXX	N	N	N	N	N	21.62	21.62
78350	TC	A	0	0.5	0.01	0.51	0	0.5	0.01	0.51	XXX	N	N	N	N	N	13.45	13.45
78350	26	A	0.22	0.07	0.01	0.3	0.22	0.07	0.01	0.3	XXX	N	N	N	N	N	7.91	7.91
78351		NOT COVEI	0.3	0.1	0.01	0.41	0.3	0.1	0.01	0.41	XXX	N	N	N	N	N	10.81	10.81
78399		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78399	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78399	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78414		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78414	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78414	26	C	0.45	0.13	0.04	0.62	0.45	0.13	0.04	0.62	XXX	N	N	D	N	N	16.35	16.35
78428		A	0.78	3.64	0.08	4.5	0.78	3.64	0.08	4.5	XXX	D	N	D	N	N	118.67	118.67
78428	TC	A	0	3.42	0.04	3.46	0	3.42	0.04	3.46	XXX	D	N	D	N	N	91.24	91.24
78428	26	A	0.78	0.22	0.04	1.04	0.78	0.22	0.04	1.04	XXX	D	N	D	N	N	27.42	27.42
78445		A	0.49	3.63	0.05	4.17	0.49	3.63	0.05	4.17	XXX	D	N	D	N	N	109.96	109.96
78445	TC	A	0	3.51	0.04	3.55	0	3.51	0.04	3.55	XXX	D	N	D	N	N	93.61	93.61
78445	26	A	0.49	0.12	0.01	0.62	0.49	0.12	0.01	0.62	XXX	D	N	D	N	N	16.35	16.35
78451		A	1.38	6.93	0.1	8.41	1.38	6.93	0.1	8.41	XXX	D	N	D	N	N	221.77	221.77
78451	TC	A	0	6.54	0.04	6.58	0	6.54	0.04	6.58	XXX	D	N	D	N	N	173.51	173.51
78451	26	A	1.38	0.39	0.06	1.83	1.38	0.39	0.06	1.83	XXX	D	N	D	N	N	48.26	48.26
78452		A	1.62	9.88	0.11	11.61	1.62	9.88	0.11	11.61	XXX	D	N	D	N	N	306.16	306.16
78452	TC	A	0	9.41	0.05	9.46	0	9.41	0.05	9.46	XXX	D	N	D	N	N	249.46	249.46
78452	26	A	1.62	0.47	0.06	2.15	1.62	0.47	0.06	2.15	XXX	D	N	D	N	N	56.70	56.70
78453		A	1	6.37	0.1	7.47	1	6.37	0.1	7.47	XXX	D	N	D	N	N	196.98	196.98
78453	TC	A	0	6.07	0.04	6.11	0	6.07	0.04	6.11	XXX	D	N	D	N	N	161.12	161.12
78453	26	A	1	0.3	0.06	1.36	1	0.3	0.06	1.36	XXX	D	N	D	N	N	35.86	35.86
78454		A	1.34	9.16	0.11	10.61	1.34	9.16	0.11	10.61	XXX	D	N	D	N	N	279.79	279.79
78454	TC	A	0	8.76	0.05	8.81	0	8.76	0.05	8.81	XXX	D	N	D	N	N	232.32	232.32
78454	26	A	1.34	0.4	0.06	1.8	1.34	0.4	0.06	1.8	XXX	D	N	D	N	N	47.47	47.47
78456		A	1	6.71	0.08	7.79	1	6.71	0.08	7.79	XXX	D	N	N	N	N	205.42	205.42
78456	TC	A	0	6.42	0.04	6.46	0	6.42	0.04	6.46	XXX	D	N	N	N	N	170.35	170.35
78456	26	A	1	0.29	0.04	1.33	1	0.29	0.04	1.33	XXX	D	N	N	N	N	35.07	35.07
78457		A	0.77	3.92	0.09	4.78	0.77	3.92	0.09	4.78	XXX	D	N	D	N	N	126.05	126.05
78457	TC	A	0	3.7	0.04	3.74	0	3.7	0.04	3.74	XXX	D	N	D	N	N	98.62	98.62
78457	26	A	0.77	0.22	0.05	1.04	0.77	0.22	0.05	1.04	XXX	D	N	D	N	N	27.42	27.42
78458		A	0.9	3.04	0.1	4.04	0.9	3.04	0.1	4.04	XXX	D	B	D	N	N	106.53	106.53
78458	TC	A	0	2.92	0.04	2.96	0	2.92	0.04	2.96	XXX	D	B	D	N	N	78.06	78.06
78458	26	A	0.9	0.12	0.06	1.08	0.9	0.12	0.06	1.08	XXX	D	B	D	N	N	28.48	28.48
78459		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78459	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78459	26	C	1.5	0.38	0.13	2.01	1.5	0.38	0.13	2.01	XXX	N	N	D	N	N	53.00	53.00
78466		A	0.69	3.71	0.08	4.48	0.69	3.71	0.08	4.48	XXX	D	N	D	N	N	118.14	118.14
78466	TC	A	0	3.49	0.04	3.53	0	3.49	0.04	3.53	XXX	D	N	D	N	N	93.09	93.09
78466	26	A	0.69	0.22	0.04	0.95	0.69	0.22	0.04	0.95	XXX	D	N	D	N	N	25.05	25.05

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
78468		A	0.8	3.95	0.08	4.83	0.8	3.95	0.08	4.83	XXX	D	N	D	N	N	127.37	127.37
78468	TC	A	0	3.72	0.04	3.76	0	3.72	0.04	3.76	XXX	D	N	D	N	N	99.15	99.15
78468	26	A	0.8	0.23	0.04	1.07	0.8	0.23	0.04	1.07	XXX	D	N	D	N	N	28.22	28.22
78469		A	0.92	4.53	0.08	5.53	0.92	4.53	0.08	5.53	XXX	D	N	D	N	N	145.83	145.83
78469	TC	A	0	4.25	0.04	4.29	0	4.25	0.04	4.29	XXX	D	N	D	N	N	113.13	113.13
78469	26	A	0.92	0.28	0.04	1.24	0.92	0.28	0.04	1.24	XXX	D	N	D	N	N	32.70	32.70
78472		A	0.98	4.58	0.09	5.65	0.98	4.58	0.09	5.65	XXX	D	N	D	N	N	148.99	148.99
78472	TC	A	0	4.3	0.04	4.34	0	4.3	0.04	4.34	XXX	D	N	D	N	N	114.45	114.45
78472	26	A	0.98	0.27	0.05	1.3	0.98	0.27	0.05	1.3	XXX	D	N	D	N	N	34.28	34.28
78473		A	1.47	5.6	0.1	7.17	1.47	5.6	0.1	7.17	XXX	D	N	D	N	N	189.07	189.07
78473	TC	A	0	5.18	0.04	5.22	0	5.18	0.04	5.22	XXX	D	N	D	N	N	137.65	137.65
78473	26	A	1.47	0.42	0.06	1.95	1.47	0.42	0.06	1.95	XXX	D	N	D	N	N	51.42	51.42
78481		A	0.98	3.34	0.05	4.37	0.98	3.34	0.05	4.37	XXX	D	N	D	N	N	115.24	115.24
78481	TC	A	0	3.06	0.01	3.07	0	3.06	0.01	3.07	XXX	D	N	D	N	N	80.96	80.96
78481	26	A	0.98	0.27	0.04	1.29	0.98	0.27	0.04	1.29	XXX	D	N	D	N	N	34.02	34.02
78483		A	1.47	4.42	0.1	5.99	1.47	4.42	0.1	5.99	XXX	D	N	D	N	N	157.96	157.96
78483	TC	A	0	3.99	0.04	4.03	0	3.99	0.04	4.03	XXX	D	N	D	N	N	106.27	106.27
78483	26	A	1.47	0.42	0.06	1.95	1.47	0.42	0.06	1.95	XXX	D	N	D	N	N	51.42	51.42
78491		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78491	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78491	26	C	1.5	0.4	0.13	2.03	1.5	0.4	0.13	2.03	XXX	N	N	D	N	N	53.53	53.53
78492		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78492	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78492	26	C	1.87	0.5	0.14	2.51	1.87	0.5	0.14	2.51	XXX	N	N	D	N	N	66.19	66.19
78494		A	1.19	4.33	0.09	5.61	1.19	4.33	0.09	5.61	XXX	D	N	D	N	N	147.94	147.94
78494	TC	A	0	3.99	0.04	4.03	0	3.99	0.04	4.03	XXX	D	N	D	N	N	106.27	106.27
78494	26	A	1.19	0.34	0.05	1.58	1.19	0.34	0.05	1.58	XXX	D	N	D	N	N	41.66	41.66
78496		A	0.5	0.62	0.03	1.15	0.5	0.62	0.03	1.15	ZZZ	N	N	D	N	N	30.33	30.33
78496	TC	A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	ZZZ	N	N	D	N	N	12.66	12.66
78496	26	A	0.5	0.15	0.01	0.66	0.5	0.15	0.01	0.66	ZZZ	N	N	D	N	N	17.40	17.40
78499		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78499	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78499	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78579		A	0.49	3.98	0.06	4.53	0.49	3.98	0.06	4.53	XXX	N	N	D	N	N	119.46	119.46
78579	TC	A	0	3.84	0.03	3.87	0	3.84	0.03	3.87	XXX	N	N	D	N	N	102.05	102.05
78579	26	A	0.49	0.13	0.04	0.66	0.49	0.13	0.04	0.66	XXX	N	N	D	N	N	17.40	17.40
78580		A	0.74	5.01	0.08	5.83	0.74	5.01	0.08	5.83	XXX	N	N	D	N	N	153.74	153.74
78580	TC	A	0	4.79	0.04	4.83	0	4.79	0.04	4.83	XXX	N	N	D	N	N	127.37	127.37
78580	26	A	0.74	0.22	0.04	1	0.74	0.22	0.04	1	XXX	N	N	D	N	N	26.37	26.37
78582		A	1.07	7.01	0.1	8.18	1.07	7.01	0.1	8.18	XXX	N	N	D	N	N	215.71	215.71
78582	TC	A	0	6.7	0.04	6.74	0	6.7	0.04	6.74	XXX	N	N	D	N	N	177.73	177.73
78582	26	A	1.07	0.31	0.06	1.44	1.07	0.31	0.06	1.44	XXX	N	N	D	N	N	37.97	37.97
78597		A	0.75	4.14	0.05	4.94	0.75	4.14	0.05	4.94	XXX	N	N	D	N	N	130.27	130.27
78597	TC	A	0	3.94	0.03	3.97	0	3.94	0.03	3.97	XXX	N	N	D	N	N	104.69	104.69
78597	26	A	0.75	0.19	0.03	0.97	0.75	0.19	0.03	0.97	XXX	N	N	D	N	N	25.58	25.58
78598		A	0.85	6.53	0.08	7.46	0.85	6.53	0.08	7.46	XXX	N	N	D	N	N	196.72	196.72
78598	TC	A	0	6.3	0.04	6.34	0	6.3	0.04	6.34	XXX	N	N	D	N	N	167.19	167.19
78598	26	A	0.85	0.23	0.04	1.12	0.85	0.23	0.04	1.12	XXX	N	N	D	N	N	29.53	29.53
78599		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78599	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78599	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78600		A	0.44	3.94	0.05	4.43	0.44	3.94	0.05	4.43	XXX	N	N	D	N	N	116.82	116.82
78600	TC	A	0	3.81	0.04	3.85	0	3.81	0.04	3.85	XXX	N	N	D	N	N	101.52	101.52
78600	26	A	0.44	0.13	0.01	0.58	0.44	0.13	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
78601		A	0.51	4.66	0.08	5.25	0.51	4.66	0.08	5.25	XXX	N	N	D	N	N	138.44	138.44
78601	TC	A	0	4.51	0.04	4.55	0	4.51	0.04	4.55	XXX	N	N	D	N	N	119.98	119.98
78601	26	A	0.51	0.15	0.04	0.7	0.51	0.15	0.04	0.7	XXX	N	N	D	N	N	18.46	18.46
78605		A	0.53	4.21	0.08	4.82	0.53	4.21	0.08	4.82	XXX	N	N	D	N	N	127.10	127.10
78605	TC	A	0	4.04	0.04	4.08	0	4.04	0.04	4.08	XXX	N	N	D	N	N	107.59	107.59
78605	26	A	0.53	0.17	0.04	0.74	0.53	0.17	0.04	0.74	XXX	N	N	D	N	N	19.51	19.51
78606		A	0.64	7.25	0.05	7.94	0.64	7.25	0.05	7.94	XXX	N	N	D	N	N	209.38	209.38
78606	TC	A	0	7.06	0.04	7.1	0	7.06	0.04	7.1	XXX	N	N	D	N	N	187.23	187.23
78606	26	A	0.64	0.18	0.01	0.83	0.64	0.18	0.01	0.83	XXX	N	N	D	N	N	21.89	21.89
78607		A	1.23	7.18	0.1	8.51	1.23	7.18	0.1	8.51	XXX	N	N	D	N	N	224.41	224.41
78607	TC	A	0	6.86	0.04	6.9	0	6.86	0.04	6.9	XXX	N	N	D	N	N	181.95	181.95
78607	26	A	1.23	0.32	0.06	1.61	1.23	0.32	0.06	1.61	XXX	N	N	D	N	N	42.46	42.46
78608		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78608	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78608	26	C	1.5	0.39	0.14	2.03	1.5	0.39	0.14	2.03	XXX	N	N	D	N	N	53.53	53.53
78609		A	1.5	0.48	0.13	2.11	1.5	0.48	0.13	2.11	XXX	N	N	N	N	N	55.64	55.64
78609	TC	A	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
78609	26	A	1.5	0.48	0.13	2.11	1.5	0.48	0.13	2.11	XXX	N	N	N	N	N	55.64	55.64
78610		A	0.3	3.85	0.05	4.2	0.3	3.85	0.05	4.2	XXX	N	N	D	N	N	110.75	110.75
78610	TC	A	0	3.76	0.04	3.8	0	3.76	0.04	3.8	XXX	N	N	D	N	N	100.21	100.21
78610	26	A	0.3	0.09	0.01	0.4	0.3	0.09	0.01	0.4	XXX	N	N	D	N	N	10.55	10.55
78630		A	0.68	7.4	0.08	8.16	0.68	7.4	0.08	8.16	XXX	N	N	D	N	N	215.18	215.18
78630	TC	A	0	7.2	0.04	7.24	0	7.2	0.04	7.24	XXX	N	N	D	N	N	190.92	190.92
78630	26	A	0.68	0.2	0.04	0.92	0.68	0.2	0.04	0.92	XXX	N	N	D	N	N	24.26	24.26
78635		A	0.61	7.5	0.05	8.16	0.61	7.5	0.05	8.16	XXX	N	N	D	N	N	215.18	215.18
78635	TC	A	0	7.3	0.04	7.34	0	7.3	0.04	7.34	XXX	N	N	D	N	N	193.56	193.56
78635	26	A	0.61	0.19	0.01	0.81	0.61	0.19	0.01	0.81	XXX	N	N	D	N	N	21.36	21.36
78645		A	0.57	7.14	0.08	7.79	0.57	7.14	0.08	7.79	XXX	N	N	D	N	N	205.42	205.42
78645	TC	A	0	6.99	0.04	7.03	0	6.99	0.04	7.03	XXX	N	N	D	N	N	185.38	185.38
78645	26	A	0.57	0.15	0.04	0.76	0.57	0.15	0.04	0.76	XXX	N	N	D	N	N	20.04	20.04
78647		A	0.9	7.5	0.1	8.5	0.9	7.5	0.1	8.5	XXX	N	N	D	N	N	224.15	224.15
78647	TC	A	0	7.22	0.04	7.26	0	7.22	0.04	7.26	XXX	N	N	D	N	N	191.45	191.45
78647	26	A	0.9	0.27	0.06	1.23	0.9	0.27	0.06	1.23	XXX	N	N	D	N	N	32.44	32.44
78650		A	0.61	7.4	0.09	8.1	0.61	7.4	0.09	8.1	XXX	N	N	D	N	N	213.60	213.60
78650	TC	A	0	7.23	0.04	7.27	0	7.23	0.04	7.27	XXX	N	N	D	N	N	191.71	191.71
78650	26	A	0.61	0.17	0.05	0.83	0.61	0.17	0.05	0.83	XXX	N	N	D	N	N	21.89	21.89
78660		A	0.53	3.93	0.08	4.54	0.53	3.93	0.08	4.54	XXX	N	N	D	N	N	119.72	119.72
78660	TC	A	0	3.75	0.04	3.79	0	3.75	0.04	3.79	XXX	N	N	D	N	N	99.94	99.94
78660	26	A	0.53	0.17	0.04	0.74	0.53	0.17	0.04	0.74	XXX	N	N	D	N	N	19.51	19.51
78699		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78699	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78699	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78700		A	0.45	3.7	0.08	4.23	0.45	3.7	0.08	4.23	XXX	N	N	D	N	N	111.55	111.55
78700	TC	A	0	3.58	0.04	3.62	0	3.58	0.04	3.62	XXX	N	N	D	N	N	95.46	95.46
78700	26	A	0.45	0.12	0.04	0.61	0.45	0.12	0.04	0.61	XXX	N	N	D	N	N	16.09	16.09
78701		A	0.49	4.62	0.08	5.19	0.49	4.62	0.08	5.19	XXX	N	N	D	N	N	136.86	136.86
78701	TC	A	0	4.48	0.04	4.52	0	4.48	0.04	4.52	XXX	N	N	D	N	N	119.19	119.19
78701	26	A	0.49	0.14	0.04	0.67	0.49	0.14	0.04	0.67	XXX	N	N	D	N	N	17.67	17.67
78707		A	0.96	4.63	0.09	5.68	0.96	4.63	0.09	5.68	XXX	N	N	D	N	N	149.78	149.78
78707	TC	A	0	4.37	0.04	4.41	0	4.37	0.04	4.41	XXX	N	N	D	N	N	116.29	116.29
78707	26	A	0.96	0.27	0.05	1.28	0.96	0.27	0.05	1.28	XXX	N	N	D	N	N	33.75	33.75
78708		A	1.21	3.03	0.1	4.34	1.21	3.03	0.1	4.34	XXX	N	N	D	N	N	114.45	114.45
78708	TC	A	0	2.69	0.04	2.73	0	2.69	0.04	2.73	XXX	N	N	D	N	N	71.99	71.99
78708	26	A	1.21	0.34	0.06	1.61	1.21	0.34	0.06	1.61	XXX	N	N	D	N	N	42.46	42.46

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
78709		A	1.41	7.42	0.13	8.96	1.41	7.42	0.13	8.96	XXX	N	N	D	N	N	236.28	236.28
78709	TC	A	0	7.04	0.04	7.08	0	7.04	0.04	7.08	XXX	N	N	D	N	N	186.70	186.70
78709	26	A	1.41	0.38	0.09	1.88	1.41	0.38	0.09	1.88	XXX	N	N	D	N	N	49.58	49.58
78710		A	0.66	4.14	0.05	4.85	0.66	4.14	0.05	4.85	XXX	N	N	D	N	N	127.89	127.89
78710	TC	A	0	3.99	0.04	4.03	0	3.99	0.04	4.03	XXX	N	N	D	N	N	106.27	106.27
78710	26	A	0.66	0.14	0.01	0.81	0.66	0.14	0.01	0.81	XXX	N	N	D	N	N	21.36	21.36
78725		A	0.38	2.23	0.05	2.66	0.38	2.23	0.05	2.66	XXX	N	N	D	N	N	70.14	70.14
78725	TC	A	0	2.13	0.04	2.17	0	2.13	0.04	2.17	XXX	N	N	D	N	N	57.22	57.22
78725	26	A	0.38	0.1	0.01	0.49	0.38	0.1	0.01	0.49	XXX	N	N	D	N	N	12.92	12.92
78730		A	0.15	1.66	0.03	1.84	0.15	1.66	0.03	1.84	ZZZ	N	N	D	N	N	48.52	48.52
78730	TC	A	0	1.61	0.01	1.62	0	1.61	0.01	1.62	ZZZ	N	N	D	N	N	42.72	42.72
78730	26	A	0.15	0.05	0.01	0.21	0.15	0.05	0.01	0.21	ZZZ	N	N	D	N	N	5.54	5.54
78740		A	0.57	4.69	0.08	5.34	0.57	4.69	0.08	5.34	XXX	N	N	D	N	N	140.82	140.82
78740	TC	A	0	4.53	0.04	4.57	0	4.53	0.04	4.57	XXX	N	N	D	N	N	120.51	120.51
78740	26	A	0.57	0.16	0.04	0.77	0.57	0.16	0.04	0.77	XXX	N	N	D	N	N	20.30	20.30
78761		A	0.71	4.34	0.09	5.14	0.71	4.34	0.09	5.14	XXX	N	N	D	N	N	135.54	135.54
78761	TC	A	0	4.13	0.04	4.17	0	4.13	0.04	4.17	XXX	N	N	D	N	N	109.96	109.96
78761	26	A	0.71	0.22	0.05	0.98	0.71	0.22	0.05	0.98	XXX	N	N	D	N	N	25.84	25.84
78799		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78799	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78799	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78800		A	0.66	3.91	0.09	4.66	0.66	3.91	0.09	4.66	XXX	N	N	D	N	N	122.88	122.88
78800	TC	A	0	3.71	0.04	3.75	0	3.71	0.04	3.75	XXX	N	N	D	N	N	98.89	98.89
78800	26	A	0.66	0.2	0.05	0.91	0.66	0.2	0.05	0.91	XXX	N	N	D	N	N	24.00	24.00
78801		A	0.79	5.22	0.09	6.1	0.79	5.22	0.09	6.1	XXX	N	N	D	N	N	160.86	160.86
78801	TC	A	0	4.99	0.04	5.03	0	4.99	0.04	5.03	XXX	N	N	D	N	N	132.64	132.64
78801	26	A	0.79	0.23	0.05	1.07	0.79	0.23	0.05	1.07	XXX	N	N	D	N	N	28.22	28.22
78802		A	0.86	6.86	0.09	7.81	0.86	6.86	0.09	7.81	XXX	Y	N	D	N	N	205.95	205.95
78802	TC	A	0	6.63	0.04	6.67	0	6.63	0.04	6.67	XXX	Y	N	D	N	N	175.89	175.89
78802	26	A	0.86	0.23	0.05	1.14	0.86	0.23	0.05	1.14	XXX	Y	N	D	N	N	30.06	30.06
78803		A	1.09	7.08	0.1	8.27	1.09	7.08	0.1	8.27	XXX	Y	N	D	N	N	218.08	218.08
78803	TC	A	0	6.81	0.04	6.85	0	6.81	0.04	6.85	XXX	Y	N	D	N	N	180.63	180.63
78803	26	A	1.09	0.27	0.06	1.42	1.09	0.27	0.06	1.42	XXX	Y	N	D	N	N	37.45	37.45
78804		A	1.07	12.48	0.13	13.68	1.07	12.48	0.13	13.68	XXX	N	N	D	N	N	360.74	360.74
78804	TC	A	0	12.19	0.06	12.25	0	12.19	0.06	12.25	XXX	N	N	D	N	N	323.03	323.03
78804	26	A	1.07	0.29	0.06	1.42	1.07	0.29	0.06	1.42	XXX	N	N	D	N	N	37.45	37.45
78805		A	0.73	3.67	0.09	4.49	0.73	3.67	0.09	4.49	XXX	N	N	D	N	N	118.40	118.40
78805	TC	A	0	3.46	0.04	3.5	0	3.46	0.04	3.5	XXX	N	N	D	N	N	92.30	92.30
78805	26	A	0.73	0.21	0.05	0.99	0.73	0.21	0.05	0.99	XXX	N	N	D	N	N	26.11	26.11
78806		A	0.86	7.06	0.09	8.01	0.86	7.06	0.09	8.01	XXX	Y	N	D	N	N	211.22	211.22
78806	TC	A	0	6.83	0.04	6.87	0	6.83	0.04	6.87	XXX	Y	N	D	N	N	181.16	181.16
78806	26	A	0.86	0.23	0.05	1.14	0.86	0.23	0.05	1.14	XXX	Y	N	D	N	N	30.06	30.06
78807		A	1.09	7.06	0.09	8.24	1.09	7.06	0.09	8.24	XXX	Y	N	D	N	N	217.29	217.29
78807	TC	A	0	6.78	0.04	6.82	0	6.78	0.04	6.82	XXX	Y	N	D	N	N	179.84	179.84
78807	26	A	1.09	0.27	0.05	1.41	1.09	0.27	0.05	1.41	XXX	Y	N	D	N	N	37.18	37.18
78808		NOT COVEI	0.18	0.92	0.04	1.14	0.18	0.92	0.04	1.14	XXX	N	N	D	N	N	30.06	30.06
78811		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78811	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78811	26	C	1.54	0.46	0.21	2.21	1.54	0.46	0.21	2.21	XXX	N	N	D	N	N	58.28	58.28
78812		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78812	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78812	26	C	1.93	0.53	0.19	2.65	1.93	0.53	0.19	2.65	XXX	N	N	D	N	N	69.88	69.88
78813		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78813	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	Conversion Factors $ 37.56 OB/GYN Non- Facility
78813	26	C	2	0.57	0.21	2.78	2	0.57	0.21	2.78	XXX	N	N	D	N	N	73.31	73.31
78814		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78814	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78814	26	C	2.2	0.63	0.24	3.07	2.2	0.63	0.24	3.07	XXX	N	N	D	N	N	80.96	80.96
78815		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78815	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78815	26	C	2.44	0.68	0.26	3.38	2.44	0.68	0.26	3.38	XXX	N	N	D	N	N	89.13	89.13
78816		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78816	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78816	26	C	2.5	0.66	0.26	3.42	2.5	0.66	0.26	3.42	XXX	N	N	D	N	N	90.19	90.19
78999		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78999	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
78999	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
79005		A	1.8	1.63	0.1	3.53	1.8	1.63	0.1	3.53	XXX	N	N	D	N	N	93.09	93.09
79005	TC	A	0	1.12	0.01	1.13	0	1.12	0.01	1.13	XXX	N	N	D	N	N	29.80	29.80
79005	26	A	1.8	0.51	0.09	2.4	1.8	0.51	0.09	2.4	XXX	N	N	D	N	N	63.29	63.29
79101		A	1.96	1.68	0.1	3.74	1.96	1.68	0.1	3.74	XXX	N	N	D	N	N	98.62	98.62
79101	TC	A	0	1.14	0.01	1.15	0	1.14	0.01	1.15	XXX	N	N	D	N	N	30.33	30.33
79101	26	A	1.96	0.54	0.09	2.59	1.96	0.54	0.09	2.59	XXX	N	N	D	N	N	68.30	68.30
79200		A	1.99	1.96	0.15	4.1	1.99	1.96	0.15	4.1	XXX	N	N	D	N	N	108.12	108.12
79200	TC	A	0	1.29	0.01	1.3	0	1.29	0.01	1.3	XXX	N	N	D	N	N	34.28	34.28
79200	26	A	1.99	0.67	0.14	2.8	1.99	0.67	0.14	2.8	XXX	N	N	D	N	N	73.84	73.84
79300		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
79300	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
79300	26	C	1.6	0.49	0.16	2.25	1.6	0.49	0.16	2.25	XXX	N	N	D	N	N	59.33	59.33
79403		A	2.25	2.55	0.18	4.98	2.25	2.55	0.18	4.98	XXX	N	N	D	N	N	131.32	131.32
79403	TC	A	0	1.86	0.04	1.9	0	1.86	0.04	1.9	XXX	N	N	D	N	N	50.10	50.10
79403	26	A	2.25	0.69	0.14	3.08	2.25	0.69	0.14	3.08	XXX	N	N	D	N	N	81.22	81.22
79440		A	1.99	1.71	0.08	3.78	1.99	1.71	0.08	3.78	XXX	N	N	D	N	N	99.68	99.68
79440	TC	A	0	1.1	0.01	1.11	0	1.1	0.01	1.11	XXX	N	N	D	N	N	29.27	29.27
79440	26	A	1.99	0.62	0.06	2.67	1.99	0.62	0.06	2.67	XXX	N	N	D	N	N	70.41	70.41
79445		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
79445	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
79445	26	C	2.4	0.61	0.24	3.25	2.4	0.61	0.24	3.25	XXX	N	N	D	N	N	85.70	85.70
79999		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
79999	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
79999	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
80104		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
80500		A	0.37	0.11	0.04	0.52	0.37	0.16	0.04	0.57	XXX	N	N	D	N	N	13.71	15.03
80502		A	1.33	0.37	0.09	1.79	1.33	0.42	0.09	1.84	XXX	N	N	D	N	N	47.20	48.52
82930		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
83020		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
83020	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
83861		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
83876		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
83951		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
83987		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
84112		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
84145		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
84165		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
84165	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
84166		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
84166	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
84181		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
84181	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
84182		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
84182	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
84431		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
85060		A	0.45	0.17	0.04	0.66	0.45	0.17	0.04	0.66	XXX	N	N	D	N	N	17.40	17.40
85097		A	0.94	0.32	0.06	1.32	0.94	1.18	0.06	2.18	XXX	N	N	D	N	N	34.81	57.49
85390		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
85390	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
85396		A	0.37	0.14	0.04	0.55	0.37	0.14	0.04	0.55	XXX	N	N	D	N	N	14.50	14.50
85397		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
85576		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
85576	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
85598		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86077		A	0.94	0.37	0.06	1.37	0.94	0.45	0.06	1.45	XXX	N	N	D	N	N	36.13	38.24
86078		A	0.94	0.37	0.06	1.37	0.94	0.45	0.06	1.45	XXX	N	N	D	N	N	36.13	38.24
86079		A	0.94	0.35	0.06	1.35	0.94	0.44	0.06	1.44	XXX	N	N	D	N	N	35.60	37.97
86153	26	A	0.69	0.22	0.03	0.94	0.69	0.22	0.03	0.94	XXX	N	N	D	N	N	24.79	24.79
86255		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86255	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
86256		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86256	26	C	0.37	0.12	0.01	0.5	0.37	0.12	0.01	0.5	XXX	N	N	D	N	N	13.19	13.19
86305		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86320		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86320	26	C	0.37	0.12	0.01	0.5	0.37	0.12	0.01	0.5	XXX	N	N	D	N	N	13.19	13.19
86325		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86325	26	C	0.37	0.12	0.01	0.5	0.37	0.12	0.01	0.5	XXX	N	N	D	N	N	13.19	13.19
86327		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86327	26	C	0.42	0.13	0.04	0.59	0.42	0.13	0.04	0.59	XXX	N	N	D	N	N	15.56	15.56
86334		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86334	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
86335		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86335	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
86352		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86386		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86481		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86490		A	0	0.11	0.01	0.12	0	0.11	0.01	0.12	XXX	N	N	D	N	N	3.16	3.16
86510		A	0	0.14	0.01	0.15	0	0.14	0.01	0.15	XXX	N	N	D	N	N	3.96	3.96
86580		A	0	0.17	0.01	0.18	0	0.17	0.01	0.18	XXX	N	N	D	N	N	4.75	4.75
86780		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86825		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86826		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
86902		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
87150		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
87153		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
87164		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
87164	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
87207		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
87207	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
87389		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
87493		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
87501		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
87502		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
87503		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
87905		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
87906		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
88104		A	0.56	1.24	0.03	1.83	0.56	1.24	0.03	1.83	XXX	N	N	D	N	N	48.26	48.26
88104	TC	A	0	1.03	0.01	1.04	0	1.03	0.01	1.04	XXX	N	N	D	N	N	27.42	27.42
88104	26	A	0.56	0.21	0.01	0.78	0.56	0.21	0.01	0.78	XXX	N	N	D	N	N	20.57	20.57
88106		A	0.37	1.64	0.03	2.04	0.37	1.64	0.03	2.04	XXX	N	N	D	N	N	53.79	53.79
88106	TC	A	0	1.5	0.01	1.51	0	1.5	0.01	1.51	XXX	N	N	D	N	N	39.82	39.82
88106	26	A	0.37	0.14	0.01	0.52	0.37	0.14	0.01	0.52	XXX	N	N	D	N	N	13.71	13.71
88108		A	0.44	1.45	0.03	1.92	0.44	1.45	0.03	1.92	XXX	N	N	D	N	N	50.63	50.63
88108	TC	A	0	1.29	0.01	1.3	0	1.29	0.01	1.3	XXX	N	N	D	N	N	34.28	34.28
88108	26	A	0.44	0.16	0.01	0.61	0.44	0.16	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
88112		A	0.56	0.98	0.03	1.57	0.56	0.98	0.03	1.57	XXX	N	N	D	N	N	41.40	41.40
88112	TC	A	0	0.8	0.01	0.81	0	0.8	0.01	0.81	XXX	N	N	D	N	N	21.36	21.36
88112	26	A	0.56	0.18	0.01	0.75	0.56	0.18	0.01	0.75	XXX	N	N	D	N	N	19.78	19.78
88120		A	1.2	13.32	0.08	14.6	1.2	13.32	0.08	14.6	XXX	N	N	D	N	N	385.00	385.00
88120	TC	A	0	12.97	0.04	13.01	0	12.97	0.04	13.01	XXX	N	N	D	N	N	343.07	343.07
88120	26	A	1.2	0.35	0.04	1.59	1.2	0.35	0.04	1.59	XXX	N	N	D	N	N	41.93	41.93
88121		A	1	11.56	0.05	12.61	1	11.56	0.05	12.61	XXX	N	N	D	N	N	332.53	332.53
88121	TC	A	0	11.24	0.01	11.25	0	11.24	0.01	11.25	XXX	N	N	D	N	N	296.66	296.66
88121	26	A	1	0.32	0.04	1.36	1	0.32	0.04	1.36	XXX	N	N	D	N	N	35.86	35.86
88125		A	0.26	0.28	0.03	0.57	0.26	0.28	0.03	0.57	XXX	N	N	D	N	N	15.03	15.03
88125	TC	A	0	0.2	0.01	0.21	0	0.2	0.01	0.21	XXX	N	N	D	N	N	5.54	5.54
88125	26	A	0.26	0.08	0.01	0.35	0.26	0.08	0.01	0.35	XXX	N	N	D	N	N	9.23	9.23
88141		A	0.42	0.37	0.04	0.83	0.42	0.37	0.04	0.83	XXX	N	N	D	N	N	21.89	21.89
88160		A	0.5	1.06	0.03	1.59	0.5	1.06	0.03	1.59	XXX	N	N	D	N	N	41.93	41.93
88160	TC	A	0	0.87	0.01	0.88	0	0.87	0.01	0.88	XXX	N	N	D	N	N	23.21	23.21
88160	26	A	0.5	0.19	0.01	0.7	0.5	0.19	0.01	0.7	XXX	N	N	D	N	N	18.46	18.46
88161		A	0.5	0.93	0.03	1.46	0.5	0.93	0.03	1.46	XXX	N	N	D	N	N	38.50	38.50
88161	TC	A	0	0.77	0.01	0.78	0	0.77	0.01	0.78	XXX	N	N	D	N	N	20.57	20.57
88161	26	A	0.5	0.17	0.01	0.68	0.5	0.17	0.01	0.68	XXX	N	N	D	N	N	17.93	17.93
88162		A	0.76	1.57	0.05	2.38	0.76	1.57	0.05	2.38	XXX	N	N	D	N	N	62.76	62.76
88162	TC	A	0	1.29	0.01	1.3	0	1.29	0.01	1.3	XXX	N	N	D	N	N	34.28	34.28
88162	26	A	0.76	0.28	0.04	1.08	0.76	0.28	0.04	1.08	XXX	N	N	D	N	N	28.48	28.48
88172		A	0.69	0.67	0.03	1.39	0.69	0.67	0.03	1.39	XXX	N	N	D	N	N	36.65	36.65
88172	TC	A	0	0.42	0.01	0.43	0	0.42	0.01	0.43	XXX	N	N	D	N	N	11.34	11.34
88172	26	A	0.69	0.26	0.01	0.96	0.69	0.26	0.01	0.96	XXX	N	N	D	N	N	25.32	25.32
88173		A	1.39	2.21	0.06	3.66	1.39	2.21	0.06	3.66	XXX	N	N	D	N	N	96.51	96.51
88173	TC	A	0	1.73	0.01	1.74	0	1.73	0.01	1.74	XXX	N	N	D	N	N	45.88	45.88
88173	26	A	1.39	0.48	0.05	1.92	1.39	0.48	0.05	1.92	XXX	N	N	D	N	N	50.63	50.63
88177		A	0.42	0.32	0.03	0.77	0.42	0.32	0.03	0.77	ZZZ	N	N	D	N	N	20.30	20.30
88177	TC	A	0	0.17	0.01	0.18	0	0.17	0.01	0.18	ZZZ	N	N	D	N	N	4.75	4.75
88177	26	A	0.42	0.16	0.01	0.59	0.42	0.16	0.01	0.59	ZZZ	N	N	D	N	N	15.56	15.56
88182		A	0.77	1.86	0.08	2.71	0.77	1.86	0.08	2.71	XXX	N	N	D	N	N	71.46	71.46
88182	TC	A	0	1.67	0.04	1.71	0	1.67	0.04	1.71	XXX	N	N	D	N	N	45.09	45.09
88182	26	A	0.77	0.19	0.04	1	0.77	0.19	0.04	1	XXX	N	N	D	N	N	26.37	26.37
88184		A	0	2.03	0.01	2.04	0	2.03	0.01	2.04	XXX	N	N	D	N	N	53.79	53.79
88185		A	0	1.24	0.01	1.25	0	1.24	0.01	1.25	ZZZ	N	N	D	N	N	32.96	32.96
88187		A	1.36	0.47	0.1	1.93	1.36	0.47	0.1	1.93	XXX	N	N	D	N	N	50.89	50.89
88188		A	1.69	0.61	0.13	2.43	1.69	0.61	0.13	2.43	XXX	N	N	D	N	N	64.08	64.08
88189		A	2.23	0.62	0.14	2.99	2.23	0.62	0.14	2.99	XXX	N	N	D	N	N	78.85	78.85
88199		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
88199	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
88199	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
88291		A	0.52	0.27	0.04	0.83	0.52	0.27	0.04	0.83	XXX	N	N	D	N	N	21.89	21.89
88299		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
88300		A	0.08	0.26	0.03	0.37	0.08	0.26	0.03	0.37	XXX	N	N	D	N	N	9.76	9.76
88300	TC	A	0	0.22	0.01	0.23	0	0.22	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
88300	26	A	0.08	0.03	0.01	0.12	0.08	0.03	0.01	0.12	XXX	N	N	D	N	N	3.16	3.16
88302		A	0.13	0.57	0.03	0.73	0.13	0.57	0.03	0.73	XXX	N	N	D	N	N	19.25	19.25
88302	TC	A	0	0.52	0.01	0.53	0	0.52	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
88302	26	A	0.13	0.05	0.01	0.19	0.13	0.05	0.01	0.19	XXX	N	N	D	N	N	5.01	5.01
88304		A	0.22	0.81	0.03	1.06	0.22	0.81	0.03	1.06	XXX	N	N	D	N	N	27.95	27.95
88304	TC	A	0	0.73	0.01	0.74	0	0.73	0.01	0.74	XXX	N	N	D	N	N	19.51	19.51
88304	26	A	0.22	0.07	0.01	0.3	0.22	0.07	0.01	0.3	XXX	N	N	D	N	N	7.91	7.91
88305		A	0.75	1	0.03	1.78	0.75	1	0.03	1.78	XXX	N	N	D	N	N	46.94	46.94
88305	TC	A	0	0.74	0.01	0.75	0	0.74	0.01	0.75	XXX	N	N	D	N	N	19.78	19.78
88305	26	A	0.75	0.26	0.01	1.02	0.75	0.26	0.01	1.02	XXX	N	N	D	N	N	26.90	26.90
88307		A	1.59	5.33	0.06	6.98	1.59	5.33	0.06	6.98	XXX	N	N	D	N	N	184.06	184.06
88307	TC	A	0	4.73	0.01	4.74	0	4.73	0.01	4.74	XXX	N	N	D	N	N	124.99	124.99
88307	26	A	1.59	0.6	0.05	2.24	1.59	0.6	0.05	2.24	XXX	N	N	D	N	N	59.07	59.07
88309		A	2.8	7.77	0.14	10.71	2.8	7.77	0.14	10.71	XXX	N	N	D	N	N	282.42	282.42
88309	TC	A	0	6.71	0.04	6.75	0	6.71	0.04	6.75	XXX	N	N	D	N	N	178.00	178.00
88309	26	A	2.8	1.06	0.1	3.96	2.8	1.06	0.1	3.96	XXX	N	N	D	N	N	104.43	104.43
88311		A	0.24	0.26	0.03	0.53	0.24	0.26	0.03	0.53	XXX	N	N	D	N	N	13.98	13.98
88311	TC	A	0	0.17	0.01	0.18	0	0.17	0.01	0.18	XXX	N	N	D	N	N	4.75	4.75
88311	26	A	0.24	0.08	0.01	0.33	0.24	0.08	0.01	0.33	XXX	N	N	D	N	N	8.70	8.70
88312		A	0.54	1.73	0.03	2.3	0.54	1.73	0.03	2.3	XXX	N	N	D	N	N	60.65	60.65
88312	TC	A	0	1.55	0.01	1.56	0	1.55	0.01	1.56	XXX	N	N	D	N	N	41.14	41.14
88312	26	A	0.54	0.18	0.01	0.73	0.54	0.18	0.01	0.73	XXX	N	N	D	N	N	19.25	19.25
88313		A	0.24	1.31	0.03	1.58	0.24	1.31	0.03	1.58	XXX	N	N	D	N	N	41.66	41.66
88313	TC	A	0	1.24	0.01	1.25	0	1.24	0.01	1.25	XXX	N	N	D	N	N	32.96	32.96
88313	26	A	0.24	0.07	0.01	0.32	0.24	0.07	0.01	0.32	XXX	N	N	D	N	N	8.44	8.44
88314		A	0.45	1.42	0.03	1.9	0.45	1.42	0.03	1.9	XXX	N	N	D	N	N	50.10	50.10
88314	TC	A	0	1.27	0.01	1.28	0	1.27	0.01	1.28	XXX	N	N	D	N	N	33.75	33.75
88314	26	A	0.45	0.15	0.01	0.61	0.45	0.15	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
88319		A	0.53	1.52	0.05	2.1	0.53	1.52	0.05	2.1	XXX	N	N	D	N	N	55.38	55.38
88319	TC	A	0	1.33	0.01	1.34	0	1.33	0.01	1.34	XXX	N	N	D	N	N	35.34	35.34
88319	26	A	0.53	0.19	0.04	0.76	0.53	0.19	0.04	0.76	XXX	N	N	D	N	N	20.04	20.04
88321		A	1.63	0.56	0.13	2.32	1.63	0.77	0.13	2.53	XXX	N	N	D	N	N	61.18	66.72
88323		A	1.83	1.86	0.06	3.75	1.83	1.86	0.06	3.75	XXX	N	N	D	N	N	98.89	98.89
88323	TC	A	0	1.37	0.01	1.38	0	1.37	0.01	1.38	XXX	N	N	D	N	N	36.39	36.39
88323	26	A	1.83	0.49	0.05	2.37	1.83	0.49	0.05	2.37	XXX	N	N	D	N	N	62.50	62.50
88325		A	2.5	0.96	0.14	3.6	2.5	2.77	0.14	5.41	XXX	N	N	D	N	N	94.93	142.66
88329		A	0.67	0.26	0.05	0.98	0.67	0.74	0.05	1.46	XXX	N	N	D	N	N	25.84	38.50
88331		A	1.19	1.29	0.03	2.51	1.19	1.29	0.03	2.51	XXX	N	N	D	N	N	66.19	66.19
88331	TC	A	0	0.83	0.01	0.84	0	0.83	0.01	0.84	XXX	N	N	D	N	N	22.15	22.15
88331	26	A	1.19	0.46	0.01	1.66	1.19	0.46	0.01	1.66	XXX	N	N	D	N	N	43.77	43.77
88332		A	0.59	0.51	0.03	1.13	0.59	0.51	0.03	1.13	XXX	N	N	D	N	N	29.80	29.80
88332	TC	A	0	0.28	0.01	0.29	0	0.28	0.01	0.29	XXX	N	N	D	N	N	7.65	7.65
88332	26	A	0.59	0.22	0.01	0.82	0.59	0.22	0.01	0.82	XXX	N	N	D	N	N	21.62	21.62
88333		A	1.2	1.39	0.06	2.65	1.2	1.39	0.06	2.65	XXX	N	N	D	N	N	69.88	69.88
88333	TC	A	0	0.94	0.01	0.95	0	0.94	0.01	0.95	XXX	N	N	D	N	N	25.05	25.05
88333	26	A	1.2	0.45	0.05	1.7	1.2	0.45	0.05	1.7	XXX	N	N	D	N	N	44.83	44.83
88334		A	0.73	0.87	0.05	1.65	0.73	0.87	0.05	1.65	XXX	N	N	D	N	N	43.51	43.51
88334	TC	A	0	0.59	0.01	0.6	0	0.59	0.01	0.6	XXX	N	N	D	N	N	15.82	15.82
88334	26	A	0.73	0.28	0.04	1.05	0.73	0.28	0.04	1.05	XXX	N	N	D	N	N	27.69	27.69
88342		A	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
88342	TC	A	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
88342	26	A	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
88346		A	0.86	1.74	0.03	2.63	0.86	1.74	0.03	2.63	XXX	N	N	D	N	N	69.35	69.35
88346	TC	A	0	1.46	0.01	1.47	0	1.46	0.01	1.47	XXX	N	N	D	N	N	38.76	38.76
88346	26	A	0.86	0.27	0.01	1.14	0.86	0.27	0.01	1.14	XXX	N	N	D	N	N	30.06	30.06
88347		A	0.86	1.33	0.03	2.22	0.86	1.33	0.03	2.22	XXX	N	N	D	N	N	58.54	58.54
88347	TC	A	0	1.08	0.01	1.09	0	1.08	0.01	1.09	XXX	N	N	D	N	N	28.74	28.74
88347	26	A	0.86	0.25	0.01	1.12	0.86	0.25	0.01	1.12	XXX	N	N	D	N	N	29.53	29.53
88348		A	1.51	14.96	0.15	16.62	1.51	14.96	0.15	16.62	XXX	N	N	D	N	N	438.27	438.27
88348	TC	A	0	14.47	0.1	14.57	0	14.47	0.1	14.57	XXX	N	N	D	N	N	384.21	384.21
88348	26	A	1.51	0.49	0.05	2.05	1.51	0.49	0.05	2.05	XXX	N	N	D	N	N	54.06	54.06
88349		A	0.76	8.8	0.09	9.65	0.76	8.8	0.09	9.65	XXX	N	N	D	N	N	254.47	254.47
88349	TC	A	0	8.5	0.05	8.55	0	8.5	0.05	8.55	XXX	N	N	D	N	N	225.46	225.46
88349	26	A	0.76	0.3	0.04	1.1	0.76	0.3	0.04	1.1	XXX	N	N	D	N	N	29.01	29.01
88355		A	1.85	2.5	0.08	4.43	1.85	2.5	0.08	4.43	XXX	N	N	D	N	N	116.82	116.82
88355	TC	A	0	2.12	0.01	2.13	0	2.12	0.01	2.13	XXX	N	N	D	N	N	56.17	56.17
88355	26	A	1.85	0.38	0.06	2.29	1.85	0.38	0.06	2.29	XXX	N	N	D	N	N	60.39	60.39
88356		A	3.02	3.84	0.21	7.07	3.02	3.84	0.21	7.07	XXX	N	N	D	N	N	186.44	186.44
88356	TC	A	0	3.35	0.05	3.4	0	3.35	0.05	3.4	XXX	N	N	D	N	N	89.66	89.66
88356	26	A	3.02	0.49	0.16	3.67	3.02	0.49	0.16	3.67	XXX	N	N	D	N	N	96.78	96.78
88358		A	0.95	1.11	0.05	2.11	0.95	1.11	0.05	2.11	XXX	N	N	D	N	N	55.64	55.64
88358	TC	A	0	0.87	0.01	0.88	0	0.87	0.01	0.88	XXX	N	N	D	N	N	23.21	23.21
88358	26	A	0.95	0.24	0.04	1.23	0.95	0.24	0.04	1.23	XXX	N	N	D	N	N	32.44	32.44
88360		A	1.1	2.07	0.05	3.22	1.1	2.07	0.05	3.22	XXX	N	N	D	N	N	84.91	84.91
88360	TC	A	0	1.74	0.01	1.75	0	1.74	0.01	1.75	XXX	N	N	D	N	N	46.15	46.15
88360	26	A	1.1	0.33	0.04	1.47	1.1	0.33	0.04	1.47	XXX	N	N	D	N	N	38.76	38.76
88361		A	1.18	2.65	0.06	3.89	1.18	2.65	0.06	3.89	XXX	N	N	D	N	N	102.58	102.58
88361	TC	A	0	2.28	0.01	2.29	0	2.28	0.01	2.29	XXX	N	N	D	N	N	60.39	60.39
88361	26	A	1.18	0.37	0.05	1.6	1.18	0.37	0.05	1.6	XXX	N	N	D	N	N	42.19	42.19
88362		A	2.17	5.23	0.18	7.58	2.17	5.23	0.18	7.58	XXX	N	N	D	N	N	199.88	199.88
88362	TC	A	0	4.48	0.05	4.53	0	4.48	0.05	4.53	XXX	N	N	D	N	N	119.46	119.46
88362	26	A	2.17	0.75	0.13	3.05	2.17	0.75	0.13	3.05	XXX	N	N	D	N	N	80.43	80.43
88363		A	0.37	0.12	0.04	0.53	0.37	0.18	0.04	0.59	XXX	N	N	D	N	N	13.98	15.56
88365		A	1.2	3.09	0.05	4.34	1.2	3.09	0.05	4.34	XXX	N	N	D	N	N	114.45	114.45
88365	TC	A	0	2.71	0.01	2.72	0	2.71	0.01	2.72	XXX	N	N	D	N	N	71.73	71.73
88365	26	A	1.2	0.37	0.04	1.61	1.2	0.37	0.04	1.61	XXX	N	N	D	N	N	42.46	42.46
88367		A	1.3	4.81	0.08	6.19	1.3	4.81	0.08	6.19	XXX	N	N	D	N	N	163.23	163.23
88367	TC	A	0	4.48	0.01	4.49	0	4.48	0.01	4.49	XXX	N	N	D	N	N	118.40	118.40
88367	26	A	1.3	0.33	0.06	1.69	1.3	0.33	0.06	1.69	XXX	N	N	D	N	N	44.57	44.57
88368		A	1.4	4.19	0.06	5.65	1.4	4.19	0.06	5.65	XXX	N	N	D	N	N	148.99	148.99
88368	TC	A	0	3.89	0.01	3.9	0	3.89	0.01	3.9	XXX	N	N	D	N	N	102.84	102.84
88368	26	A	1.4	0.31	0.05	1.76	1.4	0.31	0.05	1.76	XXX	N	N	D	N	N	46.41	46.41
88371		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
88371	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
88372		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
88372	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
88380		A	1.56	3.09	0.06	4.71	1.56	3.09	0.06	4.71	XXX	N	N	D	N	N	124.20	124.20
88380	TC	A	0	2.55	0.01	2.56	0	2.55	0.01	2.56	XXX	N	N	D	N	N	67.51	67.51
88380	26	A	1.56	0.53	0.05	2.14	1.56	0.53	0.05	2.14	XXX	N	N	D	N	N	56.43	56.43
88381		A	1.18	2.72	0.05	3.95	1.18	2.72	0.05	3.95	XXX	N	N	D	N	N	104.16	104.16
88381	TC	A	0	2.45	0.01	2.46	0	2.45	0.01	2.46	XXX	N	N	D	N	N	64.87	64.87
88381	26	A	1.18	0.27	0.04	1.49	1.18	0.27	0.04	1.49	XXX	N	N	D	N	N	39.29	39.29
88387		A	0.62	0.3	0.03	0.95	0.62	0.3	0.03	0.95	XXX	N	N	D	N	N	25.05	25.05
88387	TC	A	0	0.14	0.01	0.15	0	0.14	0.01	0.15	XXX	N	N	D	N	N	3.96	3.96
88387	26	A	0.62	0.16	0.01	0.79	0.62	0.16	0.01	0.79	XXX	N	N	D	N	N	20.83	20.83
88388		A	0.45	0.37	0.03	0.85	0.45	0.37	0.03	0.85	XXX	N	N	D	N	N	22.41	22.41

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
88388	TC	A	0	0.2	0.01	0.21	0	0.2	0.01	0.21	XXX	N	N	D	N	N	5.54	5.54
88388	26	A	0.45	0.17	0.01	0.63	0.45	0.17	0.01	0.63	XXX	N	N	D	N	N	16.61	16.61
88399		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
88399	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
88399	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
88720		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
88738		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
88740		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
88741		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
88749		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
89049		A	1.4	0.28	0.13	1.81	1.4	4.77	0.13	6.3	XXX	N	N	D	N	N	47.73	166.13
89060		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
89060	26	C	0.37	0.12	0.04	0.53	0.37	0.12	0.04	0.53	XXX	N	N	D	N	N	13.98	13.98
89220		A	0	0.39	0.01	0.4	0	0.39	0.01	0.4	XXX	N	N	D	N	N	10.55	10.55
89230		A	0	0.11	0.01	0.12	0	0.11	0.01	0.12	XXX	N	N	D	N	N	3.16	3.16
89398		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90281		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90283		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90284		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90287		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90288		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90291		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90296		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90371		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90375		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90376		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90378		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90384		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90385		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90386		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90389		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90393		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90396		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90399		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90460		NOT COVEI	0.17	0.43	0.01	0.61	0.17	0.43	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
90461		NOT COVEI	0.15	0.16	0.01	0.32	0.15	0.16	0.01	0.32	ZZZ	N	N	D	N	N	8.44	8.44
90471		C	0.17	0.43	0.01	0.61	0.17	0.43	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
90472		C	0.15	0.16	0.01	0.32	0.15	0.16	0.01	0.32	ZZZ	N	N	D	N	N	8.44	8.44
90473		C	0.17	0.43	0.01	0.61	0.17	0.43	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
90474		A	0.15	0.16	0.01	0.32	0.15	0.16	0.01	0.32	ZZZ	N	N	D	N	N	8.44	8.44
90476		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90477		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90581		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90585		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90586		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90632		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90633		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90634		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90636		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90644		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90645		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90646		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90647		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90648		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
90649		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90650		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90653		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90654		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90655		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90656		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90657		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90658		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90660		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90661		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90662		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90664		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90666		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90667		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90668		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90669		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90670		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90672		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90673		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90675		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90676		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90680		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90681		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90685		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90686		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90687		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90688		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90690		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90691		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90692		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90693		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90696		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90698		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90700		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90702		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90703		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90704		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90705		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90706		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90707		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90708		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90710		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90712		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90713		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90714		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90715		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90716		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90717		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90719		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90720		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90721		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90723		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90725		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90727		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
90732		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90733		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90734		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90735		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90736		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90738		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90739		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90740		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90743		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90744		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90746		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90747		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90748		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90749		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90785		NOT COVEI	0.33	0.05	0.01	0.39	0.33	0.05	0.01	0.39	ZZZ	N	N	N	N	N	10.28	10.28
90791		A	3	0.42	0.14	3.56	3	0.52	0.14	3.66	XXX	N	N	N	N	N	93.88	96.51
90792		A	3.25	0.46	0.14	3.85	3.25	0.56	0.14	3.95	XXX	N	N	N	N	N	101.52	104.16
90832		A	1.5	0.19	0.08	1.77	1.5	0.21	0.08	1.79	XXX	N	N	N	N	N	46.67	47.20
90833		A	1.5	0.23	0.08	1.81	1.5	0.24	0.08	1.82	ZZZ	N	N	N	N	N	47.73	47.99
90834		A	2	0.26	0.1	2.36	2	0.27	0.1	2.37	XXX	N	N	N	N	N	62.23	62.50
90836		A	1.9	0.29	0.09	2.28	1.9	0.31	0.09	2.3	ZZZ	N	N	N	N	N	60.12	60.65
90837		A	3	0.38	0.14	3.52	3	0.4	0.14	3.54	XXX	N	N	N	N	N	92.82	93.35
90838		NOT COVEI	2.5	0.39	0.13	3.02	2.5	0.41	0.13	3.04	ZZZ	N	N	N	N	N	79.64	80.16
90839		C	3.13	0.4	0.14	3.67	3.13	0.42	0.14	3.69	XXX	N	N	D	N	N	96.78	97.31
90840		C	1.5	0.19	0.08	1.77	1.5	0.2	0.08	1.78	ZZZ	N	N	D	N	N	46.67	46.94
90845		NOT COVEI	2.1	0.32	0.1	2.52	2.1	0.34	0.1	2.54	XXX	N	N	D	N	N	66.45	66.98
90846		A	2.4	0.33	0.11	2.84	2.4	0.35	0.11	2.86	XXX	N	N	D	N	N	74.89	75.42
90847		A	2.5	0.32	0.11	2.93	2.5	0.34	0.11	2.95	XXX	N	N	D	N	N	77.26	77.79
90849		NOT COVEI	0.59	0.2	0.04	0.83	0.59	0.28	0.04	0.91	XXX	N	N	D	N	N	21.89	24.00
90853		A	0.59	0.08	0.04	0.71	0.59	0.1	0.04	0.73	XXX	N	N	D	N	N	18.72	19.25
90863		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90865		NOT COVEI	2.84	0.55	0.14	3.53	2.84	1.48	0.14	4.46	XXX	N	N	D	N	N	93.09	117.61
90867		NOT COVEI	0	0	0	0	0	0	0	0	000	N	N	N	N	N	0.00	0.00
90868		NOT COVEI	0	0	0	0	0	0	0	0	000	N	N	N	N	N	0.00	0.00
90869		NOT COVEI	0	0	0	0	0	0	0	0	000	N	N	N	N	N	0.00	0.00
90870		A	2.5	0.44	0.14	3.08	2.5	1.97	0.14	4.61	000	N	N	D	N	N	81.22	121.57
90875		A	1.2	0.38	0.1	1.68	1.2	0.39	0.1	1.69	XXX	N	N	N	N	N	44.30	44.57
90876		A	1.9	0.61	0.14	2.65	1.9	0.86	0.14	2.9	XXX	N	N	N	N	N	69.88	76.47
90880		A	2.19	0.32	0.1	2.61	2.19	0.48	0.1	2.77	XXX	N	N	D	N	N	68.83	73.04
90882		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90885		B	0.97	0.31	0.09	1.37	0.97	0.31	0.09	1.37	XXX	N	N	N	N	N	36.13	36.13
90887		B	1.48	0.47	0.13	2.08	1.48	0.77	0.13	2.38	XXX	N	N	N	N	N	54.85	62.76
90889		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90899		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
90901		NOT COVEI	0.41	0.12	0.01	0.54	0.41	0.58	0.01	1	000	N	N	D	N	N	14.24	26.37
90911		NOT COVEI	0.89	0.27	0.09	1.25	0.89	1.19	0.09	2.17	000	N	N	D	N	N	32.96	57.22
90935		A	1.48	0.41	0.1	1.99	1.48	0.41	0.1	1.99	000	N	N	D	N	N	52.48	52.48
90937		A	2.11	0.6	0.14	2.85	2.11	0.6	0.14	2.85	000	N	N	D	N	N	75.15	75.15
90940		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90945		A	1.56	0.65	0.1	2.31	1.56	0.65	0.1	2.31	000	N	N	D	N	N	60.91	60.91
90947		A	2.52	0.71	0.18	3.41	2.52	0.71	0.18	3.41	000	N	N	D	N	N	89.92	89.92
90951		A	18.46	5.72	1.23	25.41	18.46	5.72	1.23	25.41	XXX	N	N	D	N	N	670.06	670.06
90952		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
90953		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
90954		A	15.98	4.99	1.08	22.05	15.98	4.99	1.08	22.05	XXX	N	N	D	N	N	581.46	581.46
90955		A	8.79	3.01	0.59	12.39	8.79	3.01	0.59	12.39	XXX	N	N	D	N	N	326.72	326.72
90956		A	5.95	2.24	0.41	8.6	5.95	2.24	0.41	8.6	XXX	N	N	D	N	N	226.78	226.78
90957		A	12.52	4.13	0.87	17.52	12.52	4.13	0.87	17.52	XXX	N	N	D	N	N	462.00	462.00
90958		A	8.34	2.9	0.58	11.82	8.34	2.9	0.58	11.82	XXX	N	N	D	N	N	311.69	311.69
90959		A	5.5	2.1	0.38	7.98	5.5	2.1	0.38	7.98	XXX	N	N	D	N	N	210.43	210.43
90960		A	5.18	2.1	0.38	7.66	5.18	2.1	0.38	7.66	XXX	N	N	D	N	N	201.99	201.99
90961		A	4.26	1.86	0.31	6.43	4.26	1.86	0.31	6.43	XXX	N	N	D	N	N	169.56	169.56
90962		A	3.15	1.55	0.24	4.94	3.15	1.55	0.24	4.94	XXX	N	N	D	N	N	130.27	130.27
90963		A	10.56	3.55	0.72	14.83	10.56	3.55	0.72	14.83	XXX	N	N	D	N	N	391.07	391.07
90964		A	9.14	3.14	0.63	12.91	9.14	3.14	0.63	12.91	XXX	N	N	D	N	N	340.44	340.44
90965		A	8.69	2.97	0.59	12.25	8.69	2.97	0.59	12.25	XXX	N	N	D	N	N	323.03	323.03
90966		A	4.26	1.85	0.31	6.42	4.26	1.85	0.31	6.42	XXX	N	N	D	N	N	169.30	169.30
90967		A	0.35	0.12	0.01	0.48	0.35	0.12	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
90968		A	0.3	0.1	0.01	0.41	0.3	0.1	0.01	0.41	XXX	N	N	D	N	N	10.81	10.81
90969		A	0.29	0.1	0.01	0.4	0.29	0.1	0.01	0.4	XXX	N	N	D	N	N	10.55	10.55
90970		A	0.14	0.06	0.01	0.21	0.14	0.06	0.01	0.21	XXX	N	N	D	N	N	5.54	5.54
90989		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90993		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
90997		A	1.84	0.56	0.13	2.53	1.84	0.56	0.13	2.53	000	N	N	D	N	N	66.72	66.72
90999		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
91010		A	1.28	3	0.1	4.38	1.28	3	0.1	4.38	000	N	N	D	N	N	115.50	115.50
91010	TC	A	0	2.52	0.01	2.53	0	2.52	0.01	2.53	000	N	N	D	N	N	66.72	66.72
91010	26	A	1.28	0.48	0.09	1.85	1.28	0.48	0.09	1.85	000	N	N	D	N	N	48.78	48.78
91013		A	0.18	0.39	0.03	0.6	0.18	0.39	0.03	0.6	ZZZ	N	N	D	N	N	15.82	15.82
91013	TC	A	0	0.32	0.01	0.33	0	0.32	0.01	0.33	ZZZ	N	N	D	N	N	8.70	8.70
91013	26	A	0.18	0.07	0.01	0.26	0.18	0.07	0.01	0.26	ZZZ	N	N	D	N	N	6.86	6.86
91020		A	1.44	4.23	0.1	5.77	1.44	4.23	0.1	5.77	000	N	N	D	N	N	152.15	152.15
91020	TC	A	0	3.68	0.01	3.69	0	3.68	0.01	3.69	000	N	N	D	N	N	97.31	97.31
91020	26	A	1.44	0.55	0.09	2.08	1.44	0.55	0.09	2.08	000	N	N	D	N	N	54.85	54.85
91022		A	1.44	2.71	0.08	4.23	1.44	2.71	0.08	4.23	000	N	N	D	N	N	111.55	111.55
91022	TC	A	0	2.16	0.01	2.17	0	2.16	0.01	2.17	000	N	N	D	N	N	57.22	57.22
91022	26	A	1.44	0.55	0.06	2.05	1.44	0.55	0.06	2.05	000	N	N	D	N	N	54.06	54.06
91030		A	0.91	2.43	0.06	3.4	0.91	2.43	0.06	3.4	000	N	N	D	N	N	89.66	89.66
91030	TC	A	0	2.08	0.01	2.09	0	2.08	0.01	2.09	000	N	N	D	N	N	55.11	55.11
91030	26	A	0.91	0.35	0.05	1.31	0.91	0.35	0.05	1.31	000	N	N	D	N	N	34.54	34.54
91034		A	0.97	3.59	0.06	4.62	0.97	3.59	0.06	4.62	000	N	N	D	N	N	121.83	121.83
91034	TC	A	0	3.23	0.01	3.24	0	3.23	0.01	3.24	000	N	N	D	N	N	85.44	85.44
91034	26	A	0.97	0.37	0.05	1.39	0.97	0.37	0.05	1.39	000	N	N	D	N	N	36.65	36.65
91035		A	1.59	9.91	0.1	11.6	1.59	9.91	0.1	11.6	000	N	N	D	N	N	305.89	305.89
91035	TC	A	0	9.32	0.01	9.33	0	9.32	0.01	9.33	000	N	N	D	N	N	246.03	246.03
91035	26	A	1.59	0.59	0.09	2.27	1.59	0.59	0.09	2.27	000	N	N	D	N	N	59.86	59.86
91037		A	0.97	2.92	0.1	3.99	0.97	2.92	0.1	3.99	000	N	N	D	N	N	105.22	105.22
91037	TC	A	0	2.55	0.01	2.56	0	2.55	0.01	2.56	000	N	N	D	N	N	67.51	67.51
91037	26	A	0.97	0.37	0.09	1.43	0.97	0.37	0.09	1.43	000	N	N	D	N	N	37.71	37.71
91038		A	1.1	9.63	0.08	10.81	1.1	9.63	0.08	10.81	000	N	N	D	N	N	285.06	285.06
91038	TC	A	0	9.21	0.01	9.22	0	9.21	0.01	9.22	000	N	N	D	N	N	243.13	243.13
91038	26	A	1.1	0.42	0.06	1.58	1.1	0.42	0.06	1.58	000	N	N	D	N	N	41.66	41.66
91040		A	0.97	8.53	0.05	9.55	0.97	8.53	0.05	9.55	000	N	N	D	N	N	251.83	251.83
91040	TC	A	0	8.19	0.01	8.2	0	8.19	0.01	8.2	000	N	N	D	N	N	216.23	216.23
91040	26	A	0.97	0.34	0.04	1.35	0.97	0.34	0.04	1.35	000	N	N	D	N	N	35.60	35.60
91065		A	0.2	1.75	0.03	1.98	0.2	1.75	0.03	1.98	000	N	N	D	N	N	52.21	52.21
91065	TC	A	0	1.67	0.01	1.68	0	1.67	0.01	1.68	000	N	N	D	N	N	44.30	44.30
91065	26	A	0.2	0.07	0.01	0.28	0.2	0.07	0.01	0.28	000	N	N	D	N	N	7.38	7.38

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
91110		A	3.64	17.74	0.2	21.58	3.64	17.74	0.2	21.58	XXX	N	N	D	N	N	569.06	569.06
91110	TC	A	0	16.34	0.01	16.35	0	16.34	0.01	16.35	XXX	N	N	D	N	N	431.15	431.15
91110	26	A	3.64	1.4	0.19	5.23	3.64	1.4	0.19	5.23	XXX	N	N	D	N	N	137.92	137.92
91111		NOT COVEI	1	16.22	0.06	17.28	1	16.22	0.06	17.28	XXX	N	N	D	N	N	455.67	455.67
91111	TC	NOT COVEI	0	15.84	0.01	15.85	0	15.84	0.01	15.85	XXX	N	N	D	N	N	417.96	417.96
91111	26	NOT COVEI	1	0.38	0.05	1.43	1	0.38	0.05	1.43	XXX	N	N	D	N	N	37.71	37.71
91112		A	2.1	23.31	0.13	25.54	2.1	23.31	0.13	25.54	XXX	N	N	D	N	N	673.49	673.49
91112	TC	A	0	22.51	0.01	22.52	0	22.51	0.01	22.52	XXX	N	N	D	N	N	593.85	593.85
91112	26	A	2.1	0.81	0.11	3.02	2.1	0.81	0.11	3.02	XXX	N	N	D	N	N	79.64	79.64
91117		NOT COVEI	2.45	1.18	0.45	4.08	2.45	1.18	0.45	4.08	000	N	N	D	N	N	107.59	107.59
91120		A	0.97	8.48	0.11	9.56	0.97	8.48	0.11	9.56	XXX	N	N	D	N	N	252.10	252.10
91120	TC	A	0	8.15	0.01	8.16	0	8.15	0.01	8.16	XXX	N	N	D	N	N	215.18	215.18
91120	26	A	0.97	0.33	0.1	1.4	0.97	0.33	0.1	1.4	XXX	N	N	D	N	N	36.92	36.92
91122		A	1.77	3.64	0.14	5.55	1.77	3.64	0.14	5.55	000	N	N	D	N	N	146.35	146.35
91122	TC	A	0	3.07	0.01	3.08	0	3.07	0.01	3.08	000	N	N	D	N	N	81.22	81.22
91122	26	A	1.77	0.57	0.13	2.47	1.77	0.57	0.13	2.47	000	N	N	D	N	N	65.13	65.13
91132		NOT COVEI	0.52	3.12	0.05	3.69	0.52	3.12	0.05	3.69	XXX	N	N	D	N	N	97.31	97.31
91132	TC	NOT COVEI	0	2.92	0.01	2.93	0	2.92	0.01	2.93	XXX	N	N	D	N	N	77.26	77.26
91132	26	NOT COVEI	0.52	0.2	0.04	0.76	0.52	0.2	0.04	0.76	XXX	N	N	D	N	N	20.04	20.04
91133		NOT COVEI	0.66	3.6	0.06	4.32	0.66	3.6	0.06	4.32	XXX	N	N	D	N	N	113.92	113.92
91133	TC	NOT COVEI	0	3.34	0.01	3.35	0	3.34	0.01	3.35	XXX	N	N	D	N	N	88.34	88.34
91133	26	NOT COVEI	0.66	0.26	0.05	0.97	0.66	0.26	0.05	0.97	XXX	N	N	D	N	N	25.58	25.58
91299		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
91299	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
91299	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
92002		A	0.88	0.37	0.09	1.34	0.88	1.14	0.09	2.11	XXX	N	B	D	N	N	35.34	55.64
92004		A	1.82	0.78	0.14	2.74	1.82	1.91	0.14	3.87	XXX	N	B	D	N	N	72.25	102.05
92012		A	0.92	0.45	0.09	1.46	0.92	1.2	0.09	2.21	XXX	N	B	D	N	N	38.50	58.28
92014		A	1.42	0.66	0.13	2.21	1.42	1.66	0.13	3.21	XXX	N	B	D	N	N	58.28	84.65
92015		A	0.38	0.12	0.04	0.54	0.38	0.13	0.04	0.55	XXX	N	N	N	N	N	14.24	14.50
92018		A	2.5	1.29	0.19	3.98	2.5	1.29	0.19	3.98	XXX	N	N	D	N	N	104.95	104.95
92019		A	1.31	0.55	0.09	1.95	1.31	0.55	0.09	1.95	XXX	N	N	D	N	N	51.42	51.42
92020		A	0.37	0.18	0.04	0.59	0.37	0.32	0.04	0.73	XXX	N	B	D	N	N	15.56	19.25
92025		A	0.35	0.58	0.03	0.96	0.35	0.58	0.03	0.96	XXX	D	B	D	N	N	25.32	25.32
92025	TC	A	0	0.41	0.01	0.42	0	0.41	0.01	0.42	XXX	D	B	D	N	N	11.08	11.08
92025	26	A	0.35	0.17	0.01	0.53	0.35	0.17	0.01	0.53	XXX	D	B	D	N	N	13.98	13.98
92060		A	0.69	0.93	0.05	1.67	0.69	0.93	0.05	1.67	XXX	D	B	D	N	N	44.04	44.04
92060	TC	A	0	0.61	0.01	0.62	0	0.61	0.01	0.62	XXX	D	B	D	N	N	16.35	16.35
92060	26	A	0.69	0.32	0.04	1.05	0.69	0.32	0.04	1.05	XXX	D	B	D	N	N	27.69	27.69
92065		A	0.37	0.92	0.03	1.32	0.37	0.92	0.03	1.32	XXX	N	B	D	N	N	34.81	34.81
92065	TC	A	0	0.82	0.01	0.83	0	0.82	0.01	0.83	XXX	N	B	D	N	N	21.89	21.89
92065	26	A	0.37	0.11	0.01	0.49	0.37	0.11	0.01	0.49	XXX	N	B	D	N	N	12.92	12.92
92071		NOT COVEI	0.61	0.27	0.04	0.92	0.61	0.37	0.04	1.02	XXX	N	Y	D	N	N	24.26	26.90
92072		NOT COVEI	1.97	0.78	0.14	2.89	1.97	1.51	0.14	3.62	XXX	N	B	D	N	N	76.21	95.46
92081		A	0.3	0.52	0.05	0.87	0.3	0.52	0.05	0.87	XXX	D	B	D	N	N	22.94	22.94
92081	TC	A	0	0.4	0.01	0.41	0	0.4	0.01	0.41	XXX	D	B	D	N	N	10.81	10.81
92081	26	A	0.3	0.12	0.04	0.46	0.3	0.12	0.04	0.46	XXX	D	B	D	N	N	12.13	12.13
92082		A	0.4	0.78	0.06	1.24	0.4	0.78	0.06	1.24	XXX	D	B	D	N	N	32.70	32.70
92082	TC	A	0	0.61	0.01	0.62	0	0.61	0.01	0.62	XXX	D	B	D	N	N	16.35	16.35
92082	26	A	0.4	0.17	0.05	0.62	0.4	0.17	0.05	0.62	XXX	D	B	D	N	N	16.35	16.35
92083		A	0.5	1.06	0.05	1.61	0.5	1.06	0.05	1.61	XXX	D	B	D	N	N	42.46	42.46
92083	TC	A	0	0.83	0.01	0.84	0	0.83	0.01	0.84	XXX	D	B	D	N	N	22.15	22.15
92083	26	A	0.5	0.23	0.04	0.77	0.5	0.23	0.04	0.77	XXX	D	B	D	N	N	20.30	20.30
92100		A	0.61	0.28	0.04	0.93	0.61	1.35	0.04	2	XXX	N	B	D	N	N	24.52	52.74

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
92132		NOT COVEI	0.35	0.52	0.05	0.92	0.35	0.52	0.05	0.92	XXX	D	B	D	N	N	24.26	24.26
92132	TC	NOT COVEI	0	0.36	0.01	0.37	0	0.36	0.01	0.37	XXX	D	B	D	N	N	9.76	9.76
92132	26	NOT COVEI	0.35	0.16	0.04	0.55	0.35	0.16	0.04	0.55	XXX	D	B	D	N	N	14.50	14.50
92133		A	0.5	0.6	0.05	1.15	0.5	0.6	0.05	1.15	XXX	D	B	D	N	N	30.33	30.33
92133	TC	A	0	0.37	0.01	0.38	0	0.37	0.01	0.38	XXX	D	B	D	N	N	10.02	10.02
92133	26	A	0.5	0.23	0.04	0.77	0.5	0.23	0.04	0.77	XXX	D	B	D	N	N	20.30	20.30
92134		A	0.5	0.62	0.05	1.17	0.5	0.62	0.05	1.17	XXX	D	B	D	N	N	30.85	30.85
92134	TC	A	0	0.37	0.01	0.38	0	0.37	0.01	0.38	XXX	D	B	D	N	N	10.02	10.02
92134	26	A	0.5	0.26	0.04	0.8	0.5	0.26	0.04	0.8	XXX	D	B	D	N	N	21.10	21.10
92136		A	0.54	1.64	0.03	2.21	0.54	1.64	0.03	2.21	XXX	D	B	D	N	N	58.28	58.28
92136	TC	A	0	1.36	0.01	1.37	0	1.36	0.01	1.37	XXX	D	B	D	N	N	36.13	36.13
92136	26	A	0.54	0.28	0.01	0.83	0.54	0.28	0.01	0.83	XXX	D	N	D	N	N	21.89	21.89
92140		A	0.5	0.2	0.04	0.74	0.5	1.04	0.04	1.58	XXX	N	B	D	N	N	19.51	41.66
92225		A	0.38	0.18	0.04	0.6	0.38	0.31	0.04	0.73	XXX	N	N	D	N	N	15.82	19.25
92226		A	0.33	0.17	0.01	0.51	0.33	0.3	0.01	0.64	XXX	N	N	D	N	N	13.45	16.88
92227		NOT COVEI	0	0.32	0.01	0.33	0	0.32	0.01	0.33	XXX	N	B	D	N	N	8.70	8.70
92228		NOT COVEI	0.37	0.5	0.03	0.9	0.37	0.5	0.03	0.9	XXX	D	B	D	N	N	23.73	23.73
92228	TC	NOT COVEI	0	0.31	0.01	0.32	0	0.31	0.01	0.32	XXX	D	B	D	N	N	8.44	8.44
92228	26	NOT COVEI	0.37	0.19	0.01	0.57	0.37	0.19	0.01	0.57	XXX	D	B	D	N	N	15.03	15.03
92230		A	0.6	0.28	0.05	0.93	0.6	0.86	0.05	1.51	XXX	N	N	D	N	N	24.52	39.82
92235		A	0.81	1.86	0.05	2.72	0.81	1.86	0.05	2.72	XXX	D	N	D	N	N	71.73	71.73
92235	TC	A	0	1.44	0.01	1.45	0	1.44	0.01	1.45	XXX	D	N	D	N	N	38.24	38.24
92235	26	A	0.81	0.42	0.04	1.27	0.81	0.42	0.04	1.27	XXX	D	N	D	N	N	33.49	33.49
92240		A	1.1	4.99	0.05	6.14	1.1	4.99	0.05	6.14	XXX	D	N	D	N	N	161.91	161.91
92240	TC	A	0	4.41	0.01	4.42	0	4.41	0.01	4.42	XXX	D	N	D	N	N	116.56	116.56
92240	26	A	1.1	0.58	0.04	1.72	1.1	0.58	0.04	1.72	XXX	D	N	D	N	N	45.36	45.36
92250		A	0.44	1.46	0.03	1.93	0.44	1.46	0.03	1.93	XXX	D	B	D	N	N	50.89	50.89
92250	TC	A	0	1.26	0.01	1.27	0	1.26	0.01	1.27	XXX	D	B	D	N	N	33.49	33.49
92250	26	A	0.44	0.19	0.01	0.64	0.44	0.19	0.01	0.64	XXX	D	B	D	N	N	16.88	16.88
92260		A	0.2	0.09	0.01	0.3	0.2	0.27	0.01	0.48	XXX	N	B	D	N	N	7.91	12.66
92265		A	0.81	1.11	0.03	1.95	0.81	1.11	0.03	1.95	XXX	D	B	D	N	N	51.42	51.42
92265	TC	A	0	0.81	0.01	0.82	0	0.81	0.01	0.82	XXX	D	B	D	N	N	21.62	21.62
92265	26	A	0.81	0.3	0.01	1.12	0.81	0.3	0.01	1.12	XXX	D	B	D	N	N	29.53	29.53
92270		A	0.81	1.41	0.05	2.27	0.81	1.41	0.05	2.27	XXX	D	B	D	N	N	59.86	59.86
92270	TC	A	0	1.13	0.01	1.14	0	1.13	0.01	1.14	XXX	D	B	D	N	N	30.06	30.06
92270	26	A	0.81	0.27	0.04	1.12	0.81	0.27	0.04	1.12	XXX	D	B	D	N	N	29.53	29.53
92275		A	1.01	2.85	0.06	3.92	1.01	2.85	0.06	3.92	XXX	D	B	D	N	N	103.37	103.37
92275	TC	A	0	2.32	0.01	2.33	0	2.32	0.01	2.33	XXX	D	B	D	N	N	61.44	61.44
92275	26	A	1.01	0.52	0.05	1.58	1.01	0.52	0.05	1.58	XXX	D	B	D	N	N	41.66	41.66
92283		A	0.17	1.13	0.03	1.33	0.17	1.13	0.03	1.33	XXX	D	B	D	N	N	35.07	35.07
92283	TC	A	0	1.06	0.01	1.07	0	1.06	0.01	1.07	XXX	D	B	D	N	N	28.22	28.22
92283	26	A	0.17	0.07	0.01	0.25	0.17	0.07	0.01	0.25	XXX	D	B	D	N	N	6.59	6.59
92284		A	0.24	1.2	0.03	1.47	0.24	1.2	0.03	1.47	XXX	D	B	D	N	N	38.76	38.76
92284	TC	A	0	1.11	0.01	1.12	0	1.11	0.01	1.12	XXX	D	B	D	N	N	29.53	29.53
92284	26	A	0.24	0.08	0.01	0.33	0.24	0.08	0.01	0.33	XXX	D	B	D	N	N	8.70	8.70
92285		A	0.05	0.42	0.03	0.5	0.05	0.42	0.03	0.5	XXX	D	B	D	N	N	13.19	13.19
92285	TC	A	0	0.4	0.01	0.41	0	0.4	0.01	0.41	XXX	D	B	D	N	N	10.81	10.81
92285	26	A	0.05	0.02	0.01	0.08	0.05	0.02	0.01	0.08	XXX	D	B	D	N	N	2.11	2.11
92286		A	0.4	0.55	0.03	0.98	0.4	0.55	0.03	0.98	XXX	D	B	D	N	N	25.84	25.84
92286	TC	A	0	0.37	0.01	0.38	0	0.37	0.01	0.38	XXX	D	B	D	N	N	10.02	10.02
92286	26	A	0.4	0.18	0.01	0.59	0.4	0.18	0.01	0.59	XXX	D	B	D	N	N	15.56	15.56
92287		A	0.81	2.51	0.05	3.37	0.81	2.51	0.05	3.37	XXX	N	B	D	N	N	88.87	88.87
92287	TC	A	0	2.09	0.01	2.1	0	2.09	0.01	2.1	XXX	N	B	D	N	N	55.38	55.38
92287	26	A	0.81	0.42	0.04	1.27	0.81	0.42	0.04	1.27	XXX	N	B	D	N	N	33.49	33.49

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
92310		A	1.17	0.37	0.1	1.64	1.17	1.21	0.1	2.48	XXX	N	N	N	N	N	43.25	65.40
92311		A	1.08	0.39	0.1	1.57	1.08	1.44	0.1	2.62	XXX	N	N	D	N	N	41.40	69.09
92312		A	1.26	0.42	0.06	1.74	1.26	1.62	0.06	2.94	XXX	N	B	D	N	N	45.88	77.53
92313		A	0.92	0.35	0.06	1.33	0.92	1.5	0.06	2.48	XXX	N	N	D	N	N	35.07	65.40
92314		A	0.69	0.22	0.05	0.96	0.69	1.25	0.05	1.99	XXX	N	N	N	N	N	25.32	52.48
92315		A	0.45	0.13	0.05	0.63	0.45	1.31	0.05	1.81	XXX	N	N	D	N	N	16.61	47.73
92316		A	0.68	0.2	0.05	0.93	0.68	1.55	0.05	2.28	XXX	N	B	D	N	N	24.52	60.12
92317		A	0.45	0.13	0.01	0.59	0.45	1.39	0.01	1.85	XXX	N	N	D	N	N	15.56	48.78
92325		A	0	0.96	0.01	0.97	0	0.96	0.01	0.97	XXX	N	N	D	N	N	25.58	25.58
92326		A	0	0.82	0.01	0.83	0	0.82	0.01	0.83	XXX	N	N	D	N	N	21.89	21.89
92340		NOT COVEI	0.37	0.12	0.04	0.53	0.37	0.5	0.04	0.91	XXX	N	N	N	N	N	13.98	24.00
92341		NOT COVEI	0.47	0.15	0.04	0.66	0.47	0.53	0.04	1.04	XXX	N	N	N	N	N	17.40	27.42
92342		NOT COVEI	0.53	0.17	0.05	0.75	0.53	0.55	0.05	1.13	XXX	N	N	N	N	N	19.78	29.80
92352		B	0.37	0.12	0.04	0.53	0.37	0.62	0.04	1.03	XXX	N	N	N	N	N	13.98	27.16
92353		B	0.5	0.16	0.04	0.7	0.5	0.66	0.04	1.2	XXX	N	N	N	N	N	18.46	31.64
92354		B	0	0.31	0.01	0.32	0	0.31	0.01	0.32	XXX	N	N	N	N	N	8.44	8.44
92355		B	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	N	N	N	12.66	12.66
92358		B	0	0.26	0.01	0.27	0	0.26	0.01	0.27	XXX	N	N	N	N	N	7.12	7.12
92370		A	0.32	0.1	0.04	0.46	0.32	0.43	0.04	0.79	XXX	N	N	N	N	N	12.13	20.83
92371		B	0	0.26	0.01	0.27	0	0.26	0.01	0.27	XXX	N	N	N	N	N	7.12	7.12
92499		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
92499	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
92499	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
92502		A	1.51	0.97	0.09	2.57	1.51	0.97	0.09	2.57	000	N	N	D	N	N	67.77	67.77
92504		A	0.18	0.07	0.01	0.26	0.18	0.55	0.01	0.74	XXX	N	N	D	N	N	6.86	19.51
92507		A	1.3	0.73	0.09	2.12	1.3	0.73	0.09	2.12	XXX	B	N	D	N	N	55.90	55.90
92508		A	0.33	0.27	0.01	0.61	0.33	0.27	0.01	0.61	XXX	B	N	D	N	N	16.09	16.09
92511		A	0.61	0.62	0.04	1.27	0.61	2.68	0.04	3.33	000	N	N	D	N	N	33.49	87.81
92512		A	0.55	0.19	0.04	0.78	0.55	0.95	0.04	1.54	XXX	N	N	D	N	N	20.57	40.61
92516		A	0.43	0.17	0.04	0.64	0.43	1.26	0.04	1.73	XXX	N	N	D	N	N	16.88	45.62
92520		A	0.75	0.32	0.05	1.12	0.75	1.09	0.05	1.89	XXX	N	N	D	N	N	29.53	49.84
92521		A	1.75	1.16	0.05	2.96	1.75	1.16	0.05	2.96	XXX	B	N	D	N	N	78.06	78.06
92522		A	1.5	0.88	0.04	2.42	1.5	0.88	0.04	2.42	XXX	B	N	D	N	N	63.82	63.82
92523		A	3	1.92	0.09	5.01	3	1.92	0.09	5.01	XXX	B	N	D	N	N	132.11	132.11
92524		A	1.5	0.93	0.1	2.53	1.5	0.93	0.1	2.53	XXX	B	N	D	N	N	66.72	66.72
92526		A	1.34	0.87	0.09	2.3	1.34	0.87	0.09	2.3	XXX	B	N	D	N	N	60.65	60.65
92531		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92532		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92533		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92534		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92540		A	1.5	1.09	0.06	2.65	1.5	1.09	0.06	2.65	XXX	N	N	D	N	N	69.88	69.88
92540	TC	A	0	0.5	0.01	0.51	0	0.5	0.01	0.51	XXX	N	N	D	N	N	13.45	13.45
92540	26	A	1.5	0.59	0.05	2.14	1.5	0.59	0.05	2.14	XXX	N	N	D	N	N	56.43	56.43
92541		A	0.4	0.37	0.03	0.8	0.4	0.37	0.03	0.8	XXX	N	N	D	N	N	21.10	21.10
92541	TC	A	0	0.22	0.01	0.23	0	0.22	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
92541	26	A	0.4	0.15	0.01	0.56	0.4	0.15	0.01	0.56	XXX	N	N	D	N	N	14.77	14.77
92542		A	0.33	0.32	0.03	0.68	0.33	0.32	0.03	0.68	XXX	N	N	D	N	N	17.93	17.93
92542	TC	A	0	0.2	0.01	0.21	0	0.2	0.01	0.21	XXX	N	N	D	N	N	5.54	5.54
92542	26	A	0.33	0.12	0.01	0.46	0.33	0.12	0.01	0.46	XXX	N	N	D	N	N	12.13	12.13
92543		A	0.1	0.27	0.03	0.4	0.1	0.27	0.03	0.4	XXX	N	N	D	N	N	10.55	10.55
92543	TC	A	0	0.23	0.01	0.24	0	0.23	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
92543	26	A	0.1	0.04	0.01	0.15	0.1	0.04	0.01	0.15	XXX	N	N	D	N	N	3.96	3.96
92544		A	0.26	0.32	0.03	0.61	0.26	0.32	0.03	0.61	XXX	N	N	D	N	N	16.09	16.09
92544	TC	A	0	0.22	0.01	0.23	0	0.22	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
92544	26	A	0.26	0.1	0.01	0.37	0.26	0.1	0.01	0.37	XXX	N	N	D	N	N	9.76	9.76
92545		A	0.23	0.27	0.03	0.53	0.23	0.27	0.03	0.53	XXX	N	N	D	N	N	13.98	13.98
92545	TC	A	0	0.19	0.01	0.2	0	0.19	0.01	0.2	XXX	N	N	D	N	N	5.27	5.27
92545	26	A	0.23	0.08	0.01	0.32	0.23	0.08	0.01	0.32	XXX	N	N	D	N	N	8.44	8.44
92546		A	0.29	2.15	0.03	2.47	0.29	2.15	0.03	2.47	XXX	N	N	D	N	N	65.13	65.13
92546	TC	A	0	2.04	0.01	2.05	0	2.04	0.01	2.05	XXX	N	N	D	N	N	54.06	54.06
92546	26	A	0.29	0.11	0.01	0.41	0.29	0.11	0.01	0.41	XXX	N	N	D	N	N	10.81	10.81
92547		A	0	0.13	0.01	0.14	0	0.13	0.01	0.14	ZZZ	N	N	D	N	N	3.69	3.69
92548		A	0.5	2	0.03	2.53	0.5	2	0.03	2.53	XXX	N	N	D	N	N	66.72	66.72
92548	TC	A	0	1.81	0.01	1.82	0	1.81	0.01	1.82	XXX	N	N	D	N	N	47.99	47.99
92548	26	A	0.5	0.18	0.01	0.69	0.5	0.18	0.01	0.69	XXX	N	N	D	N	N	18.20	18.20
92550		A	0.35	0.19	0.01	0.55	0.35	0.19	0.01	0.55	XXX	N	B	D	N	N	14.50	14.50
92551		A	0	0.27	0.01	0.28	0	0.27	0.01	0.28	XXX	N	N	N	N	N	7.38	7.38
92552		A	0	0.71	0.01	0.72	0	0.71	0.01	0.72	XXX	N	B	D	N	N	18.99	18.99
92553		A	0	0.85	0.01	0.86	0	0.85	0.01	0.86	XXX	N	B	D	N	N	22.68	22.68
92555		A	0	0.52	0.01	0.53	0	0.52	0.01	0.53	XXX	N	B	D	N	N	13.98	13.98
92556		A	0	0.84	0.01	0.85	0	0.84	0.01	0.85	XXX	N	B	D	N	N	22.41	22.41
92557		A	0.6	0.24	0.04	0.88	0.6	0.36	0.04	1	XXX	N	B	D	N	N	23.21	26.37
92558		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92559		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92560		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92561		A	0	0.87	0.01	0.88	0	0.87	0.01	0.88	XXX	N	B	D	N	N	23.21	23.21
92562		A	0	1.06	0.01	1.07	0	1.06	0.01	1.07	XXX	N	B	D	N	N	28.22	28.22
92563		A	0	0.7	0.01	0.71	0	0.7	0.01	0.71	XXX	N	B	D	N	N	18.72	18.72
92564		A	0	0.65	0.01	0.66	0	0.65	0.01	0.66	XXX	N	B	D	N	N	17.40	17.40
92565		A	0	0.37	0.01	0.38	0	0.37	0.01	0.38	XXX	N	B	D	N	N	10.02	10.02
92567		A	0.2	0.08	0.01	0.29	0.2	0.17	0.01	0.38	XXX	N	B	D	N	N	7.65	10.02
92568		A	0.29	0.12	0.01	0.42	0.29	0.12	0.01	0.42	XXX	N	B	D	N	N	11.08	11.08
92570		A	0.55	0.22	0.04	0.81	0.55	0.27	0.04	0.86	XXX	N	B	D	N	N	21.36	22.68
92571		A	0	0.62	0.01	0.63	0	0.62	0.01	0.63	XXX	N	B	D	N	N	16.61	16.61
92572		A	0	1.18	0.01	1.19	0	1.18	0.01	1.19	XXX	N	B	D	N	N	31.38	31.38
92575		A	0	1.73	0.01	1.74	0	1.73	0.01	1.74	XXX	N	B	D	N	N	45.88	45.88
92576		A	0	0.8	0.01	0.81	0	0.8	0.01	0.81	XXX	N	B	D	N	N	21.36	21.36
92577		A	0	0.44	0.01	0.45	0	0.44	0.01	0.45	XXX	N	B	D	N	N	11.87	11.87
92579		A	0.7	0.27	0.04	1.01	0.7	0.38	0.04	1.12	XXX	N	B	D	N	N	26.63	29.53
92582		A	0	1.58	0.01	1.59	0	1.58	0.01	1.59	XXX	N	B	D	N	N	41.93	41.93
92583		A	0	1.2	0.01	1.21	0	1.2	0.01	1.21	XXX	N	B	D	N	N	31.91	31.91
92584		A	0	1.63	0.01	1.64	0	1.63	0.01	1.64	XXX	N	B	D	N	N	43.25	43.25
92585		A	0.5	2.62	0.03	3.15	0.5	2.62	0.03	3.15	XXX	N	B	D	N	N	83.07	83.07
92585	TC	A	0	2.42	0.01	2.43	0	2.42	0.01	2.43	XXX	N	B	D	N	N	64.08	64.08
92585	26	A	0.5	0.2	0.01	0.71	0.5	0.2	0.01	0.71	XXX	N	B	D	N	N	18.72	18.72
92586		NOT COVEI	0	1.95	0.01	1.96	0	1.95	0.01	1.96	XXX	N	B	D	N	N	51.69	51.69
92587		A	0.35	0.19	0.05	0.59	0.35	0.19	0.05	0.59	XXX	N	B	D	N	N	15.56	15.56
92587	TC	A	0	0.06	0.01	0.07	0	0.06	0.01	0.07	XXX	N	B	D	N	N	1.85	1.85
92587	26	A	0.35	0.13	0.04	0.52	0.35	0.13	0.04	0.52	XXX	N	B	D	N	N	13.71	13.71
92588		A	0.55	0.3	0.04	0.89	0.55	0.3	0.04	0.89	XXX	N	B	D	N	N	23.47	23.47
92588	TC	A	0	0.08	0.01	0.09	0	0.08	0.01	0.09	XXX	N	B	D	N	N	2.37	2.37
92588	26	A	0.55	0.22	0.03	0.8	0.55	0.22	0.03	0.8	XXX	N	B	D	N	N	21.10	21.10
92590		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92591		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92592		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92593		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92594		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92595		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
92596		A	0	0.98	0.01	0.99	0	0.98	0.01	0.99	XXX	N	B	D	N	N	26.11	26.11
92597		A	1.26	0.6	0.09	1.95	1.26	0.6	0.09	1.95	XXX	B	N	D	N	N	51.42	51.42
92601		A	2.3	0.82	0.14	3.26	2.3	1.26	0.14	3.7	XXX	N	N	D	N	N	85.97	97.57
92602		A	1.3	0.42	0.09	1.81	1.3	0.79	0.09	2.18	XXX	N	N	D	N	N	47.73	57.49
92603		A	2.25	0.92	0.14	3.31	2.25	1.49	0.14	3.88	XXX	N	N	D	N	N	87.28	102.32
92604		A	1.25	0.52	0.06	1.83	1.25	1	0.06	2.31	XXX	N	N	D	N	N	48.26	60.91
92605		B	1.75	0.56	0.11	2.42	1.75	0.66	0.11	2.52	XXX	N	N	N	N	N	63.82	66.45
92606		B	1.4	0.45	0.09	1.94	1.4	0.72	0.09	2.21	XXX	N	N	N	N	N	51.16	58.28
92607		NOT COVEI	1.85	1.4	0.13	3.38	1.85	1.4	0.13	3.38	XXX	B	N	D	N	N	89.13	89.13
92608		NOT COVEI	0.7	0.63	0.05	1.38	0.7	0.63	0.05	1.38	ZZZ	N	N	D	N	N	36.39	36.39
92609		NOT COVEI	1.5	1.31	0.09	2.9	1.5	1.31	0.09	2.9	XXX	B	N	D	N	N	76.47	76.47
92610		A	1.3	0.57	0.09	1.96	1.3	0.86	0.09	2.25	XXX	N	N	D	N	N	51.69	59.33
92611		A	1.34	0.96	0.1	2.4	1.34	0.96	0.1	2.4	XXX	N	N	D	N	N	63.29	63.29
92612		A	1.27	0.5	0.09	1.86	1.27	3.05	0.09	4.41	XXX	N	N	D	N	N	49.05	116.29
92613		NOT COVEI	0.71	0.27	0.05	1.03	0.71	0.27	0.05	1.03	XXX	N	N	D	N	N	27.16	27.16
92614		A	1.27	0.5	0.09	1.86	1.27	2.4	0.09	3.76	XXX	N	N	D	N	N	49.05	99.15
92615		A	0.63	0.24	0.04	0.91	0.63	0.25	0.04	0.92	XXX	N	N	D	N	N	24.00	24.26
92616		A	1.88	0.75	0.13	2.76	1.88	3.31	0.13	5.32	XXX	N	N	D	N	N	72.78	140.29
92617		A	0.79	0.3	0.05	1.14	0.79	0.3	0.05	1.14	XXX	N	N	D	N	N	30.06	30.06
92618		NOT COVEI	0.65	0.21	0.04	0.9	0.65	0.22	0.04	0.91	ZZZ	N	N	N	N	N	23.73	24.00
92620		NOT COVEI	1.5	0.67	0.09	2.26	1.5	0.9	0.09	2.49	XXX	N	B	D	N	N	59.60	65.66
92621		A	0.35	0.15	0.01	0.51	0.35	0.22	0.01	0.58	ZZZ	N	N	D	N	N	13.45	15.29
92625		A	1.15	0.47	0.06	1.68	1.15	0.64	0.06	1.85	XXX	N	B	D	N	N	44.30	48.78
92626		A	1.4	0.58	0.09	2.07	1.4	0.89	0.09	2.38	XXX	N	B	D	N	N	54.59	62.76
92627		A	0.33	0.13	0.01	0.47	0.33	0.22	0.01	0.56	ZZZ	N	N	D	N	N	12.39	14.77
92630		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92633		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
92640		A	1.76	0.74	0.44	2.94	1.76	1.15	0.44	3.35	XXX	N	B	D	N	N	77.53	88.34
92700		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
92920		A	10.1	2.9	2.63	15.63	10.1	2.9	2.63	15.63	000	Y	N	D	N	N	412.16	412.16
92921		B	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
92924		A	11.99	3.45	3.14	18.58	11.99	3.45	3.14	18.58	000	Y	N	D	N	N	489.95	489.95
92925		B	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
92928		A	11.21	3.2	2.94	17.35	11.21	3.2	2.94	17.35	000	Y	N	D	N	N	457.52	457.52
92929		B	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
92933		A	12.54	3.59	3.29	19.42	12.54	3.59	3.29	19.42	000	Y	N	D	N	N	512.11	512.11
92934		B	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
92937		A	11.2	3.2	2.94	17.34	11.2	3.2	2.94	17.34	000	Y	N	D	N	N	457.26	457.26
92938		B	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
92941		A	12.56	3.59	3.3	19.45	12.56	3.59	3.3	19.45	000	Y	N	D	N	N	512.90	512.90
92943		A	12.56	3.59	3.3	19.45	12.56	3.59	3.3	19.45	000	Y	N	D	N	N	512.90	512.90
92944		B	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
92950		A	4	0.82	0.39	5.21	4	3.5	0.39	7.89	000	N	N	D	N	N	137.39	208.06
92953		A	0.23	0.06	0.01	0.3	0.23	0.06	0.01	0.3	000	N	N	D	N	N	7.91	7.91
92960		A	2.25	0.89	0.16	3.3	2.25	2.8	0.16	5.21	000	N	N	D	N	N	87.02	137.39
92961		A	4.59	1.58	0.53	6.7	4.59	1.58	0.53	6.7	000	N	N	N	N	N	176.68	176.68
92970		A	3.51	1.04	0.29	4.84	3.51	1.04	0.29	4.84	000	N	N	D	N	N	127.63	127.63
92971		A	1.77	0.62	0.14	2.53	1.77	0.62	0.14	2.53	000	N	N	D	N	N	66.72	66.72
92973		A	3.28	0.94	0.85	5.07	3.28	0.94	0.85	5.07	ZZZ	N	N	D	N	N	133.70	133.70
92974		A	3	0.86	0.78	4.64	3	0.86	0.78	4.64	ZZZ	N	N	D	N	N	122.36	122.36
92975		A	7.24	2.06	1.9	11.2	7.24	2.06	1.9	11.2	000	Y	N	D	N	N	295.34	295.34
92977		A	0	2.92	0.04	2.96	0	2.92	0.04	2.96	XXX	N	N	D	N	N	78.06	78.06
92978		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
92978	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
92978	26	C	1.8	0.52	0.14	2.46	1.8	0.52	0.14	2.46	ZZZ	N	N	D	N	N	64.87	64.87
92979		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
92979	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
92979	26	C	1.44	0.42	0.13	1.99	1.44	0.42	0.13	1.99	ZZZ	N	N	D	N	N	52.48	52.48
92986		A	22.85	8.86	5.98	37.69	22.85	8.86	5.98	37.69	090	Y	N	D	N	N	993.89	993.89
92987		A	23.63	9.12	6.18	38.93	23.63	9.12	6.18	38.93	090	Y	N	D	N	N	1,026.58	1,026.58
92990		A	18.27	7.47	4.8	30.54	18.27	7.47	4.8	30.54	090	Y	N	D	N	N	805.34	805.34
92992		C	0	0	0	0	0	0	0	0	090	Y	N	Y	N	N	0.00	0.00
92993		C	0	0	0	0	0	0	0	0	090	Y	N	Y	N	N	0.00	0.00
92997		A	11.98	3.56	3.14	18.68	11.98	3.56	3.14	18.68	000	Y	N	D	N	N	492.59	492.59
92998		A	5.99	1.7	1.57	9.26	5.99	1.7	1.57	9.26	ZZZ	N	N	D	N	N	244.19	244.19
93000		A	0.17	0.23	0.03	0.43	0.17	0.23	0.03	0.43	XXX	D	N	D	N	N	11.34	11.34
93005		A	0	0.18	0.01	0.19	0	0.18	0.01	0.19	XXX	D	N	D	N	N	5.01	5.01
93010		A	0.17	0.05	0.01	0.23	0.17	0.05	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
93015		A	0.75	1.11	0.04	1.9	0.75	1.11	0.04	1.9	XXX	D	N	D	N	N	50.10	50.10
93016		A	0.45	0.13	0.01	0.59	0.45	0.13	0.01	0.59	XXX	N	N	D	N	N	15.56	15.56
93017		A	0	0.9	0.01	0.91	0	0.9	0.01	0.91	XXX	D	N	D	N	N	24.00	24.00
93018		A	0.3	0.08	0.01	0.39	0.3	0.08	0.01	0.39	XXX	N	N	D	N	N	10.28	10.28
93024		A	1.17	1.59	0.06	2.82	1.17	1.59	0.06	2.82	XXX	D	N	D	N	N	74.36	74.36
93024	TC	A	0	1.25	0.01	1.26	0	1.25	0.01	1.26	XXX	D	N	D	N	N	33.23	33.23
93024	26	A	1.17	0.34	0.05	1.56	1.17	0.34	0.05	1.56	XXX	D	N	D	N	N	41.14	41.14
93025		A	0.75	3.16	0.05	3.96	0.75	3.16	0.05	3.96	XXX	D	N	D	N	N	104.43	104.43
93025	TC	A	0	2.94	0.01	2.95	0	2.94	0.01	2.95	XXX	D	N	D	N	N	77.79	77.79
93025	26	A	0.75	0.22	0.04	1.01	0.75	0.22	0.04	1.01	XXX	D	N	D	N	N	26.63	26.63
93040		A	0.15	0.16	0.03	0.34	0.15	0.16	0.03	0.34	XXX	D	N	D	N	N	8.97	8.97
93041		A	0	0.12	0.01	0.13	0	0.12	0.01	0.13	XXX	D	N	D	N	N	3.43	3.43
93042		A	0.15	0.03	0.01	0.19	0.15	0.03	0.01	0.19	XXX	N	N	D	N	N	5.01	5.01
93224		A	0.52	1.67	0.04	2.23	0.52	1.67	0.04	2.23	XXX	D	N	D	N	N	58.81	58.81
93225		A	0	0.62	0.01	0.63	0	0.62	0.01	0.63	XXX	D	N	D	N	N	16.61	16.61
93226		A	0	0.87	0.01	0.88	0	0.87	0.01	0.88	XXX	D	N	D	N	N	23.21	23.21
93227		A	0.52	0.18	0.01	0.71	0.52	0.18	0.01	0.71	XXX	N	N	D	N	N	18.72	18.72
93228		A	0.52	0.16	0.04	0.72	0.52	0.16	0.04	0.72	XXX	N	N	D	N	N	18.99	18.99
93229		A	0	15.53	0.01	15.54	0	15.53	0.01	15.54	XXX	D	N	D	N	N	409.79	409.79
93268		A	0.52	4.31	0.04	4.87	0.52	4.31	0.04	4.87	XXX	D	N	D	N	N	128.42	128.42
93270		A	0	0.21	0.01	0.22	0	0.21	0.01	0.22	XXX	D	N	D	N	N	5.80	5.80
93271		A	0	3.95	0.01	3.96	0	3.95	0.01	3.96	XXX	D	N	D	N	N	104.43	104.43
93272		A	0.52	0.15	0.01	0.68	0.52	0.15	0.01	0.68	XXX	N	N	D	N	N	17.93	17.93
93278		A	0.25	0.48	0.03	0.76	0.25	0.48	0.03	0.76	XXX	D	N	D	N	N	20.04	20.04
93278	TC	A	0	0.41	0.01	0.42	0	0.41	0.01	0.42	XXX	D	N	D	N	N	11.08	11.08
93278	26	A	0.25	0.07	0.01	0.33	0.25	0.07	0.01	0.33	XXX	D	N	D	N	N	8.70	8.70
93279		A	0.65	0.59	0.05	1.29	0.65	0.59	0.05	1.29	XXX	D	N	D	N	N	34.02	34.02
93279	TC	A	0	0.39	0.01	0.4	0	0.39	0.01	0.4	XXX	D	N	D	N	N	10.55	10.55
93279	26	A	0.65	0.2	0.04	0.89	0.65	0.2	0.04	0.89	XXX	D	N	D	N	N	23.47	23.47
93280		A	0.77	0.69	0.05	1.51	0.77	0.69	0.05	1.51	XXX	D	N	D	N	N	39.82	39.82
93280	TC	A	0	0.45	0.01	0.46	0	0.45	0.01	0.46	XXX	D	N	D	N	N	12.13	12.13
93280	26	A	0.77	0.24	0.04	1.05	0.77	0.24	0.04	1.05	XXX	D	N	D	N	N	27.69	27.69
93281		A	0.9	0.81	0.05	1.76	0.9	0.81	0.05	1.76	XXX	D	N	D	N	N	46.41	46.41
93281	TC	A	0	0.52	0.01	0.53	0	0.52	0.01	0.53	XXX	D	N	D	N	N	13.98	13.98
93281	26	A	0.9	0.28	0.04	1.22	0.9	0.28	0.04	1.22	XXX	D	N	D	N	N	32.17	32.17
93282		A	0.85	0.72	0.05	1.62	0.85	0.72	0.05	1.62	XXX	D	N	D	N	N	42.72	42.72
93282	TC	A	0	0.46	0.01	0.47	0	0.46	0.01	0.47	XXX	D	N	D	N	N	12.39	12.39
93282	26	A	0.85	0.27	0.04	1.16	0.85	0.27	0.04	1.16	XXX	D	N	D	N	N	30.59	30.59
93283		A	1.15	0.91	0.06	2.12	1.15	0.91	0.06	2.12	XXX	D	N	D	N	N	55.90	55.90
93283	TC	A	0	0.54	0.01	0.55	0	0.54	0.01	0.55	XXX	D	N	D	N	N	14.50	14.50

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
93283	26	A	1.15	0.37	0.05	1.57	1.15	0.37	0.05	1.57	XXX	D	N	D	N	N	41.40	41.40
93284		NOT COVEI	1.25	1.02	0.06	2.33	1.25	1.02	0.06	2.33	XXX	D	N	D	N	N	61.44	61.44
93284	TC	NOT COVEI	0	0.62	0.01	0.63	0	0.62	0.01	0.63	XXX	D	N	D	N	N	16.61	16.61
93284	26	NOT COVEI	1.25	0.4	0.05	1.7	1.25	0.4	0.05	1.7	XXX	D	N	D	N	N	44.83	44.83
93285		A	0.52	0.52	0.03	1.07	0.52	0.52	0.03	1.07	XXX	D	N	D	N	N	28.22	28.22
93285	TC	A	0	0.36	0.01	0.37	0	0.36	0.01	0.37	XXX	D	N	D	N	N	9.76	9.76
93285	26	A	0.52	0.17	0.01	0.7	0.52	0.17	0.01	0.7	XXX	D	N	D	N	N	18.46	18.46
93286		NOT COVEI	0.3	0.37	0.03	0.7	0.3	0.37	0.03	0.7	XXX	D	N	D	N	N	18.46	18.46
93286	TC	NOT COVEI	0	0.27	0.01	0.28	0	0.27	0.01	0.28	XXX	D	N	D	N	N	7.38	7.38
93286	26	NOT COVEI	0.3	0.1	0.01	0.41	0.3	0.1	0.01	0.41	XXX	D	N	D	N	N	10.81	10.81
93287		NOT COVEI	0.45	0.44	0.03	0.92	0.45	0.44	0.03	0.92	XXX	D	N	D	N	N	24.26	24.26
93287	TC	NOT COVEI	0	0.29	0.01	0.3	0	0.29	0.01	0.3	XXX	D	N	D	N	N	7.91	7.91
93287	26	NOT COVEI	0.45	0.15	0.01	0.61	0.45	0.15	0.01	0.61	XXX	D	N	D	N	N	16.09	16.09
93288		A	0.43	0.48	0.03	0.94	0.43	0.48	0.03	0.94	XXX	D	N	D	N	N	24.79	24.79
93288	TC	A	0	0.36	0.01	0.37	0	0.36	0.01	0.37	XXX	D	N	D	N	N	9.76	9.76
93288	26	A	0.43	0.12	0.01	0.56	0.43	0.12	0.01	0.56	XXX	D	N	D	N	N	14.77	14.77
93289		A	0.92	0.72	0.05	1.69	0.92	0.72	0.05	1.69	XXX	D	N	D	N	N	44.57	44.57
93289	TC	A	0	0.44	0.01	0.45	0	0.44	0.01	0.45	XXX	D	N	D	N	N	11.87	11.87
93289	26	A	0.92	0.28	0.04	1.24	0.92	0.28	0.04	1.24	XXX	D	N	D	N	N	32.70	32.70
93290		NOT COVEI	0.43	0.34	0.03	0.8	0.43	0.34	0.03	0.8	XXX	D	N	D	N	N	21.10	21.10
93290	TC	NOT COVEI	0	0.21	0.01	0.22	0	0.21	0.01	0.22	XXX	D	N	D	N	N	5.80	5.80
93290	26	NOT COVEI	0.43	0.13	0.01	0.57	0.43	0.13	0.01	0.57	XXX	D	N	D	N	N	15.03	15.03
93291		A	0.43	0.47	0.03	0.93	0.43	0.47	0.03	0.93	XXX	D	N	D	N	N	24.52	24.52
93291	TC	A	0	0.33	0.01	0.34	0	0.33	0.01	0.34	XXX	D	N	D	N	N	8.97	8.97
93291	26	A	0.43	0.13	0.01	0.57	0.43	0.13	0.01	0.57	XXX	D	N	D	N	N	15.03	15.03
93292		A	0.43	0.37	0.03	0.83	0.43	0.37	0.03	0.83	XXX	D	N	D	N	N	21.89	21.89
93292	TC	A	0	0.24	0.01	0.25	0	0.24	0.01	0.25	XXX	D	N	D	N	N	6.59	6.59
93292	26	A	0.43	0.12	0.01	0.56	0.43	0.12	0.01	0.56	XXX	D	N	D	N	N	14.77	14.77
93293		A	0.32	0.97	0.03	1.32	0.32	0.97	0.03	1.32	XXX	N	N	D	N	N	34.81	34.81
93293	TC	A	0	0.87	0.01	0.88	0	0.87	0.01	0.88	XXX	N	N	D	N	N	23.21	23.21
93293	26	A	0.32	0.1	0.01	0.43	0.32	0.1	0.01	0.43	XXX	N	N	D	N	N	11.34	11.34
93294		A	0.65	0.22	0.05	0.92	0.65	0.22	0.05	0.92	XXX	N	N	D	N	N	24.26	24.26
93295		A	1.29	0.43	0.1	1.82	1.29	0.43	0.1	1.82	XXX	N	N	D	N	N	47.99	47.99
93296		A	0	0.59	0.01	0.6	0	0.59	0.01	0.6	XXX	N	N	D	N	N	15.82	15.82
93297		A	0.52	0.16	0.04	0.72	0.52	0.16	0.04	0.72	XXX	N	N	D	N	N	18.99	18.99
93298		A	0.52	0.17	0.04	0.73	0.52	0.17	0.04	0.73	XXX	N	N	D	N	N	19.25	19.25
93299		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93303		A	1.3	4.43	0.06	5.79	1.3	4.43	0.06	5.79	XXX	D	N	D	N	N	152.68	152.68
93303	TC	A	0	4.05	0.01	4.06	0	4.05	0.01	4.06	XXX	D	N	D	N	N	107.06	107.06
93303	26	A	1.3	0.38	0.05	1.73	1.3	0.38	0.05	1.73	XXX	D	N	D	N	N	45.62	45.62
93304		A	0.75	3.03	0.05	3.83	0.75	3.03	0.05	3.83	XXX	D	N	D	N	N	101.00	101.00
93304	TC	A	0	2.81	0.01	2.82	0	2.81	0.01	2.82	XXX	D	N	D	N	N	74.36	74.36
93304	26	A	0.75	0.22	0.04	1.01	0.75	0.22	0.04	1.01	XXX	D	N	D	N	N	26.63	26.63
93306		A	1.3	4.2	0.06	5.56	1.3	4.2	0.06	5.56	XXX	D	N	D	N	N	146.62	146.62
93306	TC	A	0	3.82	0.01	3.83	0	3.82	0.01	3.83	XXX	D	N	D	N	N	101.00	101.00
93306	26	A	1.3	0.38	0.05	1.73	1.3	0.38	0.05	1.73	XXX	D	N	D	N	N	45.62	45.62
93307		A	0.92	2.28	0.05	3.25	0.92	2.28	0.05	3.25	XXX	D	N	D	N	N	85.70	85.70
93307	TC	A	0	2.01	0.01	2.02	0	2.01	0.01	2.02	XXX	D	N	D	N	N	53.27	53.27
93307	26	A	0.92	0.27	0.04	1.23	0.92	0.27	0.04	1.23	XXX	D	N	D	N	N	32.44	32.44
93308		A	0.53	2.41	0.03	2.97	0.53	2.41	0.03	2.97	XXX	D	N	D	N	N	78.32	78.32
93308	TC	A	0	2.26	0.01	2.27	0	2.26	0.01	2.27	XXX	D	N	D	N	N	59.86	59.86
93308	26	A	0.53	0.15	0.01	0.69	0.53	0.15	0.01	0.69	XXX	D	N	D	N	N	18.20	18.20
93312		A	2.2	5.83	0.13	8.16	2.2	5.83	0.13	8.16	XXX	D	N	D	N	N	215.18	215.18
93312	TC	A	0	5.26	0.04	5.3	0	5.26	0.04	5.3	XXX	D	N	D	N	N	139.76	139.76

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
93312	26	A	2.2	0.57	0.09	2.86	2.2	0.57	0.09	2.86	XXX	D	N	D	N	N	75.42	75.42
93313		A	0.95	0.14	0.09	1.18	0.95	0.14	0.09	1.18	XXX	N	N	D	N	N	31.12	31.12
93314		A	1.25	6.08	0.09	7.42	1.25	6.08	0.09	7.42	XXX	D	N	D	N	N	195.67	195.67
93314	TC	A	0	5.75	0.04	5.79	0	5.75	0.04	5.79	XXX	D	N	D	N	N	152.68	152.68
93314	26	A	1.25	0.33	0.05	1.63	1.25	0.33	0.05	1.63	XXX	D	N	D	N	N	42.98	42.98
93315		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93315	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93315	26	C	2.78	0.77	0.28	3.83	2.78	0.77	0.28	3.83	XXX	N	N	D	N	N	101.00	101.00
93316		A	0.95	0.16	0.09	1.2	0.95	0.16	0.09	1.2	XXX	N	N	D	N	N	31.64	31.64
93317		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93317	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93317	26	C	1.83	0.51	0.28	2.62	1.83	0.51	0.28	2.62	XXX	N	N	D	N	N	69.09	69.09
93318		C	0	0	0	0	0	0	0	0	XXX	D	N	D	N	N	0.00	0.00
93318	TC	C	0	0	0	0	0	0	0	0	XXX	D	N	D	N	N	0.00	0.00
93318	26	C	2.2	0.57	0.38	3.15	2.2	0.57	0.38	3.15	XXX	D	N	D	N	N	83.07	83.07
93320		A	0.38	0.94	0.03	1.35	0.38	0.94	0.03	1.35	ZZZ	N	N	D	N	N	35.60	35.60
93320	TC	A	0	0.83	0.01	0.84	0	0.83	0.01	0.84	ZZZ	N	N	D	N	N	22.15	22.15
93320	26	A	0.38	0.11	0.01	0.5	0.38	0.11	0.01	0.5	ZZZ	N	N	D	N	N	13.19	13.19
93321		A	0.15	0.58	0.03	0.76	0.15	0.58	0.03	0.76	ZZZ	N	N	D	N	N	20.04	20.04
93321	TC	A	0	0.54	0.01	0.55	0	0.54	0.01	0.55	ZZZ	N	N	D	N	N	14.50	14.50
93321	26	A	0.15	0.04	0.01	0.2	0.15	0.04	0.01	0.2	ZZZ	N	N	D	N	N	5.27	5.27
93325		A	0.07	0.53	0.03	0.63	0.07	0.53	0.03	0.63	ZZZ	N	N	D	N	N	16.61	16.61
93325	TC	A	0	0.52	0.01	0.53	0	0.52	0.01	0.53	ZZZ	N	N	D	N	N	13.98	13.98
93325	26	A	0.07	0.02	0.01	0.1	0.07	0.02	0.01	0.1	ZZZ	N	N	D	N	N	2.64	2.64
93350		A	1.46	4.36	0.08	5.9	1.46	4.36	0.08	5.9	XXX	D	N	D	N	N	155.58	155.58
93350	TC	A	0	3.94	0.01	3.95	0	3.94	0.01	3.95	XXX	D	N	D	N	N	104.16	104.16
93350	26	A	1.46	0.42	0.06	1.94	1.46	0.42	0.06	1.94	XXX	D	N	D	N	N	51.16	51.16
93351		A	1.75	5.02	0.1	6.87	1.75	5.02	0.1	6.87	XXX	D	N	N	N	N	181.16	181.16
93351	TC	A	0	4.51	0.04	4.55	0	4.51	0.04	4.55	XXX	D	N	N	N	N	119.98	119.98
93351	26	A	1.75	0.51	0.06	2.32	1.75	0.51	0.06	2.32	XXX	D	N	N	N	N	61.18	61.18
93352		A	0.19	0.62	0.01	0.82	0.19	0.62	0.01	0.82	ZZZ	N	N	D	N	N	21.62	21.62
93451		A	2.72	15.58	0.74	19.04	2.72	15.58	0.74	19.04	000	Y	N	D	N	N	502.08	502.08
93451	TC	A	0	14.8	0.04	14.84	0	14.8	0.04	14.84	000	N	N	D	N	N	391.33	391.33
93451	26	A	2.72	0.78	0.7	4.2	2.72	0.78	0.7	4.2	000	Y	N	D	N	N	110.75	110.75
93452		A	4.75	15.77	1.31	21.83	4.75	15.77	1.31	21.83	000	Y	N	D	N	N	575.66	575.66
93452	TC	A	0	14.41	0.04	14.45	0	14.41	0.04	14.45	000	N	N	D	N	N	381.05	381.05
93452	26	A	4.75	1.36	1.27	7.38	4.75	1.36	1.27	7.38	000	Y	N	D	N	N	194.61	194.61
93453		A	6.24	20.37	1.7	28.31	6.24	20.37	1.7	28.31	000	Y	N	D	N	N	746.53	746.53
93453	TC	A	0	18.58	0.05	18.63	0	18.58	0.05	18.63	000	N	N	D	N	N	491.27	491.27
93453	26	A	6.24	1.79	1.65	9.68	6.24	1.79	1.65	9.68	000	Y	N	D	N	N	255.26	255.26
93454		A	4.79	16.13	1.31	22.23	4.79	16.13	1.31	22.23	000	Y	N	D	N	N	586.21	586.21
93454	TC	A	0	14.76	0.04	14.8	0	14.76	0.04	14.8	000	N	N	D	N	N	390.28	390.28
93454	26	A	4.79	1.37	1.27	7.43	4.79	1.37	1.27	7.43	000	Y	N	D	N	N	195.93	195.93
93455		A	5.54	18.82	1.51	25.87	5.54	18.82	1.51	25.87	000	Y	N	D	N	N	682.19	682.19
93455	TC	A	0	17.24	0.05	17.29	0	17.24	0.05	17.29	000	N	N	D	N	N	455.94	455.94
93455	26	A	5.54	1.58	1.46	8.58	5.54	1.58	1.46	8.58	000	Y	N	D	N	N	226.25	226.25
93456		A	6.15	20.08	1.65	27.88	6.15	20.08	1.65	27.88	000	Y	N	D	N	N	735.20	735.20
93456	TC	A	0	18.33	0.05	18.38	0	18.33	0.05	18.38	000	N	N	D	N	N	484.68	484.68
93456	26	A	6.15	1.76	1.6	9.51	6.15	1.76	1.6	9.51	000	Y	N	D	N	N	250.78	250.78
93457		A	6.89	22.76	1.85	31.5	6.89	22.76	1.85	31.5	000	Y	N	D	N	N	830.66	830.66
93457	TC	A	0	20.79	0.05	20.84	0	20.79	0.05	20.84	000	N	N	D	N	N	549.55	549.55
93457	26	A	6.89	1.97	1.8	10.66	6.89	1.97	1.8	10.66	000	Y	N	D	N	N	281.10	281.10
93458		A	5.85	19.24	1.6	26.69	5.85	19.24	1.6	26.69	000	Y	N	D	N	N	703.82	703.82
93458	TC	A	0	17.57	0.05	17.62	0	17.57	0.05	17.62	000	N	N	D	N	N	464.64	464.64

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
93458	26	A	5.85	1.67	1.54	9.06	5.85	1.67	1.54	9.06	000	Y	N	D	N	N	238.91	238.91
93459		A	6.6	21.13	1.77	29.5	6.6	21.13	1.77	29.5	000	Y	N	D	N	N	777.92	777.92
93459	TC	A	0	19.24	0.05	19.29	0	19.24	0.05	19.29	000	N	N	D	N	N	508.68	508.68
93459	26	A	6.6	1.89	1.72	10.21	6.6	1.89	1.72	10.21	000	Y	N	D	N	N	269.24	269.24
93460		A	7.35	22.4	1.96	31.71	7.35	22.4	1.96	31.71	000	Y	N	D	N	N	836.19	836.19
93460	TC	A	0	20.29	0.05	20.34	0	20.29	0.05	20.34	000	N	N	D	N	N	536.37	536.37
93460	26	A	7.35	2.1	1.91	11.36	7.35	2.1	1.91	11.36	000	Y	N	D	N	N	299.56	299.56
93461		A	8.1	25.92	2.19	36.21	8.1	25.92	2.19	36.21	000	Y	N	D	N	N	954.86	954.86
93461	TC	A	0	23.6	0.06	23.66	0	23.6	0.06	23.66	000	N	N	D	N	N	623.91	623.91
93461	26	A	8.1	2.32	2.12	12.54	8.1	2.32	2.12	12.54	000	Y	N	D	N	N	330.68	330.68
93462		A	3.73	1.24	0.97	5.94	3.73	1.24	0.97	5.94	ZZZ	N	N	D	N	N	156.64	156.64
93463		A	2	0.57	0.46	3.03	2	0.57	0.46	3.03	ZZZ	N	N	D	N	N	79.90	79.90
93464		A	1.8	4.83	0.43	7.06	1.8	4.83	0.43	7.06	ZZZ	N	N	D	N	N	186.17	186.17
93464	TC	A	0	4.31	0.01	4.32	0	4.31	0.01	4.32	ZZZ	N	N	D	N	N	113.92	113.92
93464	26	A	1.8	0.52	0.41	2.73	1.8	0.52	0.41	2.73	ZZZ	N	N	D	N	N	71.99	71.99
93503		A	2.91	0.46	0.33	3.7	2.91	0.46	0.33	3.7	000	N	N	D	N	N	97.57	97.57
93505		A	4.37	13.44	1.03	18.84	4.37	13.44	1.03	18.84	000	Y	N	D	N	N	496.81	496.81
93505	TC	A	0	12.18	0.04	12.22	0	12.18	0.04	12.22	000	N	N	D	N	N	322.24	322.24
93505	26	A	4.37	1.26	0.99	6.62	4.37	1.26	0.99	6.62	000	Y	N	D	N	N	174.57	174.57
93530		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
93530	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93530	26	C	4.22	1.22	1.09	6.53	4.22	1.22	1.09	6.53	000	Y	N	D	N	N	172.20	172.20
93531		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
93531	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93531	26	C	8.34	2.37	2.19	12.9	8.34	2.37	2.19	12.9	000	Y	N	D	N	N	340.17	340.17
93532		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
93532	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93532	26	C	9.99	2.85	2.61	15.45	9.99	2.85	2.61	15.45	000	Y	N	D	N	N	407.42	407.42
93533		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
93533	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93533	26	C	6.69	1.91	1.77	10.37	6.69	1.91	1.77	10.37	000	Y	N	D	N	N	273.46	273.46
93561		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93561	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93561	26	C	0.5	0.12	0.05	0.67	0.5	0.12	0.05	0.67	000	N	N	D	N	N	17.67	17.67
93562		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93562	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93562	26	C	0.16	0.04	0.01	0.21	0.16	0.04	0.01	0.21	000	N	N	D	N	N	5.54	5.54
93563		A	1.11	0.32	0.13	1.56	1.11	0.32	0.13	1.56	ZZZ	N	N	D	N	N	41.14	41.14
93564		A	1.13	0.32	0.14	1.59	1.13	0.32	0.14	1.59	ZZZ	N	N	D	N	N	41.93	41.93
93565		A	0.86	0.25	0.1	1.21	0.86	0.25	0.1	1.21	ZZZ	N	N	D	N	N	31.91	31.91
93566		A	0.86	0.25	0.1	1.21	0.86	3.23	0.1	4.19	ZZZ	N	N	D	N	N	31.91	110.49
93567		A	0.97	0.28	0.1	1.35	0.97	2.43	0.1	3.5	ZZZ	N	N	D	N	N	35.60	92.30
93568		A	0.88	0.25	0.1	1.23	0.88	2.79	0.1	3.77	ZZZ	N	N	D	N	N	32.44	99.41
93571		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93571	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93571	26	C	1.8	0.52	0.14	2.46	1.8	0.52	0.14	2.46	ZZZ	N	N	D	N	N	64.87	64.87
93572		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93572	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93572	26	C	1.44	0.42	0.14	2	1.44	0.42	0.14	2	ZZZ	N	N	D	N	N	52.74	52.74
93580		A	17.97	5.42	4.71	28.1	17.97	5.42	4.71	28.1	000	Y	N	D	N	N	741.00	741.00
93581		A	24.39	7.2	6.39	37.98	24.39	7.2	6.39	37.98	000	Y	N	D	N	N	1,001.53	1,001.53
93582		A	12.56	3.57	3.29	19.42	12.56	3.57	3.29	19.42	000	Y	N	D	N	N	512.11	512.11
93583		A	14	3.95	3.67	21.62	14	3.95	3.67	21.62	000	Y	N	D	N	N	570.12	570.12
93600		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
93600	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93600	26	C	2.12	0.72	0.54	3.38	2.12	0.72	0.54	3.38	000	N	N	D	N	N	89.13	89.13
93602		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93602	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93602	26	C	2.12	0.69	0.54	3.35	2.12	0.69	0.54	3.35	000	N	N	D	N	N	88.34	88.34
93603		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93603	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93603	26	C	2.12	0.67	0.54	3.33	2.12	0.67	0.54	3.33	000	N	N	D	N	N	87.81	87.81
93609		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93609	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93609	26	C	4.99	1.64	1.31	7.94	4.99	1.64	1.31	7.94	ZZZ	N	N	D	N	N	209.38	209.38
93610		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93610	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93610	26	C	3.02	0.96	0.78	4.76	3.02	0.96	0.78	4.76	000	N	N	D	N	N	125.52	125.52
93612		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93612	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93612	26	C	3.02	0.92	0.78	4.72	3.02	0.92	0.78	4.72	000	N	N	D	N	N	124.47	124.47
93613		A	6.99	2.34	1.82	11.15	6.99	2.34	1.82	11.15	ZZZ	N	N	D	N	N	294.03	294.03
93615		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93615	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93615	26	C	0.99	0.38	0.06	1.43	0.99	0.38	0.06	1.43	000	N	N	D	N	N	37.71	37.71
93616		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93616	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93616	26	C	1.49	0.22	0.14	1.85	1.49	0.22	0.14	1.85	000	N	N	D	N	N	48.78	48.78
93618		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93618	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93618	26	C	4.25	1.45	1.09	6.79	4.25	1.45	1.09	6.79	000	N	N	D	N	N	179.05	179.05
93619		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
93619	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93619	26	C	7.31	2.39	1.91	11.61	7.31	2.39	1.91	11.61	000	Y	N	D	N	N	306.16	306.16
93620		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
93620	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93620	26	C	11.57	3.84	3.03	18.44	11.57	3.84	3.03	18.44	000	Y	N	D	N	N	486.26	486.26
93621		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93621	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93621	26	C	2.1	0.7	0.54	3.34	2.1	0.7	0.54	3.34	ZZZ	N	N	D	N	N	88.08	88.08
93622		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93622	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93622	26	C	3.1	1.01	0.8	4.91	3.1	1.01	0.8	4.91	ZZZ	N	N	D	N	N	129.48	129.48
93623		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93623	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93623	26	C	2.85	0.95	0.75	4.55	2.85	0.95	0.75	4.55	ZZZ	N	N	D	N	N	119.98	119.98
93624		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
93624	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93624	26	C	4.8	1.45	1.26	7.51	4.8	1.45	1.26	7.51	000	Y	N	D	N	N	198.04	198.04
93631		C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93631	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93631	26	C	7.59	1.98	2.17	11.74	7.59	1.98	2.17	11.74	000	N	N	D	N	N	309.58	309.58
93640		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
93640	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93640	26	C	3.51	1.08	0.92	5.51	3.51	1.08	0.92	5.51	000	Y	N	D	N	N	145.30	145.30
93641		C	0	0	0	0	0	0	0	0	000	Y	N	D	N	N	0.00	0.00
93641	TC	C	0	0	0	0	0	0	0	0	000	N	N	D	N	N	0.00	0.00
93641	26	C	5.92	1.91	1.54	9.37	5.92	1.91	1.54	9.37	000	Y	N	D	N	N	247.09	247.09

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
93642		C	4.88	5.07	0.25	10.2	4.88	5.07	0.25	10.2	000	Y	N	D	N	N	268.97	268.97
93642	TC	C	0	3.46	0.04	3.5	0	3.46	0.04	3.5	000	N	N	D	N	N	92.30	92.30
93642	26	C	4.88	1.61	0.21	6.7	4.88	1.61	0.21	6.7	000	Y	N	D	N	N	176.68	176.68
93650		A	10.49	3.77	2.73	16.99	10.49	3.77	2.73	16.99	000	Y	N	D	N	N	448.03	448.03
93653		A	15	5.01	3.93	23.94	15	5.01	3.93	23.94	000	Y	N	D	N	N	631.30	631.30
93654		A	20	6.65	5.24	31.89	20	6.65	5.24	31.89	000	Y	N	D	N	N	840.94	840.94
93655		A	7.5	2.5	1.96	11.96	7.5	2.5	1.96	11.96	ZZZ	N	N	D	N	N	315.39	315.39
93656		A	20.02	6.66	5.24	31.92	20.02	6.66	5.24	31.92	000	Y	N	D	N	N	841.73	841.73
93657		A	7.5	2.5	1.97	11.97	7.5	2.5	1.97	11.97	ZZZ	N	N	D	N	N	315.65	315.65
93660		A	1.89	2.03	0.1	4.02	1.89	2.03	0.1	4.02	000	Y	N	D	N	N	106.01	106.01
93660	TC	A	0	1.44	0.01	1.45	0	1.44	0.01	1.45	000	N	N	D	N	N	38.24	38.24
93660	26	A	1.89	0.59	0.09	2.57	1.89	0.59	0.09	2.57	000	Y	N	D	N	N	67.77	67.77
93662		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93662	TC	NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
93662	26	NOT COVEI	2.8	0.93	0.24	3.97	2.8	0.93	0.24	3.97	ZZZ	N	N	D	N	N	104.69	104.69
93668		NOT COVEI	0	0.43	0.01	0.44	0	0.43	0.01	0.44	XXX	N	N	N	N	N	11.60	11.60
93701		A	0	0.55	0.01	0.56	0	0.55	0.01	0.56	XXX	D	N	D	N	N	14.77	14.77
93724		A	4.88	2.15	0.23	7.26	4.88	2.15	0.23	7.26	000	D	N	D	N	N	191.45	191.45
93724	TC	A	0	0.64	0.01	0.65	0	0.64	0.01	0.65	000	D	N	D	N	N	17.14	17.14
93724	26	A	4.88	1.51	0.21	6.6	4.88	1.51	0.21	6.6	000	D	N	D	N	N	174.04	174.04
93740		B	0.16	0.05	0.04	0.25	0.16	0.05	0.04	0.25	XXX	N	N	N	N	N	6.59	6.59
93745		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93745	TC	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93745	26	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93750		NOT COVEI	0.92	0.26	0.06	1.24	0.92	0.47	0.06	1.45	XXX	N	N	D	N	N	32.70	38.24
93770		B	0.16	0.05	0.04	0.25	0.16	0.05	0.04	0.25	XXX	N	N	N	N	N	6.59	6.59
93784		A	0.38	0.92	0.04	1.34	0.38	0.92	0.04	1.34	XXX	D	N	D	N	N	35.34	35.34
93786		NOT COVEI	0	0.68	0.01	0.69	0	0.68	0.01	0.69	XXX	D	N	D	N	N	18.20	18.20
93788		NOT COVEI	0	0.12	0.01	0.13	0	0.12	0.01	0.13	XXX	D	N	D	N	N	3.43	3.43
93790		NOT COVEI	0.38	0.12	0.01	0.51	0.38	0.12	0.01	0.51	XXX	N	N	D	N	N	13.45	13.45
93797		NOT COVEI	0.18	0.05	0.01	0.24	0.18	0.22	0.01	0.41	000	N	N	D	N	N	6.33	10.81
93798		NOT COVEI	0.28	0.08	0.01	0.37	0.28	0.33	0.01	0.62	000	N	N	D	N	N	9.76	16.35
93799		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93799	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93799	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
93880		A	0.6	3.92	0.06	4.58	0.6	3.92	0.06	4.58	XXX	D	B	D	N	N	120.77	120.77
93880	TC	A	0	3.74	0.01	3.75	0	3.74	0.01	3.75	XXX	D	B	D	N	N	98.89	98.89
93880	26	A	0.6	0.17	0.05	0.82	0.6	0.17	0.05	0.82	XXX	D	B	D	N	N	21.62	21.62
93882		A	0.4	2.5	0.08	2.98	0.4	2.5	0.08	2.98	XXX	D	N	D	N	N	78.58	78.58
93882	TC	A	0	2.4	0.01	2.41	0	2.4	0.01	2.41	XXX	D	N	D	N	N	63.55	63.55
93882	26	A	0.4	0.11	0.06	0.57	0.4	0.11	0.06	0.57	XXX	D	N	D	N	N	15.03	15.03
93886		A	0.94	7.57	0.06	8.57	0.94	7.57	0.06	8.57	XXX	D	N	D	N	N	225.99	225.99
93886	TC	A	0	7.25	0.01	7.26	0	7.25	0.01	7.26	XXX	D	N	D	N	N	191.45	191.45
93886	26	A	0.94	0.32	0.05	1.31	0.94	0.32	0.05	1.31	XXX	D	N	D	N	N	34.54	34.54
93888		A	0.62	4.35	0.06	5.03	0.62	4.35	0.06	5.03	XXX	D	N	D	N	N	132.64	132.64
93888	TC	A	0	4.16	0.01	4.17	0	4.16	0.01	4.17	XXX	D	N	D	N	N	109.96	109.96
93888	26	A	0.62	0.19	0.05	0.86	0.62	0.19	0.05	0.86	XXX	D	N	D	N	N	22.68	22.68
93890		A	1	5.89	0.06	6.95	1	5.89	0.06	6.95	XXX	D	N	D	N	N	183.27	183.27
93890	TC	A	0	5.56	0.01	5.57	0	5.56	0.01	5.57	XXX	D	N	D	N	N	146.88	146.88
93890	26	A	1	0.33	0.05	1.38	1	0.33	0.05	1.38	XXX	D	N	D	N	N	36.39	36.39
93892		A	1.15	6.87	0.08	8.1	1.15	6.87	0.08	8.1	XXX	D	N	D	N	N	213.60	213.60
93892	TC	A	0	6.48	0.01	6.49	0	6.48	0.01	6.49	XXX	D	N	D	N	N	171.14	171.14
93892	26	A	1.15	0.39	0.06	1.6	1.15	0.39	0.06	1.6	XXX	D	N	D	N	N	42.19	42.19
93893		A	1.15	7.13	0.08	8.36	1.15	7.13	0.08	8.36	XXX	D	N	D	N	N	220.45	220.45

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	Conversion Factors $ 37.56 OB/GYN Non- Facility
93893	TC	A	0	6.73	0.01	6.74	0	6.73	0.01	6.74	XXX	D	N	D	N	N	177.73	177.73
93893	26	A	1.15	0.4	0.06	1.61	1.15	0.4	0.06	1.61	XXX	D	N	D	N	N	42.46	42.46
93922		A	0.25	1.85	0.03	2.13	0.25	1.85	0.03	2.13	XXX	D	B	D	N	N	56.17	56.17
93922	TC	A	0	1.78	0.01	1.79	0	1.78	0.01	1.79	XXX	D	B	D	N	N	47.20	47.20
93922	26	A	0.25	0.07	0.01	0.33	0.25	0.07	0.01	0.33	XXX	D	B	D	N	N	8.70	8.70
93923		A	0.45	2.84	0.06	3.35	0.45	2.84	0.06	3.35	XXX	D	B	D	N	N	88.34	88.34
93923	TC	A	0	2.72	0.01	2.73	0	2.72	0.01	2.73	XXX	D	B	D	N	N	71.99	71.99
93923	26	A	0.45	0.12	0.05	0.62	0.45	0.12	0.05	0.62	XXX	D	B	D	N	N	16.35	16.35
93924		A	0.5	3.63	0.06	4.19	0.5	3.63	0.06	4.19	XXX	D	B	D	N	N	110.49	110.49
93924	TC	A	0	3.49	0.01	3.5	0	3.49	0.01	3.5	XXX	D	B	D	N	N	92.30	92.30
93924	26	A	0.5	0.13	0.05	0.68	0.5	0.13	0.05	0.68	XXX	D	B	D	N	N	17.93	17.93
93925		A	0.8	5.02	0.11	5.93	0.8	5.02	0.11	5.93	XXX	D	B	D	N	N	156.37	156.37
93925	TC	A	0	4.79	0.04	4.83	0	4.79	0.04	4.83	XXX	D	B	D	N	N	127.37	127.37
93925	26	A	0.8	0.22	0.08	1.1	0.8	0.22	0.08	1.1	XXX	D	B	D	N	N	29.01	29.01
93926		A	0.5	2.83	0.09	3.42	0.5	2.83	0.09	3.42	XXX	D	N	D	N	N	90.19	90.19
93926	TC	A	0	2.7	0.01	2.71	0	2.7	0.01	2.71	XXX	D	N	D	N	N	71.46	71.46
93926	26	A	0.5	0.12	0.08	0.7	0.5	0.12	0.08	0.7	XXX	D	N	D	N	N	18.46	18.46
93930		A	0.46	4.95	0.06	5.47	0.46	4.95	0.06	5.47	XXX	D	B	D	N	N	144.24	144.24
93930	TC	A	0	4.83	0.01	4.84	0	4.83	0.01	4.84	XXX	D	B	D	N	N	127.63	127.63
93930	26	A	0.46	0.12	0.05	0.63	0.46	0.12	0.05	0.63	XXX	D	B	D	N	N	16.61	16.61
93931		A	0.31	3.39	0.05	3.75	0.31	3.39	0.05	3.75	XXX	D	N	D	N	N	98.89	98.89
93931	TC	A	0	3.3	0.01	3.31	0	3.3	0.01	3.31	XXX	D	N	D	N	N	87.28	87.28
93931	26	A	0.31	0.08	0.04	0.43	0.31	0.08	0.04	0.43	XXX	D	N	D	N	N	11.34	11.34
93965		A	0.35	2.5	0.05	2.9	0.35	2.5	0.05	2.9	XXX	D	B	D	N	N	76.47	76.47
93965	TC	A	0	2.4	0.01	2.41	0	2.4	0.01	2.41	XXX	D	B	D	N	N	63.55	63.55
93965	26	A	0.35	0.1	0.04	0.49	0.35	0.1	0.04	0.49	XXX	D	B	D	N	N	12.92	12.92
93970		A	0.7	3.74	0.1	4.54	0.7	3.74	0.1	4.54	XXX	D	B	D	N	N	119.72	119.72
93970	TC	A	0	3.54	0.01	3.55	0	3.54	0.01	3.55	XXX	D	B	D	N	N	93.61	93.61
93970	26	A	0.7	0.19	0.09	0.98	0.7	0.19	0.09	0.98	XXX	D	B	D	N	N	25.84	25.84
93971		A	0.45	2.25	0.06	2.76	0.45	2.25	0.06	2.76	XXX	D	N	D	N	N	72.78	72.78
93971	TC	A	0	2.12	0.01	2.13	0	2.12	0.01	2.13	XXX	D	N	D	N	N	56.17	56.17
93971	26	A	0.45	0.12	0.05	0.62	0.45	0.12	0.05	0.62	XXX	D	N	D	N	N	16.35	16.35
93975		A	1.8	6.77	0.2	8.77	1.8	6.77	0.2	8.77	XXX	D	N	D	N	N	231.26	231.26
93975	TC	A	0	6.26	0.04	6.3	0	6.26	0.04	6.3	XXX	D	N	D	N	N	166.13	166.13
93975	26	A	1.8	0.51	0.16	2.47	1.8	0.51	0.16	2.47	XXX	D	N	D	N	N	65.13	65.13
93976		A	1.21	3.88	0.11	5.2	1.21	3.88	0.11	5.2	XXX	D	N	D	N	N	137.12	137.12
93976	TC	A	0	3.52	0.01	3.53	0	3.52	0.01	3.53	XXX	D	N	D	N	N	93.09	93.09
93976	26	A	1.21	0.36	0.1	1.67	1.21	0.36	0.1	1.67	XXX	D	N	D	N	N	44.04	44.04
93978		A	0.65	4.66	0.1	5.41	0.65	4.66	0.1	5.41	XXX	D	N	D	N	N	142.66	142.66
93978	TC	A	0	4.49	0.01	4.5	0	4.49	0.01	4.5	XXX	D	N	D	N	N	118.67	118.67
93978	26	A	0.65	0.17	0.09	0.91	0.65	0.17	0.09	0.91	XXX	D	N	D	N	N	24.00	24.00
93979		A	0.44	3.24	0.06	3.74	0.44	3.24	0.06	3.74	XXX	D	N	D	N	N	98.62	98.62
93979	TC	A	0	3.13	0.01	3.14	0	3.13	0.01	3.14	XXX	D	N	D	N	N	82.80	82.80
93979	26	A	0.44	0.11	0.05	0.6	0.44	0.11	0.05	0.6	XXX	D	N	D	N	N	15.82	15.82
93980		A	1.25	1.76	0.1	3.11	1.25	1.76	0.1	3.11	XXX	D	N	D	N	N	82.01	82.01
93980	TC	A	0	1.4	0.01	1.41	0	1.4	0.01	1.41	XXX	D	N	D	N	N	37.18	37.18
93980	26	A	1.25	0.37	0.09	1.71	1.25	0.37	0.09	1.71	XXX	D	N	D	N	N	45.09	45.09
93981		A	0.44	1.34	0.05	1.83	0.44	1.34	0.05	1.83	XXX	D	N	D	N	N	48.26	48.26
93981	TC	A	0	1.21	0.01	1.22	0	1.21	0.01	1.22	XXX	D	N	D	N	N	32.17	32.17
93981	26	A	0.44	0.12	0.04	0.6	0.44	0.12	0.04	0.6	XXX	D	N	D	N	N	15.82	15.82
93982		NOT COVEI	0.3	0.72	0.06	1.08	0.3	0.72	0.06	1.08	XXX	N	N	D	N	N	28.48	28.48
93990		A	0.25	4.3	0.06	4.61	0.25	4.3	0.06	4.61	XXX	D	N	D	N	N	121.57	121.57
93990	TC	A	0	4.24	0.01	4.25	0	4.24	0.01	4.25	XXX	D	N	D	N	N	112.07	112.07
93990	26	A	0.25	0.06	0.05	0.36	0.25	0.06	0.05	0.36	XXX	D	N	D	N	N	9.49	9.49

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
93998		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	D	D	0.00	0.00
94002		NOT COVEI	1.99	0.42	0.19	2.6	1.99	0.42	0.19	2.6	XXX	N	N	D	N	N	68.56	68.56
94003		NOT COVEI	1.37	0.36	0.13	1.86	1.37	0.36	0.13	1.86	XXX	N	N	D	N	N	49.05	49.05
94004		NOT COVEI	1	0.27	0.09	1.36	1	0.27	0.09	1.36	XXX	N	N	D	N	N	35.86	35.86
94005		B	1.5	0.86	0.13	2.49	1.5	0.86	0.13	2.49	XXX	N	N	N	N	N	65.66	65.66
94010		A	0.17	0.68	0.03	0.88	0.17	0.68	0.03	0.88	XXX	N	N	D	N	N	23.21	23.21
94010	TC	A	0	0.63	0.01	0.64	0	0.63	0.01	0.64	XXX	N	N	D	N	N	16.88	16.88
94010	26	A	0.17	0.05	0.01	0.23	0.17	0.05	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
94011		A	2	0.64	0.16	2.8	2	0.64	0.16	2.8	XXX	N	N	D	N	N	73.84	73.84
94012		A	3.1	1.02	0.28	4.4	3.1	1.02	0.28	4.4	XXX	N	N	D	N	N	116.03	116.03
94013		A	0.66	0.17	0.05	0.88	0.66	0.17	0.05	0.88	XXX	N	N	D	N	N	23.21	23.21
94014		NOT COVEI	0.52	0.77	0.03	1.32	0.52	0.77	0.03	1.32	XXX	N	N	D	N	N	34.81	34.81
94015		NOT COVEI	0	0.62	0.01	0.63	0	0.62	0.01	0.63	XXX	N	N	D	N	N	16.61	16.61
94016		NOT COVEI	0.52	0.15	0.01	0.68	0.52	0.15	0.01	0.68	XXX	N	N	D	N	N	17.93	17.93
94060		A	0.27	1.17	0.03	1.47	0.27	1.17	0.03	1.47	XXX	N	N	D	N	N	38.76	38.76
94060	TC	A	0	1.1	0.01	1.11	0	1.1	0.01	1.11	XXX	N	N	D	N	N	29.27	29.27
94060	26	A	0.27	0.07	0.01	0.35	0.27	0.07	0.01	0.35	XXX	N	N	D	N	N	9.23	9.23
94070		NOT COVEI	0.6	0.87	0.05	1.52	0.6	0.87	0.05	1.52	XXX	N	N	D	N	N	40.08	40.08
94070	TC	NOT COVEI	0	0.71	0.01	0.72	0	0.71	0.01	0.72	XXX	N	N	D	N	N	18.99	18.99
94070	26	NOT COVEI	0.6	0.16	0.04	0.8	0.6	0.16	0.04	0.8	XXX	N	N	D	N	N	21.10	21.10
94150		B	0.07	0.52	0.03	0.62	0.07	0.52	0.03	0.62	XXX	N	N	N	N	N	16.35	16.35
94150	TC	B	0	0.49	0.01	0.5	0	0.49	0.01	0.5	XXX	N	N	N	N	N	13.19	13.19
94150	26	B	0.07	0.02	0.01	0.1	0.07	0.02	0.01	0.1	XXX	N	N	N	N	N	2.64	2.64
94200		A	0.11	0.47	0.03	0.61	0.11	0.47	0.03	0.61	XXX	N	N	D	N	N	16.09	16.09
94200	TC	A	0	0.43	0.01	0.44	0	0.43	0.01	0.44	XXX	N	N	D	N	N	11.60	11.60
94200	26	A	0.11	0.03	0.01	0.15	0.11	0.03	0.01	0.15	XXX	N	N	D	N	N	3.96	3.96
94250		NOT COVEI	0.11	0.51	0.03	0.65	0.11	0.51	0.03	0.65	XXX	N	N	D	N	N	17.14	17.14
94250	TC	NOT COVEI	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
94250	26	NOT COVEI	0.11	0.03	0.01	0.15	0.11	0.03	0.01	0.15	XXX	N	N	D	N	N	3.96	3.96
94375		A	0.31	0.64	0.03	0.98	0.31	0.64	0.03	0.98	XXX	N	N	D	N	N	25.84	25.84
94375	TC	A	0	0.56	0.01	0.57	0	0.56	0.01	0.57	XXX	N	N	D	N	N	15.03	15.03
94375	26	A	0.31	0.08	0.01	0.4	0.31	0.08	0.01	0.4	XXX	N	N	D	N	N	10.55	10.55
94400		NOT COVEI	0.4	0.96	0.03	1.39	0.4	0.96	0.03	1.39	XXX	N	N	D	N	N	36.65	36.65
94400	TC	NOT COVEI	0	0.84	0.01	0.85	0	0.84	0.01	0.85	XXX	N	N	D	N	N	22.41	22.41
94400	26	NOT COVEI	0.4	0.12	0.01	0.53	0.4	0.12	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
94450		NOT COVEI	0.4	1.24	0.03	1.67	0.4	1.24	0.03	1.67	XXX	N	N	D	N	N	44.04	44.04
94450	TC	NOT COVEI	0	1.11	0.01	1.12	0	1.11	0.01	1.12	XXX	N	N	D	N	N	29.53	29.53
94450	26	NOT COVEI	0.4	0.12	0.01	0.53	0.4	0.12	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
94452		NOT COVEI	0.31	1.07	0.03	1.41	0.31	1.07	0.03	1.41	XXX	N	N	D	N	N	37.18	37.18
94452	TC	NOT COVEI	0	1	0.01	1.01	0	1	0.01	1.01	XXX	N	N	D	N	N	26.63	26.63
94452	26	NOT COVEI	0.31	0.07	0.01	0.39	0.31	0.07	0.01	0.39	XXX	N	N	D	N	N	10.28	10.28
94453		NOT COVEI	0.4	1.52	0.03	1.95	0.4	1.52	0.03	1.95	XXX	N	N	D	N	N	51.42	51.42
94453	TC	NOT COVEI	0	1.42	0.01	1.43	0	1.42	0.01	1.43	XXX	N	N	D	N	N	37.71	37.71
94453	26	NOT COVEI	0.4	0.1	0.01	0.51	0.4	0.1	0.01	0.51	XXX	N	N	D	N	N	13.45	13.45
94610		B	1.16	0.38	0.09	1.63	1.16	0.38	0.09	1.63	XXX	N	N	D	N	N	42.98	42.98
94620		A	0.64	0.74	0.05	1.43	0.64	0.74	0.05	1.43	XXX	N	N	D	N	N	37.71	37.71
94620	TC	A	0	0.57	0.01	0.58	0	0.57	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29
94620	26	A	0.64	0.17	0.04	0.85	0.64	0.17	0.04	0.85	XXX	N	N	D	N	N	22.41	22.41
94621		A	1.42	2.6	0.08	4.1	1.42	2.6	0.08	4.1	XXX	N	N	D	N	N	108.12	108.12
94621	TC	A	0	2.19	0.01	2.2	0	2.19	0.01	2.2	XXX	N	N	D	N	N	58.01	58.01
94621	26	A	1.42	0.41	0.06	1.89	1.42	0.41	0.06	1.89	XXX	N	N	D	N	N	49.84	49.84
94640		A	0	0.42	0.01	0.43	0	0.42	0.01	0.43	XXX	N	N	D	N	N	11.34	11.34
94642		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
94644		B	0	1.02	0.01	1.03	0	1.02	0.01	1.03	XXX	N	N	D	N	N	27.16	27.16

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
94645		B	0	0.32	0.01	0.33	0	0.32	0.01	0.33	XXX	N	N	D	N	N	8.70	8.70
94660		NOT COVEI	0.76	0.22	0.06	1.04	0.76	0.8	0.06	1.62	XXX	N	N	D	N	N	27.42	42.72
94662		NOT COVEI	0.76	0.27	0.06	1.09	0.76	0.27	0.06	1.09	XXX	N	N	D	N	N	28.74	28.74
94664		A	0	0.39	0.01	0.4	0	0.39	0.01	0.4	XXX	N	N	D	N	N	10.55	10.55
94667		NOT COVEI	0	0.58	0.01	0.59	0	0.58	0.01	0.59	XXX	N	N	D	N	N	15.56	15.56
94668		NOT COVEI	0	0.67	0.01	0.68	0	0.67	0.01	0.68	XXX	N	N	D	N	N	17.93	17.93
94669		NOT COVEI	0	0.82	0.01	0.83	0	0.82	0.01	0.83	XXX	N	N	D	N	N	21.89	21.89
94680		NOT COVEI	0.26	1.11	0.03	1.4	0.26	1.11	0.03	1.4	XXX	N	N	D	N	N	36.92	36.92
94680	TC	NOT COVEI	0	1.04	0.01	1.05	0	1.04	0.01	1.05	XXX	N	N	D	N	N	27.69	27.69
94680	26	NOT COVEI	0.26	0.07	0.01	0.34	0.26	0.07	0.01	0.34	XXX	N	N	D	N	N	8.97	8.97
94681		NOT COVEI	0.2	1.01	0.03	1.24	0.2	1.01	0.03	1.24	XXX	N	N	D	N	N	32.70	32.70
94681	TC	NOT COVEI	0	0.95	0.01	0.96	0	0.95	0.01	0.96	XXX	N	N	D	N	N	25.32	25.32
94681	26	NOT COVEI	0.2	0.06	0.01	0.27	0.2	0.06	0.01	0.27	XXX	N	N	D	N	N	7.12	7.12
94690		NOT COVEI	0.07	1.06	0.03	1.16	0.07	1.06	0.03	1.16	XXX	N	N	D	N	N	30.59	30.59
94690	TC	NOT COVEI	0	1.04	0.01	1.05	0	1.04	0.01	1.05	XXX	N	N	D	N	N	27.69	27.69
94690	26	NOT COVEI	0.07	0.02	0.01	0.1	0.07	0.02	0.01	0.1	XXX	N	N	D	N	N	2.64	2.64
94726		A	0.26	1	0.04	1.3	0.26	1	0.04	1.3	XXX	N	N	D	N	N	34.28	34.28
94726	TC	A	0	0.93	0.03	0.96	0	0.93	0.03	0.96	XXX	N	N	D	N	N	25.32	25.32
94726	26	A	0.26	0.07	0.01	0.34	0.26	0.07	0.01	0.34	XXX	N	N	D	N	N	8.97	8.97
94727		NOT COVEI	0.26	0.75	0.03	1.04	0.26	0.75	0.03	1.04	XXX	N	N	D	N	N	27.42	27.42
94727	TC	NOT COVEI	0	0.68	0.01	0.69	0	0.68	0.01	0.69	XXX	N	N	D	N	N	18.20	18.20
94727	26	NOT COVEI	0.26	0.07	0.01	0.34	0.26	0.07	0.01	0.34	XXX	N	N	D	N	N	8.97	8.97
94728		NOT COVEI	0.26	0.71	0.03	1	0.26	0.71	0.03	1	XXX	N	N	D	N	N	26.37	26.37
94728	TC	NOT COVEI	0	0.63	0.01	0.64	0	0.63	0.01	0.64	XXX	N	N	D	N	N	16.88	16.88
94728	26	NOT COVEI	0.26	0.07	0.01	0.34	0.26	0.07	0.01	0.34	XXX	N	N	D	N	N	8.97	8.97
94729		A	0.19	1.09	0.03	1.31	0.19	1.09	0.03	1.31	ZZZ	N	N	D	N	N	34.54	34.54
94729	TC	A	0	1.04	0.01	1.05	0	1.04	0.01	1.05	ZZZ	N	N	D	N	N	27.69	27.69
94729	26	A	0.19	0.05	0.01	0.25	0.19	0.05	0.01	0.25	ZZZ	N	N	D	N	N	6.59	6.59
94750		NOT COVEI	0.23	1.69	0.03	1.95	0.23	1.69	0.03	1.95	XXX	N	N	D	N	N	51.42	51.42
94750	TC	NOT COVEI	0	1.62	0.01	1.63	0	1.62	0.01	1.63	XXX	N	N	D	N	N	42.98	42.98
94750	26	NOT COVEI	0.23	0.07	0.01	0.31	0.23	0.07	0.01	0.31	XXX	N	N	D	N	N	8.17	8.17
94760		T	0	0.07	0.01	0.08	0	0.07	0.01	0.08	XXX	N	N	D	N	N	2.11	2.11
94761		T	0	0.11	0.01	0.12	0	0.11	0.01	0.12	XXX	N	N	D	N	N	3.16	3.16
94762		NOT COVEI	0	0.57	0.01	0.58	0	0.57	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29
94770		NOT COVEI	0.15	0.04	0.04	0.23	0.15	0.04	0.04	0.23	XXX	N	N	D	N	N	6.07	6.07
94772		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
94772	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
94772	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
94774		B	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
94775		B	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
94776		B	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
94777		B	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
94780		NOT COVEI	0.48	0.12	0.04	0.64	0.48	0.78	0.04	1.3	XXX	N	N	N	N	N	16.88	34.28
94781		NOT COVEI	0.17	0.05	0.01	0.23	0.17	0.32	0.01	0.5	ZZZ	N	N	N	N	N	6.07	13.19
94799		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
94799	TC	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
94799	26	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95004		A	0.01	0.13	0.01	0.15	0.01	0.13	0.01	0.15	XXX	N	N	D	N	N	3.96	3.96
95012		NOT COVEI	0	0.44	0.01	0.45	0	0.44	0.01	0.45	XXX	N	N	D	N	N	11.87	11.87
95017		A	0.07	0.02	0.01	0.1	0.07	0.12	0.01	0.2	XXX	N	N	D	N	N	2.64	5.27
95018		A	0.14	0.04	0.01	0.19	0.14	0.34	0.01	0.49	XXX	N	N	D	N	N	5.01	12.92
95024		A	0.01	0.01	0.01	0.03	0.01	0.17	0.01	0.19	XXX	N	N	D	N	N	0.79	5.01
95027		A	0.01	0.09	0.01	0.11	0.01	0.09	0.01	0.11	XXX	N	N	D	N	N	2.90	2.90
95028		A	0	0.31	0.01	0.32	0	0.31	0.01	0.32	XXX	N	N	D	N	N	8.44	8.44

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
95044		A	0	0.12	0.01	0.13	0	0.12	0.01	0.13	XXX	N	N	D	N	N	3.43	3.43
95052		A	0	0.14	0.01	0.15	0	0.14	0.01	0.15	XXX	N	N	D	N	N	3.96	3.96
95056		A	0	1	0.01	1.01	0	1	0.01	1.01	XXX	N	N	D	N	N	26.63	26.63
95060		A	0	0.77	0.01	0.78	0	0.77	0.01	0.78	XXX	N	N	D	N	N	20.57	20.57
95065		A	0	0.61	0.01	0.62	0	0.61	0.01	0.62	XXX	N	N	D	N	N	16.35	16.35
95070		A	0	0.67	0.01	0.68	0	0.67	0.01	0.68	XXX	N	N	D	N	N	17.93	17.93
95071		A	0	0.81	0.01	0.82	0	0.81	0.01	0.82	XXX	N	N	D	N	N	21.62	21.62
95076		A	1.5	0.44	0.06	2	1.5	1.44	0.06	3	XXX	N	N	D	N	N	52.74	79.11
95079		A	1.38	0.41	0.06	1.85	1.38	0.77	0.06	2.21	ZZZ	N	N	D	N	N	48.78	58.28
95115		A	0	0.2	0.01	0.21	0	0.2	0.01	0.21	XXX	N	N	D	N	N	5.54	5.54
95117		A	0	0.23	0.01	0.24	0	0.23	0.01	0.24	XXX	N	N	D	N	N	6.33	6.33
95120		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
95125		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
95130		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
95131		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
95132		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
95133		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
95134		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
95144		A	0.06	0.02	0.01	0.09	0.06	0.23	0.01	0.3	XXX	N	N	D	N	N	2.37	7.91
95145		A	0.06	0.02	0.01	0.09	0.06	0.45	0.01	0.52	XXX	N	N	D	N	N	2.37	13.71
95146		A	0.06	0.02	0.01	0.09	0.06	0.85	0.01	0.92	XXX	N	N	D	N	N	2.37	24.26
95147		A	0.06	0.02	0.01	0.09	0.06	0.76	0.01	0.83	XXX	N	N	D	N	N	2.37	21.89
95148		A	0.06	0.02	0.01	0.09	0.06	1.16	0.01	1.23	XXX	N	N	D	N	N	2.37	32.44
95149		A	0.06	0.02	0.01	0.09	0.06	1.57	0.01	1.64	XXX	N	N	D	N	N	2.37	43.25
95165		A	0.06	0.02	0.01	0.09	0.06	0.24	0.01	0.31	XXX	N	N	D	N	N	2.37	8.17
95170		A	0.06	0.02	0.01	0.09	0.06	0.17	0.01	0.24	XXX	N	N	D	N	N	2.37	6.33
95180		A	2.01	0.66	0.09	2.76	2.01	1.41	0.09	3.51	XXX	N	N	D	N	N	72.78	92.56
95199		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95250		NOT COVEI	0	3.64	0.01	3.65	0	3.64	0.01	3.65	XXX	N	N	D	N	N	96.25	96.25
95251		NOT COVEI	0.85	0.28	0.05	1.18	0.85	0.28	0.05	1.18	XXX	N	N	D	N	N	31.12	31.12
95782		A	2.6	21.44	0.35	24.39	2.6	21.44	0.35	24.39	XXX	N	N	D	N	N	643.16	643.16
95782	TC	A	0	20.61	0.23	20.84	0	20.61	0.23	20.84	XXX	N	N	D	N	N	549.55	549.55
95782	26	A	2.6	0.83	0.13	3.56	2.6	0.83	0.13	3.56	XXX	N	N	D	N	N	93.88	93.88
95783		A	2.83	22.8	0.39	26.02	2.83	22.8	0.39	26.02	XXX	N	N	D	N	N	686.15	686.15
95783	TC	A	0	21.89	0.25	22.14	0	21.89	0.25	22.14	XXX	N	N	D	N	N	583.83	583.83
95783	26	A	2.83	0.91	0.14	3.88	2.83	0.91	0.14	3.88	XXX	N	N	D	N	N	102.32	102.32
95800		NOT COVEI	1.05	3.25	0.06	4.36	1.05	3.25	0.06	4.36	XXX	N	N	D	N	N	114.97	114.97
95800	TC	NOT COVEI	0	2.94	0.01	2.95	0	2.94	0.01	2.95	XXX	N	N	D	N	N	77.79	77.79
95800	26	NOT COVEI	1.05	0.32	0.05	1.42	1.05	0.32	0.05	1.42	XXX	N	N	D	N	N	37.45	37.45
95801		NOT COVEI	1	1.34	0.06	2.4	1	1.34	0.06	2.4	XXX	N	N	D	N	N	63.29	63.29
95801	TC	NOT COVEI	0	1.06	0.01	1.07	0	1.06	0.01	1.07	XXX	N	N	D	N	N	28.22	28.22
95801	26	NOT COVEI	1	0.28	0.05	1.33	1	0.28	0.05	1.33	XXX	N	N	D	N	N	35.07	35.07
95803		NOT COVEI	0.9	2.72	0.06	3.68	0.9	2.72	0.06	3.68	XXX	N	N	D	N	N	97.04	97.04
95803	TC	NOT COVEI	0	2.48	0.01	2.49	0	2.48	0.01	2.49	XXX	N	N	D	N	N	65.66	65.66
95803	26	NOT COVEI	0.9	0.24	0.05	1.19	0.9	0.24	0.05	1.19	XXX	N	N	D	N	N	31.38	31.38
95805		A	1.2	8.76	0.1	10.06	1.2	8.76	0.1	10.06	XXX	N	N	D	N	N	265.28	265.28
95805	TC	A	0	8.39	0.05	8.44	0	8.39	0.05	8.44	XXX	N	N	D	N	N	222.56	222.56
95805	26	A	1.2	0.37	0.05	1.62	1.2	0.37	0.05	1.62	XXX	N	N	D	N	N	42.72	42.72
95806		A	1.25	2.91	0.1	4.26	1.25	2.91	0.1	4.26	XXX	N	N	D	N	N	112.34	112.34
95806	TC	A	0	2.55	0.04	2.59	0	2.55	0.04	2.59	XXX	N	N	D	N	N	68.30	68.30
95806	26	A	1.25	0.37	0.06	1.68	1.25	0.37	0.06	1.68	XXX	N	N	D	N	N	44.30	44.30
95807		A	1.28	9.88	0.19	11.35	1.28	9.88	0.19	11.35	XXX	N	N	D	N	N	299.30	299.30
95807	TC	A	0	9.52	0.13	9.65	0	9.52	0.13	9.65	XXX	N	N	D	N	N	254.47	254.47
95807	26	A	1.28	0.36	0.06	1.7	1.28	0.36	0.06	1.7	XXX	N	N	D	N	N	44.83	44.83

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
95808		A	1.74	13.25	0.21	15.2	1.74	13.25	0.21	15.2	XXX	N	N	D	N	N	400.82	400.82
95808	TC	A	0	12.7	0.13	12.83	0	12.7	0.13	12.83	XXX	N	N	D	N	N	338.33	338.33
95808	26	A	1.74	0.55	0.09	2.38	1.74	0.55	0.09	2.38	XXX	N	N	D	N	N	62.76	62.76
95810		A	2.5	12.17	0.26	14.93	2.5	12.17	0.26	14.93	XXX	N	N	D	N	N	393.70	393.70
95810	TC	A	0	11.46	0.14	11.6	0	11.46	0.14	11.6	XXX	N	N	D	N	N	305.89	305.89
95810	26	A	2.5	0.72	0.13	3.35	2.5	0.72	0.13	3.35	XXX	N	N	D	N	N	88.34	88.34
95811		A	2.6	12.79	0.28	15.67	2.6	12.79	0.28	15.67	XXX	N	N	D	N	N	413.22	413.22
95811	TC	A	0	12.05	0.14	12.19	0	12.05	0.14	12.19	XXX	N	N	D	N	N	321.45	321.45
95811	26	A	2.6	0.74	0.14	3.48	2.6	0.74	0.14	3.48	XXX	N	N	D	N	N	91.77	91.77
95812		A	1.08	9.12	0.09	10.29	1.08	9.12	0.09	10.29	XXX	N	N	D	N	N	271.35	271.35
95812	TC	A	0	8.7	0.04	8.74	0	8.7	0.04	8.74	XXX	N	N	D	N	N	230.47	230.47
95812	26	A	1.08	0.42	0.05	1.55	1.08	0.42	0.05	1.55	XXX	N	N	D	N	N	40.87	40.87
95813		A	1.73	10.26	0.14	12.13	1.73	10.26	0.14	12.13	XXX	N	N	D	N	N	319.87	319.87
95813	TC	A	0	9.59	0.05	9.64	0	9.59	0.05	9.64	XXX	N	N	D	N	N	254.21	254.21
95813	26	A	1.73	0.67	0.09	2.49	1.73	0.67	0.09	2.49	XXX	N	N	D	N	N	65.66	65.66
95816		A	1.08	7.27	0.1	8.45	1.08	7.27	0.1	8.45	XXX	N	N	D	N	N	222.83	222.83
95816	TC	A	0	6.86	0.04	6.9	0	6.86	0.04	6.9	XXX	N	N	D	N	N	181.95	181.95
95816	26	A	1.08	0.42	0.06	1.56	1.08	0.42	0.06	1.56	XXX	N	N	D	N	N	41.14	41.14
95819		A	1.08	8.44	0.09	9.61	1.08	8.44	0.09	9.61	XXX	N	N	D	N	N	253.42	253.42
95819	TC	A	0	8.03	0.04	8.07	0	8.03	0.04	8.07	XXX	N	N	D	N	N	212.81	212.81
95819	26	A	1.08	0.42	0.05	1.55	1.08	0.42	0.05	1.55	XXX	N	N	D	N	N	40.87	40.87
95822		A	1.08	7.42	0.09	8.59	1.08	7.42	0.09	8.59	XXX	N	N	D	N	N	226.52	226.52
95822	TC	A	0	7.01	0.04	7.05	0	7.01	0.04	7.05	XXX	N	N	D	N	N	185.91	185.91
95822	26	A	1.08	0.42	0.05	1.55	1.08	0.42	0.05	1.55	XXX	N	N	D	N	N	40.87	40.87
95824		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95824	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95824	26	C	0.74	0.29	0.06	1.09	0.74	0.29	0.06	1.09	XXX	N	N	D	N	N	28.74	28.74
95827		A	1.08	17.1	0.16	18.34	1.08	17.1	0.16	18.34	XXX	N	N	D	N	N	483.63	483.63
95827	TC	A	0	16.68	0.1	16.78	0	16.68	0.1	16.78	XXX	N	N	D	N	N	442.49	442.49
95827	26	A	1.08	0.42	0.06	1.56	1.08	0.42	0.06	1.56	XXX	N	N	D	N	N	41.14	41.14
95829		A	6.2	37.82	0.25	44.27	6.2	37.82	0.25	44.27	XXX	N	N	D	N	N	1,167.40	1,167.40
95829	TC	A	0	35.45	0.06	35.51	0	35.45	0.06	35.51	XXX	N	N	D	N	N	936.40	936.40
95829	26	A	6.2	2.37	0.19	8.76	6.2	2.37	0.19	8.76	XXX	N	N	D	N	N	231.00	231.00
95830		A	1.7	0.65	0.16	2.51	1.7	4.37	0.16	6.23	XXX	N	N	D	N	N	66.19	164.29
95831		A	0.28	0.07	0.04	0.39	0.28	0.38	0.04	0.7	XXX	N	N	D	N	N	10.28	18.46
95832		A	0.29	0.07	0.04	0.4	0.29	0.32	0.04	0.65	XXX	N	N	D	N	N	10.55	17.14
95833		A	0.47	0.11	0.01	0.59	0.47	0.47	0.01	0.95	XXX	N	N	D	N	N	15.56	25.05
95834		A	0.6	0.22	0.04	0.86	0.6	0.67	0.04	1.31	XXX	N	N	D	N	N	22.68	34.54
95851		A	0.16	0.04	0.01	0.21	0.16	0.27	0.01	0.44	XXX	N	N	D	N	N	5.54	11.60
95852		A	0.11	0.04	0.01	0.16	0.11	0.29	0.01	0.41	XXX	N	N	D	N	N	4.22	10.81
95857		A	0.53	0.22	0.05	0.8	0.53	0.82	0.05	1.4	XXX	N	N	D	N	N	21.10	36.92
95860		A	0.96	2	0.05	3.01	0.96	2	0.05	3.01	XXX	N	N	D	N	N	79.37	79.37
95860	TC	A	0	1.61	0.01	1.62	0	1.61	0.01	1.62	XXX	N	N	D	N	N	42.72	42.72
95860	26	A	0.96	0.39	0.04	1.39	0.96	0.39	0.04	1.39	XXX	N	N	D	N	N	36.65	36.65
95861		A	1.54	2.59	0.08	4.21	1.54	2.59	0.08	4.21	XXX	N	N	D	N	N	111.02	111.02
95861	TC	A	0	1.97	0.01	1.98	0	1.97	0.01	1.98	XXX	N	N	D	N	N	52.21	52.21
95861	26	A	1.54	0.62	0.06	2.22	1.54	0.62	0.06	2.22	XXX	N	N	D	N	N	58.54	58.54
95863		A	1.87	3.14	0.1	5.11	1.87	3.14	0.1	5.11	XXX	N	N	D	N	N	134.75	134.75
95863	TC	A	0	2.41	0.01	2.42	0	2.41	0.01	2.42	XXX	N	N	D	N	N	63.82	63.82
95863	26	A	1.87	0.73	0.09	2.69	1.87	0.73	0.09	2.69	XXX	N	N	D	N	N	70.94	70.94
95864		A	1.99	3.77	0.1	5.86	1.99	3.77	0.1	5.86	XXX	N	N	D	N	N	154.53	154.53
95864	TC	A	0	2.99	0.01	3	0	2.99	0.01	3	XXX	N	N	D	N	N	79.11	79.11
95864	26	A	1.99	0.78	0.09	2.86	1.99	0.78	0.09	2.86	XXX	N	N	D	N	N	75.42	75.42
95865		A	1.57	1.84	0.06	3.47	1.57	1.84	0.06	3.47	XXX	N	B	D	N	N	91.50	91.50

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
95865	TC	A	0	1.24	0.01	1.25	0	1.24	0.01	1.25	XXX	N	B	D	N	N	32.96	32.96
95865	26	A	1.57	0.6	0.05	2.22	1.57	0.6	0.05	2.22	XXX	N	B	D	N	N	58.54	58.54
95866		A	1.25	1.99	0.08	3.32	1.25	1.99	0.08	3.32	XXX	N	Y	D	N	N	87.55	87.55
95866	TC	A	0	1.48	0.01	1.49	0	1.48	0.01	1.49	XXX	N	Y	D	N	N	39.29	39.29
95866	26	A	1.25	0.51	0.06	1.82	1.25	0.51	0.06	1.82	XXX	N	Y	D	N	N	47.99	47.99
95867		A	0.79	1.49	0.05	2.33	0.79	1.49	0.05	2.33	XXX	N	N	D	N	N	61.44	61.44
95867	TC	A	0	1.18	0.01	1.19	0	1.18	0.01	1.19	XXX	N	N	D	N	N	31.38	31.38
95867	26	A	0.79	0.31	0.04	1.14	0.79	0.31	0.04	1.14	XXX	N	N	D	N	N	30.06	30.06
95868		A	1.18	2.01	0.06	3.25	1.18	2.01	0.06	3.25	XXX	N	B	D	N	N	85.70	85.70
95868	TC	A	0	1.56	0.01	1.57	0	1.56	0.01	1.57	XXX	N	B	D	N	N	41.40	41.40
95868	26	A	1.18	0.46	0.05	1.69	1.18	0.46	0.05	1.69	XXX	N	B	D	N	N	44.57	44.57
95869		A	0.37	1.43	0.03	1.83	0.37	1.43	0.03	1.83	XXX	N	N	D	N	N	48.26	48.26
95869	TC	A	0	1.29	0.01	1.3	0	1.29	0.01	1.3	XXX	N	N	D	N	N	34.28	34.28
95869	26	A	0.37	0.14	0.01	0.52	0.37	0.14	0.01	0.52	XXX	N	N	D	N	N	13.71	13.71
95870		A	0.37	1.72	0.03	2.12	0.37	1.72	0.03	2.12	XXX	N	N	D	N	N	55.90	55.90
95870	TC	A	0	1.57	0.01	1.58	0	1.57	0.01	1.58	XXX	N	N	D	N	N	41.66	41.66
95870	26	A	0.37	0.15	0.01	0.53	0.37	0.15	0.01	0.53	XXX	N	N	D	N	N	13.98	13.98
95872		A	2.88	2.27	0.15	5.3	2.88	2.27	0.15	5.3	XXX	N	N	D	N	N	139.76	139.76
95872	TC	A	0	1.12	0.01	1.13	0	1.12	0.01	1.13	XXX	N	N	D	N	N	29.80	29.80
95872	26	A	2.88	1.15	0.14	4.17	2.88	1.15	0.14	4.17	XXX	N	N	D	N	N	109.96	109.96
95873		A	0.37	1.41	0.03	1.81	0.37	1.41	0.03	1.81	ZZZ	N	N	D	N	N	47.73	47.73
95873	TC	A	0	1.25	0.01	1.26	0	1.25	0.01	1.26	ZZZ	N	N	D	N	N	33.23	33.23
95873	26	A	0.37	0.17	0.01	0.55	0.37	0.17	0.01	0.55	ZZZ	N	N	D	N	N	14.50	14.50
95874		A	0.37	1.36	0.03	1.76	0.37	1.36	0.03	1.76	ZZZ	N	N	D	N	N	46.41	46.41
95874	TC	A	0	1.21	0.01	1.22	0	1.21	0.01	1.22	ZZZ	N	N	D	N	N	32.17	32.17
95874	26	A	0.37	0.15	0.01	0.53	0.37	0.15	0.01	0.53	ZZZ	N	N	D	N	N	13.98	13.98
95875		A	1.1	2	0.08	3.18	1.1	2	0.08	3.18	XXX	N	N	D	N	N	83.86	83.86
95875	TC	A	0	1.57	0.01	1.58	0	1.57	0.01	1.58	XXX	N	N	D	N	N	41.66	41.66
95875	26	A	1.1	0.42	0.06	1.58	1.1	0.42	0.06	1.58	XXX	N	N	D	N	N	41.66	41.66
95885		A	0.35	1.06	0.03	1.44	0.35	1.06	0.03	1.44	ZZZ	N	N	D	N	N	37.97	37.97
95885	TC	A	0	0.92	0.01	0.93	0	0.92	0.01	0.93	ZZZ	N	N	D	N	N	24.52	24.52
95885	26	A	0.35	0.14	0.01	0.5	0.35	0.14	0.01	0.5	ZZZ	N	N	D	N	N	13.19	13.19
95886		A	0.86	1.39	0.05	2.3	0.86	1.39	0.05	2.3	ZZZ	N	N	D	N	N	60.65	60.65
95886	TC	A	0	1.04	0.01	1.05	0	1.04	0.01	1.05	ZZZ	N	N	D	N	N	27.69	27.69
95886	26	A	0.86	0.35	0.04	1.25	0.86	0.35	0.04	1.25	ZZZ	N	N	D	N	N	32.96	32.96
95887		A	0.71	1.4	0.04	2.15	0.71	1.4	0.04	2.15	ZZZ	N	N	D	N	N	56.70	56.70
95887	TC	A	0	1.11	0.01	1.12	0	1.11	0.01	1.12	ZZZ	N	N	D	N	N	29.53	29.53
95887	26	A	0.71	0.28	0.03	1.02	0.71	0.28	0.03	1.02	ZZZ	N	N	D	N	N	26.90	26.90
95905		A	0.05	1.53	0.03	1.61	0.05	1.53	0.03	1.61	XXX	N	N	D	N	N	42.46	42.46
95905	TC	A	0	1.51	0.01	1.52	0	1.51	0.01	1.52	XXX	N	N	D	N	N	40.08	40.08
95905	26	A	0.05	0.02	0.01	0.08	0.05	0.02	0.01	0.08	XXX	N	N	D	N	N	2.11	2.11
95907		A	1	1.33	0.08	2.41	1	1.33	0.08	2.41	XXX	N	N	D	N	N	63.55	63.55
95907	TC	A	0	0.94	0.04	0.98	0	0.94	0.04	0.98	XXX	N	N	D	N	N	25.84	25.84
95907	26	A	1	0.39	0.04	1.43	1	0.39	0.04	1.43	XXX	N	N	D	N	N	37.71	37.71
95908		A	1.25	1.63	0.09	2.97	1.25	1.63	0.09	2.97	XXX	N	N	D	N	N	78.32	78.32
95908	TC	A	0	1.15	0.04	1.19	0	1.15	0.04	1.19	XXX	N	N	D	N	N	31.38	31.38
95908	26	A	1.25	0.48	0.05	1.78	1.25	0.48	0.05	1.78	XXX	N	N	D	N	N	46.94	46.94
95909		A	1.5	1.96	0.11	3.57	1.5	1.96	0.11	3.57	XXX	N	N	D	N	N	94.14	94.14
95909	TC	A	0	1.38	0.06	1.44	0	1.38	0.06	1.44	XXX	N	N	D	N	N	37.97	37.97
95909	26	A	1.5	0.58	0.05	2.13	1.5	0.58	0.05	2.13	XXX	N	N	D	N	N	56.17	56.17
95910		A	2	2.55	0.15	4.7	2	2.55	0.15	4.7	XXX	N	N	D	N	N	123.94	123.94
95910	TC	A	0	1.78	0.08	1.86	0	1.78	0.08	1.86	XXX	N	N	D	N	N	49.05	49.05
95910	26	A	2	0.77	0.08	2.85	2	0.77	0.08	2.85	XXX	N	N	D	N	N	75.15	75.15
95911		A	2.5	3.05	0.19	5.74	2.5	3.05	0.19	5.74	XXX	N	N	D	N	N	151.36	151.36

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
95911	TC	A	0	2.07	0.1	2.17	0	2.07	0.1	2.17	XXX	N	N	D	N	N	57.22	57.22
95911	26	A	2.5	0.97	0.09	3.56	2.5	0.97	0.09	3.56	XXX	N	N	D	N	N	93.88	93.88
95912		A	3	3.53	0.23	6.76	3	3.53	0.23	6.76	XXX	N	N	D	N	N	178.26	178.26
95912	TC	A	0	2.36	0.11	2.47	0	2.36	0.11	2.47	XXX	N	N	D	N	N	65.13	65.13
95912	26	A	3	1.16	0.11	4.27	3	1.16	0.11	4.27	XXX	N	N	D	N	N	112.60	112.60
95913		A	3.56	4.01	0.26	7.83	3.56	4.01	0.26	7.83	XXX	N	N	D	N	N	206.48	206.48
95913	TC	A	0	2.63	0.14	2.77	0	2.63	0.14	2.77	XXX	N	N	D	N	N	73.04	73.04
95913	26	A	3.56	1.38	0.13	5.07	3.56	1.38	0.13	5.07	XXX	N	N	D	N	N	133.70	133.70
95921		A	0.9	1.3	0.06	2.26	0.9	1.3	0.06	2.26	XXX	N	N	D	N	N	59.60	59.60
95921	TC	A	0	1	0.01	1.01	0	1	0.01	1.01	XXX	N	N	D	N	N	26.63	26.63
95921	26	A	0.9	0.3	0.05	1.25	0.9	0.3	0.05	1.25	XXX	N	N	D	N	N	32.96	32.96
95922		A	0.96	1.66	0.06	2.68	0.96	1.66	0.06	2.68	XXX	N	N	D	N	N	70.67	70.67
95922	TC	A	0	1.33	0.01	1.34	0	1.33	0.01	1.34	XXX	N	N	D	N	N	35.34	35.34
95922	26	A	0.96	0.33	0.05	1.34	0.96	0.33	0.05	1.34	XXX	N	N	D	N	N	35.34	35.34
95923		A	0.9	4.03	0.06	4.99	0.9	4.03	0.06	4.99	XXX	N	N	D	N	N	131.59	131.59
95923	TC	A	0	3.71	0.01	3.72	0	3.71	0.01	3.72	XXX	N	N	D	N	N	98.10	98.10
95923	26	A	0.9	0.32	0.05	1.27	0.9	0.32	0.05	1.27	XXX	N	N	D	N	N	33.49	33.49
95924		A	1.73	1.89	0.11	3.73	1.73	1.89	0.11	3.73	XXX	N	N	D	N	N	98.36	98.36
95924	TC	A	0	1.31	0.01	1.32	0	1.31	0.01	1.32	XXX	N	N	D	N	N	34.81	34.81
95924	26	A	1.73	0.57	0.1	2.4	1.73	0.57	0.1	2.4	XXX	N	N	D	N	N	63.29	63.29
95925		A	0.54	3.59	0.03	4.16	0.54	3.59	0.03	4.16	XXX	N	B	D	N	N	109.70	109.70
95925	TC	A	0	3.39	0.01	3.4	0	3.39	0.01	3.4	XXX	N	B	D	N	N	89.66	89.66
95925	26	A	0.54	0.2	0.01	0.75	0.54	0.2	0.01	0.75	XXX	N	B	D	N	N	19.78	19.78
95926		A	0.54	2.9	0.05	3.49	0.54	2.9	0.05	3.49	XXX	N	B	D	N	N	92.03	92.03
95926	TC	A	0	2.72	0.01	2.73	0	2.72	0.01	2.73	XXX	N	B	D	N	N	71.99	71.99
95926	26	A	0.54	0.18	0.04	0.76	0.54	0.18	0.04	0.76	XXX	N	B	D	N	N	20.04	20.04
95927		A	0.54	3.31	0.03	3.88	0.54	3.31	0.03	3.88	XXX	N	N	D	N	N	102.32	102.32
95927	TC	A	0	3.12	0.01	3.13	0	3.12	0.01	3.13	XXX	N	N	D	N	N	82.54	82.54
95927	26	A	0.54	0.19	0.01	0.74	0.54	0.19	0.01	0.74	XXX	N	N	D	N	N	19.51	19.51
95928		A	1.5	4.57	0.13	6.2	1.5	4.57	0.13	6.2	XXX	N	B	D	N	N	163.49	163.49
95928	TC	A	0	3.99	0.04	4.03	0	3.99	0.04	4.03	XXX	N	B	D	N	N	106.27	106.27
95928	26	A	1.5	0.58	0.09	2.17	1.5	0.58	0.09	2.17	XXX	N	B	D	N	N	57.22	57.22
95929		A	1.5	4.42	0.13	6.05	1.5	4.42	0.13	6.05	XXX	N	B	D	N	N	159.54	159.54
95929	TC	A	0	3.85	0.04	3.89	0	3.85	0.04	3.89	XXX	N	B	D	N	N	102.58	102.58
95929	26	A	1.5	0.57	0.09	2.16	1.5	0.57	0.09	2.16	XXX	N	B	D	N	N	56.96	56.96
95930		A	0.35	2.8	0.03	3.18	0.35	2.8	0.03	3.18	XXX	N	B	D	N	N	83.86	83.86
95930	TC	A	0	2.67	0.01	2.68	0	2.67	0.01	2.68	XXX	N	B	D	N	N	70.67	70.67
95930	26	A	0.35	0.13	0.01	0.49	0.35	0.13	0.01	0.49	XXX	N	B	D	N	N	12.92	12.92
95933		A	0.59	1.41	0.05	2.05	0.59	1.41	0.05	2.05	XXX	N	N	D	N	N	54.06	54.06
95933	TC	A	0	1.19	0.01	1.2	0	1.19	0.01	1.2	XXX	N	N	D	N	N	31.64	31.64
95933	26	A	0.59	0.22	0.04	0.85	0.59	0.22	0.04	0.85	XXX	N	N	D	N	N	22.41	22.41
95937		A	0.65	1.31	0.06	2.02	0.65	1.31	0.06	2.02	XXX	N	N	D	N	N	53.27	53.27
95937	TC	A	0	1.06	0.01	1.07	0	1.06	0.01	1.07	XXX	N	N	D	N	N	28.22	28.22
95937	26	A	0.65	0.25	0.05	0.95	0.65	0.25	0.05	0.95	XXX	N	N	D	N	N	25.05	25.05
95938		A	0.86	7.09	0.09	8.04	0.86	7.09	0.09	8.04	XXX	N	B	D	N	N	212.01	212.01
95938	TC	A	0	6.76	0.04	6.8	0	6.76	0.04	6.8	XXX	N	B	D	N	N	179.32	179.32
95938	26	A	0.86	0.33	0.05	1.24	0.86	0.33	0.05	1.24	XXX	N	B	D	N	N	32.70	32.70
95939		A	2.25	9.49	0.19	11.93	2.25	9.49	0.19	11.93	XXX	N	B	D	N	N	314.59	314.59
95939	TC	A	0	8.63	0.05	8.68	0	8.63	0.05	8.68	XXX	N	B	D	N	N	228.89	228.89
95939	26	A	2.25	0.87	0.14	3.26	2.25	0.87	0.14	3.26	XXX	N	B	D	N	N	85.97	85.97
95940		A	0.6	0.23	0.04	0.87	0.6	0.23	0.04	0.87	XXX	N	N	D	N	N	22.94	22.94
95941		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
95943		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95943	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
95943	26	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95950		A	1.51	6.45	0.13	8.09	1.51	6.45	0.13	8.09	XXX	N	N	D	N	N	213.33	213.33
95950	TC	A	0	5.87	0.04	5.91	0	5.87	0.04	5.91	XXX	N	N	D	N	N	155.85	155.85
95950	26	A	1.51	0.58	0.09	2.18	1.51	0.58	0.09	2.18	XXX	N	N	D	N	N	57.49	57.49
95951		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95951	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95951	26	C	5.99	2.32	0.58	8.89	5.99	2.32	0.58	8.89	XXX	N	N	D	N	N	234.43	234.43
95953		A	3.08	7.38	0.21	10.67	3.08	7.38	0.21	10.67	XXX	N	N	D	N	N	281.37	281.37
95953	TC	A	0	6.21	0.04	6.25	0	6.21	0.04	6.25	XXX	N	N	D	N	N	164.81	164.81
95953	26	A	3.08	1.17	0.18	4.43	3.08	1.17	0.18	4.43	XXX	N	N	D	N	N	116.82	116.82
95954		A	2.45	8.07	0.19	10.71	2.45	8.07	0.19	10.71	XXX	N	N	D	N	N	282.42	282.42
95954	TC	A	0	7.31	0.05	7.36	0	7.31	0.05	7.36	XXX	N	N	D	N	N	194.08	194.08
95954	26	A	2.45	0.76	0.14	3.35	2.45	0.76	0.14	3.35	XXX	N	N	D	N	N	88.34	88.34
95955		A	1.01	4.45	0.06	5.52	1.01	4.45	0.06	5.52	XXX	N	N	D	N	N	145.56	145.56
95955	TC	A	0	4.06	0.01	4.07	0	4.06	0.01	4.07	XXX	N	N	D	N	N	107.33	107.33
95955	26	A	1.01	0.39	0.05	1.45	1.01	0.39	0.05	1.45	XXX	N	N	D	N	N	38.24	38.24
95956		A	3.61	35.52	0.38	39.51	3.61	35.52	0.38	39.51	XXX	N	N	D	N	N	1,041.88	1,041.88
95956	TC	A	0	34.14	0.19	34.33	0	34.14	0.19	34.33	XXX	N	N	D	N	N	905.28	905.28
95956	26	A	3.61	1.38	0.19	5.18	3.61	1.38	0.19	5.18	XXX	N	N	D	N	N	136.60	136.60
95957		A	1.98	8.54	0.14	10.66	1.98	8.54	0.14	10.66	XXX	N	N	D	N	N	281.10	281.10
95957	TC	A	0	7.79	0.01	7.8	0	7.79	0.01	7.8	XXX	N	N	D	N	N	205.69	205.69
95957	26	A	1.98	0.76	0.13	2.87	1.98	0.76	0.13	2.87	XXX	N	N	D	N	N	75.68	75.68
95958		A	4.24	9.45	0.31	14	4.24	9.45	0.31	14	XXX	N	N	D	N	N	369.18	369.18
95958	TC	A	0	7.87	0.05	7.92	0	7.87	0.05	7.92	XXX	N	N	D	N	N	208.85	208.85
95958	26	A	4.24	1.58	0.26	6.08	4.24	1.58	0.26	6.08	XXX	N	N	D	N	N	160.33	160.33
95961		A	2.97	4.09	0.18	7.24	2.97	4.09	0.18	7.24	XXX	N	N	D	N	N	190.92	190.92
95961	TC	A	0	2.97	0.01	2.98	0	2.97	0.01	2.98	XXX	N	N	D	N	N	78.58	78.58
95961	26	A	2.97	1.11	0.16	4.24	2.97	1.11	0.16	4.24	XXX	N	N	D	N	N	111.81	111.81
95962		A	3.21	3.1	0.18	6.49	3.21	3.1	0.18	6.49	ZZZ	N	N	D	N	N	171.14	171.14
95962	TC	A	0	1.89	0.01	1.9	0	1.89	0.01	1.9	ZZZ	N	N	D	N	N	50.10	50.10
95962	26	A	3.21	1.21	0.16	4.58	3.21	1.21	0.16	4.58	ZZZ	N	N	D	N	N	120.77	120.77
95965		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95965	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95965	26	C	7.99	2.92	0.77	11.68	7.99	2.92	0.77	11.68	XXX	N	N	D	N	N	308.00	308.00
95966		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95966	TC	C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
95966	26	C	3.99	1.55	0.38	5.92	3.99	1.55	0.38	5.92	XXX	N	N	D	N	N	156.11	156.11
95967		C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
95967	TC	C	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
95967	26	C	3.49	1.36	0.35	5.2	3.49	1.36	0.35	5.2	ZZZ	N	N	D	N	N	137.12	137.12
95970		A	0.45	0.17	0.05	0.67	0.45	1.2	0.05	1.7	XXX	N	N	D	N	N	17.67	44.83
95971		A	0.78	0.26	0.09	1.13	0.78	0.71	0.09	1.58	XXX	N	N	D	N	N	29.80	41.66
95972		A	1.5	0.49	0.16	2.15	1.5	1.2	0.16	2.86	XXX	N	N	D	N	N	56.70	75.42
95973		A	0.92	0.32	0.1	1.34	0.92	0.65	0.1	1.67	ZZZ	N	N	D	N	N	35.34	44.04
95974		A	3	1.15	0.31	4.46	3	2.15	0.31	5.46	XXX	N	N	D	N	N	117.61	143.98
95975		A	1.7	0.67	0.14	2.51	1.7	1.09	0.14	2.93	ZZZ	N	N	D	N	N	66.19	77.26
95978		A	3.5	1.36	0.45	5.31	3.5	2.65	0.45	6.6	XXX	N	N	D	N	N	140.02	174.04
95979		A	1.64	0.64	0.16	2.44	1.64	1.06	0.16	2.86	ZZZ	N	N	D	N	N	64.34	75.42
95980		NOT COVEI	0.8	0.27	0.19	1.26	0.8	0.27	0.19	1.26	XXX	N	N	D	N	N	33.23	33.23
95981		NOT COVEI	0.3	0.14	0.04	0.48	0.3	0.47	0.04	0.81	XXX	N	N	D	N	N	12.66	21.36
95982		NOT COVEI	0.65	0.26	0.06	0.97	0.65	0.62	0.06	1.33	XXX	N	N	D	N	N	25.58	35.07
95990		A	0	2.13	0.04	2.17	0	2.13	0.04	2.17	XXX	N	N	D	N	N	57.22	57.22
95991		A	0.77	0.25	0.06	1.08	0.77	2.15	0.06	2.98	XXX	N	N	D	N	N	28.48	78.58
95992		B	0.75	0.23	0.06	1.04	0.75	0.36	0.06	1.17	XXX	N	N	D	N	N	27.42	30.85

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
95999		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
96000		NOT COVEI	1.8	0.64	0.14	2.58	1.8	0.64	0.14	2.58	XXX	N	B	D	N	N	68.03	68.03
96001		NOT COVEI	2.15	0.44	0.14	2.73	2.15	0.44	0.14	2.73	XXX	N	B	D	N	N	71.99	71.99
96002		NOT COVEI	0.41	0.13	0.04	0.58	0.41	0.13	0.04	0.58	XXX	N	B	D	N	N	15.29	15.29
96003		NOT COVEI	0.37	0.13	0.04	0.54	0.37	0.13	0.04	0.54	XXX	N	B	D	N	N	14.24	14.24
96004		NOT COVEI	2.14	0.87	0.16	3.17	2.14	0.87	0.16	3.17	XXX	N	B	D	N	N	83.59	83.59
96020		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
96020	TC	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
96020	26	NOT COVEI	3.43	0.92	0.38	4.73	3.43	0.92	0.38	4.73	XXX	N	N	D	N	N	124.73	124.73
96040		B	0	1.06	0.04	1.1	0	1.06	0.04	1.1	XXX	N	N	N	N	N	29.01	29.01
96101		A	1.86	0.26	0.09	2.21	1.86	0.27	0.09	2.22	XXX	N	N	D	N	N	58.28	58.54
96102		NOT COVEI	0.5	0.11	0.04	0.65	0.5	1.1	0.04	1.64	XXX	N	N	D	N	N	17.14	43.25
96103		NOT COVEI	0.51	0.17	0.04	0.72	0.51	0.2	0.04	0.75	XXX	N	N	D	N	N	18.99	19.78
96105		NOT COVEI	1.75	0.87	0.05	2.67	1.75	0.87	0.05	2.67	XXX	N	N	D	N	N	70.41	70.41
96110		C	0	0.18	0.01	0.19	0	0.18	0.01	0.19	XXX	N	N	N	N	N	5.01	5.01
96111		A	2.6	0.57	0.19	3.36	2.6	0.73	0.19	3.52	XXX	N	N	D	N	N	88.60	92.82
96116		A	1.86	0.43	0.13	2.42	1.86	0.57	0.13	2.56	XXX	N	N	D	N	N	63.82	67.51
96118		A	1.86	0.25	0.09	2.2	1.86	0.7	0.09	2.65	XXX	N	N	D	N	N	58.01	69.88
96119		NOT COVEI	0.55	0.08	0.01	0.64	0.55	1.42	0.01	1.98	XXX	N	N	D	N	N	16.88	52.21
96120		A	0.51	0.16	0.04	0.71	0.51	0.67	0.04	1.22	XXX	N	N	D	N	N	18.72	32.17
96125		NOT COVEI	1.7	1.19	0.09	2.98	1.7	1.19	0.09	2.98	XXX	B	N	D	N	N	78.58	78.58
96150		NOT COVEI	0.5	0.07	0.01	0.58	0.5	0.07	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29
96151		NOT COVEI	0.48	0.07	0.01	0.56	0.48	0.07	0.01	0.56	XXX	N	N	D	N	N	14.77	14.77
96152		NOT COVEI	0.46	0.06	0.01	0.53	0.46	0.07	0.01	0.54	XXX	N	N	D	N	N	13.98	14.24
96153		NOT COVEI	0.1	0.02	0.01	0.13	0.1	0.02	0.01	0.13	XXX	N	N	D	N	N	3.43	3.43
96154		NOT COVEI	0.45	0.06	0.01	0.52	0.45	0.07	0.01	0.53	XXX	N	N	D	N	N	13.71	13.98
96155		NOT COVEI	0.44	0.14	0.04	0.62	0.44	0.14	0.04	0.62	XXX	N	N	N	N	N	16.35	16.35
96360		A	0.17	1.16	0.04	1.37	0.17	1.16	0.04	1.37	XXX	N	N	D	N	N	36.13	36.13
96361		A	0.09	0.27	0.01	0.37	0.09	0.27	0.01	0.37	ZZZ	N	N	D	N	N	9.76	9.76
96365		A	0.21	1.4	0.04	1.65	0.21	1.4	0.04	1.65	XXX	N	N	D	N	N	43.51	43.51
96366		A	0.18	0.27	0.01	0.46	0.18	0.27	0.01	0.46	ZZZ	N	N	D	N	N	12.13	12.13
96367		A	0.19	0.53	0.01	0.73	0.19	0.53	0.01	0.73	ZZZ	N	N	D	N	N	19.25	19.25
96368		A	0.17	0.32	0.01	0.5	0.17	0.32	0.01	0.5	ZZZ	N	N	D	N	N	13.19	13.19
96369		NOT COVEI	0.21	4.33	0.04	4.58	0.21	4.33	0.04	4.58	XXX	N	N	D	N	N	120.77	120.77
96370		NOT COVEI	0.18	0.2	0.01	0.39	0.18	0.2	0.01	0.39	ZZZ	N	N	D	N	N	10.28	10.28
96371		NOT COVEI	0	2.1	0.01	2.11	0	2.1	0.01	2.11	ZZZ	N	N	D	N	N	55.64	55.64
96372		A	0.17	0.43	0.01	0.61	0.17	0.43	0.01	0.61	XXX	N	N	D	N	N	16.09	16.09
96373		A	0.17	0.3	0.01	0.48	0.17	0.3	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
96374		A	0.18	1.13	0.04	1.35	0.18	1.13	0.04	1.35	XXX	N	N	D	N	N	35.60	35.60
96375		A	0.1	0.42	0.01	0.53	0.1	0.42	0.01	0.53	ZZZ	N	N	D	N	N	13.98	13.98
96376		C	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
96379		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
96401		A	0.21	1.51	0.05	1.77	0.21	1.51	0.05	1.77	XXX	N	N	D	N	N	46.67	46.67
96402		A	0.19	0.57	0.01	0.77	0.19	0.57	0.01	0.77	XXX	N	N	D	N	N	20.30	20.30
96405		A	0.52	0.25	0.04	0.81	0.52	1.43	0.04	1.99	000	Y	N	N	N	N	21.36	52.48
96406		A	0.8	0.38	0.05	1.23	0.8	1.94	0.05	2.79	000	Y	N	N	N	N	32.44	73.57
96409		A	0.24	2.29	0.06	2.59	0.24	2.29	0.06	2.59	XXX	N	N	D	N	N	68.30	68.30
96411		A	0.2	1.23	0.04	1.47	0.2	1.23	0.04	1.47	ZZZ	N	N	D	N	N	38.76	38.76
96413		A	0.28	2.82	0.06	3.16	0.28	2.82	0.06	3.16	XXX	N	N	D	N	N	83.33	83.33
96415		A	0.19	0.48	0.01	0.68	0.19	0.48	0.01	0.68	ZZZ	N	N	D	N	N	17.93	17.93
96416		A	0.21	3	0.09	3.3	0.21	3	0.09	3.3	XXX	N	N	D	N	N	87.02	87.02
96417		A	0.21	1.24	0.04	1.49	0.21	1.24	0.04	1.49	ZZZ	N	N	D	N	N	39.29	39.29
96420		A	0.17	2.21	0.1	2.48	0.17	2.21	0.1	2.48	XXX	N	N	D	N	N	65.40	65.40
96422		A	0.17	3.69	0.1	3.96	0.17	3.69	0.1	3.96	XXX	N	N	D	N	N	104.43	104.43

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
96423		A	0.17	1.62	0.05	1.84	0.17	1.62	0.05	1.84	ZZZ	N	N	D	N	N	48.52	48.52
96425		A	0.17	3.97	0.13	4.27	0.17	3.97	0.13	4.27	XXX	N	N	D	N	N	112.60	112.60
96440		A	2.37	0.9	0.65	3.92	2.37	17.45	0.65	20.47	000	N	N	D	N	N	103.37	539.79
96446		A	0.37	0.15	0.09	0.61	0.37	4.13	0.09	4.59	XXX	N	N	D	N	N	16.09	121.04
96450		A	1.53	0.54	0.14	2.21	1.53	2.86	0.14	4.53	000	N	N	D	N	N	58.28	119.46
96521		A	0.21	2.92	0.06	3.19	0.21	2.92	0.06	3.19	XXX	N	N	D	N	N	84.12	84.12
96522		A	0.21	2.36	0.06	2.63	0.21	2.36	0.06	2.63	XXX	N	N	D	N	N	69.35	69.35
96523		NOT COVEI	0.04	0.53	0.01	0.58	0.04	0.53	0.01	0.58	XXX	N	N	D	N	N	15.29	15.29
96542		A	0.75	0.33	0.05	1.13	0.75	2.1	0.05	2.9	XXX	N	N	D	N	N	29.80	76.47
96549		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
96567		A	0	3.06	0.01	3.07	0	3.06	0.01	3.07	XXX	N	N	D	N	N	80.96	80.96
96570		A	1.1	0.29	0.21	1.6	1.1	0.29	0.21	1.6	ZZZ	N	N	N	N	N	42.19	42.19
96571		A	0.55	0.13	0.05	0.73	0.55	0.13	0.05	0.73	ZZZ	N	N	N	N	N	19.25	19.25
96900		A	0	0.47	0.01	0.48	0	0.47	0.01	0.48	XXX	N	N	D	N	N	12.66	12.66
96902		B	0.41	0.13	0.04	0.58	0.41	0.15	0.04	0.6	XXX	N	N	N	N	N	15.29	15.82
96904		NOT COVEI	0	1.55	0.01	1.56	0	1.55	0.01	1.56	XXX	N	N	D	N	N	41.14	41.14
96910		A	0	1.61	0.01	1.62	0	1.61	0.01	1.62	XXX	N	N	D	N	N	42.72	42.72
96912		A	0	2.07	0.01	2.08	0	2.07	0.01	2.08	XXX	N	N	D	N	N	54.85	54.85
96913		A	0	2.92	0.01	2.93	0	2.92	0.01	2.93	XXX	N	N	D	N	N	77.26	77.26
96920		NOT COVEI	1.15	0.57	0.05	1.77	1.15	2.57	0.05	3.77	000	Y	N	N	N	N	46.67	99.41
96921		NOT COVEI	1.3	0.64	0.05	1.99	1.3	2.81	0.05	4.16	000	Y	N	N	N	N	52.48	109.70
96922		NOT COVEI	2.1	1.04	0.1	3.24	2.1	3.64	0.1	5.84	000	Y	N	N	N	N	85.44	154.00
96999		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
97001		A	1.2	0.72	0.06	1.98	1.2	0.72	0.06	1.98	XXX	B	N	D	N	N	52.21	52.21
97002		A	0.6	0.47	0.04	1.11	0.6	0.47	0.04	1.11	XXX	B	N	D	N	N	29.27	29.27
97003		A	1.2	0.94	0.06	2.2	1.2	0.94	0.06	2.2	XXX	B	N	D	N	N	58.01	58.01
97004		A	0.6	0.72	0.04	1.36	0.6	0.72	0.04	1.36	XXX	B	N	D	N	N	35.86	35.86
97005		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
97006		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
97010		B	0.06	0.08	0.01	0.15	0.06	0.08	0.01	0.15	XXX	N	N	N	N	N	3.96	3.96
97012		A	0.25	0.16	0.01	0.42	0.25	0.16	0.01	0.42	XXX	B	N	D	N	N	11.08	11.08
97014		A	0.18	0.22	0.01	0.41	0.18	0.22	0.01	0.41	XXX	N	N	N	N	N	10.81	10.81
97016		A	0.18	0.29	0.01	0.48	0.18	0.29	0.01	0.48	XXX	B	N	D	N	N	12.66	12.66
97018		A	0.06	0.2	0.01	0.27	0.06	0.2	0.01	0.27	XXX	B	N	D	N	N	7.12	7.12
97022		A	0.17	0.4	0.01	0.58	0.17	0.4	0.01	0.58	XXX	B	N	D	N	N	15.29	15.29
97024		A	0.06	0.09	0.01	0.16	0.06	0.09	0.01	0.16	XXX	B	N	D	N	N	4.22	4.22
97026		A	0.06	0.08	0.01	0.15	0.06	0.08	0.01	0.15	XXX	B	N	D	N	N	3.96	3.96
97028		A	0.08	0.1	0.01	0.19	0.08	0.1	0.01	0.19	XXX	B	N	D	N	N	5.01	5.01
97032		A	0.25	0.23	0.01	0.49	0.25	0.23	0.01	0.49	XXX	B	N	D	N	N	12.92	12.92
97033		NOT COVEI	0.26	0.53	0.01	0.8	0.26	0.53	0.01	0.8	XXX	B	N	D	N	N	21.10	21.10
97034		A	0.21	0.24	0.01	0.46	0.21	0.24	0.01	0.46	XXX	B	N	D	N	N	12.13	12.13
97035		A	0.21	0.12	0.01	0.34	0.21	0.12	0.01	0.34	XXX	B	N	D	N	N	8.97	8.97
97036		A	0.28	0.52	0.01	0.81	0.28	0.52	0.01	0.81	XXX	B	N	D	N	N	21.36	21.36
97039		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
97110		A	0.45	0.37	0.01	0.83	0.45	0.37	0.01	0.83	XXX	B	N	D	N	N	21.89	21.89
97112		A	0.45	0.4	0.01	0.86	0.45	0.4	0.01	0.86	XXX	B	N	D	N	N	22.68	22.68
97113		A	0.44	0.63	0.01	1.08	0.44	0.63	0.01	1.08	XXX	B	N	D	N	N	28.48	28.48
97116		A	0.4	0.32	0.01	0.73	0.4	0.32	0.01	0.73	XXX	B	N	D	N	N	19.25	19.25
97124		A	0.35	0.32	0.01	0.68	0.35	0.32	0.01	0.68	XXX	B	N	D	N	N	17.93	17.93
97139		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
97140		A	0.43	0.33	0.01	0.77	0.43	0.33	0.01	0.77	XXX	B	N	D	N	N	20.30	20.30
97150		A	0.29	0.16	0.01	0.46	0.29	0.16	0.01	0.46	XXX	B	N	D	N	N	12.13	12.13
97530		A	0.44	0.44	0.01	0.89	0.44	0.44	0.01	0.89	XXX	B	N	D	N	N	23.47	23.47
97532		A	0.44	0.25	0.01	0.7	0.44	0.25	0.01	0.7	XXX	N	N	D	N	N	18.46	18.46

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
97533		A	0.44	0.31	0.01	0.76	0.44	0.31	0.01	0.76	XXX	B	N	D	N	N	20.04	20.04
97535		NOT COVEI	0.45	0.43	0.01	0.89	0.45	0.43	0.01	0.89	XXX	B	N	D	N	N	23.47	23.47
97537		NOT COVEI	0.45	0.32	0.01	0.78	0.45	0.32	0.01	0.78	XXX	B	N	D	N	N	20.57	20.57
97542		NOT COVEI	0.45	0.33	0.01	0.79	0.45	0.33	0.01	0.79	XXX	B	N	D	N	N	20.83	20.83
97545		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
97546		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
97597		A	0.51	0.11	0.06	0.68	0.51	1.32	0.06	1.89	000	N	N	D	N	N	17.93	49.84
97598		A	0.24	0.05	0.04	0.33	0.24	0.37	0.04	0.65	ZZZ	N	N	D	N	N	8.70	17.14
97602		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
97605		NOT COVEI	0.55	0.12	0.1	0.77	0.55	0.47	0.1	1.12	XXX	N	N	D	N	N	20.30	29.53
97606		NOT COVEI	0.6	0.12	0.13	0.85	0.6	0.48	0.13	1.21	XXX	N	N	D	N	N	22.41	31.91
97610		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
97750		A	0.45	0.38	0.04	0.87	0.45	0.38	0.04	0.87	XXX	B	N	D	N	N	22.94	22.94
97755		NOT COVEI	0.62	0.31	0.04	0.97	0.62	0.31	0.04	0.97	XXX	B	N	D	N	N	25.58	25.58
97760		NOT COVEI	0.45	0.5	0.04	0.99	0.45	0.5	0.04	0.99	XXX	B	N	D	N	N	26.11	26.11
97761		NOT COVEI	0.45	0.38	0.04	0.87	0.45	0.38	0.04	0.87	XXX	B	N	D	N	N	22.94	22.94
97762		NOT COVEI	0.25	0.9	0.01	1.16	0.25	0.9	0.01	1.16	XXX	B	N	D	N	N	30.59	30.59
97799		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
97802		A	0.53	0.31	0.04	0.88	0.53	0.37	0.04	0.94	XXX	N	N	D	N	N	23.21	24.79
97803		NOT COVEI	0.45	0.27	0.04	0.76	0.45	0.32	0.04	0.81	XXX	N	N	D	N	N	20.04	21.36
97804		NOT COVEI	0.25	0.14	0.01	0.4	0.25	0.16	0.01	0.42	XXX	N	N	D	N	N	10.55	11.08
97810		NOT COVEI	0.6	0.19	0.05	0.84	0.6	0.32	0.05	0.97	XXX	N	N	N	N	N	22.15	25.58
97811		NOT COVEI	0.5	0.16	0.04	0.7	0.5	0.2	0.04	0.74	ZZZ	N	N	N	N	N	18.46	19.51
97813		NOT COVEI	0.65	0.21	0.05	0.91	0.65	0.34	0.05	1.04	XXX	N	N	N	N	N	24.00	27.42
97814		NOT COVEI	0.55	0.17	0.05	0.77	0.55	0.24	0.05	0.84	ZZZ	N	N	N	N	N	20.30	22.15
98925		A	0.46	0.15	0.04	0.65	0.46	0.32	0.04	0.82	000	N	N	D	N	N	17.14	21.62
98926		A	0.71	0.22	0.04	0.97	0.71	0.44	0.04	1.19	000	N	N	D	N	N	25.58	31.38
98927		A	0.96	0.27	0.05	1.28	0.96	0.55	0.05	1.56	000	N	N	D	N	N	33.75	41.14
98928		A	1.21	0.36	0.08	1.65	1.21	0.65	0.08	1.94	000	N	N	D	N	N	43.51	51.16
98929		A	1.46	0.41	0.11	1.98	1.46	0.76	0.11	2.33	000	N	N	D	N	N	52.21	61.44
98940		A	0.46	0.13	0.01	0.6	0.46	0.27	0.01	0.74	000	N	N	D	N	N	15.82	19.51
98941		A	0.71	0.21	0.04	0.96	0.71	0.35	0.04	1.1	000	N	N	D	N	N	25.32	29.01
98942		A	0.96	0.28	0.04	1.28	0.96	0.42	0.04	1.42	000	N	N	D	N	N	33.75	37.45
98943		NOT COVEI	0.46	0.15	0.04	0.65	0.46	0.23	0.04	0.73	XXX	N	N	N	N	N	17.14	19.25
98960		NOT COVEI	0	0.63	0.01	0.64	0	0.63	0.01	0.64	XXX	N	N	N	N	N	16.88	16.88
98961		NOT COVEI	0	0.3	0.01	0.31	0	0.3	0.01	0.31	XXX	N	N	N	N	N	8.17	8.17
98962		NOT COVEI	0	0.22	0.01	0.23	0	0.22	0.01	0.23	XXX	N	N	N	N	N	6.07	6.07
98966		NOT COVEI	0.25	0.08	0.01	0.34	0.25	0.11	0.01	0.37	XXX	N	N	N	N	N	8.97	9.76
98967		NOT COVEI	0.5	0.16	0.04	0.7	0.5	0.19	0.04	0.73	XXX	N	N	N	N	N	18.46	19.25
98968		NOT COVEI	0.75	0.24	0.06	1.05	0.75	0.27	0.06	1.08	XXX	N	N	N	N	N	27.69	28.48
98969		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99000		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99001		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99002		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99024		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99026		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99027		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99050		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99051		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99053		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99056		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99058		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99060		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99070		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
99071		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99075		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99078		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99080		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99082		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
99090		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99091		B	1.1	0.35	0.09	1.54	1.1	0.35	0.09	1.54	XXX	N	N	N	N	N	40.61	40.61
99100		B	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
99116		B	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
99135		B	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
99140		C	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
99143		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
99144		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
99145		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
99148		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
99149		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
99150		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
99170		A	1.75	0.56	0.14	2.45	1.75	2.5	0.14	4.39	000	Y	N	N	N	N	64.61	115.76
99172		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99173		A	0	0.06	0.01	0.07	0	0.06	0.01	0.07	XXX	N	N	N	N	N	1.85	1.85
99174		NOT COVEI	0	0.17	0.01	0.18	0	0.17	0.01	0.18	XXX	N	N	N	N	N	4.75	4.75
99175		NOT COVEI	0	0.38	0.01	0.39	0	0.38	0.01	0.39	XXX	N	N	D	N	N	10.28	10.28
99183		A	2.34	0.72	0.31	3.37	2.34	2.84	0.31	5.49	XXX	N	N	D	N	N	88.87	144.77
99190		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99191		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99192		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99195		A	0	2.25	0.06	2.31	0	2.25	0.06	2.31	XXX	N	N	D	N	N	60.91	60.91
99199		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
99201		A	0.48	0.18	0.05	0.71	0.48	0.57	0.05	1.1	XXX	N	N	D	N	N	18.72	29.01
99202		A	0.93	0.34	0.09	1.36	0.93	0.9	0.09	1.92	XXX	N	N	D	N	N	35.86	50.63
99203		A	1.42	0.5	0.16	2.08	1.42	1.22	0.16	2.8	XXX	N	N	D	N	N	54.85	73.84
99204		A	2.43	0.86	0.28	3.57	2.43	1.66	0.28	4.37	XXX	N	N	D	N	N	94.14	115.24
99205		A	3.17	1.1	0.33	4.6	3.17	1.96	0.33	5.46	XXX	N	N	D	N	N	121.30	143.98
99211		A	0.18	0.06	0.01	0.25	0.18	0.31	0.01	0.5	XXX	N	N	D	N	N	6.59	13.19
99212		A	0.48	0.16	0.05	0.69	0.48	0.58	0.05	1.11	XXX	N	N	D	N	N	18.20	29.27
99213		A	0.97	0.33	0.09	1.39	0.97	0.83	0.09	1.89	XXX	N	N	D	N	N	36.65	49.84
99214		A	1.5	0.51	0.13	2.14	1.5	1.17	0.13	2.8	XXX	N	N	D	N	N	56.43	73.84
99215		A	2.11	0.72	0.16	2.99	2.11	1.49	0.16	3.76	XXX	N	N	D	N	N	78.85	99.15
99217		A	1.28	0.56	0.1	1.94	1.28	0.56	0.1	1.94	XXX	N	N	D	N	N	51.16	51.16
99218		A	1.92	0.62	0.14	2.68	1.92	0.62	0.14	2.68	XXX	N	N	D	N	N	70.67	70.67
99219		A	2.6	0.87	0.2	3.67	2.6	0.87	0.2	3.67	XXX	N	N	D	N	N	96.78	96.78
99220		A	3.56	1.17	0.29	5.02	3.56	1.17	0.29	5.02	XXX	N	N	D	N	N	132.38	132.38
99221		A	1.92	0.63	0.21	2.76	1.92	0.63	0.21	2.76	XXX	N	N	D	N	N	72.78	72.78
99222		A	2.61	0.87	0.26	3.74	2.61	0.87	0.26	3.74	XXX	N	N	D	N	N	98.62	98.62
99223		A	3.86	1.3	0.35	5.51	3.86	1.3	0.35	5.51	XXX	N	N	D	N	N	145.30	145.30
99224		A	0.76	0.25	0.08	1.09	0.76	0.25	0.08	1.09	XXX	N	N	D	N	N	28.74	28.74
99225		A	1.39	0.47	0.09	1.95	1.39	0.47	0.09	1.95	XXX	N	N	D	N	N	51.42	51.42
99226		A	2	0.68	0.14	2.82	2	0.68	0.14	2.82	XXX	N	N	D	N	N	74.36	74.36
99231		A	0.76	0.24	0.06	1.06	0.76	0.24	0.06	1.06	XXX	N	N	D	N	N	27.95	27.95
99232		A	1.39	0.46	0.1	1.95	1.39	0.46	0.1	1.95	XXX	N	N	D	N	N	51.42	51.42
99233		A	2	0.67	0.14	2.81	2	0.67	0.14	2.81	XXX	N	N	D	N	N	74.10	74.10
99234		A	2.56	0.85	0.26	3.67	2.56	0.85	0.26	3.67	XXX	N	N	D	N	N	96.78	96.78
99235		A	3.24	1.07	0.26	4.57	3.24	1.07	0.26	4.57	XXX	N	N	D	N	N	120.51	120.51
99236		A	4.2	1.36	0.35	5.91	4.2	1.36	0.35	5.91	XXX	N	N	D	N	N	155.85	155.85

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
99238		A	1.28	0.57	0.09	1.94	1.28	0.57	0.09	1.94	XXX	N	N	D	N	N	51.16	51.16
99239		A	1.9	0.82	0.14	2.86	1.9	0.82	0.14	2.86	XXX	N	N	D	N	N	75.42	75.42
99241		NOT COVEI	0.64	0.2	0.09	0.93	0.64	0.55	0.09	1.28	XXX	N	N	N	N	N	24.52	33.75
99242		NOT COVEI	1.34	0.42	0.16	1.92	1.34	0.92	0.16	2.42	XXX	N	N	N	N	N	50.63	63.82
99243		NOT COVEI	1.88	0.59	0.21	2.68	1.88	1.21	0.21	3.3	XXX	N	N	N	N	N	70.67	87.02
99244		NOT COVEI	3.02	0.95	0.26	4.23	3.02	1.63	0.26	4.91	XXX	N	N	N	N	N	111.55	129.48
99245		NOT COVEI	3.77	1.15	0.35	5.27	3.77	1.91	0.35	6.03	XXX	N	N	N	N	N	138.97	159.01
99251		NOT COVEI	1	0.27	0.09	1.36	1	0.27	0.09	1.36	XXX	N	N	N	N	N	35.86	35.86
99252		NOT COVEI	1.5	0.43	0.14	2.07	1.5	0.43	0.14	2.07	XXX	N	N	N	N	N	54.59	54.59
99253		NOT COVEI	2.27	0.7	0.18	3.15	2.27	0.7	0.18	3.15	XXX	N	N	N	N	N	83.07	83.07
99254		NOT COVEI	3.29	1.02	0.21	4.52	3.29	1.02	0.21	4.52	XXX	N	N	N	N	N	119.19	119.19
99255		NOT COVEI	4	1.2	0.29	5.49	4	1.2	0.29	5.49	XXX	N	N	N	N	N	144.77	144.77
99281		A	0.45	0.09	0.04	0.58	0.45	0.09	0.04	0.58	XXX	N	N	D	N	N	15.29	15.29
99282		A	0.88	0.17	0.09	1.14	0.88	0.17	0.09	1.14	XXX	N	N	D	N	N	30.06	30.06
99283		A	1.34	0.24	0.13	1.71	1.34	0.24	0.13	1.71	XXX	N	N	D	N	N	45.09	45.09
99284		A	2.56	0.44	0.26	3.26	2.56	0.44	0.26	3.26	XXX	N	N	D	N	N	85.97	85.97
99285		A	3.8	0.63	0.36	4.79	3.8	0.63	0.36	4.79	XXX	N	N	D	N	N	126.31	126.31
99288		B	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99291		A	4.5	1.2	0.41	6.11	4.5	2.36	0.41	7.27	XXX	N	N	D	N	N	161.12	191.71
99292		A	2.25	0.6	0.21	3.06	2.25	0.85	0.21	3.31	ZZZ	N	N	D	N	N	80.69	87.28
99304		A	1.64	0.7	0.16	2.5	1.64	0.7	0.16	2.5	XXX	N	N	D	N	N	65.93	65.93
99305		A	2.35	0.98	0.24	3.57	2.35	0.98	0.24	3.57	XXX	N	N	D	N	N	94.14	94.14
99306		A	3.06	1.19	0.28	4.53	3.06	1.19	0.28	4.53	XXX	N	N	D	N	N	119.46	119.46
99307		A	0.76	0.37	0.05	1.18	0.76	0.37	0.05	1.18	XXX	N	N	D	N	N	31.12	31.12
99308		A	1.16	0.58	0.09	1.83	1.16	0.58	0.09	1.83	XXX	N	N	D	N	N	48.26	48.26
99309		A	1.55	0.76	0.1	2.41	1.55	0.76	0.1	2.41	XXX	N	N	D	N	N	63.55	63.55
99310		A	2.35	1.08	0.16	3.59	2.35	1.08	0.16	3.59	XXX	N	N	D	N	N	94.67	94.67
99315		NOT COVEI	1.28	0.57	0.1	1.95	1.28	0.57	0.1	1.95	XXX	N	N	D	N	N	51.42	51.42
99316		NOT COVEI	1.9	0.78	0.13	2.81	1.9	0.78	0.13	2.81	XXX	N	N	D	N	N	74.10	74.10
99318		NOT COVEI	1.71	0.73	0.13	2.57	1.71	0.73	0.13	2.57	XXX	N	N	D	N	N	67.77	67.77
99324		A	1.01	0.4	0.09	1.5	1.01	0.4	0.09	1.5	XXX	N	N	D	N	N	39.56	39.56
99325		A	1.52	0.54	0.13	2.19	1.52	0.54	0.13	2.19	XXX	N	N	D	N	N	57.75	57.75
99326		A	2.63	0.94	0.19	3.76	2.63	0.94	0.19	3.76	XXX	N	N	D	N	N	99.15	99.15
99327		A	3.46	1.29	0.26	5.01	3.46	1.29	0.26	5.01	XXX	N	N	D	N	N	132.11	132.11
99328		A	4.09	1.44	0.29	5.82	4.09	1.44	0.29	5.82	XXX	N	N	D	N	N	153.47	153.47
99334		A	1.07	0.47	0.09	1.63	1.07	0.47	0.09	1.63	XXX	N	N	D	N	N	42.98	42.98
99335		A	1.72	0.7	0.13	2.55	1.72	0.7	0.13	2.55	XXX	N	N	D	N	N	67.24	67.24
99336		A	2.46	0.97	0.16	3.59	2.46	0.97	0.16	3.59	XXX	N	N	D	N	N	94.67	94.67
99337		A	3.58	1.34	0.28	5.2	3.58	1.34	0.28	5.2	XXX	N	N	D	N	N	137.12	137.12
99339		B	1.25	0.72	0.1	2.07	1.25	0.72	0.1	2.07	XXX	N	N	N	N	N	54.59	54.59
99340		NOT COVEI	1.8	0.96	0.14	2.9	1.8	0.96	0.14	2.9	XXX	N	N	N	N	N	76.47	76.47
99341		A	1.01	0.39	0.09	1.49	1.01	0.39	0.09	1.49	XXX	N	N	D	N	N	39.29	39.29
99342		A	1.52	0.51	0.14	2.17	1.52	0.51	0.14	2.17	XXX	N	N	D	N	N	57.22	57.22
99343		A	2.53	0.8	0.21	3.54	2.53	0.8	0.21	3.54	XXX	N	N	D	N	N	93.35	93.35
99344		A	3.38	1.26	0.26	4.9	3.38	1.26	0.26	4.9	XXX	N	N	D	N	N	129.21	129.21
99345		A	4.09	1.51	0.31	5.91	4.09	1.51	0.31	5.91	XXX	N	N	D	N	N	155.85	155.85
99347		A	1	0.41	0.09	1.5	1	0.41	0.09	1.5	XXX	N	N	D	N	N	39.56	39.56
99348		A	1.56	0.58	0.13	2.27	1.56	0.58	0.13	2.27	XXX	N	N	D	N	N	59.86	59.86
99349		A	2.33	0.92	0.16	3.41	2.33	0.92	0.16	3.41	XXX	N	N	D	N	N	89.92	89.92
99350		A	3.28	1.24	0.26	4.78	3.28	1.24	0.26	4.78	XXX	N	N	D	N	N	126.05	126.05
99354		A	1.77	0.61	0.14	2.52	1.77	0.77	0.14	2.68	ZZZ	N	N	D	N	N	66.45	70.67
99355		A	1.77	0.56	0.14	2.47	1.77	0.72	0.14	2.63	ZZZ	N	N	D	N	N	65.13	69.35
99356		A	1.71	0.63	0.14	2.48	1.71	0.63	0.14	2.48	ZZZ	N	N	D	N	N	65.40	65.40
99357		A	1.71	0.62	0.14	2.47	1.71	0.62	0.14	2.47	ZZZ	N	N	D	N	N	65.13	65.13

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
99358		B	2.1	0.71	0.16	2.97	2.1	0.71	0.16	2.97	XXX	N	N	N	N	N	78.32	78.32
99359		B	1	0.35	0.09	1.44	1	0.35	0.09	1.44	ZZZ	N	N	N	N	N	37.97	37.97
99360		NOT COVEI	1.2	0.38	0.1	1.68	1.2	0.38	0.1	1.68	XXX	N	N	N	N	N	44.30	44.30
99363		B	1.65	0.52	0.14	2.31	1.65	1.51	0.14	3.3	XXX	N	N	N	N	N	60.91	87.02
99364		B	0.63	0.2	0.05	0.88	0.63	0.45	0.05	1.13	XXX	N	N	N	N	N	23.21	29.80
99366		NOT COVEI	0.82	0.27	0.06	1.15	0.82	0.28	0.06	1.16	XXX	N	N	N	N	N	30.33	30.59
99367		NOT COVEI	1.1	0.35	0.09	1.54	1.1	0.35	0.09	1.54	XXX	N	N	N	N	N	40.61	40.61
99368		NOT COVEI	0.72	0.23	0.05	1	0.72	0.23	0.05	1	XXX	N	N	N	N	N	26.37	26.37
99374		B	1.1	0.35	0.09	1.54	1.1	0.67	0.09	1.86	XXX	N	N	N	N	N	40.61	49.05
99375		A	1.73	0.56	0.14	2.43	1.73	0.93	0.14	2.8	XXX	N	N	N	N	N	64.08	73.84
99377		B	1.1	0.35	0.09	1.54	1.1	0.67	0.09	1.86	XXX	N	N	N	N	N	40.61	49.05
99378		A	1.73	0.56	0.14	2.43	1.73	0.93	0.14	2.8	XXX	N	N	N	N	N	64.08	73.84
99379		B	1.1	0.35	0.09	1.54	1.1	0.67	0.09	1.86	XXX	N	N	N	N	N	40.61	49.05
99380		B	1.73	0.56	0.14	2.43	1.73	0.93	0.14	2.8	XXX	N	N	N	N	N	64.08	73.84
99381		A	1.5	0.48	0.13	2.11	1.5	1.25	0.13	2.88	XXX	N	N	N	N	N	55.64	75.95
99382		A	1.6	0.52	0.11	2.23	1.6	1.28	0.11	2.99	XXX	N	N	N	N	N	58.81	78.85
99383		A	1.7	0.54	0.13	2.37	1.7	1.31	0.13	3.14	XXX	N	N	N	N	N	62.50	82.80
99384		A	2	0.64	0.15	2.79	2	1.41	0.15	3.56	XXX	N	N	N	N	N	73.57	93.88
99385		A	1.92	0.62	0.15	2.69	1.92	1.38	0.15	3.45	XXX	N	N	N	N	N	70.94	90.98
99386		A	2.33	0.75	0.18	3.26	2.33	1.5	0.18	4.01	XXX	N	N	N	N	N	85.97	105.74
99387		A	2.5	0.8	0.2	3.5	2.5	1.65	0.2	4.35	XXX	N	N	N	N	N	92.30	114.71
99391		A	1.37	0.44	0.11	1.92	1.37	1.11	0.11	2.59	XXX	N	N	N	N	N	50.63	68.30
99392		A	1.5	0.48	0.13	2.11	1.5	1.15	0.13	2.78	XXX	N	N	N	N	N	55.64	73.31
99393		A	1.5	0.48	0.13	2.11	1.5	1.14	0.13	2.77	XXX	N	N	N	N	N	55.64	73.04
99394		A	1.7	0.54	0.13	2.37	1.7	1.21	0.13	3.04	XXX	N	N	N	N	N	62.50	80.16
99395		A	1.75	0.56	0.13	2.44	1.75	1.22	0.13	3.1	XXX	N	N	N	N	N	64.34	81.75
99396		A	1.9	0.61	0.14	2.65	1.9	1.27	0.14	3.31	XXX	N	N	N	N	N	69.88	87.28
99397		A	2	0.64	0.15	2.79	2	1.41	0.15	3.56	XXX	N	N	N	N	N	73.57	93.88
99401		A	0.48	0.15	0.04	0.67	0.48	0.42	0.04	0.94	XXX	N	N	N	N	N	17.67	24.79
99402		A	0.98	0.32	0.09	1.39	0.98	0.58	0.09	1.65	XXX	N	N	N	N	N	36.65	43.51
99403		NOT COVEI	1.46	0.47	0.13	2.06	1.46	0.73	0.13	2.32	XXX	N	N	N	N	N	54.32	61.18
99404		NOT COVEI	1.95	0.62	0.14	2.71	1.95	0.89	0.14	2.98	XXX	N	N	N	N	N	71.46	78.58
99406		A	0.24	0.07	0.01	0.32	0.24	0.12	0.01	0.37	XXX	N	N	D	N	N	8.44	9.76
99407		A	0.5	0.16	0.04	0.7	0.5	0.2	0.04	0.74	XXX	N	N	D	N	N	18.46	19.51
99408		NOT COVEI	0.65	0.21	0.05	0.91	0.65	0.25	0.05	0.95	XXX	N	N	N	N	N	24.00	25.05
99409		NOT COVEI	1.3	0.42	0.1	1.82	1.3	0.46	0.1	1.86	XXX	N	N	N	N	N	47.99	49.05
99411		NOT COVEI	0.15	0.05	0.01	0.21	0.15	0.25	0.01	0.41	XXX	N	N	N	N	N	5.54	10.81
99412		NOT COVEI	0.25	0.08	0.01	0.34	0.25	0.28	0.01	0.54	XXX	N	N	N	N	N	8.97	14.24
99420		C	0	0.24	0.01	0.25	0	0.24	0.01	0.25	XXX	N	N	N	N	N	6.59	6.59
99429		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99441		NOT COVEI	0.25	0.08	0.01	0.34	0.25	0.11	0.01	0.37	XXX	N	N	N	N	N	8.97	9.76
99442		NOT COVEI	0.5	0.16	0.04	0.7	0.5	0.19	0.04	0.73	XXX	N	N	N	N	N	18.46	19.25
99443		NOT COVEI	0.75	0.24	0.06	1.05	0.75	0.27	0.06	1.08	XXX	N	N	N	N	N	27.69	28.48
99444		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99446		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99447		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99448		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99449		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99450		C	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99455		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
99456		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
99460		A	1.92	0.54	0.1	2.56	1.92	0.54	0.1	2.56	XXX	N	N	D	N	N	67.51	67.51
99461		A	1.26	0.4	0.1	1.76	1.26	1.17	0.1	2.53	XXX	N	N	D	N	N	46.41	66.72
99462		A	0.84	0.24	0.06	1.14	0.84	0.24	0.06	1.14	XXX	N	N	D	N	N	30.06	30.06

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
99463		A	2.13	0.81	0.14	3.08	2.13	0.81	0.14	3.08	XXX	N	N	D	N	N	81.22	81.22
99464		A	1.5	0.35	0.09	1.94	1.5	0.35	0.09	1.94	XXX	N	N	D	N	N	51.16	51.16
99465		A	2.93	0.83	0.26	4.02	2.93	0.83	0.26	4.02	XXX	N	N	D	N	N	106.01	106.01
99466		A	4.79	1.34	1.23	7.36	4.79	1.34	1.23	7.36	XXX	N	N	D	N	N	194.08	194.08
99467		A	2.4	0.77	0.16	3.33	2.4	0.77	0.16	3.33	ZZZ	N	N	D	N	N	87.81	87.81
99468		A	18.46	5.2	1.82	25.48	18.46	5.2	1.82	25.48	XXX	N	N	D	N	N	671.91	671.91
99469		A	7.99	2.25	0.5	10.74	7.99	2.25	0.5	10.74	XXX	N	N	D	N	N	283.21	283.21
99471		A	15.98	5.93	1.04	22.95	15.98	5.93	1.04	22.95	XXX	N	N	D	N	N	605.19	605.19
99472		A	7.99	2.35	0.58	10.92	7.99	2.35	0.58	10.92	XXX	N	N	D	N	N	287.96	287.96
99475		A	11.25	3.4	1.03	15.68	11.25	3.4	1.03	15.68	XXX	N	N	D	N	N	413.48	413.48
99476		A	6.75	2.1	0.63	9.48	6.75	2.1	0.63	9.48	XXX	N	N	D	N	N	249.99	249.99
99477		A	7	1.97	0.45	9.42	7	1.97	0.45	9.42	XXX	N	N	D	N	N	248.41	248.41
99478		A	2.75	0.78	0.21	3.74	2.75	0.78	0.21	3.74	XXX	N	N	D	N	N	98.62	98.62
99479		A	2.5	0.71	0.19	3.4	2.5	0.71	0.19	3.4	XXX	N	N	D	N	N	89.66	89.66
99480		A	2.4	0.68	0.19	3.27	2.4	0.68	0.19	3.27	XXX	N	N	D	N	N	86.23	86.23
99481		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
99482		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	N	N	N	0.00	0.00
99485		NOT COVEI	1.5	0.48	0.1	2.08	1.5	0.48	0.1	2.08	XXX	N	N	N	N	N	54.85	54.85
99486		NOT COVEI	1.3	0.42	0.1	1.82	1.3	0.42	0.1	1.82	XXX	N	N	N	N	N	47.99	47.99
99487		NOT COVEI	1	0.32	0.08	1.4	1	0.32	0.08	1.4	XXX	N	N	N	N	N	36.92	36.92
99488		NOT COVEI	2.5	1.33	0.2	4.03	2.5	2.09	0.2	4.79	XXX	N	N	N	N	N	106.27	126.31
99489		NOT COVEI	0.5	0.69	0.04	1.23	0.5	0.52	0.04	1.06	ZZZ	N	N	N	N	N	32.44	27.95
99495		NOT COVEI	2.11	0.72	0.16	2.99	2.11	1.95	0.16	4.22	XXX	N	N	D	N	N	78.85	111.28
99496		NOT COVEI	3.05	1.05	0.24	4.34	3.05	2.69	0.24	5.98	XXX	N	N	D	N	N	114.45	157.69
99499		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
99500		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99501		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99502		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99503		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99504		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99505		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99506		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99507		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99509		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99510		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99511		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99512		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99600		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99601		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99602		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99605		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99606		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
99607		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0001F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0005F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0012F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0014F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0015F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0019T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0042T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0051T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0052T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0053T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0071T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
0072T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0073T		A	0	9.17	0.01	9.18	0	9.17	0.01	9.18	XXX	N	N	D	N	N	242.08	242.08
0075T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0075T	TC	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0075T	26	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0076T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0076T	TC	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0076T	26	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0085T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0092T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0095T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0098T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0099T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0100T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0101T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0102T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0103T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0106T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0107T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0108T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0109T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0110T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0111T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0123T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0126T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0159T		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
0159T	TC	NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
0159T	26	NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
0163T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0164T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0165T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0169T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0171T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0172T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0174T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0175T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0178T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0179T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0180T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0181T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0182T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0182T	TC	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0182T	26	NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0184T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0208T		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0209T		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0210T		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0211T		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0212T		C	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0213T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	Y	D	N	N	0.00	0.00
0214T		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	Y	D	N	N	0.00	0.00
0215T		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	Y	D	N	N	0.00	0.00
0216T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	Y	D	N	N	0.00	0.00
0217T		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	Y	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
0218T		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	Y	D	N	N	0.00	0.00
0219T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0220T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0221T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0222T		NOT COVEI	0	0	0	0	0	0	0	0	ZZZ	N	N	D	N	N	0.00	0.00
0223T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0224T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0225T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0226T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0227T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0228T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	Y	N	N	N	0.00	0.00
0229T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	Y	N	N	N	0.00	0.00
0230T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	Y	N	N	N	0.00	0.00
0231T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	Y	N	N	N	0.00	0.00
0232T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0233T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0234T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0235T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0236T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0237T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0238T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0239T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0240T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0240T	TC	NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0240T	26	NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0241T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0241T	TC	NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0241T	26	NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0243T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0243T	TC	NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0243T	26	NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0244T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0244T	TC	NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0244T	26	NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0245T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	Y	D	N	N	0.00	0.00
0246T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	Y	D	N	N	0.00	0.00
0247T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	Y	D	N	N	0.00	0.00
0248T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	Y	D	N	N	0.00	0.00
0249T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0253T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0254T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0255T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0255T	TC	NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0255T	26	NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	D	N	N	0.00	0.00
0319T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0320T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0321T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0322T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0323T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0324T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0325T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0326T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0327T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00
0328T		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	D	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
0329T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0330T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0331T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0332T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0333T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0334T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0335T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0336T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0337T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0338T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0339T		NOT COVEI	0	0	0	0	0	0	0	0	YYY	N	N	N	N	N	0.00	0.00
0500F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0501F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0502F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0503F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0505F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0507F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0509F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0513F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0514F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0516F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0517F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0518F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0519F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0520F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0521F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0580F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0581F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0582F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0583F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
0584F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1000F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1002F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1003F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1004F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1005F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1006F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1007F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1008F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1015F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1018F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1019F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1022F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1026F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1030F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1034F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1035F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1036F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1038F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1039F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1040F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1050F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1055F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1060F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
1061F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1065F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1066F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1070F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1071F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1090F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1091F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1100F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1101F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1110F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1111F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1116F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1118F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1119F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1121F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1123F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1124F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1125F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1126F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1500F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1501F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1502F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1503F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1504F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
1505F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2000F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2001F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2002F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2004F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2010F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2014F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2018F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2019F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2020F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2021F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2022F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2024F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2026F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2027F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2028F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2029F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2030F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2031F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
2035F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3006F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3011F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3014F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3017F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3020F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3021F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3022F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3023F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3025F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3027F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
3028F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3035F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3037F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3040F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3042F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3044F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3045F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3046F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3048F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3049F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3050F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3060F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3061F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3062F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3066F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3072F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3073F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3074F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3075F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3077F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3078F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3079F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3080F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3082F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3083F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3084F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3085F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3088F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3089F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3090F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3091F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3092F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3093F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3095F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3096F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3100F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3110F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3111F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3112F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3120F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3130F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3132F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3140F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3141F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3142F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3150F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3155F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3160F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3170F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3200F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3210F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3215F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3216F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3218F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	$ 37.56 OB/GYN Non- Facility
3220F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3230F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3260F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3265F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3266F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3268F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3269F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3270F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3271F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3272F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3273F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3274F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3278F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3279F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3280F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3281F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3284F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3285F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3288F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3290F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3291F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3292F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3300F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3301F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3315F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3316F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3317F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3318F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3319F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3320F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3325F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3751F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3752F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3753F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3754F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3755F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3756F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3757F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3758F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3759F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3760F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3761F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3762F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
3763F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4000F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4001F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4003F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4005F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4011F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4012F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4014F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4015F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4016F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4017F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00

HCPCS	MOD	2014 STATUS CODE	Facility Transitioned W	Facility Transitioned PE	Facility Transitioned MP	Facility Total	Non-Facility Transitioned W	Non-Facility Transitioned PE	Non-Facility Transitioned MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide $ 37.56 OB/GYN Facility	Non- Facility
4018F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4019F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4025F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4030F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4033F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4035F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4037F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4040F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4041F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4042F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4043F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4044F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4045F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4046F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4047F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4048F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4049F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4050F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4051F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4052F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4053F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4054F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4055F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4056F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4058F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4060F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4062F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4064F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4065F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4066F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4067F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4070F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4073F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4075F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4077F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4079F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4084F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4090F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4095F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4100F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4110F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4115F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4120F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4124F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4130F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4131F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4132F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4133F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4134F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
4135F		NOT COVEI	0	0	0	0	0	0	0	0	XXX	N	N	N	N	N	0.00	0.00
G0104		A	0.96	0.6	0.16	1.72	0.96	2.3	0.16	3.42	000	Y	N	N	N	N	45.36	90.19
G0105		A	3.69	1.61	0.7	6	3.69	5.64	0.7	10.03	000	Y	N	N	N	N	158.22	264.49
G0105	53	A	0.96	0.6	0.16	1.72	0.96	2.3	0.16	3.42	000	Y	N	N	N	N	45.36	90.19
G0106		A	0.99	4.37	0.05	5.41	0.99	4.37	0.05	5.41	XXX	N	N	D	N	N	142.66	142.66

HCPCS	MOD	2014 STATUS CODE	Facility W	Facility PE	Facility MP	Facility Total	Non-Facility W	Non-Facility PE	Non-Facility MP	Non-Facility Total	GLOB DAYS	MULT PROC	BILAT SURG	ASST SURG	CO-SURG	TEAM SURG	Conversion Factors $ 26.37 Statewide Facility	Conversion Factors $ 37.56 OB/GYN Non- Facility
G0106	TC	A	0	4.07	0.01	4.08	0	4.07	0.01	4.08	XXX	N	N	D	N	N	107.59	107.59
G0106	26	A	0.99	0.3	0.04	1.33	0.99	0.3	0.04	1.33	XXX	N	N	D	N	N	35.07	35.07
G0108		A	0.9	0.45	0.06	1.41	0.9	0.45	0.06	1.41	XXX	N	N	D	N	N	37.18	37.18
G0109		A	0.25	0.12	0.01	0.38	0.25	0.12	0.01	0.38	XXX	N	N	D	N	N	10.02	10.02
G0120		NOT COVEI	0.99	4.37	0.05	5.41	0.99	4.37	0.05	5.41	XXX	N	N	D	N	N	142.66	142.66
G0120	TC	NOT COVEI	0	4.07	0.01	4.08	0	4.07	0.01	4.08	XXX	N	N	D	N	N	107.59	107.59
G0120	26	NOT COVEI	0.99	0.3	0.04	1.33	0.99	0.3	0.04	1.33	XXX	N	N	D	N	N	35.07	35.07
G0121		A	3.69	1.61	0.7	6	3.69	5.64	0.7	10.03	000	Y	N	N	N	N	158.22	264.49
G0121	53	A	0.96	0.6	0.16	1.72	0.96	2.3	0.16	3.42	000	Y	N	N	N	N	45.36	90.19
G0202		A	0.7	2.51	0.06	3.27	0.7	2.51	0.06	3.27	XXX	N	B	D	N	N	86.23	86.23
G0202	TC	A	0	2.3	0.01	2.31	0	2.3	0.01	2.31	XXX	N	B	D	N	N	60.91	60.91
G0202	26	A	0.7	0.21	0.05	0.96	0.7	0.21	0.05	0.96	XXX	N	B	D	N	N	25.32	25.32
G0204		A	0.87	3.05	0.08	4	0.87	3.05	0.08	4	XXX	N	B	D	N	N	105.48	105.48
G0204	TC	A	0	2.79	0.01	2.8	0	2.79	0.01	2.8	XXX	N	B	D	N	N	73.84	73.84
G0204	26	A	0.87	0.27	0.06	1.2	0.87	0.27	0.06	1.2	XXX	N	B	D	N	N	31.64	31.64
G0206		A	0.7	2.39	0.06	3.15	0.7	2.39	0.06	3.15	XXX	N	N	D	N	N	83.07	83.07
G0206	TC	A	0	2.18	0.01	2.19	0	2.18	0.01	2.19	XXX	N	N	D	N	N	57.75	57.75
G0206	26	A	0.7	0.21	0.05	0.96	0.7	0.21	0.05	0.96	XXX	N	N	D	N	N	25.32	25.32
G0237		A	0	0.22	0.01	0.23	0	0.22	0.01	0.23	XXX	N	N	D	N	N	6.07	6.07
G0238		A	0	0.24	0.01	0.25	0	0.24	0.01	0.25	XXX	N	N	D	N	N	6.59	6.59
G0239		A	0	0.29	0.01	0.3	0	0.29	0.01	0.3	XXX	N	N	D	N	N	7.91	7.91